

List of Figures

Figure 2.1 – Ideal thermodilution curve.....	58
Figure 2.2 – Examples of unsatisfactory thermodilution curves.....	58
Figure 3.1 – CO as determined by thermodilution in three standing subjects.....	97
Figure 4.1 - CO as determined by thermodilution in five anesthetized subjects.....	118
Figure 5.1 – Plot of echocardiographic CO vs thermodilution CO with predictive regression equation and 95% prediction interval.....	136
Figure 5.2 – Predicted thermodilution CO based on M-mode echocardiographic CO determinations of 20, 24, and 30 l/min/450 kg.....	137
Figure 5.3 – Equations for the calculation of S_{pred} and se_{Yfit}	138
Figure 5.4 – Plot of echocardiographic CO vs thermodilution CO with predictive regression equation and 95% confidence interval.....	139
Figure 6.1 – X-Y plot of thermodilution and M-mode echocardiographic CO determinations.....	158
Figure 6.2 – Bland-Altman analysis of thermodilution and M-mode echocardiographic determinations.....	159
Figure 6.3 – Portions of total measurement variability for thermodilution due to subject, treatment, and subsample-to-subsample variability.....	160

Figure 6.4 - Portions of total measurement variability for M-mode echocardiography due to subject, treatment, and subsample-to-subsample variability.....161