



# Virginia Firescapes

Firewise Landscaping for Woodland Homes

VP1 & SU LIBRARY  
a1002359283/b



*In Virginia, one of every three forest fires now threatens at least one woodland home.  
Forest fires damaged 98 structures in 1995 and 40 in 1996.*

## The Firescape

When the forest becomes a community, forest fires and homes are inseparable.

A home in a woodland setting is surrounded by flammable vegetation. Firewise landscaping can help you create a defensible space or buffer zone around your home. This not only helps to keep fire from approaching your woodland home, but it also provides a safe space in which firefighters can work.

Your goal in firewise landscaping should be to "break the chain" of fuel between homes and natural vegetation. Examine the yard and determine what can catch fire and what can carry fire to the house.

## The Plant List

The trees, shrubs, groundcovers and vines listed in this publication have been assigned a general flammability rating to help you create a firewise landscape around your woodland home. Some plants are more fire-resistant than others, but **THERE ARE NO FIRE-PROOF PLANTS. UNDER EXTREME FIRE CONDITIONS ALL PLANTS WILL BURN!**

The location of plants in your yard should always be carefully planned. **The arrangement, spacing and density of plants that grow around the house can be more crucial than what species are planted.**

**Proper maintenance is also vital to remove excess debris and help plants retain their fire-resistive properties.** Pruning can increase a plant's fire resistance, whereas lack of maintenance can make plants more flammable!



LD  
5655  
A762  
No. 430-300  
c. 2

## Landscaping Zones

Landscaping zones should be used when planning for fire protection.

### Zone 1: house to 5 ft. from house -

Have nothing flammable next to the house, including trees, brush, tall grass, leaves, firewood piles, bark mulch and other burnables. Carefully examine decks overhanging dense vegetation and trees overhanging the house for possible fire transfer.

### Zone 2: 5 ft. to 10 ft. from house -

Maintain a well kept lawn and avoid evergreens that catch fire easily and burn quickly. Use raised beds, rock gardens, stone walkways, walls and patios to create visual interest while maintaining a fuel break. Any trees used in this zone should be kept small and should be at least 10 ft. from the house. **Leave 10-15-ft. spaces between tree crowns**, and prune or limb trees to a height of 10-15 ft. up from the ground.

### Zone 3: 30 ft. to 100 ft. from house -

Remove yard debris and thin vegetation out to at least 30 ft. from the house. Clear and thin up to 100 ft. on the downhill side. Shrubs and groundcovers should be well maintained, kept free of dead material, and kept small. Control brush and weeds annually. Steep slopes can be terraced to slow wildfires down.

## Choose Special Trees and Shrubs

Trees and shrubs with the following characteristics are more desirable to have in a firewise landscape:

- High leaf moisture and low leaf oil or resin content.
- Minimal litter and accumulated debris potential.
- Limited foliage and few dead branches.
- Low overall height.
- Open, loose branching habit.
- Easy maintenance and low pruning requirements.
- Drought resistant

## Virginia Firewise Landscaping Task Force



**Bonnie Lee Appleton**  
Hampton Roads AREC, Virginia Tech

**Cindy L. Frenzel**  
Virginia Department of Forestry

**Julie B. Hillegass**  
Virginia Dare Soil and Water Conservation District

**Robert E. Lyons**  
Department of Horticulture, Virginia Tech

**Larry G. Steward**  
Land Stewards of North American, Ltd.



## Landscaping Zones

LISTS OF "MORE OR LESS" FOREST FIRE-PRONE TREES, SHRUBS AND GROUND COVERS

Flammability Rating: H = High  
M = Medium  
L = Low

Use: S = Shade  
Sp = Specimen  
Sc = Screen  
F = Foundation  
H = Hedge  
GC = Ground Cover

DECIDUOUS TREES

Scientific Name	Common Name	Native to VA	Use	Flammability Rating	Comments
Acer negundo	Boxelder	N	S	L	Tolerates poor soils, pH adaptable. Short lived.
Acer palmatum	Japanese maple	N	Sp	L	Requires a sheltered location. Not heat/drought tolerant.
Acer pensylvanicum	Striped maple	N	Sp, S	L	Prefers shade.
Acer platanoides	Norway maple	N	S	M	Tolerates a wide range of soil conditions.
Acer rubrum	Red/Swamp maple	N	S, Sp	L	Tolerates wet soil conditions.
Acer saccharinum	Silver/River/Soft Maple	N	S	L	Brittle, weak wood is easily broken in wind and ice storms.
Acer saccharum	Sugar/Rock/Hard Maple	N	S, Sp	L	Susceptible to acid rain damage and road de-icing salts. Not heat tolerant.
Acer spicatum	Mountain maple	N	S, Sc	L	Best in wooded conditions.
Aesculus hippocastanum	Horsechestnut	N	S, Sp	L	Susceptible to many diseases, pH adaptable. Not heat tolerant.
Aesculus pavia	Red buckeye	N	Sc	L	Small, shrubby.
Albizia julibrissin	Mimosa, Silkree	N	Sp	M	Very adaptable to high pH, soil salinity and drought. Short lived.
Amelanchier arborea	Downy serviceberry, Shadbrow	N	Sp, Sc	L	Tolerant of drought, but not air pollution.
Aralia spinosa	Devil's walkingstick	N	Sp	L	Tolerates poor soils and urban conditions. Dangerous spines.
Asimina triloba	Pawpaw	N	Sp, S	L	Tolerant of wet soils, edible fruits.
Betula alleghaniensis	Yellow birch	N	S, Sp	L	Not tolerant of heat/drought.
Betula lenta	Black birch	N	S, Sp	L	Similar to above species.
Betula nigra	River birch	N	S, Sp	L	Tolerates wet soils, not tolerant of pH above 6.5.
Betula papyrifera	Paper/White/Canoe birch	N	S, Sp	L	Insect problems, not heat tolerant. Should not be used in difficult, polluted sites.
Betula pendula	European white birch	N	Sp, S	L	Proned to bronze birch borer damage. Not heat tolerant.
Broussonetia papyrifera	Paper mulberry	Sp, S	L	H	Tolerates most soil conditions, also heat and drought. Weedy.
Carpinus caroliniana	Hornbeam	N	S	L	Tolerates wet soils and periodic flooding.
Carya cordiformis	Bitternut hickory	N	S	L	Fast growing hickory. Grown from seed only, as with all hickories.
Carya glabra	Pignut hickory	N	S, Sp	L	Tolerates varied soils.
Carya illinoensis	Pecan	N	S	L	Valuable for fruits.
Carya ovata	Shagbark hickory	N	S	L	Interesting, peeling bark.
Carya tomentosa	Mockernut hickory	N	S	L	Tolerates varied soils.
Castanea dentata	American chestnut	N	S	L	Few found due to blight.
Castanea mollissima	Chinese chestnut	N	S, Sp	M	Tolerates hot, dry climates.
Catalpa bignonioides	Southern catalpa	N	S	L	Tolerates many soil types, also hot, dry sites.
Catalpa speciosa	Northern catalpa	N	S	L	Tolerates many soil types, also hot, dry sites.
Celtis laevigata	Sugarberry	N	S	L	Tolerates many soil types and conditions.
Celtis occidentalis	Common hackberry	N	S	L	Tolerates wind and poor soils, pH adaptable.
Cercis canadensis	Eastern redbud	N	Sp, S	L	Adapts to urban conditions.
Chioanthus virginicus	Fringetree	N	Sp	L	Tolerates partial shade and air pollution.
Cladrastis kentuckea	Yellowwood	N	Sp, S	L	Prune in summer. Not heat tolerant.
Cornus florida	Flowering dogwood	N	Sp, S	L	Will not tolerate wet soils. More heat tolerant than above species.
Cornus kousa	Kousa/Chinese dogwood	N	Sp, S	L	Stems are covered with large thorns. Susceptible to rust diseases.
Crataegus crus-galli	Cockspur hawthorn	N	Sp	L	Stems are covered with large thorns. Susceptible to rust diseases.
Crataegus phaenopyrum	Washington hawthorn	N	Sp	L	Tolerates poor, dry soils, pH adaptable.
Diospyros virginiana	Persimmon	N	S	L	Salt tolerant and withstands drought. Not heat tolerant, weedy.
Elaeagnus angustifolia	Russian-olive	N	Sc, S	L	Root system is easily damaged by construction. Needs good soils.
Fagus grandifolia	American beech	N	S, Sp	M	Does not tolerate heat well.
Fagus sylvatica	European beech	N	S, Sp	M	Good resistance to heat and drought.
Fraxinus americana	White ash	N	S	L	Tolerates wet soils and periodic flooding.
Fraxinus nigra	Black ash	N	S	L	Tolerates drought, high soil pH, salt and poor soils.
Fraxinus pennsylvanica	Green ash	N	S	L	Urban tolerant. Fruits are unsightly and malodorous, use male cultivars.
Ginkgo biloba	Ginkgo, Maidenhair tree	N	S, Sp	L	

DECIDUOUS TREES

Scientific Name	Common Name	Native to VA	Use	Flammability Rating	Comments	
<i>Gleditsia triacanthos</i> var. <i>inermis</i>	Thornless honeylocust	N	S	L	Tolerates drought, soil salts and high pH. Use thornless forms, as thorns are dangerous.	
<i>Gymnocladus dioica</i>	Kentucky coffeetree	N	S	L	Tolerates drought and urban conditions.	
<i>Halesia carolina</i>	Carolina silverbell	N	Sp	L	Prefers moist soil. Understory tree.	
<i>Juglans cinerea</i>	Butternut	N	S	L	Slow growing. Tolerates varied conditions.	
<i>Juglans nigra</i>	Black walnut	N	S	L	Prime timber tree. Phytotoxic to many other plants.	
<i>Koeleruteria paniculata</i>	Goldenraintree	N	Sp, S	L	Tolerates heat, drought, air pollution and poor fertility.	
<i>Liquidambar styraciflua</i>	Sweetgum	N	S, Sp	L	Suitable tree for wet soils.	
<i>Liriodendron tulipifera</i>	Tuliptree, Tulip poplar	N	S, Sp	L	Does not tolerate poor growing conditions.	
<i>Maclura promifera</i>	Osage orange	N	S, Sc	L	Tolerates drought, wind, extreme heat and wet soils.	
<i>Magnolia acuminata</i>	Cucumber magnolia	N	S, Sp	L	Does not tolerate extremely dry or wet soils.	
<i>Magnolia stellata</i>	Star magnolia	N	Sp	L	Heat tolerant.	
<i>Magnolia tripetala</i>	Umbrella magnolia	N	Sp	L	Coarse texture.	
<i>Magnolia virginiana</i>	Sweetbay magnolia	N	Sp, S	L	Tolerates wet soils, but not drought.	
<i>Magnolia x soulangiana</i>	Saucer magnolia	N	Sp	L	Resistant to air pollution. Prone to spring frost damage.	
<i>Malus</i> sp.	Flowering crabapple	N	Sp	L	Species is prone to insect and disease problems.	
<i>Melia azedarach</i>	Chinaberry	N	Sp, S	L	Rapid grower with very weak wood. Poison fruit.	
<i>Metasequoia glyptostroboides</i>	Dawn redwood	N	Sp, S	H	Species has existed for at least 50 million years. Prefers moist, well-drained soils.	
<i>Morus alba</i>	White mulberry	N	S	L	Very adaptable tree. Prone to insect and disease problems.	
<i>Morus rubra</i>	Red mulberry	N	S	L	Edible fruits.	
<i>Nyssa sylvatica</i>	Black gum, Black tupelo,	N	S, Sp	L	Not tolerant of air pollution or alkaline soils. Tolerates wet soils.	
	Sour gum, Swamp tupelo					
<i>Ostrya virginiana</i>	Hophornbeam	N	S	L	Tolerates dry soils.	
<i>Oxydendrum arboreum</i>	Sourwood, Sorrel tree,	N	Sp, S	L	Not resistant to drought or air pollution.	
	Lily-of-the-valley tree					
<i>Paulownia tomentosa</i>	Empress tree, Paulownia,	N	S, Sp	L	Withstands air pollutants and does well in coastal areas and mountain valleys.	
<i>Platanus occidentalis</i>	American sycamore	N	S	M	Tolerates urban conditions with wet or dry soils, prone to disease problems.	
<i>Platanus x acerifolia</i>	London planetree	N	S	M	Very tolerant to urban conditions.	
<i>Populus alba</i>	White poplar	N	S	L	Tolerant of most soil conditions. Brittle wood, not suitable for residential use.	
<i>Populus deltoides</i>	Cottonwood	N	S	L	Tolerant of most soil conditions. Short lived.	
<i>Populus grandidentata</i>	Big-toothed aspen	N	S	L	Tolerates dry soils. Valuable for pulp wood.	
<i>Prunus cerasifera</i>	Purpleleaf/cherry plum	N	Sp, S	L	Avoid heavy soils and air pollution. Prone to many insect problems.	
<i>Prunus persica</i>	Common/Flowering peach	N	Sp, S	L	Subject to many insect and disease problems. Short lived.	
<i>Prunus serotina</i>	Wild black cherry	N	S	L	Tolerates most soil types. Can become invasive. Poisonous to livestock.	
<i>Prunus serotina</i>	Japanese flowering cherry	N	Sp, S	L	Stressed trees are more susceptible to insect and disease problems. Short lived.	
<i>Prunus subhirtella</i>	Weeping/Higan/Rosebud cherry	N	Sp, S	L	Not drought tolerant.	
<i>Prunus x yedoensis</i>	Yoshino cherry	N	Sp, S	L	Tolerates a range of soil conditions. Prone to borer attack.	
<i>Ptelea trifoliata</i>	Water ash	N	S	L	Tolerates heavy shade.	
<i>Pyrus calleryana</i>	Callery pear	N	S, Sp	L	Drought-resistant. Prune to create stronger crotch angles.	
<i>Pyrus communis</i>	Common pear	N	S	L	Prone to fireblight disease, use resistant varieties.	
<i>Quercus alba</i>	White oak	N	S	L	Very susceptible to construction damage. Tolerates various soils.	
<i>Quercus bicolor</i>	Swamp white oak	N	S	L	Tolerates wet, acidic soils.	
<i>Quercus coccinea</i>	Scarlet oak	N	N	S	L Less tolerant than other oaks of adverse conditions.	
<i>Quercus falcata</i>	Southern red oak	N	N	S	L	Prefers drier soils.
<i>Quercus marilandica</i>	Blackjack oak	N	S	L	Tolerates sandy soils.	
<i>Quercus nigra</i>	Water oak	N	S	L	Tolerates wet soils.	
<i>Quercus palustris</i>	Pin oak, Swamp oak	N	S	L	Will withstand very wet conditions. Maintain pH below 6.0.	
<i>Quercus phellos</i>	Willow oak	N	S	L	Transplants readily. Tolerates wet soils.	
<i>Quercus prinus</i>	Chestnut oak	N	S	L	Tolerates dry, poor soils.	
<i>Quercus rubra</i>	Red/Northern red oak	N	S	L	Moderately drought tolerant. Maintain pH below 6.0.	
<i>Quercus stellata</i>	Post oak	N	S	L	Tolerates dry, poor soil conditions.	

DECIDUOUS TREES

Scientific Name	Common Name	Native to VA	Use	Flammability Rating	Comments
Quercus velutina	Black oak	N	S	L	Tolerates varied conditions, including poor soils.
Robinia pseudoacacia	Black locust	N	S	L	Tolerates dry, saline soils. Suckering problem. Spines on young growth.
Salix babingtonia	Weeping willow		S, Sp	L	Grows in wet soils. Its vigorous, shallow root system can be a problem.
Salix matsudana 'Tortuosa'	Corkscrew willow		Sp, S	L	Grows in wet soils. Its vigorous, shallow root system can be a problem.
Salix nigra	Black willow	N	S	L	Grows in wet soils.
Sassafras albidum	Sassafras	N	S, Sp	L	May become invasive. Difficult to transplant.
Sorbus americana	Mountainash	N	Sp, S	L	Mountain region plant.
Taxodium distichum	Bald cypress	N	S, Sp	H	Tolerates most soil types. Requires soil with low pH.
Tilia americana	American linden, Basswood	N	S	L	Will not tolerate drought.
Tilia cordata	Littleleaf linden		S, Sp	L	Very air pollution tolerant, pH adaptable. Susceptible to Japanese beetle damage.
Ulmus alatus	Winged elm	N	S	L	May be susceptible to powdery mildew.
Ulmus americana	American elm	N	S	L	Susceptible to many insects and diseases, especially Dutch elm disease - use new resistant varieties.
Ulmus parvifolia	Lacebark/Chinese elm		S, Sp	L	Urban tolerant. Resistant to most insect and disease problems.
Ulmus pumila	Siberian elm		S	L	Fast growing, weedy, has brittle wood. Prone to many insect problems.
Ulmus rubra	Slippery elm	N	S	L	Susceptible to Dutch elm disease. Weedy.
Viburnum prunifolium	Blackhaw viburnum	N	Sc, Sp	L	Adaptable to many soil types.
Zelkova serrata	Japanese zelkova		S	L	Tolerant of drought, wind and air pollution, pH adaptable.



LISTS OF "MORE OR LESS" FOREST FIRE-PRONE  
TREES, SHRUBS AND GROUND COVERS

Flammability Rating: H = High  
M = Medium  
L = Low

Use: S = Shade  
Sp = Specimen  
Sc = Screen

F = Foundation  
H = Hedge  
GC = Ground Cover

DECIDUOUS SHRUBS

Scientific Name	Common Name	Native to VA	Use	Flammability Rating	Comments
<i>Aesculus parviflora</i>	Bottlebrush buckeye	N	Sc, Sp	L	Well-suited for use under shade trees.
<i>Alnus rugosa</i> (or <i>serrulata</i> )	Spotted alder	N	Sc	L	Tolerates wet soils.
<i>Amorpha fruticosa</i>	Indigobush amorpha, False indigo	N	Sc	L	Tolerates poor soils.
<i>Aronia arbutifolia</i>	Red chokeberry	N	Sc	L	Well adapted to many soil types and to warm or cold climates.
<i>Aronia melanocarpa</i>	Black chokeberry	N	Sc	L	Well adapted to many soil types, prefers cold climates.
<i>Baccharis halimifolia</i>	Groundsel-bush, Salt bush	N	Sc	H	Tolerates poor soils and salt.
<i>Berberis thunbergii</i>	Japanese barberry	H, F	L	L	Handle spiny stems with care.
<i>Buddleia davidii</i>	Butterfly bush	N	Sp, Sc	L	Attracts butterflies.
<i>Callicarpa americana</i>	Beautyberry	N	Sp, Sc	L	Prune out rank growth. Showy fruit. Best in warm climates, use introduced species in cold climates.
<i>Calycanthus floridus</i>	Sweetshrub; Carolina allspice	N	Sp, Sc	L	Aromatic flowers and stems.
<i>Castanea pumila</i>	Chinkapin, Chinquapin	N	Sc	L	Nuts for wildlife.
<i>Ceanothus americanus</i>	New Jersey tea	N	Sp, Sc	L	Tolerates dry soil.
<i>Cephalanthus occidentalis</i>	Buttonbush	N	Sc	L	Well suited for use in wet soils.
<i>Chaenomeles speciosa</i>	Japanese floweringquince	N	Sp, H, S	L	Well adapted to many conditions. Has spines and is susceptible to leaf diseases.
<i>Clethra alnifolia</i>	Summersweet clethra	N	Sp, Sc	L	Well suited for use in wet soils.
<i>Comptonia peregrina</i>	Sweetfern	N	Sp	L	Aromatic leaves and stems. Adapted to dry, sandy soil.
<i>Cornus sericea</i>	Redosier dogwood	N	Sc, Sp	M	Provides erosion control on slopes. Prefers moist soils.
<i>Corylus americana</i>	American hazelnut	N	Sc	L	Well adapted to many conditions.
<i>Corylus avellana</i>	European filbert	N	Sc	L	Prized for its nut production.
<i>Cotinus coggia</i>	Smokebush	N	Sp, Sc	L	Well adapted to many conditions.
<i>Cotoneaster horizontalis</i>	Rockspray cotoneaster	N	F, GC	L	Tolerates wind, dry, poor soils, very pH adaptable.
<i>Cytisus scoparius</i>	Scotchbroom	N	Sp, Sc	L	Used for stabilizing sandy soils, pH adaptable, tolerates poor soils. Can become weedy.
<i>Deutzia gracilis</i>	Slender deutzia	N	Sp, Sc	L	Well adapted to many conditions.
<i>Diervilla sessilifolia</i>	Southern bush-honeysuckle	N	H, Sc	L	Tolerates exposed sites.
<i>Euonymus alatus</i>	Fall firebush, winged euonymus	N	Sp, Sc	L	Not tolerant of drought or waterlogged conditions.
<i>Euonymus americanus</i>	American euonymus, Hearts-a-bustin, Strawberry bush	N	Sp, Sc	L	Very insect susceptible. Very adaptable to wet or dry soil conditions.
<i>Forsythia x intermedia</i>	Border forsythia	N	Sp, H, Sc	L	Tolerant of urban conditions, pH adaptable.
<i>Hamamelis vernalis</i>	Vernal witchhazel	N	Sp, Sc	L	Tolerates poorly drained soils.
<i>Hamamelis virginiana</i>	Common witchhazel	N	Sp, Sc	L	Very adaptable to climatic conditions.
<i>Hibiscus syriacus</i>	Rose-of-Sharon	N	Sp, Sc	L	Well adapted to many conditions. Susceptible to insect problems.
<i>Hydrangea arborescens</i>	Smooth hydrangea	N	Sp, Sc	L	Suckers freely from roots, will cover large areas if not maintained.
<i>Hydrangea macrophylla</i>	Bigleaf hydrangea	N	Sp, Sc	L	Plant parts are poisonous. Tolerates shade.
<i>Hydrangea paniculata</i>	P.G. hydrangea, panicle hydrangea	N	Sp, Sc	L	Plant parts are poisonous. Very adaptable.
<i>Hydrangea quercifolia</i>	Oakleaf hydrangea	N	Sp, Sc	L	Plant parts are poisonous. Tolerates shade. Rugged plant.
<i>Hypericum prolificum</i>	St. Johnswort	N	Sp, F, GC	L	Excellent plant for dry, heavy soils.
<i>Ilex verticillata</i>	Winterberry holly	N	Sp, Sc	L	Tolerates wet soils.
<i>Itea virginica</i>	Virginia sweetspire	N	Sp, Sc	L	Tolerates wet soils.
<i>Jasminum nudiflorum</i>	Winter jasmine	N	Sp, H	L	Drought tolerant, used in erosion control.
<i>Lagerstroemia indica</i>	Crapemyrtle	N	Sp, Sc	L	Tolerant of Drought and urban conditions, Not cold tolerant.
<i>Leucothoe racemosa</i>	Sweetbells leucothoe	N	Sp, Sc	L	Tolerates wide range of conditions
<i>Ligustrum vulgare</i>	Cummun privet, Hedge privet	N	H	M	Subject to winter dieback in cold exposed areas. Weedy and invasive.
<i>Ligustrum x vicaryi</i>	Golden Vicary privet	N	H	M	Golden Yellow leaves will become greenish yellow if grown in shade.
<i>Lindera benzoin</i>	Spicebush	N	Sc	L	Tolerates Shade. Has scented foliage.
<i>Lonicera fragrantissima</i>	Winter Honeysuckle	N	Sp, Sc	L	Adapts to many soils and ph levels. Weedy
<i>Lonicera tatarica</i>	Tatar... H.	N	Sc, Sp	L	Has escaped cultivation and become a weed in some areas

DECIDUOUS SHRUBS

Scientific Name	Common Name	Native to VA	Use	Flammability Rating	Comments
Philadelphus coronarius	Sweet mockorange		Sp, Sc	L	Adapts to almost any soil condition.
Physocarpus opulifolius	Nine-bark		Sc, Sp	L	Drought resistant, pH adaptable.
Poncirus trifoliata	Hardy-orange	N	Sp, Sc	L	Handle thorny stems with care. Soil adaptable.
Potentilla fruticosa	Shrubby cinquefoil	N	Sp, F	L	Adapts poorly to hot, humid locations.
Prunus glandulosa	Flowering almond		Sp, H, F	L	Very adaptable, showy. Weedy.
Rhododendron calendulaceum	Flame azalea	N	Sp, Sc	M	Requires moist acidic soil.
Rhododendron periclymenoides	Pinxterbloom azalea	N	Sp, Sc	M	Tolerates more shade than most deciduous azaleas.
Rhododendron prinophyllum	Roseshell azalea	N	Sp, Sc	M	Will tolerate higher pH levels than most deciduous azaleas.
Rhus copallina	Shining sumac	N	Sc, Sp	L	Useful for dry, rocky sites.
Rhus glabra	Smooth sumac	N	Sc	L	Tolerates drought and poor soil conditions.
Rhus typhina	Staghorn sumac	N	Sc, Sp	L	Suitable for colder climates, otherwise similar to above species.
Rosa carolina	Carolina rose	N	Sp, H	L	Tolerates wet soil conditions.
Rosa hybrids	Garden roses (florabundas, grandifloras & hybrid teas)		Sp	L	Very insect and disease susceptible. Thorny stems.
Rosa rugosa	Rugose rose		Sp, H, Sc	L	Tolerates wind, poor soils and seaside conditions.
Rosa virginiana	Virginia rose	N	Sp, H, Sc	L	Tolerates wind, poor soils and seaside conditions.
Salix discolor	Pussywillow	N	Sp, Sc	L	Tolerates poorly-drained soils. Short lived.
Sambucus canadensis	Elderberry	N	Sc, Sp	L	Tolerates both wet and dry soils.
Spirea nipponica	Nippon spirea		Sp, F	L	Adapts well to urban conditions.
Spirea prunifolia	Bridalweath spirea		Sp, Sc	L	Heavy pruning will destroy this shrub's natural arching habit.
Spirea x bumalda	Bumald spirea		Sp, F	L	Needs well drained soil.
Spirea x vanhouttei	Vanhouette spirea		Sp, Sc	L	Very adaptable.
Symphoricarpos orbiculatus	Indian coralberry	N	Sp, Sc	L	Shade tolerant.
Syringa persica	Persian lilac		Sp, Sc	L	Heat tolerant.
Syringa vulgaris	Common lilac		Sp, Sc	L	Not heat tolerant. Prone to powdery mildew in humid areas. Requires soils with higher pH.
Vaccinium angustifolia	Lowbush blueberry	N	Sc, H	L	Prized for its berries.
Vaccinium corymbosum	Highbush blueberry	N	Sc, H	L	Tolerates acid, sandy soil conditions. Wildlife food.
Vaccinium stamineum	Deerberry	N	Sp, Sc	L	Tolerates dry, poor soils.
Viburnum acerifolium	Mapleleaf viburnum	N	Sc, Sp	L	Tolerates shade and poor soils.
Viburnum carlesi	Koreanspice viburnum		Sp, H, Sc	L	Early, fragrant flowers.
Viburnum dentatum	Arrowwood viburnum	N	Sc	L	Tolerates high pH, heavy soils and cold temperatures.
Viburnum opulus	European cranberry viburnum		Sp, Sc	L	Tolerates wet soils, pH adaptable.
Viburnum plicatum var. tomentosum	Doublefile viburnum		Sp, Sc	L	Needs good drainage and full sun.
Viburnum trilobum	Mapleleaf viburnum	N	Sc, Sp	L	Not heat or drought tolerant.
Viburnum x burkwoodii	Burkwood viburnum		Sc, Sp	L	Heat and cold tolerant, adaptable to urban conditions.
Vitex angust-castus	Chastetree; Vitex		Sp, Sc	L	Adaptable to poor soils and dry sites.
Weigela florida	Weigela		Sp, H, Sc, L	F	Very tolerant to air pollution.

LISTS OF "MORE OR LESS" FOREST FIRE-PRONE  
TREES, SHRUBS AND GROUND COVERS

Flammability Rating: H = High  
M = Medium  
L = Low

Use: S = Shade  
Sp = Specimen  
Sc = Screen  
F = Foundation  
H = Hedge  
GC = Ground Cover

EVERGREEN TREES

Scientific Name	Common Name	Native to VA	Use	Flammability Rating	Comments
<i>Abies concolor</i>	White fir		Sp	H	Tolerates urban conditions in cooler regions.
<i>Abies fraseri</i>	Fraser fir	N	Sp	H	Popular as Christmas tree, use in cool regions.
<i>Cedrus atlantica</i>	Atlas cedar		Sp	H	Difficult to transplant, drought tolerant.
<i>Cedrus deodara</i>	Deodara cedar		Sp	H	Drought tolerant. Limited cold tolerance.
<i>Cedrus libani</i>	Cedar of Lebanon		Sp	H	Very cold hardy. Requires good drainage.
<i>Chamaecyparis obtusa</i>	Hinoki falsecypress		Sp, Sc	H	Requires good drainage.
<i>Chamaecyparis pisifera</i>	Japanese falsecypress		Sp, Sc	H	Requires good drainage.
<i>Chamaecyparis thyoides</i>	Atlantic whitecedar	N	Sp, Sc	H	Adapts to wet, boggy sites.
<i>x Cupressocyparis leylandii</i>	Leyland cypress		Sc, Sp	H	Adapts to pH extremes, salt spray, poor fertility, drought.
<i>Cupressus arizonica</i>	Arizona cypress		Sc, Sp	H	Tolerates hot, dry conditions.
<i>Ilex aquifolium</i>	English holly		Sp	H	Requires good drainage and compatible male plant for berry production. (dioecious). Not cold tolerant.
<i>Ilex x attenuata 'Fosteri'</i>	Fosters holly		Sp, Sc	H	Urban tolerant. Dioecious.
<i>Ilex x 'Nellie R. Stevens'</i>	Nellie R. Stevens holly		Sc, Sp	H	Somewhat drought tolerant. Dioecious.
<i>Ilex opaca</i>	American holly	N	Sp, Sc	H	Prono to native holly leafminer damage. Tolerates wet conditions.
<i>Juniperus scopulorum</i>	Western redcedar		Sc, Sp	H	Adapts to pH extremes, poor fertility, drought. Requires good drainage.
<i>Juniperus virginiana</i>	Eastern redcedar	N	Sc, Sp	H	Alternate host for cedar apple rust disease. Tolerates urban conditions. Difficult to transplant.
<i>Magnolia grandiflora</i>	Southern magnolia	N	Sp	H	Broadleaved - considerable litter.
<i>Picea abies</i>	Norway spruce		Sp	H	Tolerates cold climates and some warm climates.
<i>Picea glauca</i>	White spruce		Sp	H	Withstands drought, wind and temperature extremes.
<i>Picea pungens</i>	Colorado spruce		Sp	H	Very drought tolerant. Not heat toleant.
<i>Pinus echinata</i>	Shortleaf pine	N	Sc, Sp	H	Difficult to transplant due to deep taproot.
<i>Pinus nigra</i>	Austrian pine		Sp, Sc	H	Resists drought and seaside conditions. Disease problems develop with age.
<i>Pinus palustris</i>	Longleaf pine	N	Sp	H	Native plant.
<i>Pinus pungens</i>	Table mountain pine	N	Sp	H	Native - not commercially available. Rugged plant.
<i>Pinus rigida</i>	Pitch pine	N	Sp, Sc	H	Requires good drainage.
<i>Pinus strobus</i>	White pine	N	Sp, Sc	H	Sensitive to heat, air pollution and salts. Requires good drainage.
<i>Pinus taeda</i>	Loblolly pine	N	Sc, Sp	H	Tolerates salt spray, sandy soils.
<i>Pinus thumbergiana</i>	Japanese black pine		Sp, Sc	H	Tolerates salt spray, sandy soils.
<i>Pinus virginiana</i>	Virginia pine, Jersey pine	N	Sc, Sp	H	Will grow in either sandy or heavy, clay soils.
<i>Quercus hemisphaerica</i>	Laurel oak	N	Sc	H	Adapts to urban conditions. Prefers warm climates.
<i>Quercus virginiana</i>	Live oak	N	S, Sp	H	Adapts to urban conditions. Prefers warm climates. Leaf/acorn litter.
<i>Thuja occidentalis</i>	Northern whitecedar; Arborvitae	N	Sc, F, H	H	Requires good drainage. Not heat tolerant.
<i>Thuja orientalis (Platycladus)</i>	Oriental arborvitae	N	Sc, F, H	H	Adapts to many growing conditions. Subject to several insect pests.
<i>Tsuga canadensis</i>	Canadian hemlock, Eastern hemlock	N	Sp, Sc	H	Will not tolerate drought and heat. Requires good drainage.
<i>Tsuga caroliniana</i>	Carolina hemlock	N	Sp, Sc	H	Will not tolerate drought, requires good drainage.



LISTS OF "MORE OR LESS" FOREST FIRE-PRONE TREES, SHRUBS AND GROUND COVERS

Flammability Rating: H = High  
M = Medium  
L = Low

Use: S = Shade  
Sp = Specimen  
Sc = Screen  
F = Foundation  
H = Hedge  
GC = Ground Cover

EVERGREEN SHRUBS

Scientific Name	Common Name	Native to VA	Use	Flammability Rating	Comments
Abelia x grandiflora	Glossy abelia		H, F	H	Adapts to many growing conditions.
Aucuba japonica	Japanese aucuba		Sp, F, H	H	Requires shade. Prefers warmer climates.
Berberis julianae	Wintergreen barberry		H	H	Avoid contact with spiny stems and leaves.
Buxus microphylla	Japanese boxwood		F, H, Sp	H	Partially tolerant of drought and heat.
Buxus sempervirens	American boxwood		F, H, Sp	H	Leaves and stems toxic to livestock. Applications of lime are required for plant vigor.
Buxus sempervirens suffruticosa	Edging box, English boxwood		H, Sp, F	H	Needs well drained soil.
Camellia japonica	Japanese camellia		Sp, Sc	H	Subject to winter injury, use in warmer climates only.
Camellia sasanqua	Sasanqua camellia		Sp, Sc	H	Subject to winter injury, use in warmer climates only.
Cotoneaster dammeri	Bearberry cotoneaster		F	H	Tolerates wide range of conditions, use for erosion control.
Cotoneaster salicifolius	Willowleaf cotoneaster		Sc, Sp, H	H	Tolerates poor soils, pH adaptable. Generally pest free.
Daphne odora	Winter daphne		F, Sp	H	Leaves and fruit are very poisonous. Produces highly scented flowers early.
Elaeagnus pungens	Thorny elaeagnus		Sc	H	Tolerates salt spray, drought, air pollution & wind.
Euonymus japonicus	Japanese euonymus		H, Sc	H	Subject to numerous pest problems.
Euonymus kiautschovicus	Spreading euonymus		H, Sc	H	Fruit and leaves may be toxic.
Gardenia jasminoides	Gardenia, Cape jasmine		Sp, Sc, F	H	Requires well drained, acidic soil. Use in warmer climates only.
Ilex cornuta	Chinese holly		Sc, Sp	H	Very adaptable to drought, pH, and to many soil types.
Ilex crenata	Japanese holly		H, F	H	Mildly drought tolerant. Needs well drained soil.
Ilex glabra	Inkberry holly	N	H, F	H	May be grown in acid soils on wet sites.
Ilex vomitoria	Yaupon holly	N	H, F, Sc	H	Tolerant of most soil conditions and salt spray. Use in warmer climates only.
Ilex x meserveae	Meserve holly, Blue holly		Sp	H	A male cultivar is necessary for berry production.
Juniperus chinensis	Chinese juniper		F, H, Sc	H	Tolerant of salt and alkaline soils.
Kalmia latifolia	Mountain-laurel	N	Sp, F	H	Leaves are poisonous. Requires shade.
Leucothoe fontanesiana	Drooping leucothoe	N	F, Sp	H	Not tolerant of drought or wind.
Ligustrum japonicum	Japanese privet, Waxleaf ligustrum		H, Sc	H	Adapts to poor fertility, drought, sun or shade and salt.
Mahonia aquifolium	Oregon grapeholly		Sp, H, F	H	Susceptible to winter desiccation.
Mahonia bealei	Beale's mahonia, Leatherleaf mahonia		Sp, H, F	H	Requires good soil drainage.
Myrica cerifera	Waxmyrtle; Southern bayberry	N	Sc, Sp	H	Very tolerant of soil salts and salt spray.
Myrica pensylvanica	Northern bayberry	N	Sc, Sp	H	Very tolerant of soil salts and salt spray. More cold tolerant than the above species.
Nandina domestica	Nandina		Sp, F, Sc	H	Tolerates a wide range of conditions.
Osmanthus heterophyllus	Holly osmanthus		Sc, Sp	H	Tolerates a wide range of conditions in warm climates.
Photinia x fraseri	Fraser photinia; Red-tip		Sc, H, Sp	H	Very susceptible to leaf spot disease.
Pieris japonica	Japanese pieris		Sp, F	H	Protect from wind desiccation. Requires soils with lower pH.
Pinus mugo	Mugho pine		F, Sc	H	Susceptible to many insect and disease problems.
Prunus laurocerasus	Cherry laurel, English laurel		Sc, H	H	Fruit and leaves may be mildly poisonous.
Pyracantha coccinea	Pyracantha, Firethorn		Sp, H, F	H	Tolerates drought. Avoid spines.
Raphiolepis indica	Indian hawthorn		Sp, F, H	H	Salt and wind tolerant. Use in warm climates.
Rhododendron catawbiense	Catawba rhododendron	N	Sp, Sc	H	Not heat or drought tolerant. Requires acid soil.
Rhododendron maxima	Rosebay rhododendron	N	Sp, Sc	H	Requires acid soil. Not heat tolerant.
Rhododendron obtusum	Kurume azalea		Sp, F, Sc	H	Requires well drained acid soil.
Rhododendron sp.	Hybrid azaleas		Sp, F, Sc	H	Requires well drained acid soil.
Taxus baccata	English yew		F, H, Sc	H	Plant parts are very poisonous. Requires well drained soil.
Taxus cuspidata	Japanese yew		F, H, Sc	H	Plant parts are very poisonous. Requires well drained soil.
Taxus x media	Anglojap yew		F, H, Sc	H	Leaves are very poisonous. Requires well drained soil.
Viburnum rhytidophyllum	Leatherleaf viburnum		Sp, H, Sc	H	Not wind or heat tolerant.
Yucca filamentosa	Yucca, Adam's needle yucca	N	Sp, GC	H	Drought resistant and generally maintenance free.

LISTS OF 'MORE OR LESS' FOREST FIRE-PRONE  
TREES, SHRUBS AND GROUND COVERS

Flammability Rating: H = High  
M = Medium  
L = Low

Use: S = Shade  
Sp = Specimen  
Sc = Screen  
F = Foundation  
H = Hedge  
GC = Ground Cover

GROUNDCOVERS

Scientific Name	Common Name	Native to VA	Flammability Rating	Comments
Ajuga reptans	Ajuga, Bugleweed		L	Not drought tolerant. Prefers light shade.
Arctostaphylos uva-ursi	Bearberry, Kinnickinick	N	L	Adapts to many growing conditions. Prefers well-drained soils.
Euonymus fortunei	Wintergreen euonymus		L	Many forms exist, some vines. Best planted in sun. Prone to insect problems.
Gaultheria procumbens	Wintergreen	N	L	Good for woodland sites.
Hypericum calycinum	St. Johnswort		L	Used in erosion control. Poisonous.
Juniperus conferta	Shore juniper		H	Tolerates sandy soils. Requires good drainage, full sun.
Juniperus horizontalis	Creeping juniper	N	H	Grows in many soil types. Requires good drainage, full sun.
Juniperus procumbens	Jap. garden juniper		H	Grows in many soil types. Requires good drainage, full sun.
Liriope muscari	Bigblue liriope		L	Semi-tolerant of drought.
Liriope spicata	Liriope		L	Excellent for erosion control, drought and salt tolerant. Grows under shallow rooted trees.
Ophiopogon japonicum	Monkeygrass		L	Good for erosion control, drought tolerant. Prefers warm climates.
Opuntia spp.	Prickly pear	N	L	Native to arid regions, but very climate adaptable. Has spiny stems.
Pachysandra terminalis	Pachysandra		L	Not tolerant to foot traffic or full sun conditions.
Rhus aromatica	Fragrant sumac		L	Good for erosion control, tolerates drought.
Sarcococca hookerana	Sweetbox		L	Tolerates air pollution.
var. humilis				
Sedum spp.	Sedum		L	Drought tolerant & maintenance free.
Vinca major	Bigleaf periwinkle		L	Good for erosion control, tolerates drought.
Vinca minor	Periwinkle; Vinca		L	Good for erosion control, finer texture than V. major. Prefers a shaded location.

LISTS OF "MORE OR LESS" FOREST FIRE-PRONE  
TREES, SHRUBS AND GROUND COVERS

Flammability Rating: H = High  
M = Medium  
L = Low

Use: S = Shade  
Sp = Specimen  
Sc = Screen  
F = Foundation  
H = Hedge  
GC = Ground Cover

VINES

Scientific Name	Common Name	Native to VA	Flammability Rating	Comments
Aristolochia durior	Dutchman's pipe		L	Vigorous, low maintenance.
Bignonia capreolata	Crossvine		L	Vigorous, requires pruning and support. Showy. Native species are also available.
Campsis radicans	Trumpet-creeper, Trumpet vine	N	M	Invasive. Requires pruning and support. Showy.
Celastrus scandens	Bittersweet		M	A male plant is required for fruit set (dioecious). Invasive.
Clematis virginiana	Virgin's bower,	N	L	May be used as groundcover. Vigorous.
Clematis x Jackmanii	Jackman clematis		L	Fairly fragile, requires support. Non-aggressive. Showy.
Gelsemium sempervirens	Carolina jessamine	N	L	Evergreen. Showy. Poisonous.
Hydrangea anomala petiolaris	Climbing hydrangea		L	Slow to establish. Requires support. Showy.
Lonicera japonica	Japanese honeysuckle		H	Can be used as groundcover. Invasive. Weedy.
Lonicera sempervirens	Trumpet honeysuckle	N	L	Requires pruning and support. Showy.
Lonicera x heckrottii	Goldflame honeysuckle		L	Requires support. Showy.
Parthenocissus quinquefolia	Virginia creeper	N	L	Requires support, will cover walls. Tolerates urban conditions.
Parthenocissus tricuspidata	Boston ivy		L	Tolerates urban conditions.
Passiflora incarnata	Passionflower, Maypop	N	L	Requires support, can be used as groundcover. Showy.
Passiflora lutea	Yellow passionflower		L	Less showy.
Phus radicans	Poison ivy	N	M	Triggers skin allergies in most people. Invasive.
Polygonum aubertii	Silverlace vine, Fleece vine		L	Very vigorous and adaptable. Showy.
Rosa spp.	Climbing roses		L	High maintenance. Requires support. Showy.
Smilax rotundifolia	Greenbrier, Smilax, Catbrier	N	L	Weedy, invasive. Evergreen forms exist.