

Reference and Bibliography

- [Aga98] V. Agarwal, "The trend toward embedded ATE for SOCs," in *Journal of Computer Design*, vol.37, no.10, Oct. 1998, pp.1-10.
- [App94] A. W. Appel and D. B. MacQueen, "Separate Compilation for Standard ML," *Proc. of the ACM SIGPLAN '94*, 1994, pp.13-23.
- [Ano95] Anon, "New Design tools for the FPGA users trade," in *Journal of Electronic Engineering*, London, vol.67, no.826, Oct. 1995, pp.19-24.
- [Atm01] Atmel Inc., *Atmel introduces new FPGA tool suite*, <http://www.atmel.com/atmel/news/19980518.htm>, 1998.
- [Atm02] Atmel Inc., *HDLPlanner: Design Development Environment for HDL-based FPGA Designs, Application notes*, <http://www.atmel.com/atmel/acrobat/doc1444.pdf>.
- [Atm03] Atmel Inc., *Using Active-VHDL Design Entry and Behavioral Simulation with Atmel IDS 6.0, Application notes*, <http://www.atmel.com/atmel/acrobat/doc1445.pdf>.
- [Ayc00] P. Aycinena, "IP reuse called essential to advanced chip designs", *The Journal of Design Process*, June, 2000, <http://www.eedesign.com/isd/OEG20000606S0077>
- [Bel98] Peter Bellows and Brad Hutchings, "JHDL- An HDL for Reconfigurable Systems," *Proceedings of the IEEE Symposium on Field-Programmable Custom Computing Machines*, pp. 175-184, April 1998.
- [Bet97] V. Betz and J. Rose, "VPR: A New Packing, Placement and Routing Tool for FPGA Research," in 7th International Workshop on Field-Programmable Logic, London, August 1997, pp. 213-222
- [Bre77] M. Breuer, "Min-cut placement," *J. Des. Automat. Fault Tolerant Comput.*, vol.2, no.4, Oct. 1977, pp.342-362.
- [Brz97] V. Brzeski, "Incremental design tools shorten FPGA development cycles," *Computer Design*, Suppl. S May 1997, pp.26-27.
- [BYU01] BYU's JHDL WWW site, <http://www.jhdl.org>, 2001
- [Cad99] Cadence Design System, *Cadence delivers industry's first tool integrating synthesis and place-and-route technologies*, http://www.cadence.com/company/pr/archive99/07_12_00.htm, 1999.
- [Car98] F. Carrano, P. Helman and R. Veroff, "Data abstraction and problem solving with C++- Walls and Mirrors", Addison-Wesley, 1998
- [Chi99] D. Chinnery, "Synthesis of LSI Circuits for CAD Prelim Exam", <http://www-cad.eecs.berkeley.edu/~chinnery/cadprelim/LSI.ps>.
- [Chi00] C. Chieh, Y. Hsu, and F. Tsai, "Timing optimization on routed designs with incremental placement and routing characterization," *IEEE Trans. Computer-Aided Design*, vol.19, no.2, Feb. 2000, pp.188-196.
- [Cho96] C. Choy, T. Cheung, and K. Wong, "Incremental Layout Placemnet Modification Algorithm," *IEEE Trans. Computer-Aided Design*, vol.15, no.4, Apr. 1996, pp.437-445.
- [Coo95] T. Cooper and M. Wise, "The case for segment," *Proc. of the International Workshop on Object Orientation in Operating Systems*, 1995, pp.94-102.

- [Coo97] T. Cooper and M. Wise, "Achieving incremental compilation through fine-grained builds," *Software-Practice and Experience*, vol.27, no.5, May, 1997, pp.497-517.
- [Coo98] J.E.Cook, A.L.Wolf, and B.G.Zorn, "A highly effective partition selection policy for object database garbage collection," *IEEE Trans. Knowledge and Data Engineering*, vol.10, no.1, Jan/Feb. 1998, pp153-172
- [Cyg01] <http://www.redhat.com/software/tools/cygwin/>
- [Don80] W.E. Donath, "Complexity theory and design automation," in *Proc. of the 17th Design Automation Conference*, 1980, pp. 412-419.
- [Exe01] Exemplar Inc., *Leonardo Spectrum for Fast FPGA Synthesis*
http://www.exemplar.com/products/LS_brochure/index.html.
- [Fan00] W. Fang and A. Wu, "Multiway FPGA partitioning by fully exploiting design hierarchy," *ACM Trans. Design Automation of Electronic Systems*, vol.5, no.1, Jan. 2000, pp.34-50.
- [Faw94] B. Fawcett, "FPGA development tools: keeping pace with design complexity," in *Proc. IEEE International ASIC Conf.* NJ, USA, 1994, pp.232-235.
- [Ger98] S. Gertz, "Algorithms for VLSI design automation," Wiley, 1998.
- [Hil91] D. Hill, "A CAD system for the design of field programmable gate arrays," in *Proc. 28th ACM/IEEE Design Automation Conf.* 1991, pp.187-192.
- [ISI01] Information Sciences Institute – East, SLAAC Project Page, World Wide Web page,
<http://www.east.isi.edu/projects/SLAAC>.
- [Jaw98] J. Jaworski, *Java 1. 2 Unleashed*, Sams, 1998.
- [Jon96] R. Jones and R. Lins, *Garbage Collection- Algorithms for Automatic Dynamic Memory Management*, Wiley, 1996
- [Kan98] K. Kand, K. Lee, J. Lee, J. Kim, and H. Kim, "Refinement and validation of software requirements using incremental simulation," *IEICE Trans, Inf. & Syst.*, vol.E81-D, no.2, Feb. 1998, pp.171-182.
- [Kar98] M. Karasick, "The architecture of Montana: an open and extensible programming environment with an incremental C++ compiler," in *Proc. ACM SIGSOFT 6th Int. Symp. Foundations of Software Engineering*, USA, Nov. 1998, pp.131-142.
- [Kir83] S. Kirkpatrick, C.D. Gelatt and M.P.Vecchi, "Optimization by simulated annealing", *sci.*, vol. 220, no. 4589, pp671-680, May 13, 1983
- [Kle91] J. M. Kleinhans, G. Sigl, F. M. Johannes, and K. L. Antreich, "GORDIAN: VLSI placement by quadratic programming and slicing optimization," *IEEE Trans. Computer-Aided Design*, vol.10, Mar. 1991, pp.356-365.
- [Koh95] D. Kohlmeier, "Technology trends in FPGA design tools," *Electronic Products* vol.38, no.6, Nov. 1995, pp.27-29.
- [Koz91] K. Kozminski, "Benchmarks for layout synthesis-Evolution and current status", in *Proc. 28th ACM/IEEE Design Automation Conf.* 1991, pp.265-270.

- [Kuh90] E. S. Kuh, "Recent advances in VLSI layout", in *Proc. of The IEEE*, vol.78, no.2, February 1990, pp.237-263.
- [Kur65] M. Kurtzburg, "Algorithms for backplane formation," in *Micro-Electronics in Large Systems*, Washinton. DC: Spartan, 1965, pp.51-76.
- [Lee93] P. Lee, G. Rollins, and R. Harper, "Incremental recompilation for Standard ML," Technical Report, Carnegie-Mellon University, 1993.
- [Lin96] T.Lindholm and F. Yellin, "*The Java Virtual Machine Specification*", Addison-Wesley, 1996
- [Ma00] A. Ma, "Using block-level incremental synthesis in FPGA compiler II and FPGA express," *Xcell Journal, Xilinx*, Fall 2000.
- [Mal95] L. Maliniak, "Can FPGA design be device independent?," *Electronic Design*, vol.43,no.2, Jan. 1995, pp.41-52.
- [Men01] Mentor Graphics Inc., *FPGA Advantage 4. 0*, <http://www.mentor.com/fpga-advantage/>.
- [Men02] Mentor Graphics Inc., *Mentor Graphics and Xilinx Announce New tool for FPGA Design Reuse*, http://www.mentor.com/press_releases/oct00/xilinx_openmore_pr.html, 2000.
- [Men03] FPGA Design with Xilinx/Mentor Graphics Tools
<http://www.eng.auburn.edu/departement/ee/mgc/xilinx.html>
- [Mic87] G. Micheli, A. S. Vincentelli, and P. Antognetti, "Design systems for VLSI circuit: Logic synthesis and silicon compilation," in *Proc. NATO Adv. Study Instit.*, 1987, pp.113-195.
- [Mul01] C. Mulpuri and S. Hauck, "Runtime and quality tradeoffs in FPGA placement and routing", in *Proc. 9th Int. Symp. on Field Programmable Gate Arrays, FPGA-01*. Monterey, CA, USA, 2001, pp.29-36.
- [Mur99] T. Murooka, A. Takahara, and T. Miyazaki, "Simplified routing procedure for a CAD-verified FPGA," *IEEE Trans. Fundamentals*, vol.E82-A, no.11, Nov. 1999, pp.2440-2447.
- [Nac97] L. R. Nackman, "CodeStore and Incremental C++," *Dr. Dobbs Journal*, Dec. 1997, pp.92.
- [Nag98] S. K. Nag, and R. A. Rutenbar, "Performance-Driven Simultaneous Placement and Routing for FPGA's," *IEEE Trans. Computer-Aided Design*, vol.17, no.6. June. 1998, pp.499-518.
- [Oli01] M. Olivarez, "Factors for success in SoC design", in *Proc. IEEE Int. Symposium on Circuits and Systems*, May, 2001, pp. 5.5.1~5.5.8
- [Pre88] B. Preas and M. Lorenzetti, *Physical Design Automation of VLSI Systems*, Menlo Park, CA:Benjamin/Cummings, 1988,pp.461-497.
- [Rac00] V. Rachko, "Bridging the FPGA design Gap," *September Issue of ECN*.
http://www.ecnmag.com/ecnmag/issues/2000/09012000/ec09sm101_.asp, 2000.
- [Ram94] S. Raman, C. L. Liu, and L. G. Jones, "A delay driven FPGA placement algorithm," In *Proc. ACM Symp. EURO-DAC*. Sept. 1994, pp.277-282.
- [Roy94] K. Roy, B. Guan, and C. Sechen, "A sea-of gates FPGA placement algorithm," in *Proc. IEEE Int. Conf. on VLSI Design*, Jan. 1994, pp.221-224.

- [San99] Y. Sankar and J. Rose, "Trading quality for compile time: ultra-fast placement for FPGAs," in *Proc. ACM/SIGDA 7th Int. Symp. on Field Programmable Gate Arrays, FPGA-99*. Monterey, CA, USA, 1999, pp.157-166.
- [Sec88] C. Sechen, *VLSI Placement and Global Routing Using Simulated Annealing*, Reading, Ma: Kluwer Academic, 1988, pp.1-30.
- [Sed90] R. Sedgewick, *Algorithms*, Addison-Wesley publishing company, 1990.
- [Sha91] K. Shahookar and P. Mazumder, "VLSI cell placement techniques", *ACM computing Surveys*, Vol. 23, No,2, June, 1991, pp144-172
- [She95] N. Sherwani "Algorithms for VLSI physical design automation", Kluwer academic publishers, 1995
- [Ste99] D. Stefanovic, K.S.McKinley, and J.E.B. Moss, "Age-based garbage collection," in *Proc. of the ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications* Nov. 1999, pp370-381
- [Sul99] J. Sullivan, *CPLD/FPGA design tools buyers' guide*, <http://www.csdmag.com/main/1999/06/9906feat4.htm>, 1999.
- [Sun95] W.J. Sun and C. Sechen, "Efficient and effective placement for very large circuits," *IEEE Trans. Computer-Aided Design of Integrated Circuits and Systems*, vol.14, no.3. March. 1995, pp.349-359.
- [Sun98] V. K. Sundar, A. V. Naik, D. R. Chowdhury, "Incremental Compilation in the VCS Environment," In *Proc. IEEE Int. Verilog-HDL-Conf.* NJ, USA, 1998, pp.14-19.
- [Sun99] Sun Inc., *Java™ 2 Platform, Standard Edition, v1. 2. 2 API Specification* <http://java.sun.com/products/jdk/1.2/docs/api/index.html>, 1999.
- [Syn01] Synopsys Inc., *Synopsys and Xilinx deliver HDL coding guidelines for FPGAs*, http://www.synopsys.com/announce/press2000/leda_xilinx_pr.htm, 2000.
- [Syn02] Synopsys Inc., *Synopsys's FGPA compiler II and FPGA express Version 3. 4 pioneer block-level incremental synthesis for FPGA design*, http://www.synopsys.com/announce/press2000/fpga_release_pr.htm, 2000.
- [Syn03] Synopsys Inc., *FPGA compiler II and FPGA express* http://www.synopsys.com/products/fpga/fpga_comp11.html.
- [Syn04] Synplicity Inc. , *Synplify* <http://www.synplicity.com/products/synplify.html>.
- [Tes99] R. Tessier, "Incremental Compilation for Logic Emulation," In *10th IEEE Proc. Int. Workshop on Rapid System Prototyping*, 1999, pp.236-241.
- [Tog98] N. Togawa, K. Hagi, M. Yanagisawa, and T. Ohtsuki, "An incremental placement and global routing algorithm for field-programming gate arrays," In *Proc. IEEE ASP-DAC*, 1998, pp.519-526.
- [Tri92] S. Trimberger, "Field programmable gate arrays", *IEEE Design and Test of Computers*, Sept. 1992, pp.3-5.
- [Tsa88] R. Tsay, E. S. Kuh and C. P. Hsu, "PROUD: A sea-of-gate placement algorithm," *IEEE Design Test Comput.*, vol.5, Dec. 1988, pp.44-56.

- [Vah95] F. Vahid and D. D. Gajski, "Incremental hardware estimation during hardware/software functional partitioning," *IEEE Trans. VLSI Systems*, vol.3, no.3, Sept. 1995, pp.459-464.
- [Var97] P. Varhol, "Adapting Java for embedded systems," *Computer Design*, Oct. 1997, pp.75-80.
- [Venn98] B. Venners, *Inside the Java Virtual Machine*, McGraw-Hill, 1998.
- [Venu98] R. Venugopal and Y. N. Srikant, "An incremental basic block instruction scheduler," *Journal of Systems Architecture*, vol.45, no.3, Nov. 1998, pp.179-203.
- [VTI01] <http://www.vtip.org/licensing/disclosures/01-110.htm> , 2001
- [Wan89] K. Wang and J. Chen, "Incremental netlist compilation for IKOS hardware logic simulator," In *Proc. of the Second Annual IEEE ASIC Seminar and Exhibit*, Rochester, NY, USA, 1989, pp.3. 1-3. 4.
- [Xil98] Xilinx Inc., *The Programmable Logic Data Book*, 1998.
- [Xil99] Xilinx Inc., *Using Xilinx and Synplify for incremental designing (ECO)*, Xilinx Application Note, <ftp://ftp.xilinx.com/pub/applications/xapp/xapp164.zip>, 1999.
- [Xil00] Xilinx Inc., *Xilinx Design Reuse Methodology for ASIC and FPGA Designers*
http://www.xilinx.com/ipcenter/designreuse/docs/Xilinx_Design_Reuse_Methodology.pdf.
- [Xil01] Xilinx Inc., *JBits API documentation*, 2001.
- [Zha01] T. Zhang, L. Benini, and D. De Micheli, "Component selection and matching for IP-based design", *Proc. of Conference and Exhibition on Design, Automation and Test in Europe*, March, 2001, pp. 40~46.

Vita

Jing Ma received her B.S. and M.S. degrees in Electrical Engineering from Northwestern Polytechnic University (China) in 1993 and 1995, where she entered with the national college entrance exam exempted because of her excellent performance in high school. In 1996, she was awarded a research scholarship from Republic of Singapore and started to work as a research scholar in National University of Singapore, and she received the M.Eng. degree in Computer Engineering in 1998. In spring 1999, she began to pursue her Ph.D. study in Electrical and Computer Engineering at Virginia Tech with graduate research assistantship award. From May 2002 to November 2002, she worked at Bell Labs of Lucent Technologies as a research co-op. Her research interests including Electronic Design Automation, CAD Tool Development, Embedded system Design, DSP and its Implementations, and Software Engineering. Upon completion of her Ph.D. degree in Electrical Engineering, Jing Ma plans to move to Louisiana working as an Assistant Professor in the University of New Orleans.