

REFERENCES

- Agarwal, K. B. (1967). "The influence of size and orientation of sample on the undrained strength of London Clay." Ph.D. thesis, University of London.
- Anayi, J. T., Boyce, J. R., and Rogers, C. D. (1988). "Comparison of alternative methods of measuring the residual strength of a clay." *Transportation Research Record*, 1192, 16-26.
- Anayi, J. T., Boyce, J. R., and Rogers, C. D. F. (1989). "Modified Bromhead Ring Shear Apparatus." *Geotechnical Testing Journal*, ASTM, 12(2), 171-173.
- Anderson, W. F., and Hammoud, F. (1988). "Effect of Testing Procedure in Ring Shear Tests." *Geotechnical Testing Journal*, ASTM, 11(3), 204-207.
- ASTM (2000). "Designation: D 3080-98, Standard Test Method for Direct Shear Test of Soils Under Consolidated Drained Conditions." *Annual Book of Standards, Volume 04.08, Soil and Rock; Dimension Stone; Geosynthetics*, ASTM, Philadelphia, PA.
- ASTM (2000). "Designation: D 6467-99, Standard Test Method for Torsional Ring Shear Test to Determine Drained Residual Shear Strength of Cohesive Soils." *Annual Book of Standards, Volume 04.08, Soil and Rock; Dimension Stone; Geosynthetics*, ASTM, Philadelphia, PA.
- Bishop, A. W., Green, G. E., Garga, V. K., Andresen, A., and Brown, J. D. (1971). "A New Ring Shear Apparatus and Its Application to the Measurement of Residual Strength." *Geotechnique*, 21(4), 273-328.
- Blake, T. F., Hollingsworth, R. A., and Stewart, J. P. (2002). "Recommended Procedures for Implementation of Dmg Special Publication 117 Guidelines For Analyzing and Mitigating Landslide Hazards in California." ASCE, Southern California Earthquake Center, 132 p.
- Botero, E., and Romo, M. P. (2001). "Seismic Analysis of Slopes." *Fifteenth International Conference on Soil Mechanics and Geotechnical Engineering*, 2, Istanbul, Turkey, 1091-1094.
- Boyce, J. R. (1984). "The residual strength of some soils in Zimbabwe." *Eighth Regional Conference for Africa on Soil Mechanics and Foundation Engineering*, Harare, Zimbabwe, 73-80.
- Bromhead, E. N. (1979). "A Simple Ring Shear Apparatus." *Ground Engineering*, 12(5), 40-44.
- Bromhead, E. N., and Curtis, R. D. (1983). "A comparison of alternative methods of measuring the residual strength of London clay." *Ground Engineering*, 16(4), 39-40.

- Bromhead, E. N., and Dixon, N. (1986). "The Field Residual Strength of London Clay and its Correlation with Laboratory Measurements, Especially Ring Shear Tests." *Geotechnique*, 36(3), 449-452.
- Cai, Z., and Bathurst, R. J. (1996). "Deterministic Sliding Block Methods for Estimating Seismic Displacements of Earth Structures." *Soil Dynamics and Earthquake Engineering*, 15, 255-268.
- Chandler, R. J. (1966). "The Measurement of Residual Strength in Triaxial Compression." *Geotechnique*, 16(3), 181-186.
- Chandler, R. J. (1969). "The Effect of Weathering on the Shear Strength Properties of Keuper Marl." *Geotechnique*, 19(3), 321-334.
- Chang, C. J., Chen, W. F., and Yao, J. T. P. (1984). "Seismic Displacements in Slopes by Limit Analysis." *Journal of Geotechnical Engineering*, ASCE, 110(7), 860-874.
- Chowdhury, R. N., and Bertoldi, C. (1977). "Residual shear tests on soil from two natural slopes." *Australian Geomechanics Journal*, G7, 1-9.
- Collotta, T., Cantoni, R., Pavesi, U., Ruberl, E., and Moretti, P. C. (1989). "A Correlation Between Residual Friction Angle, Gradation and the Index Properties of Cohesive Soils." *Geotechnique*, 39(2), 343-346.
- Duncan, J. M. and Brandon, T. L. (2005). "Seismic Deformations of Tank No. 1 Containment Dikes." *Report No. 11, Tangguh LNG Project*, 37 p.
- Duncan, J. M. and Wright, S. G. (2005). "Soil Strength and Slope Stability." John Wiley & Sons, Hoboken, N. J., 297 p.
- Garga, V. K. (1970). "Residual shear strength under large strains and the effect of sample size on the consolidation of fissured clay." Ph.D. thesis, University of London.
- Gibo, S. (1985). "The ring shear behavior and residual shear strength." *IV International conference and field workshop on landslides*, Tokyo, Japan, 283-288.
- Gibo, S., Egashira, K., and Hayashi, Y. (1992). "Measurement of residual strength of slip-surface soils with a ring shear apparatus and its relation to physical and mineralogical properties of the soils." *Transactions of the Japanese Society of Irrigation, Drainage, and Reclamation Engineering*, 59, 57-63.
- Goodman, R. E., and Seed, H. B. (1966). "Earthquake-Induced Displacements in Sand Embankments." *Journal of the Soil Mechanics and Foundations Division*, ASCE, 92(2), 125-146.
- Haefeli, R. (1951). "Investigation and Measurements of the Shear Strengths of Saturated Cohesive Soils." *Geotechnique*, 2(3), 186-208.

- Hawkins, A. B., and Privett, K. D. (1985). "Measurement and use of residual shear strength of cohesive soils." *Ground Engineering*, 18(8), 22-29.
- Herrmann, H. G., and Wolfskill, L. A. (1966). "Residual Shear Strength of Weak Shales." *Technical Report No. 3-699, Engineering properties of nuclear craters, Report 5*, Massachusetts Institute of Technology, Cambridge, Massachusetts.
- Hvorslev, M. J. (1939). "Torsion Shear Tests and Their Place in the Determination of the Shearing Resistance of Soils." *Proc. of ASTM Symposium on Shear Testing of Soils*, 39, 999-1022.
- Hynes-Griffin, M. E. and Franklin, A. G. (1984). "Rationalizing the Seismic Coefficient Method." *Miscellaneous Paper GL-84-13*, Department of the Army, Waterways Experiment Station, Corps of Engineers, P.O. Box 631, Vicksburg, MS, 39180, 40 p.
- Kanji, M. A. (1974). "The Relationship Between Drained Friction Angles and Atterberg Limits of Natural Soils." *Geotechnique*, 24(4), 671-674.
- Kanji, M. A., and Wolle, C. M. (1977). "Residual Strength - New Testing and Microstructure." *Ninth International Conference on Soil Mechanics and Foundation Engineering*, 1, Japan, 153-154.
- Kenney, T. C. (1967). "The influence of mineral composition on the residual shear strength of natural soils." *Proc. Geotechnical conference*, 1, Oslo, Norway, 123-129.
- Kenney, T. C. (1977). "Residual Strengths of Mineral Mixtures." *Ninth International Conference on Soil Mechanics and Foundation Engineering*, 1, Japan, 155-160.
- Kramer, S. L., and Smith, M. W. (1997). "Modified Newmark Model for Seismic Displacements of Compliant Slopes." *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, 123(7), 635-644.
- Kutter, B. L. (1984). "Earthquake Deformation of Centrifuge Model Banks." *Journal of Geotechnical Engineering*, ASCE, 110(12), 1697-1714.
- Kutter, B. L. (1992). "Dynamic centrifuge modeling of geotechnical structures." *Transportation Research Record*, 1336, 24-30.
- La Gatta, D. P. (1970). "Residual Strength of Clays and Clay-Shales by Rotation Shear Tests." *Harvard Soil Mechanics Series No. 86*, Harvard University, Cambridge, Massachusetts.
- Lemos, L., Skempton, A. W., and Vaughan, P. R. (1985). "Earthquake Loading of Shear Surfaces in Slopes." *Eleventh International Conference on Soil Mechanics and Foundation Engineering*, 4, San Francisco, CA, 1955-1958.
- Ling, H. I., and Leshchinsky, D. (1995). "Seismic performance of simple slopes." *Soils and Foundations*, 35(2), 85-94.

- Lupini, J. F., Skinner, A. E., and Vaughan, P. R. (1981). "The Drained Residual Strength of Cohesive Soils." *Geotechnique*, 31(2), 181-213.
- Makdisi, F. I., and Seed, H. B. (1978). "Simplified Procedure for Estimating Dam and Embankment Earthquake-Induced Deformations." *Journal of the Geotechnical Engineering Division*, ASCE, 104(7), 849-867.
- Maksimovic, M. (1989). "Nonlinear failure envelope of soils." *Journal of Geotechnical Engineering*, ASCE, 115(4), 581-586.
- Meehan, C. L., Duncan, J. M., and Boulanger, R. W. (2005a). "Collaborative Research: Dynamic Behavior of Slickensided Surfaces – Centrifuge Data Report for CLM01." *Report UCD/CGMDR-05/03*, Center for Geotechnical Modeling, University of California, Davis, CA, 134 p.
- Meehan, C. L., Duncan, J. M., and Boulanger, R. W. (2005b). "Collaborative Research: Dynamic Behavior of Slickensided Surfaces – Centrifuge Data Report for CLM02." *Report UCD/CGMDR-05/04*, Center for Geotechnical Modeling, University of California, Davis, CA, 93 p.
- Mesri, G., and Cepeda-Diaz, A. F. (1986). "Residual Shear Strength of Clays and Shales." *Geotechnique*, 36(2), 269-274.
- Mesri, G., and Shahien, M. (2003). "Residual Shear Strength Mobilized in First-Time Slope Failures." *Journal of Geotechnical and GeoEnvironmental Engineering*, ASCE, 129(1), 12-31.
- Michalowski, R. L., and You, L. (1999). "Displacements of slopes subjected to seismic loads." *Slope Stability Engineering*, 1, Japan, 637-640.
- Müller-Vonmoos, M., and Løken, T. (1989). "The shearing behaviour of clays." *Applied Clay Science*, 4(2), 125-141.
- Newmark, N. M. (1965). "Effects of Earthquakes on Dams and Embankments." *Geotechnique*, 15(2), 139-160.
- Norwegian Geotechnical Institute. (1968). "Torsion ring shear tests on remoulded Studenterlunden Clay." *Internal Report F346*, Oslo: Norwegian Geotechnical Institute.
- Petley, D. J. (1966). "The shear strength of soils at large strains." Ph.D. thesis, University of London.
- Pradel, D., Smith, P. M., Stewart, J. P., and Raad, G. (2005). "Case History of Landslide Movement during the Northridge Earthquake." *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, 131(11), 1360-1369.

- Rathje, E. M., and Bray, J. D. (1999). "An examination of simplified earthquake-induced displacement procedures for earth structures." *Canadian Geotechnical Journal*, 36(1), 72-87.
- Razaghi, H. R., Yanagisawa, E., and Kazama, M. (1999). "Permanent displacement analysis of circular sliding block during shaking." *Slope Stability Engineering*, 1, Japan, 641-646.
- Seed, H. B., and Martin, G. R. (1966). "The Seismic Coefficient in Earth Dam Design." *Journal of the Soil Mechanics and Foundations Division*, ASCE, 92(3), 25-58.
- Seed, H. B. (1979). "Considerations in the Earthquake-Resistant Design of Earth and Rockfill Dams." *Geotechnique*, 29(3), 213-263.
- Skempton, A. W. (1964). "Long-Term Stability of Clay Slopes." *Geotechnique*, 14(2), 75-102.
- Skempton, A. W., and Petley, D. J. (1967). "The Strength Along Structural Discontinuities in Stiff Clays." *Proc. Geotechnical Conference*, 2, Oslo, Norway, 29-46.
- Skempton, A. W. (1985). "Residual Strength of Clays in Landslides, Folded Strata, and the Laboratory." *Geotechnique*, 35(1), 3-18.
- Stamatopoulos, C. A., Velgaki, E. G., and Sarma, S. K. (2000). "Sliding-Block Back Analysis of Earthquake-Induced Slides." *Soils and Foundations*, 40(6), 61-75.
- Stark, T. D., and Eid, H. T. (1992). "Comparison of Field and Laboratory Residual Strengths." *Stability and Performance of Slopes and Embankments II*, ASCE, 1 Berkeley, CA, 876-889.
- Stark, T. D., and Vettel, J. J. (1992). "Bromhead Ring Shear Test Procedure." *Geotechnical Testing Journal*, ASTM, 15(1), 24-32.
- Stark, T. D., and Eid, H. T. (1993). "Modified Bromhead Ring Shear Apparatus." *Geotechnical Testing Journal*, ASTM, 16(1), 100-107.
- Stark, T. D., and Eid, H. T. (1994). "Drained Residual Strength of Cohesive Soils." *Journal of Geotechnical Engineering*, ASCE, 120(5), 856-871.
- Tika, T. E., Vaughan, P. R., and Lemos, L. (1996). "Fast Shearing of Pre-Existing Shear Zones in Soil." *Geotechnique*, 46(2), 197-233.
- Tika, T. E., and Hutchinson, J. N. (1999). "Ring Shear Tests on Soil from the Vaiont Landslide Slip Surface." *Geotechnique*, 49(1), 59-74.
- Tiwari, B., Brandon, T. L., Marui, H., and Tuladhar, G. R. (2005). "Comparison of Residual Shear Strengths from Back Analysis and Ring Shear Tests on Undisturbed and

- Remolded Test Specimens." *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, 131(9), 1071-1079.
- Tiwari, B., and Marui, H. (2005). "A New Method for the Correlation of Residual Shear Strength of the Soil with Mineralogical Composition." *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, 131(9), 1139-1150.
- Townsend, F. C., and Gilbert, P. A. (1974). "Engineering Properties of Clay Shales." *Report 2: Residual shear strength and classification indexes of clay shales*, Technical report S-7116, Soils and Pavement Laboratory, U. S. Army Engineer Waterways Experiment Station, Vicksburg, MI.
- Uzuoka, R., and Furuta, R. (2001). "Modelling of Rate Dependency of Dynamic Strength for Clay and its Application." *Fifteenth International Conference on Soil Mechanics and Geotechnical Engineering*, 1, Istanbul, Turkey, 307-310.
- Vessely, D. A., and Cornforth, D. H. (1998). "Estimating Seismic Displacements of Marginally Stable Landslides Using Newmark Approach." *Geotechnical Earthquake Engineering and Soil Dynamics III*, ASCE, 1, Seattle, WA, 800-811.
- Voight, B. (1973). "Correlation Between Atterberg Plasticity Limits and Residual Shear Strength of Natural Soils." *Geotechnique*, 23(2), 265-267.
- Wesley, L. D. (2003). "Residual strength of clays and correlations using Atterberg limits." *Geotechnique*, 53(7), 669-672.
- Wilson, D. W., Boulanger, R. W., and Kutter, B. L. (2000). "Observed Seismic Lateral Resistance of Liquefying Sand." *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, 126(10), 898-906.
- Wykeham-Farrance Engineering Ltd. (1988). "Operators Manual: Bromhead Ring Shear Apparatus." *Engineering Ltd.*, Slough, England.
- Yoshimine, M., Kuwano, R., Kuwano, J., and Ishihara, K. (1999). "Dynamic properties of fine-grained soils in pre-sheared sliding surfaces." *Slope Stability Engineering*, 1, Japan, 595-600.
- Zeghal, M., Elgamal, A. W., Tang, H. T., and Stepp, J. C. (1995). "Lotung Downhole Array. II: Evaluation of Soil Nonlinear Properties." *Journal of Geotechnical Engineering*, ASCE, 121(4), 363-378.