

Acknowledgements

I would like to express my deepest appreciation to Dr. Anbo Wang for serving as my advisor. Without his guidance and constant support, this dissertation would not have been possible. As a mentor and as a friend, he continually and convincingly conveyed a spirit of adventure and an excitement in regard to research and scholarship during the past years.

I also would like to sincerely thank Drs. Gary R. Pickrell, Ira Jacobs, Yilu Liu and Randy Heflin for serving on my committee and for their encouragements and valuable suggestions to improve the quality of the work presented here.

My gratitude also goes to all of my colleagues and friends at the Center for Photonics Technology. Among them, I would like to especially thank Jiangdong Deng, Yizheng Zhu and Xiaopei Chen for their valuable suggestions. I am also grateful to Debbie Collins, Kathy Acosta and Bill Cockey, who have made CPT a place to work with great pleasure.

Finally, I want to thank my parents, Minzhong Han and Ning Sheng, who have their belief in me and provide me constant support down the academic road.

Table of Content

Chapter 1. Introduction.....	1
1.1. Research background.....	1
1.2. Review of distributed fiber sensor.....	2
1.2.1. Fully distributed fiber sensor.....	2
1.2.1.1. Rayleigh scattering based distributed fiber sensor.....	3
1.2.1.2. Raman scattering based distributed fiber sensor.....	4
1.2.1.3. Brillouin scattering based distributed fiber sensor.....	6
1.2.1.4. Problems with fully distributed fiber sensor.....	7
1.2.2. Quasi-distributed fiber sensor.....	8
1.2.2.1. Microbend based distributed fiber sensor.....	8
1.2.2.2. Fiber Bragg grating based distributed fiber sensor.....	9
1.2.2.3. Problems with quasi-distributed fiber sensor.....	10
1.3. Need for novel distributed fiber sensor.....	10
1.4. Scope of research.....	11
Chapter 2. Principles of operation of designed quasi-distributed fiber sensor.....	13
2.1. Modes in fiber.....	13
2.1.1. Basic of fiber optics.....	14
2.1.2. Step-index fiber mode theory.....	16
2.1.3. Graded-index fiber mode theory.....	22
2.1.4. Gaussian beam approximation.....	25
2.2. Joining of different fibers.....	26
2.2.1. Fiber mode excitation.....	26
2.2.2. Fiber splicing.....	30
2.3. Fiber Fabry-Perot interferometer for distributed sensing.....	32
2.3.1. EFPI sensors.....	35
2.3.2. IFPI sensors.....	36
2.3.3. Fused silica properties and FPI sensing mechanism.....	37
2.4. Study of proposed quasi-distributed fiber sensor.....	40
2.4.1. Drawback of the EFPI sensor as quasi-distributed sensor.....	40

2.4.2. Proposed SxS IFPI sensor.....	44
2.4.2.1. SMS IFPI sensor.....	45
2.4.2.2. SSS IFPI sensor.....	49
2.4.2.3. SGS IFPI sensor.....	51
Chapter 3. Principles of quasi-distributed fiber sensor signal processing	52
3.1. Whitelight algorithm.....	53
3.1.1. Peak-tracing method.....	55
3.1.2. Two-point method.....	55
3.2. Multiplexed sensor demodulation.....	60
Chapter 4. SxS IFPI sensor fabrication and optimization.....	74
4.1. Fabrication and characterization tools.....	76
4.2. SxS IFPI sensor fabrication.....	79
4.3. SMS IFPI sensor fabrication.....	80
4.3.1. Fusion splice condition.....	81
4.3.2. Fiber cleaved angle.....	91
4.3.3. Visibility tuning.....	93
4.3.4. Sensor cavity length problem.....	96
4.3.5. Sensor separation distance.....	98
4.3.6. Inter-modal interference.....	99
4.3.7. Sensor mechanical strength.....	101
4.3.8. SMS IFPI sensor fabrication repeatability.....	102
4.3.9. SMS IFPI using different multimode fibers.....	104
4.4. SSS IFPI sensor fabrication.....	106
4.4.1. Ideal single-mode fiber for SSS IFPI applications.....	106
4.4.2. Available single-mode fiber for SSS IFPI applications.....	107
Chapter 5. SxS IFPI sensor performance evaluation and sensor system analysis...112	
5.1. Definitions of performance characteristics.....	112
5.2. SxS IFPI sensor temperature performance.....	113
5.2.1. SM interface reflection versus temperature.....	113
5.2.2. SMS IFPI transmission versus temperature.....	116
5.2.3. SMS IFPI signal versus temperature.....	118

5.2.4. SMS IFPI sensor temperature performance.....	120
5.2.4.1. Sensor temperature calibration.....	121
5.2.4.2. Sensor repeatability.....	122
5.2.4.3. Sensor accuracy.....	123
5.2.4.4. Sensor resolution.....	124
5.3. SxS IFPI quasi-distributed temperature sensor field test.....	125
5.4. SxS IFPI sensor strain performance.....	127
5.4.1. SMS IFPI transmission versus strain.....	129
5.4.2. SMS IFPI signal versus strain.....	130
5.4.3. SMS IFPI strain measurement.....	131
5.4.3.1. SMS IFPI strain calibration.....	131
5.4.3.2. SMS IFPI strain repeatability.....	132
5.4.3.3. SMS IFPI strain accuracy.....	134
5.4.3.4. SMS IFPI strain resolution.....	135
5.4.3.5. SMS IFPI strain hysteresis.....	136
5.4.3.6. SMS IFPI strain stability.....	136
5.4.3.7. SMS IFPI strain frequency response.....	138
5.5. Sensor system analysis.....	138
5.5.1. si720 system noise.....	140
5.5.2. Sensor induced noise.....	140
5.5.3. Fiber induced noise.....	143
Chapter 6. Conclusions and future work.....	151
6.1. Conclusions.....	151
6.2. Future work.....	152
6.2.1. Development of sensor demultiplex software.....	152
6.2.2. Full chateracterization of sensor temperature and strain performances.....	152
6.2.3. Full characterization of multiplexed sensor system.....	152
6.2.4. System level issues.....	153
6.2.5. System noise analysis.....	153
6.2.6. Design and manufacture the special single-mode fiber.....	153
6.2.7. Fabry-Perot cavity length control.....	153

6.2.8. Use Fourier spectrum efficiently.....	154
6.2.9. Sensor packaging.....	155
6.2.10. Sensor interrogation system.....	155
Reference.....	158
VITA.....	164

List of Figures

Figure 1.1. Diagram of the OTDR system.....	3
Figure 1.2. Raman spectrum.....	6
Figure 1.3. Raman distributed fiber temperature sensor.....	6
Figure 1.4. Micro-bend fiber sensor.....	9
Figure 2.1. Different refractive-index profile fibers.....	15
Figure 2.2. Diagram of the MCVD system.....	16
Figure 2.3. Normalized propagation constant, b , for designated P mode.....	20
Figure 2.4. LP modes in the SI fiber.....	21
Figure 2.5. LP modes in the GI fiber.....	25
Figure 2.6. SI SMF fundamental mode profile and Gaussian approximation.....	26
Figure 2.7. Fiber mode excitation.....	28
Figure 2.8. SMF LP01 mode to GI MMF LP _l p mode coupling coefficients.....	29
Figure 2.9. Several types of splice imperfections.....	31
Figure 2.10. Single-mode fiber to GI multimode fiber splice loss simulations.....	32
Figure 2.11. Fabry-Perot cavity interference model.....	33
Figure 2.12. Transmission spectrum for a Fabry-Perot cavity with different reflectivity.....	34
Figure 2.13. Illustration of an EFPI fiber optic sensor.....	36
Figure 2.14. Picture of the EFPI sensor.....	36
Figure 2.15. Illustration of the IFPI sensor.....	37
Figure 2.16. Transmission model of the EFPI sensor.....	41
Figure 2.17. Insertion loss of an EFPI sensor.....	43
Figure 2.18. EFPI visibility versus cavity length.....	43
Figure 2.19. Model of SxS IFPI sensor.....	44
Figure 2.20. Photo of single-mode multimode single-mode fiber IFPI sensor.....	44
Figure 2.21. SMS IFPI insertion loss model.....	45
Figure 2.22. SMS IFPI reflection model.....	46
Figure 2.23. Electric field of distorted reflection of fundamental mode in SI	

single-mode fiber and GI multimode fiber.....	48
Figure 2.24. SGS IFPI insertion loss.....	50
Figure 2.25. System diagram of the quasi-distributed SxS IFPI sensor system.....	51
Figure 3.1. Flowchart of sensor interrogation.....	53
Figure 3.2. Flowchart of multiplexed sensor demodulation algorithm.....	53
Figure 3.3. Mass-centroid method for peaks locating in the spectrum.....	59
Figure 3.4. Flowchart of the Whitelight algorithm.....	59
Figure 3.5. Spectrum mapping and interpolation.....	61
Figure 3.6. Optical spectrum and Fourier spectrum of the multiplexed SMS IFPI Sensors.....	63
Figure 3.7. Fourier spectrum of different window functions.....	66
Figure 3.8. FDA tool in Matlab.....	67
Figure 3.9. FIR filter magnitude spectrum.....	69
Figure 3.10. The designed FIR BPF filter.....	71
Figure 3.11. The filtering process.....	72
Figure 3.12. The filtering process.....	73
Figure 4.1. SxS IFPI sensor fabrication and characterization tools.....	79
Figure 4.2. The process of SxS IFPI sensor fabrication.....	80
Figure 4.3. Typical SMS IFPI sensor spectrum measured by si720 system.....	81
Figure 4.4. Experiment on fusion splice condition.....	83
Figure 4.5. SMS characteristics vs. arc power.....	86
Figure 4.6. SMS characteristics vs. arc duration.....	87
Figure 4.7. SMS characteristics vs. overlap.....	89
Figure 4.8. SMS characteristics vs. fiber offset.....	91
Figure 4.9. Probability density of fiber cleaved angle.....	92
Figure 4.10. Reflection vs. fiber cleaved angle for single-mode fiber and SM Structure.....	92
Figure 4.11. SM and MS transmission characteristics vs. total cleaved angle.....	94
Figure 4.12. SM and MS reflection characteristics vs. total cleaved angle.....	94
Figure 4.13. Sensor spectrum cut-off effect.....	95
Figure 4.14. Cut-off effect induced Fourier transform harmonics.....	95

Figure 4.15 Sensor visibility tuning.....	96
Figure 4.16. EFPI and IFPI visibility versus cavity length.....	97
Figure 4.17. Fourier spectrum of 22 IFPI sensor with different cavity length.....	98
Figure 4.18. Experiment setup.....	99
Figure 4.19. Sensor separation problem.....	100
Figure 4.20. 6 Fourier transform spectrum peaks caused by adjacent sensor coupling...101	
Figure 4.21. Experiment setup.....	101
Figure 4.22. Fourier transform spectrum DC components of inter-modal interference..	102
Figure 4.23. Fourier spectrum broadening from inter-modal interference.....	103
Figure 4.24. SM structure tensile stress test.....	103
Figure 4.25. SMS IFPI sensor fabrication repeatability test.....	105
Figure 4.26. Special single-mode fiber design for SSS IFPI applications.....	108
Figure 4.27. Corning HI1060Flex fiber based SSS IFPI spectrum.....	109
Figure 4.28. Fusion splicing parameter effect on SSS IFPI sensor characteristics.....	111
Figure 5.1. SM interface reflection versus elevating temperature.....	114
Figure 5.2. SM reflection stability under different temperatures.....	116
Figure 5.3. SM reflection at elevated temperatures.....	116
Figure 5.4. SMS IFPI transmission versus elevating temperature.....	117
Figure 5.5. Power fluctuations at different wavelengths.....	118
Figure 5.6 SMS IFPI sensor signal vs. temperature.....	119
Figure 5.7 SMS IFPI sensor under different temperature for 1 hour.....	120
Figure 5.8. Temperature performance of the SMS IFPI sensor.....	121
Figure 5.9. Calibration curve of the tested SMS IFPI sensor.....	122
Figure 5.10. SMS IFPI temperature sensor repeatability test.....	123
Figure 5.11. SMS IFPI temperature sensor maximum temperature deviation.....	123
Figure 5.12. SMS IFPI temperature sensor accuracy test.....	124
Figure 5.13. Spectrum of the SMS IFPI sensors.....	126
Figure 5.14. Field test pictures.....	127
Figure 5.15. Temperature profile of the boiler in a 20 day period.....	129
Figure 5.16. Strain testing setup.....	130
Figure 5.17. SMS IFPI transmission spectrum versus applied strain.....	130

Figure 5.18. SMS IFPI signal versus applied strain.....	131
Figure 5.19. SMS IFPI signal versus time under large strain.....	133
Figure 5.20. SMS IFPI strain sensor calibration curve.....	133
Figure 5.21. Strain repeatability test.....	134
Figure 5.22. Strain repeatability close up.....	134
Figure 5.23. Strain sensor accuracy test.....	135
Figure 5.24. Strain sensor accuracy test close up.....	136
Figure 5.25. Strain sensor hysteresis test.....	137
Figure 5.26. Strain sensor stability test.....	137
Figure 5.27. Strain sensor frequency response test.....	139
Figure 5.28. PSD of the sensor interrogator	142
Figure 5.29. Sensor Fourier spectrum harmonics.....	142
Figure 5.30. Sensor Fourier spectrum with repeated arc splice.....	143
Figure 5.31. Cleaved SMF characteristics versus fiber bending radius.....	144
Figure 5.32. SMS IFPI spectrum and Fourier spectrum versus bending radius.....	146
Figure 5.33. Bending radius effect on OPD measurement.....	147
Figure 5.34. Fiber length effect.....	148
Figure 5.35. Sensor insertion loss effect.....	150
Figure 6.1. Alternative system interrogation method.....	156
Figure 6.2. Oscilloscope screen.....	157

List of Tables

Table 2.1. Δ of material with dopant.....	14
Table 2.2. Designations of the First 12 LP Modes in a Step Index Fiber.....	19
Table 2.3. Reflection simulation for different GI multimode fibers.....	48
Table 3.1. si720 system specification.....	54
Table 3.2. Properties of some fixed window functions.....	64
Table 4.1. OFM130 specifications.....	77
Table 4.2. Corning SMF-28 specifications.....	82
Table 4.3. Corning InfiniCor50 specifications.....	82
Table 4.4. SMS IFPI sensor characteristics fabrication repeatability.....	104
Table 4.5. SMS IFPI characteristics using different multimode fiber.....	106
Table 4.6. Different SMF based SSS IFPI.....	109