

REFERENCES

- API (1993). "Recommended practice for planning, designing and constructing fixed offshore platforms – Working stress design." 20th Edition, American Petroleum Institute, Washington, DC.
- Asaro, R. J. (2000). "Three point bend test of plastic pilings hybrid HDPE/LDPE steel pile." *Testing Report for Plastic Piling, Inc.*
- Ashford, S. A., and Jakrapiyanun, W. (2001). "Drivability of Glass FRP Composite Piling." *Journal of Composites for Construction*, 5(1), 58-60.
- Ashour, M., and Norris, G. (2000). "Modeling lateral soil-pile response based on soil-pile interaction." *Journal of Geotechnical and Geoenvironmental Engineering*, 126(5), 420-428.
- American Society for Testing and Materials (ASTM). (1994). "Standard method of testing piles under axial compressive load." *Annual Book of ASTM Standards*, D1143-81.
- American Society for Testing and Materials (ASTM). (1995). "Standard method of testing piles under lateral loads." *Annual Book of ASTM Standards*, D3966-90.
- American Society for Testing and Materials (ASTM). (1997). "Standard test method for determining the coefficient of soil and geosynthetic or geosynthetic and geosynthetic friction by the direct shear method." *Annual Book of ASTM Standards*, D5321-97.
- American Society for Testing and Materials (ASTM). (1998). "Standard test method for direct shear test of soils under consolidated drained conditions." *Annual Book of ASTM Standards*, D3080-98.
- American Society for Testing and Materials (ASTM). (1999). "Standard test method for microindentation hardness of materials." *Annual Book of ASTM Standards*, E384-99.
- American Society for Testing and Materials (ASTM). (2001). "Standard test method for determining the compressive properties of polymer matrix composite laminates using a combined loading compression test fixture." *Annual Book of ASTM Standards*, D6641M-01e1.
- American Society for Testing and Materials (ASTM). (2002). "Standard test method for ignition loss of cured reinforced resins." *Annual Book of ASTM Standards*, D2584-02.
- Atkinson, J. H. (2000). "Non-linear soil stiffness in routine design." *Geotechnique*, 50(5), 487-508.
- Baguelin, F., et al. (1975). "La capacité portante des pieux." *Annales Institut Technique du Bâtiment et des Travaux Publics*, France, No. 330, SF116, 1-22.

- Baguelin, F., and Frank, R. (1980). "Theoretical studies of piles using the finite element method." *Institution of Civil Engineers (ICE). Numerical Methods in Offshore Piling*, London, 83-91.
- Baldi, G., Bellotti, R., Ghionna, V. N., Jamiolkowski, M., and Lo Presti, D. F. C. (1989). "Modulus of sands from CPT's and DMT's." *Proceedings, 12th International Conference on Soil Mechanics Foundations*, Rio de Janeiro, Brazil, I, 165-170.
- Bank, L. C. (1989). "Flexural and shear moduli of full-section fiber reinforced plastic (FRP) pultruded beams." *Journal of Testing and Evaluation*, 17(1), 40-45.
- Becque, J., Patnaik, A. K., and Rizkalla, S. (2003). "Analytical models for concrete confined with FRP tubes." *Journal of Composites for Construction*, 7(1), 31-38.
- Bond, A. J. (1989). "Behaviour of displacement piles in over-consolidated clays." PhD Thesis, University of London, London, UK.
- Boulon, M., and Foray, P. (1986). "Physical and numerical simulation of lateral shaft friction along offshore piles in sand." *Proceedings, 3rd International Conference on Numerical Methods in Offshore Piling*, Nantes, France, 127-147.
- Brown, D. A. (1999). "An experiment with Statnamic lateral loading of a drilled shaft." GSP No. 88, Austin, Texas, 309-318.
- Brown, D. A. (1994). "Evaluation of static capacity of deep foundations from Statnamic testing." *Geotechnical Testing Journal*, 17(4), 403-414.
- Brown, D. A., Hidden, S. A., and Zhang, S. (1994). "Determination of P-Y curves using inclinometer data." *Geotechnical Testing Journal*, 17(2), 150-158.
- Brown, D. A., Pando, M. A., Filz, G., and Ealy, C. (in preparation). "Performance of a laterally loaded composite pile at the Nottoway River bridge."
- Brown, D. A. (in press). "Rapid lateral load testing of deep foundations." *Geotechnical Testing Journal, ASTM*.
- Bustamante, M., and Gianselli, L. (1982). "Pile bearing capacity prediction by means of static penetrometer CPT." *Proceedings, 2nd European Symposium on Penetration Testing*, Amsterdam, The Netherlands, II, 493-500.
- Chin, J. W., Nguyen, T., and Aouadi, K. (1997). "Effects of environmental exposure on fiber-reinforced plastic (FRP) materials used in construction." *Composites Technology & Research*, 19(4), 205-213.
- Chin, S. T., and Poulos, H. G. (1991). "A T-Z approach for cyclic axial loading analysis of single piles." *Computers and Geotechnics*, 12, 289-320.

- Chow, F. C. (1996). "Investigations into the behaviour of displacement piles for offshore foundations." PhD thesis, Imperial College of Science, Technology, and Medicine, University of London, London, UK.
- Chow, Y. K. (1986). "Analysis of vertically loaded pile groups." *International Journal for Numerical and Analytical Methods in Geomechanics*, 10, 59-72.
- Chow, F. C., Jardine, R. J., Nauroy, J. F., and Bruzy, F. (1997). "Time-related increases in the shaft capacities of driven piles in sand." *Géotechnique*, 47(2), 353-361.
- Coch, N. K. (1968). "Geology of the Benns Church, Smithfield, Windsor and Cuckatuck Quadrangle, Virginia." Report of Investigations 17, Virginia Division of Mineral Resources, Department of Conservation and Economic Development, Charlottesville, VA.
- Coch, N. K. (1971). "Geology of the Newport News South and Bowers Hill Quadrangles, Virginia." Report of Investigations 28, Virginia Division of Mineral Resources, Department of Conservation and Economic Development, Charlottesville, VA.
- Collins, M. P., and Mitchell, D. (1997). *Prestressed concrete structures*. Response Publications, Canada.
- Coyle, H. M., and Reese, L. C. (1966). "Load transfer for axially loaded piles in clay." *Journal of the Soil Mechanics and Foundation Division, ASCE*, 92(SM2), 1-26.
- Coyle, H. M., and Sulaiman, I. H. (1967). "Skin friction for steel piles in sand." *Journal of the Soil Mechanics and Foundation Division, ASCE*, 93(SM6), 261-278.
- Daniel, I. M., and Ishai, O. (1994). *Engineering mechanics of composite materials*. Oxford University Press, New York.
- Davis, D., and Hoy, D. (1996). "Fender piling." *Military Engineer*, 88(579), 45-46.
- Davisson, M. T. (1972). "High capacity piles." *Proceedings, Soil Mechanics Lecture Series on Innovations in Foundation Construction, ASCE*, Chicago, 81-112.
- Dawkins, W. P. (1982). "User's guide: Computer program for soil-structure interaction analysis of axially loaded pile (CAXPILE)." *Rep. K84-4*, US Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS.
- dos Reis, H. L. M., and Goldman, R. B. (1987) "Thin-walled laminated composite cylindrical tubes: Part II-bending analysis." *Journal of Composites Technology & Research*, 9(2), 53-57.
- Dove, J. E., Frost, J. D., Han, J., and Bachus, R. C. (1997). "The influence of geomembrane surface roughness on interface strength." *Proceedings, Geosynthetics '97*, Long Beach, CA, 863-876.

- Dove, J. E., and Frost, J. D. (1999). "Peak interface friction behavior of smooth geomembrane-particle interfaces." *Journal of Geotechnical Engineering, ASCE*, 125(7), 544 -555.
- Dove, J. E., and Harpring, J. C. (1999). "Geometric and spatial parameters for analysis of geomembrane/soil interface behavior." *Proceedings, Geosynthetics '99*, International Fabrics Association International, Boston, MA, I, 575-588.
- Dove, J. E., and Jarrett, J. B. (2002). "Behavior of dilative sand interfaces in a geotribology framework." *Journal of Geotechnical and Geoenvironmental Engineering, ASCE*, 128(1), 25-37.
- Dudek, T. J. (1970). "Young's and shear moduli of unidirectional composites by a resonant beam method." *Journal of Composite Materials*, 4, 232-241.
- Duncan, J. M., Byrne, P., Wong, K. S., Mabry, P. (1980). "Strength, stress-strain and bulk modulus parameters for finite element analyses of stresses and movements in soil masses." *Rep. VCB/GT/80-01*, Dept. of Civil Engineering, University of California, Berkeley, CA.
- Duncan, J. M., and Chang, C-Y. (1970). "Nonlinear analysis of stress and strain in soils." *Journal of Soil Mechanics Foundations Division, ASCE*, 96(SM5), 1629-1653.
- Duncan, J. M., Evans, L. T., and Ooi, P. S. (1994). "Lateral load analysis of single piles and drilled shafts." *Journal of Geotechnical Engineering, ASCE*, 120(6), 1018-1033.
- Ehlen, M. A. (1999). "Life-cycle costs of fiber-reinforced-polymer bridge decks." *Journal of Material and Civil Engineering*, 11(4), 224-230.
- El Naggar, M. H. (1998). "Interpretation of lateral Statnamic load test results." *Geotechnical Testing Journal*, 21(3), 169-179.
- Elghazouli, A. Y., Chryssanthopoulos, M. K., and Spagnoli, A. (1998). "Experimental response of glass-reinforced plastic cylinders under axial compression." *Marine Structures*, 11(1998), 347-371.
- El-Tawil, S., and Deierlein, G. (1999). "Strength and ductility of concrete encased composite columns." *Journal of Structural Engineering*, 125(9), 1009-1019.
- Ensoft. (1998). *APILE Plus Version 3.0 – A program for the analysis of the axial capacity of driven piles*. Ensoft, Inc., Austin, TX.
- Eustis Engineering Co., Inc. (1996). "Dynamic pile testing, Port of New Orleans, composite marine pilings, Nashville Avenue "C" Wharf, New Orleans, LA." *Report for Seaward International, Inc.*, Metairie, LA.
- Evans, L. T., and Duncan, J. M. (1982). "Simplified analysis of laterally loaded piles." *UCB/GT/82-04*, University of California, Berkeley, CA.

- Fahey, M., and Carter, J. P. (1993). "A finite element study of the pressuremeter test in sand using a non-linear elastic-plastic model." *Canadian Geotechnical Journal*, 30(2), 348-362.
- Fahey, M., Robertson, P. K., and Soliman, A. A. (1994). "Towards a rational method of predicting settlement of spread footings on sand." *Geotechnical Special Publication No. 40, ASCE*, I, 598-611.
- Fam, A. (2000). "Concrete-filled fiber-reinforced polymer tubes for axial and flexural structural members." PhD Dissertation, University of Manitoba, Canada.
- Fam, A., and Rizkalla, S. (2000). "Concrete-filled FRP tubes for flexural and axial compression." *Proceedings, 3rd International Conference on Advanced Composite Materials in Bridges and Structures*, Ottawa, Canada, 315-322.
- Fam, A. and Rizkalla, S. (2001a). "Behavior of axially loaded concrete-filled circular fiber-reinforced polymer tubes." *ACI Structural Journal*, 98(3), 280-289.
- Fam, A. Z., and Rizkalla, S. H. (2001b). "Confinement model for axially loaded concrete confined by FRP tubes." *ACI Structural Journal*, 98(4), 251-461.
- Fam, A. Z., and Rizkalla, S. H. (2002). "Flexural behavior of concrete-filled fiber-reinforced polymer circular tubes." *Journal of Composites for Construction, ASCE*, 6(2), 123-132.
- Fardis, M. N., and Khalili, H. (1981). "Concrete encased in fiberglass plastic." *ACI Proceedings*, 78, Document JL78-38, 440-446.
- Fellenius, B. H. (1990). "Guidelines for interpretation and analysis of the static loading test." *Report, Deep Foundation Institute*.
- Fellenius, B. H. (2001). "From strain measurements to load in an instrumented pile." *Geotechnical News*, March, 35-38.
- Fellenius, B. H. (2002). "Determining the true distributions of load in instrumented piles."
- Fleming, W. G. K. (1992). "A new method for single pile settlement prediction and analysis." *Geotechnique*, 42(3), 411-425.
- Frank, R. (1974). "Etude théorique du comportement des pieux sous charge verticales: Introduction de la dilatance." Dr-Ing thesis, Université Pierre et Marie Curie, France.
- Frost, J. D., and Han, J. (1999). "Behavior of interfaces between fiber-reinforced polymers and sands." *Journal of Geotechnical and Geoenvironmental Engineering., ASCE*, 125(8), 633 - 640.
- Frye, K. (1986). *Roadside geology of Virginia*. Mountain Press Publishing Company, VA.

- Garcia, K., Hayes, M. D., Verghese, N., and Lesko, J. J. (1998). "The effects of cycling moisture aging on glass/vinyl ester composite system." *Proceedings, 3rd International Conference on Progress in Durability Analysis of Composite Systems*, 173-179.
- Goble, G. G., Rausche, F., and Likins, G. (1995). "Discussion on evaluation of static capacity of deep foundations from Statnamic testing." *Geotechnical Testing Journal*, 18(4), 493-498.
- Gómez, J. E., Filz, G. M., and Ebeling, R. M. (2000). "Development of an improved numerical model for concrete-to-soil interfaces in soil-structure interaction analyses." *Rep. ITL-99-1*, U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- Guo, W. D., and Randolph, M. F. (1999). "An efficient approach for settlement prediction of pile groups." *Geotechnique*, 49(2), 161-179.
- Gurtin, M. E., and Yatomi, C. (1979). "On a model for two phase diffusion in composite materials." *Journal of Composite Materials*, 13, pp.
- Han, J. (1997). "An experimental and analytical study of the behavior of fiber-reinforced polymer piles and pile-sand interactions." PhD dissertation, Georgia Tech, Atlanta, GA.
- Han, J. and Frost, J. (1997). "An experimental and analytical study of the behavior of fiber-reinforced polymer piles and pile-sand interactions." *NSF Research Report*, Arlington, VA.
- Han, J., Frost, J. D., and Brown, V. L. (2003). "Design of fiber-reinforced polymer composite piles under vertical and lateral loads." *TRB 2003 Annual Meeting*, CD-ROM, 21 p.
- Hannigan, P. J., Goble, G. G., Thendeau, G., Likins, G. E., and Rausche, F. (1996). "Design and construction of driven piles." *Rep. No. FHWA-HI-96-033*, Washington, D.C.
- Hardcore Composites. (2001). <http://www.hardcorecomposites.com>
- Harmon, T. G., Gould, P. L., Wang, E., and Ramakrishnan, S. (YEAR). "Behavior of confined concrete under cyclic loading." *Proceedings, Composites in Infrastructure; 2nd International Conference*, Tucson, AZ, 398-410.
- Heinz, R. (1993). "Plastic piling." *Civil Engineering* (April), 63-65.
- Helmets, M. J., Duncan, J. M., and Filz, G. M. (1997). "Use of ultimate load theories for design of drilled shaft sound wall foundations." The Charles E. Via, Jr. Department of Civil Engineering, Virginia Tech, Blacksburg, VA.
- Hetenyi, M. (1946). *Beams on elastic foundation*. University of Michigan Press, Ann Arbor, Mich.
- Hoit, M., Hays, C., McVay, M., and William, M. (2000). "FB-Pier v. 2.0." Florida Bridge Software Institute. <http://bsi-web.ce.ufl.edu>

- Holzer, S. M. (2001). "Finite element analysis of structure." Course notes for CE5414, Virginia Tech, Blacksburg, VA.
- Horeczko, G. (1995). "Marine application of recycled plastics." *Proceedings, Structures Congress XIII, Restructuring: America and Beyond*, ASCE, Boston, MA, I, 934-938.
- Hoy, D. (1995). "Study of recycled plastic fender piles." *TM-2158-SHR*, Naval Facilities Engineering Service Center, Port Hueneme, CA.
- Hoy, D., Warren, G., and Davis, D. (1996). "Environmentally acceptable piling for use in Navy pier fender systems." *Proceedings, 4th Materials Engineering Conference*, Washington, D.C., 1189-1198.
- Hryciw, R. D., and Irsyam, M. (1993). "Behavior of sand particles around rigid ribbed inclusions during shear." *Soils and Foundations*, 33(3), 1-13.
- Irsyam, M., and Hryciw, R. D. (1991). "Friction and passive resistance in soil reinforced by plane ribbed inclusions." *Géotechnique*, 41(4), 485-498.
- Iskander, M., and Hassan, M. (1998). "State of the practice review in FRP composite piling." *Journal of Composites for Construction, ASCE*, 2(3), 116-120.
- Iskander, M., and Hassan, M. (2001). "Accelerated degradation of recycled plastic piling in aggressive soils." *Journal of Composites for Construction, ASCE*, 5(3), 179-187.
- Iskander, M. G., Hanna, S., and Stachula, A. (2001). "Driveability of FRP Composite Piling." *Journal of Geotechnical and Geoenvironmental Engineering*, 127(2), 169-176.
- Iskander, M., Mohamed, A., and Sadek, S. (2003). "Compressive strength of foamed polymer piling." *Proceedings, TRB 2003 Annual Meeting*, CD-ROM, 25 p.
- Iskander, M. G., and Stachula, A. (1999). "FRP composite polymer piling: An alternative to timber piling for water-front applications." *Geotechnical News*, 4(Dec), 27-29.
- Iskander, M. G., and Stachula, A. (2002). "Wave equation analyses of Fiber-Reinforced Polymer Composite Piling." *Journal of Composites for Construction, ASCE*, 6(2), 88-96.
- ISO. (1997). "Geometrical product specification (GPS)-surface texture: profile method-terms, definitions, and surface texture parameters." ISO Standard 4287, International Organization for Standardization, Geneva, Switzerland.
- Iyer, S. (2001). "Fiber reinforced polymer (FRP) tubes for pile/column applications." *The Indian Concrete Journal*, 75(1), 65-70.
- Iyer, S. L., Ramabhadran, S., and Vulcan, B. S. (1996). "Field testing and evaluating carbon prestressed pile." *Proceedings, 4th Materials Engineering Conference*, Washington, D.C., 386-393.

- Jardine, R. J. (1985). "Investigations of pile-soil behaviour with special reference to the foundations of offshore structures." PhD dissertation, Imperial College of Science, Technology and Medicine, University of London, London, UK.
- Jardine, R. J., and Chow, F. C. (1996). "New design methods for offshore piles." *Report MTD 96/103*, Marine Technology Directorate Report, London, UK.
- Jardine, R. J., and Lehane, B. M. (1993). "Research into the behaviour of offshore piles: Field experiments in sand and clay." *Report OTH 93-401*, Health and Safety Executive, London, UK.
- Johnson, G. H. (1972). "Geology of the Yorktown, Poquoson West, and Poquoson East Quadrangles, Virginia." Report of Investigations 30, Virginia Division of Mineral Resources, Department of Conservation and Economic Development, Charlottesville, VA.
- Johnson, G. H. (1976). "Geology of the Mulberry Island, Newport News North, and Hampton Quadrangles, Virginia." Report of Investigations 41, Virginia Division of Mineral Resources, Department of Conservation and Economic Development, Charlottesville, VA.
- Johnson, M. L. (2000). "Characterization of geotechnical surfaces via stylus profilometry." MSc Thesis, Georgia Tech, Atlanta, GA.
- Kanatharana, J., and Lu, L-W. "Strength and ductility of concrete columns reinforced by FRP tubes." *Proceedings, Composites in Infrastructure; 2nd International Conference*, Tucson, AZ, 320-384.
- Karbhari, V. M. (2002). "Response of fiber reinforced polymer confined concrete exposed to freeze and freeze-thaw regimes." *Journal of Composites for Construction*, 6(1), 35-40.
- Karbhari, V. M., and Eckel, D. A. (1993). "Strengthening of concrete column stubs through resin infused composite wraps." *Journal of Thermoplastic Composite Materials*, 6(2), 92-107.
- Karbhari, V. M., Murphy, K, and Zhang, S. (2002). "Effect of concrete based alkali solutions on short-term durability of E-glass/vinylester composites." *Journal of Composite Materials*, 36(17), 2101-2121.
- Kishida, H., and Uesugi, M. (1987). "Tests of the interface between sand and steel in the simple shear apparatus." *Géotechnique*, 37(1), 45-52.
- Knowles, R. B., and Park, R. (1970). "Axial load design for concrete filled steel tubes." *Journal of the Structural Division, ASCE*, 96(ST10), 2125-2153.
- Kondner, R. L. (1963). "Hyperbolic stress-strain response: Cohesive soils." *Journal of the Soil Mechanics and Foundations Division, ASCE*, 89(SM1), 115-143.

- Kondner, R. L., and Zelasko, J. S. (1963). "A hyperbolic stress-strain formulation for sands." *Proceedings, 2nd Pan-American Conference on Soil Mechanics and Foundations Engineering*, Sao Paulo, Brazil, I, 289-324.
- Kozera, D. W. (1996). "Dynamic pile testing services, fiberglass/concrete composite piling." Lancaster Composite, Inc., Lancaster, PA.
- Kozera, D. W. (1997). "Pile installation and load test report, Hardcore Test Program, New Castle, DW." *Report DWK#97059*, Baltimore, MD.
- Kraft, L. M. (1991). "Performance of axially loaded pipe piles in sand." *Journal of Geotechnical Engineering, ASCE*, 117(2), 272-296.
- Kraft, L. M., Ray, R. P., and Kagawa, T. (1981). "Theoretical t-z curves." *Journal of Geotechnical Engineering, ASCE*, 107(11), 1543-1561.
- Lampo, R. G. (1995). "Recycled plastics as engineered materials." *Proceedings, Structures Congress XIII*, Boston, MA, 815-818.
- Lampo, R. (1996). "Federal interest gives recycled plastic lumber a leg up." *ASTM Standardization News*, 26-31.
- Lampo, R., Maher, A., Busel, J. P., and Odello, R. (1997). "Design and development of FRP composite piling systems." *Proceedings, International Composites Expo 1997*, Nashville, TN, 16-C.
- Lampo, R., Nosker, T., Barno, D., Busel, J., Maher, A., Dutta, P., and Odello, R. (1998). "Development and demonstration of FRP composite fender, loadbearing, and sheet piling systems." *USACERL TR-98/123*, US Army Corps of Engineers (CERL).
- Lancaster Composite. (1999). "Technical manual." Lancaster, PA.
- Lehane, B. M. (1992). "Experimental investigations of pile behavior using instrumented field piles." PhD Thesis, University of London, London, UK.
- Lehane, B. M., Jardine, R. J., Bond, A J., and Frank, R. (1993). "Mechanisms of shaft friction in sand from instrumented pile tests." *Journal of Geotechnical Engineering, ASCE*, 119(1), 19-35.
- Lesko, J. and Rizkalla, S. (2003). "Durability Study of concrete-filled FRP stubs under axial compression." *In preparation, Virginia Tech and North Carolina State University*.
- Lindsay, K. (1996). "Composite piling market heats up." *Composite Design & Application, SPI-Composite Institute*, 12-13.
- LPILE Plus 4.0M. (2000). "A program for the analysis of piles and drilled shafts under lateral loads." By Lymon Reese, Shin Tower Wang, Jose A. Arrellaga, and Joe Hendrix, ENSOFT, Inc. Houston, TX.

- Lunne, T., Robertson, P. K., and Powell, J. J. M. (1997). *Cone penetration testing in geotechnical practice*. Blackie Academic and Professional, New York.
- Maher, M. H., Gucunski, N., Chae, Y. S., and Lampo, R. (1996). "Composite fender and sheet piles in marine front systems." *Proceedings, Composites in Infrastructure*, Tucson, AZ, 665-675.
- Mander, J. B., Priestly, M. J. N., and Park, R. (1988). "Theoretical stress-strain model for confined concrete." *Journal of Structural Engineering, ASCE*, 114(8), 1804-1826.
- March, F. A., and Colturi, M. T. (1998). "Market advancement for composite marine piling and timber." *Proceedings, Ports '98*, Long Beach, CA, 824-829.
- Martin, R. E., Seli, J. J., Powell, G. W., and Bertoulin, M. (1987). "Concrete pile design in Tidewater Virginia." *Journal of Geotechnical Engineering, ASCE*, 113(6), 568-585.
- Matlock, H. (1970). "Correlations for design of laterally loaded piles in soft clay." *Proceedings, Offshore Technology Conference*, Houston, TX, I, 557-594.
- McBagonluri, F., Garcia, K., Hayes, M., Verghese, N., and Lesko, J. J. (2000). "Characterization of fatigue and combined environment on durability performance of glass/vinyl ester composite for infrastructure applications." *International Journal of Fatigue*, 22(1), 53-64.
- McVay, M. C., Townsend, F. C., Bloomquist, D. G., O'Brien, M. O., and Caliendo, J. A. (1989). "Numerical analysis of vertically loaded pile groups." *Proceedings, Foundation Engineering Congress: Current Principles and Practices*, Evanston, IL, 675-690.
- Meadors, G. S., Jr. (1997). "The geology and construction techniques of the second Hampton Roads crossing, Norfolk, Virginia." *Proceedings, 28th Annual Highway Geology Symposium*, Rapid City, SD, 61-82.
- Meiarashi, S., Nishizaki, I., and Kishima, T. (2002). "Life-cycle cost of all-composite suspension bridge." *Journal of Composites for Construction*, 6(4), 206-214.
- Middendrop, P., Berminghammer, P. and Kuiper, B. (1992). "Statnamic load testing of foundation piles," *Proceedings, 4th International Conference of Applications of Stress-wave Theory to Piles*, The Hague, The Netherlands, 581-588.
- Mirmiran, A. (1999). "FRP-encased concrete piles – Phase III." *Rep. No. FDOT-WPI 0510700*, Florida DOT, January 1999.
- Mirmiran, A., and Shahawy, M. (1996). "A new concrete-filled hollow FRP composite column." *Composites Part B: Engineering*, Elsevier, 27B(3-4), 263-268.
- Mirmiran, A., and Shahawy, M. (1997). "Behavior of concrete columns confined by fiber composites." *Journal of Structural Engineering, ASCE*, 123(5), 583-590.

- Mirmiran, A., and Shahawy, M. (1999). "Comparison of over- and under-reinforced concrete-filled FRP tubes." *Proceedings, 13th ASCE Engineering Mechanics Division Conference*, Baltimore, MD.
- Mirmiran, A., Shahawy, M., and Samaan, M. (1999). "Strength and ductility of hybrid FRP-concrete beam-columns." *Journal of Structural Engineering*, 125(10), 1085-1093.
- Mirmiran, A., Shahawy, M., and Beitleman, T. (2001). "Slenderness limit for hybrid FRP-concrete columns." *Journal of Composites for Construction*, 5(1), 26-34.
- Mirmiran, A., Shahawy, M., El Khoury, C., and Naguib, W. (2000). "Large beam-column tests on concrete-filled composite tubes." *ACI Structural Journal*, 97(2), 268-276.
- Mirmiran, A., Shao, Y., and Shahawy, M. (2002). "Analysis and field tests on the performance of composite tubes under pile driving impact." *Composite Structures*, 55, 127-135.
- Miura, N. (1985). "Point resistance of piles in sand." *Proceedings, 11th International Conference on Soil Mechanics and Foundation Engineering*, San Francisco, III, 1445-1448.
- Miyauchi, K., Nishibayashi, S., and Inoue, S. (1997). "Estimation of strengthening effects with carbon fiber sheet for concrete columns." *Proceedings, 3rd International Symposium, Non-Metallic (FRP) Reinforcement for Concrete Structures*, I, 217-224.
- Mokwa, R. L., Duncan, J. M., and Helmers, M. J. (1997). "Deflections and bending moments in drilled shaft sound wall foundations under working load conditions." The Charles E. Via, Jr. Department of Civil Engineering, Virginia Tech, Blacksburg, VA.
- Moran, D. A., and Pantelides, C. P. (2002). "Stress-strain model for fiber-reinforced polymer-confined concrete." *Journal of Composites for Construction*, 6(4), 233-240.
- Moran, D. A., and Pantelides, C. P. (2002). "Variable strain ductility ratio for fiber-reinforced polymer-confined concrete." *Journal of Composites for Construction*, 6(4), 224-232.
- Mosher, R. L. (1984). "Load transfer criteria for numerical analysis of axially loaded piles in sand." US Army Engineering Waterways Experimental Station, Automatic Data Processing Center, Vicksburg, MS.
- Muchard, M. K., Mullins, A. G., and Robertson, D. T. (1999). "Pile load test program – Route 40 over the Nottoway River." *AFT Report No. 195011*, Applied Foundation Testing, Inc. Green Cove Springs, FL.
- Murchison, J. M., and O'Neill, M. W. (1984). "Evaluation of p-y relationships in cohesionless soils." *Proceedings, Symposium of Analysis and Design of Pile Foundations*, ASCE, San Francisco, 174-191.
- Naguib, W., and Mirmiran, A. (2002). "Time-dependent behavior of fiber-reinforced polymer-confined concrete columns under axial loads." *ACI Structural Journal*, 99(2), 142-148.

- Navayogarah, N., and Chandra, S. (1985). "Analysis of axially loaded long piles." *Indian Geotechnical Journal*, 15(4), 231-245.
- Necati Özişik, M. (1989). *Boundary value problems of heat conduction*. Dover Publications, New York.
- Nilson, A. H. (1987). *Design of prestressed concrete, 2nd edition*. John Wiley and Sons, Inc.
- Nordlund, R. L. (1979). "Point bearing and shaft friction of piles in sand." *Proceedings, 5th Annual Fundamentals of Deep Foundation Design*, Missouri-Rolla, MO.
- Nordlund, R.L. (1963). "Bearing capacity of piles in cohesionless soils." *Journal of Soil Mechanics and Foundations Division, ASCE*, SM3, 1-35.
- O'Rourke, T. D., Druschel, S. J., and Netravali, A. N. (1990). "Shear strength characteristics of sand-polymer interfaces." *Journal of Geotechnical Engineering, ASCE*, 116(3), 451-469.
- Oaks, R. Q., Jr., and Coch, N. K. (1973). "Post-miocene stratigraphy and morphology, South-Eastern Virginia." *Bulletin 82*, Virginia Division of Mineral Resources, Department of Conservation and Economic Development, Charlottesville, VA.
- Olson, R. E. (2002). "Axial load capacity of driven piles." *Proceedings, 50th Annual Geotechnical Engineering Conference*, St. Paul, MN, 161-178.
- O'Neill, M. W. (2001). "Side resistance in piles and drilled shafts." *Journal of Geotechnical and Geoenvironmental Engineering, ASCE*, 127(1), 3-16.
- Ooi, P., Duncan, J., Rojiani, K. B., and Barker, R. (1991). "Engineering manual for driven piles." *NCHRP Report No. 343*, TRB, Washington, DC, II, 54-114.
- Ortigao, J. A. R. (1996). "FRP applications in geotechnical engineering." *Proceedings, 4th Materials Engineering Conference*, Washington, D.C., 535-544.
- Pando, M., Filz, G., Dove, J., and Hoppe, E. (2002). "Interface shear tests on FRP composite piles." *Proceedings, ASCE International Deep Foundations Congress*, Orlando, FL, II, 1486-1500.
- Pando, M., Filz, G., Hoppe, E., Ealy, C., and Muchard, M. (2000). "Performance of a composite pile in a full scale Statnamic load testing program." *Proceedings, 53rd Canadian Geotechnical Conference*, Montreal, Canada, I, 909-916.
- Pando, M., Lesko, J.J., and Case, S. (2001). "Preliminary Development of a Durability Model for concrete-filled FRP piles." *Proceedings, 46th International Society for the Advancement of Material and Process Engineering (SAMPE) Conference*, Long Beach, CA, 1597-1611.

- Pando, M., Lesko, J.J., Fam, A., and Rizkalla, S. (2002). "Durability of Concrete-filled Tubular FRP Piles." *Proceedings, 3rd International Conference on Composites in Infrastructure (ICCI) Conference*, San Francisco, CA, CD-ROM, 12 p.
- Pando, M., Filz, G., Ealy, C., and Hoppe, E. (2003). "Axial and lateral load performance of two composite piles and one prestressed concrete pile." *Proceedings, TRB 2003 Annual Meeting*, CD-ROM, 20 p.
- PCI Committee Report. (1999). "Recommended practice for design, manufacture, and installation of prestressed concrete piling." *PCI Journal*, 38(2), 14-41.
- Pelletier, J. H., Murff, J. D., and Young, A. G. (1993). "Historical development and assessment of the current API design methods for axially loaded piles." *Proceedings, 25th Offshore Technology Conference*, Houston, TX, 253-282.
- Phair, M. (1997). "Composite piles gaining ground." *ENR*, 238(1), 17.
- Phifer, S. P. (2003). "Hygrothermal evaluation of pultruded polymer composite laminates – Experimentation, analysis, and prediction." PhD dissertation, Department of Engineering Science and Mechanics, Virginia Tech, Blacksburg, VA.
- Phifer, S., and Lesko, J. J. (2002). "Moisture absorption and strength characterization of hygrothermally aged neat and clay filled vinyl ester and pultruded vinyl ester e-glass laminates." *Proceedings, CDCC 2002*, Montreal, Canada, 12p.
- Phifer, S. P., Verghese, K. N. E., Haramis, J., and Lesko, J. J. (2000). "Temperature-moisture-mechanical response of vinyl ester resin and pultruded vinyl ester/e-glass laminated composites." *Proceedings, 3rd International Conference on Advanced Composite Materials in Bridges and Structures*, Ottawa, Canada, 29-36.
- Pianka, R. (1998). "Composite fender piling." *The Military Engineer*, 90(594), 45-46.
- Plastic Pilings, Inc. (2001). <http://www.plasticpilings.com>
- Polyzois, D., Ibrahim, S., and Raftoyiannis, J. G. (1999). "Performance of fiber-reinforced plastic tapered poles under lateral loading." *Journal of Composite Materials*, 33(10), 941-960.
- Poskitt, T. J. (1993). "Discussion on 'A new method for single pile settlement prediction and analysis' by Fleming (1992) *Geotechnique* 42(3)." *Geotechnique*, 43(4), 615-619.
- Poulos, H. G. (1979). "Settlement of single piles in nonhomogeneous soil." *Journal of Geotechnical Engineering, ASCE*, 105(5), 365-415.
- Poulos, H. G. (1988). "Modified calculation of pile group settlement interaction." *Journal of Geotechnical Engineering, ASCE*, 114(6), 697-705.
- Poulos, H. G. (1989). "Pile behaviour - theory and application." *Geotechnique*, 39(3), 365-415.

- Poulos, H. G. (2001). "Pile foundations." In *Geotechnical and geoenvironmental engineering handbook*, Edited R. K. Rowe, Kluwer Academic Press.
- Poulos, H. G., and Davis, E. H. (1980). *Pile foundation analysis and design*. Wiley and Sons New York.
- PPI. (2002). "Compression of 16-inch steel rebar cage core plastic piling." *Plastic Piling, Inc. Newsletter*, 8(5).
- Prian, L., and Barkatt, A. (1999). "Degradation mechanism of fiber-reinforced plastics and its implications to prediction of long-term behavior." *Journal of Materials Science*, 34(16), 3977-3989.
- Randolph, M. F. (1994). "Design methods for pile groups and pile drafts." *Proceedings, XIII ICSMFE*, New Delhi, India, 61-82.
- Randolph, M. F., Dolwin, J., and Beck, R. (1994). "Design of driven piles in sand." *Geotechnique*, 44(3), 427-448.
- Randolph, M. F., and Wroth, C. P. (1978). "Analysis of deformation of vertically loaded piles." *Journal of Geotechnical Engineering, ASCE*, 104(2), 1465-1488.
- Reddy, E.S., Chapman, D.N., and Sastry, V.V.R.N. (2000). "Direct shear interface test for shaft capacity of sand." *Geotechnical Testing Journal, ASTM*, 23(2), 199-205.
- Reese, L. C. (1984.) "Handbook on Design of Piles and Drilled Shafts Under Lateral Load." *Report FHWA-IP-84-1*, USDOT, Federal Highway Administration.
- Reese, L. C. (1997). "Analysis of laterally loaded piles in weak rock." *Journal of Geotechnical and Geoenvironmental Engineering, ASCE*, 123(11), 1010-1017.
- Reese, L. C., Cox, W. R., and Koop, F. D. (1974). "Analysis of laterally loaded piles in sand." *Proceedings, VI Annual Offshore Technology Conference*, Houston, TX, II(OTC 2080), 473-485.
- Reese, L. C., Cox, W. R., and Koop, F. D. (1975). "Field testing and analysis of laterally loaded piles in stiff clay." *Proceedings, VII Annual Offshore Technology Conference*, Houston, TX, II(OTC 2312), 672-690.
- Reese, L. C., Isenhower, W. M., and Wang, S. T. (1997). "Lateral capacity of caissons." *Proceedings, Conference on Excellence in Geotechnical Engineering*, Harrisburg, PA, 24 p.
- Reese, L. C., and Welch, R. C. (1975)."Lateral loading of deep foundations in stiff clay." *Journal of Geotechnical Engineering, ASCE*, 101(GT7), 633-649.
- Reese, L. C., and Van Impe, W. F. (2001). *Single piles and pile groups under lateral loading*. A. A. Balkema, Brookfield, VT.

- Reese, L., Wang, S. T., Arrellaga, J. A., and Hendrix, J. (2000). *A program for the analysis of piles and drilled shafts under lateral loads*. ENSOFT, Inc., Houston, TX.
- Richwien, W., and Wang, Z. (1999). "Displacement of a pile under axial load." *Geotechnique*, 49(4), 537-541.
- Rix, G. J., and Stokoe, K. H. (1991). "Correlation of initial tangent modulus and cone resistance." *Proceedings, International Symposium on Calibration Chamber Testing*, Potsdam, NY, 351-362.
- Robertson, P. K., Davies, M. P., and Campanella, R. G. (1989). "SPT-CPT design of laterally loaded driven piles using the flat dilatometer." *Geotechnical Testing Journal*, 12(1), 30-38.
- Roeder, C. W., Cameron, B., and Brown, C. B. (1999). "Composite action in concrete filled tubes." *Journal of Structural Engineering*, 125(5), 477-484.
- Rollins, K. M., Miller, N. P., and Hemenway, D. (1999). "Evaluation of pile capacity prediction methods based on cone penetration testing using results from I-15 load tests." *Transportation Research Record*, 1675, 41-50.
- Rosselli, F. (1996). "Three-point bending of composite piles." *Report No. 95-001*, University of Delaware Center for Composite Materials, Wilmington, DE.
- Saafi, M., Toutanji, H. A., and Li, Z. (1999). "Behavior of concrete columns confined with fiber reinforced polymer tubes." *ACI Materials Journal*, 96(4), 500-509.
- Salgado, R., and Randolph, M. F. (2001). "Analysis of cavity expansion in sand." *International Journal of Geomechanics*, 1(2), 175-192.
- Samaan, M., Mirmiran, A., and Shahawy, M. (1998). "Modeling of concrete confined by fiber composites." *Journal of Structural Engineering, ASCE*, 124(9), 1998, 1025-1031.
- Schultheisz, C. R., McDonough, W. G., Kondagunta, S., Schutte, C. L., Macturk, K. S., McAuliffe, M., and Hunston, D. L. (1997). "Effect of moisture on e-glass/epoxy interfacial and fiber strengths." *Composite Materials: Testing and Design, ASTM*, STP 1242, 257-286.
- Scott, D. W., Pace, M. E., Poole, T. S., and Tavarez, F. A. (1998). "Composite materials piles soil-structure interaction - Task A: Review of past and present research and state of practice." *Interim Report*, US Army Corps of Engineers - Waterways Experiment Station, Vicksburg, MS.
- Seaward International. (2001). <http://www.seaward.com/SEAPILE.html>
- Sen, R., Issa, M., Wadsack, P., and Shahawy, M. (1993). "Driving stresses in fiberglass pretensioned piles." *ACI Structural Journal*, 90(6), 666-674.

- Shahawy, M., Mirmiran, A., and Samaan, M. (YEAR). "Hybrid columns of FRP and concrete." *Proceedings, 4th Materials Engineering Conference*, Washington, D.C., 73-82.
- Shao, Y., and Kouadio, S. (2002). "Durability of fiberglass composite sheet piles in water." *Journal of Composites for Construction*, 6(4), 280-287.
- Shehata, I. A., E., M., Carneiro, L.A.V., and Shehata, L. C. D. (2002). "Strength of short concrete columns confined with CFRP sheets." *Materials and Structures*, 35, 50-58.
- Shen, C.-H., and Springer, G. S. (1976). "Moisture absorption and desorption of composite materials." *Journal of Composite Materials*, 10, 2-20.
- Simonini, P. (1996). "Analysis of behavior of sands surrounding pile tips." *Journal of Geotechnical Engineering, ASCE*, 122(11), 897-905.
- Simons, H. A. (1985). "A theoretical study of pile driving," PhD dissertation, Cambridge University, Cambridge, UK.
- Smith, E. A. L. (1955). "Impact and longitudinal wave transmission." *Transactions of the American Society of Mechanical Engineers*, 77, 963-972.
- Smith, E. A. L. (1960). "Pile-driving analysis by the wave equation." *Journal of the Soil Mechanics and Foundations Division, ASCE*, 86(EM 4), 35-61.
- Spiro, B. R., and Pais, M. A. (2002a). "Dynamic pile evaluation and pile load test results – Test Piles TP#1, TP#2, and TP#3 at Spit Area, Pembroke Avenue Bridge Replacement, Hampton, VA." *GSI Project No. 21-3-126*, Geotechnical Specialties, Inc., Norfolk, Virginia, 2 Vols., March and July, 2002.
- Spiro, B. R., and Pais, M. A. (2002b). "Dynamic pile evaluation and pile load test results – Piers 10, 11, and 12 Pembroke Avenue Bridge Replacement, Hampton, VA." *GSI Project No. 21-3-126*, Geotechnical Specialties, Inc., Norfolk, Virginia, June 2002.
- Spolestra, M. R., and Monti, G. (1999). "FRP-confined concrete model." *Journal of Composites for Construction*, 3(3), 143-150.
- Springer, G. S. (1983). "Effects of temperature and moisture on sheet molding compounds." *Journal of Reinforced Plastics and Composites*, 2, 70-89.
- Springer, G. S., et al. (1980). "Environmental effects on GFRP polyester and vinyl ester composites." *Journal of Composite Materials*, 14, 213-223.
- Stapleman, J. (1997). "Pile on the abuse." *Composites Technology*, (September/October), 3 p.
- Stippes, M. C., Wempner, G., Stern, M., and Beckett, R. (1961). *An introduction to the mechanics of deformable bodies*. Merrill Books.

- Stokes, F. (2002). "Axial compression test on 15.25" PPI pile." *Test Report for Plastic Piling, Inc.*, Lehigh University, Lehigh, PA.
- Taylor, R. B. (1995). "Composite recycled plastic marine piling and timber: An alternate to traditional wood products for marine use." *Proceedings, Ports '95*, Tampa, FL, 711-722.
- Tetra Tech EM, Inc. (1999). "Plastic pier piling evaluation report." *Tetra Tech EM Report*.
- Toutanji, H. A. (1999). "Stress-strain characteristic of concrete columns externally confined with advanced fiber composite sheets." *ACI Materials Journal*, 96(3), 397-404.
- Toutanji, H. A., and Saafi, M. (2001). "Stress-strain behavior of concrete columns confined with hybrid composite materials." *Materials and Structures*, 35, 338-347.
- Uesugi, M., Kishida, H., and Tsubakihara, Y. (1988). "Behavior of sand particles in sand-stell friction." *Soils and Foundations*, 28(10), 107-118.
- Van Impe, W. F. (1991). "Deformations of deep foundations." *Proceedings, 10th European Conference on Soil Mechanics and Foundation Engineering*, Florence, Italy, III, 1031-1062.
- Vecchio, F. and Collins, M. (1986). "Modified compression field theory for reinforced concrete elements subject to shear." *ACI Journal*, 83(2), 219-231.
- Verghese, K. N. E., et al. (1999). "Freeze-thaw durability of polymer matrix composites in infrastructure." *Proceedings, International Conference on Progress in Durability Analysis of Composite Systems*, Brussels, Belgium, 457-464.
- Vijayvergiya, V. N. (1977). "Load-movement characteristics of piles." *Proceedings, Ports '77: 4th Annual Symposium of the Waterway, Port, Coastal, and Ocean Division*, Long Beach, CA, 269-284.
- Warren, G. (1996). "Limited flexural tests of plastic composite pile configurations." *Test report for Plastic Piling, Inc.*
- Weaver, T. J., Rollins, K. M., and Peterson, K. T. (YEAR). "Lateral Statnamic load testing and analysis of a pile group." *Proceedings, Geotechnical Earthquake Engineering and Soil Dynamics III*, Seattle, WA, 1319-1330.
- Welch, R. C., and Reese, L. C. (1972). "Laterally loaded behavior of drilled shafts." *Research Report 3-5-65-89*, Center for Highway Research, University of Texas, Austin, TX.
- Woo, S. M., and Juang, C. H. (1994). "Analysis of pile test results." *Developments in Deep Foundations and Ground Improvement Schemes*, 69-88.
- Wu, H.-C. (1999). "Confinement efficiency of FRP wrapping on concrete." *Proceedings, 1999 ASME International Mechanical Engineering Congress and Exposition*, Nashville, TN, 231-235.

Yoshimi, Y., and Kishidi, T. (1982). "A ring torsion apparatus for evaluating friction between soil and metal surfaces." *Geotechnical Testing Journal, ASTM*, 4, 145-152.