

Contents

List of Figures	ix
List of Tables	xiv
1 Introduction and Background	1
1.1 Introduction	1
1.2 Literature Review	2
1.3 Statement of the Problem and Research Objectives	11
1.4 Organization of the Thesis	13
2 The Discontinuous Galerkin Method for Hyperbolic Problems	15
2.1 Notations	15
2.2 Conservation Laws	17
2.3 The Discontinuous Galerkin Method	22
2.4 Finite Element Spaces	24
2.5 Mappings for Triangle Elements	25
2.6 Orthogonal Polynomial Basis on Triangles	26
2.7 Numerical Integration Rules	32
3 Local and Global Error Analysis	33
3.1 DG Formulation and Preliminary Results	33
3.2 Local DG Error Analysis	41
3.3 Nonlinear Convection Reaction Model Problems	58

3.4	Nonlinear Conservation Laws	59
3.5	Local Superconvergence Points	64
3.6	Global Error Analysis	66
3.7	Computational Examples	73
3.8	Conclusion	88
4	<i>A Posteriori</i> Error Estimation for Hyperbolic Problems	89
4.1	Modified Discontinuous Galerkin Formulation	90
4.2	Finite Element Spaces For the Error	92
4.2.1	Basis functions for element of type I	92
4.2.2	Basis functions for elements of type II	94
4.2.3	Basis functions for elements of type III	100
4.3	Time-Dependent Scalar Transport Equation	102
4.4	<i>A Posteriori</i> Error Estimation	103
4.4.1	Error estimation for linear problems	103
4.4.2	Error estimation for nonlinear problems	104
4.4.3	Error estimation for time-dependent problems	106
4.5	Computational Examples	107
4.6	Implementation	146
4.7	Conclusion	147
5	DG Solutions for Hyperbolic Problems on Unstructured Meshes	148
5.1	Error Analysis for Linear Problems	149
5.1.1	Superconvergence results for elements of type I	149
5.1.2	Superconvergence results for elements of type II and III	151
5.1.3	Finite Element Spaces for the Error	152
5.2	Computational Examples	154
5.3	Conclusions	160
6	Conclusion and Future Work	161

6.1 Contributions	161
6.2 Future Work	163
Bibliography	164
Vitae	170

List of Figures

1.1	Nonconforming mesh with discontinuous approximations.	4
2.1	Different characteristic lines.	20
2.2	Example of an order of triangles for the DG method with $\mathbf{a} = [\alpha, \beta]^T$, $\alpha, \beta > 0$	24
2.3	The spaces \mathcal{P}_p (upper left), \mathcal{V}_p (upper right) and \mathcal{U}_p (bottom) for $p = 0$ to 5.	25
2.4	Mapping of a triangle Ω_j (left) onto a canonical triangle T_0 (right).	26
2.5	Legendre polynomials from degree 0 to 7 (upper left to lower right).	28
2.6	Right Radau polynomials from degree 1 to 8 (upper left to lower right).	28
2.7	Illustration of the mapping between a reference square and a reference triangle.	29
2.8	Dubiner polynomials for degrees 0 to 4 (upper left to lower right).	30
3.1	A triangular element with its components labeled.	34
3.2	Element Δ with <i>inflow</i> boundaries shown with solid lines and <i>outflow</i> boundary with dashed lines.	36
3.3	Elements of type I (left), II (center) and III (right)	38
3.4	Superconvergence points (marked by \times) and the lines given by (3.175) on a triangle of type I, where $\alpha > 0$, and $\beta > 0$, $U \in \mathcal{U}_p$ with $p = 1$ (left) and superconvergence points for $p = 2$ (right).	66
3.5	Legendre superconvergence points (marked by \times) on a triangle of type II, $\alpha > 0$ and $\beta > 0$, using \mathcal{P}_p , $p = 0$ to 3 (left to right).	67
3.6	Superconvergence points (marked by \times) on a triangle of type II, $\alpha > 0$ and $\beta > 0$, using \mathcal{V}_p , $p = 1, 2, 3$ (left to right).	67
3.7	Superconvergence points (marked by \times) on a triangle of type II, $\alpha > 0$ and $\beta > 0$ using \mathcal{U}_p , $p = 1, 2, 3$ (left to right). For $p = 1$ we show two curves of superconvergence points given by (3.177).	68

3.8	Superconvergence points (marked by \times) on triangle of type III, $\alpha > 0$ and $\beta = 0$, using \mathcal{V}_p , $p = 1$ (left), $p = 2$ (center) and $p = 3$ (right).	68
3.9	Superconvergence points on solid thick lines and points marked by \times on a triangle of type III, $\alpha > 0$ and $\beta = 0$, using \mathcal{U}_p , $p = 1$ (left), $p = 2$ (center) and $p = 3$ (right).	69
3.10	A horizontal strip of elements of type III with $[\alpha, \beta] = [1, 0]$	71
3.11	Zero-level curves of the true error for Example 3.1 on a mesh having $N = 32$ elements using the spaces \mathcal{P}_p , $p = 0, 1, 2, 3$ (upper left to lower right).	75
3.12	Zero-level curves of the true error for Example 3.1 on a mesh having $N = 72$ elements using the spaces \mathcal{P}_p , $p = 0, 1, 2, 3$ (upper left to lower right).	75
3.13	Zero-level curves of the true error for Example 3.1 on a mesh having $N = 32$ elements using the spaces \mathcal{V}_p , $p = 0, 1, 2, 3$ (upper left to lower right).	76
3.14	Zero-level curves of the true error for Example 3.1 on a mesh having $N = 72$ elements using the spaces \mathcal{V}_p , $p = 0, 1, 2, 3$ (upper left to lower right).	76
3.15	Zero-level curves of the true error for Example 3.1 on a mesh having $N = 32$ elements using the spaces \mathcal{U}_p , $p = 0, 1, 2, 3$ (upper left to lower right).	77
3.16	Zero-level curves of the true error for Example 3.1 on a mesh having $N = 72$ elements using the spaces \mathcal{U}_p , $p = 0, 1, 2, 3$ (upper left to lower right).	77
3.17	Zero-level curves of the true error for Example 3.2 on uniform meshes having $N = 72$ elements using \mathcal{P}_p , $p = 0$ to 3 (upper left to lower right).	79
3.18	Zero-level curves of the true error for Example 3.2 on uniform meshes having $N = 72$ elements using \mathcal{V}_p , $p = 0$ to 3 (upper left to lower right).	79
3.19	Zero-level curves of the true error for Example 3.2 on uniform meshes having $N = 72$ elements using \mathcal{U}_p , $p = 0$ to 3 (upper left to lower right).	80
3.20	Zero-level curves of the true error for Example 3.3 on uniform meshes having $N = 96$ elements using \mathcal{P}_2 (top left), \mathcal{V}_2 (top right) and \mathcal{U}_2 (bottom).	82
3.21	Zero-level curves of the true error for Example 3.4 on uniform meshes having $N = 64$ elements using \mathcal{P}_2 (top left), \mathcal{V}_2 (top right) and \mathcal{U}_2 (bottom).	83
3.22	Zero-level curves of the true error for Example 3.5 on uniform meshes having $N = 64$ elements using \mathcal{P}_2 (top left), \mathcal{V}_2 (top right) and \mathcal{U}_2 (bottom).	85
3.23	Zero-level curves of the true error for Example 3.6 on uniform meshes having $N = 32$ elements using $\mathcal{P}_1, \mathcal{V}_1, \mathcal{U}_1$, (left) and $\mathcal{P}_2, \mathcal{V}_2, \mathcal{U}_2$, (right). The superconvergence points are marked by \times	87

4.1	Basis functions for the space \mathcal{U}_p for $p=1$ to 4 on elements of type I.	94
4.2	Basis functions for the space \mathcal{P}_p for $p=1$ to 4 on elements of type II.	95
4.3	Basis functions for the space \mathcal{U}_p for $p=1$ to 4 on elements of type III.	101
4.4	Basis functions for the space \mathcal{V}_p for $p=1$ to 6 on elements of type III.	101
4.5	Zero-level curves of the true error for Example 4.1 on a uniform mesh having $N = 32$ elements using the space \mathcal{V}_p for $p = 0$ to $p = 3$ (upper left to lower right).	109
4.6	Local effectivity indices on a uniform mesh having $N = 32$ elements with \mathcal{P}_p , $p = 0$ to 3 (upper left to lower right) for Example 4.1.	110
4.7	Local effectivity indices on a uniform mesh having $N = 72$ elements with \mathcal{P}_p , $p = 0$ to 3 (upper left to lower right) for Example 4.1.	111
4.8	Local effectivity indices on a uniform mesh having $N = 32$ elements with \mathcal{V}_p , $p = 0$ to 3 (upper left to lower right) for Example 4.1.	112
4.9	Local effectivity indices on a uniform mesh having $N = 72$ elements with \mathcal{V}_p , $p = 0$ to 3 (upper left to lower right) for Example 4.1.	113
4.10	Zero-level curves of the true error for Example 4.2 on uniform meshes having $N = 32$ elements using \mathcal{P}_p , $p = 0$ to 3 (upper left to lower right).	114
4.11	Local effectivity indices on a uniform mesh having $N = 32$ elements with \mathcal{P}_p , $p = 0$ to 3 (upper left to lower right) for Example 4.2.	115
4.12	Local effectivity indices on a uniform mesh having $N = 72$ elements with \mathcal{P}_p , $p = 0$ to 3 (upper left to lower right) for Example 4.2.	116
4.13	Global effectivity index versus N (left) and versus p (right) using the space \mathcal{P}_p for Example 4.2.	116
4.14	Zero-level curves of the true error for Example 4.3 on a mesh having $N = 32$ elements using $\mathcal{P}_1, \mathcal{V}_1, \mathcal{U}_1$, (upper left to lower left) and $\mathcal{P}_2, \mathcal{V}_2, \mathcal{U}_2$, (upper right to lower right) with DG method (4.1), (4.2).	118
4.15	Surface plot of the error for 4.3 on a 128 element uniform mesh with $p = 1$ (left) and $p = 2$ (right).	120
4.16	Zero-level curves of the true error for Example 4.3 on a mesh having $N = 32$ elements using the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$ (upper left to lower right).	120
4.17	Local effectivity indices for Example 4.3 on a mesh having $N = 32$ elements using the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$ (upper left to lower right).	121
4.18	Two uniform meshes for Example 4.4 with nonuniform polynomial degree distributions.	122

4.19	Zero-level curves of the error for Example 4.4 with the p -distributions of Figure 4.18.	123
4.20	Local effectivity indices for Example 4.4 and the p -distributions of Figure 4.18.	123
4.21	Triangulation of Ω for $h = 1/6$	124
4.22	Zero-level curves of the true error for Example 4.5 on a mesh having $N = 72$ elements using the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$ (upper left to lower right).	125
4.23	Global effectivity indices for Example 4.5 on a meshes having $N = 42, 72, 110, 156$ elements using the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$ versus N (left) and p (right).	126
4.24	Local effectivity indices for 4.6 with $(N, p) = (450, 1), (450, 2), (1250, 1), (1250, 2), (5000, 1), (5000, 2), (20000, 1)$, and $(20000, 2)$ (upper left to lower right).	127
4.25	Zero-level curves of the true error for Example 4.7 on a mesh having $N = 32$ elements using the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$ (upper left to lower right).	129
4.26	Local effectivity indices for Example 4.7 on a mesh having $N = 32$ elements using the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$ (upper left to lower right).	130
4.27	Zero-level curves of the true error for Example 4.8 on a mesh having $N = 32$ elements using the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$ (upper left to lower right).	132
4.28	Zero-level curves of the true error at $t = 1$ for Example 4.9 on a mesh having $N = 48$ elements using the spaces \mathcal{P}_p , $p = 0, 1, 2, 3$ (upper left to lower right).	135
4.29	Zero-level curves of the true error at $t = 1$ for Example 4.9 on a mesh having $N = 48$ elements using the spaces \mathcal{V}_p , $p = 0, 1, 2, 3$ (upper left to lower right).	136
4.30	Zero-level curves of the true error at $t = 1$ for Example 4.9 on a mesh having $N = 48$ elements using the spaces \mathcal{U}_p , $p = 0, 1, 2, 3$ (upper left to lower right).	137
4.31	Zero-level curves of the true error at $t = 1$ for Example 4.10 on a mesh having $N = 32$ elements using the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$ (upper left to lower right).	139
4.32	Effectivity indices $\theta_{L^2}(t)$ versus time for Example 4.10 using \mathcal{U}_p with $p = 1$ and $N = 32, 72, 128, 200$ (left), $N = 32$ and $p = 1, 2, 3, 4$ (right).	140
4.33	Zero level curves for problem (4.71) on a uniform mesh having 32 elements with \mathcal{U}_p , $p = 1, 2, 3, 4$, (upper left to lower right).	142
4.34	Local effectivity indices for problem (4.71) on a uniform mesh having 32 elements with \mathcal{U}_p , $p = 1, 2, 3, 4$, (upper left to lower right).	143
4.35	Zero level curves for of the error using $p = 1, 2$ approximations with 32 elements (left to right) for Example 4.12 on $[0, 1] \times [0, 0.999]$	145

4.36	Local effectivity indices for the homogeneous Burger's equation 4.12 with initial condition (4.72b) on $[0, 1] \times [0, 0.999]$ using meshes having $(N, p) = (1800, 1)$, $(1800, 2)$, $(20000, 1)$, $(20000, 2)$ (upper left to lower right).	146
5.1	Mapping of a triangle Δ of Type I (left) onto a canonical triangle Δ_0 (right)	150
5.2	Mapping of a triangle Δ of Type II (left) onto a canonical triangle Δ_0 (right)	151
5.3	Unstructured grids obtained by partitioning the domain into N , $N = 34, 50, 74, 100$ triangles of type I, II and III	155

List of Tables

2.1	Legendre polynomial on $[0, 1]$ and their roots up to degree 6.	27
2.2	Right Radau polynomials on $[0, 1]$ and their roots up to degree 6.	28
2.3	First fifteen un-normalized Dubiner polynomials φ_i^j of degree $0 \leq i + j \leq 4$. .	30
2.4	First six normalized Gram-Schmidt basis functions	32
3.1	Interior Superconvergence points on a triangle of type I for $U \in \mathcal{U}_p$ and $[\alpha, \beta] = [1, 1]$ and $p = 2$	67
3.2	Superconvergence points (marked by \times) on a triangle of type II, $\alpha = \beta = 1$, and using \mathcal{V}_p , $p = 2, 3$	67
3.3	Superconvergence points (marked by \times) on a triangle of type II, $\alpha = \beta = 1$ using \mathcal{U}_p , $p = 2, 3$	68
3.4	Interior superconvergence points on a triangle of type III, $\alpha > 0$ and $\beta = 0$, using \mathcal{V}_p , $p = 1, 2, 3$	69
3.5	Interior superconvergence points on a triangle of type III, $\alpha > 0$ and $\beta = 0$, using \mathcal{U}_p , $p = 2, 3$	70
3.6	Maximum errors and orders of convergence at the superconvergence points for Example 3.1 on uniform meshes having $N = 32, 72, 128$ elements.	78
3.7	Maximum errors and orders of convergence at the superconvergence points for Example 3.2 on uniform meshes having $N = 32, 72, 128, 200$ elements.	80
3.8	$\ u - U\ _{\mathcal{L}^2}$ and the order of convergence over the whole domain for Example 3.2 on uniform meshes having $N = 32, 72, 128, 200$ elements.	81
3.9	Maximum error and order of convergence at superconvergence points for Example 3.3 on meshes having $N = 96, 216, 384, 600$ elements.	82
3.10	Maximum error and order of convergence at the superconvergence points for Example 3.4 on uniform meshes having $N = 64, 144, 256, 400$ elements.	84

3.11	Maximum error and order of convergence at the superconvergence points on all elements for Example 3.5 on uniform meshes having $N = 64, 144, 256, 400$ elements.	85
3.12	Maximum error and order of convergence at the superconvergence points on elements not containing the solution discontinuity for Example 3.5 on uniform meshes having $N = 64, 144, 256, 400$ elements.	86
3.13	Maximum error and order of convergence at the superconvergence points for Example 3.6 on uniform meshes having $N = 32, 72, 128, 200$ elements.	88
4.1	Error basis functions for the spaces \mathcal{U}_p for $p = 1$ to 3 on elements of type I where $s = \alpha/\beta$	93
4.2	Error basis functions for the spaces \mathcal{P}_p for $p = 0$ to 3 on elements of type II.	96
4.3	Error basis functions for the spaces \mathcal{V}_p for $p = 1$ to 4 on elements of type II, $s = \alpha/\beta$	97
4.4	Error basis functions for the spaces \mathcal{U}_p for $p = 1$ to 4 on elements of type II, $s = \alpha/\beta$	99
4.5	Maximum errors and orders of convergence at the superconvergence points for Example 4.1 on uniform meshes having $N = 32, 72, 128, 200$ elements.	109
4.6	$\ e\ _{\mathcal{L}^2}$ and global effectivity indices for Example 4.1 versus N and p using \mathcal{P}_p	110
4.7	$\ e\ _{\mathcal{L}^2}$ and global effectivity indices for Example 4.1 versus N and p using \mathcal{V}_p	111
4.8	Maximum errors and orders of convergence at the roots of $(p+1)$ -degree Legendre polynomial for Example 4.2 on uniform meshes having $N = 32, 72, 128, 200$ elements using \mathcal{P}_p	115
4.9	\mathcal{L}^2 errors and global effectivity indices for Example 4.2 using uniform meshes having $N = 32, 72, 128, 200$, elements and the spaces \mathcal{P}_p , \mathcal{V}_p and \mathcal{U}_p	117
4.10	Maximum errors and orders of convergence at the superconvergence points for Example 4.3 on uniform meshes having $N = 32, 72, 128, 200$ elements.	119
4.11	Maximum error and its Rate of convergence at the superconvergence points (marked by \times in Figure 4.16) on meshes having $N = 32, 72, 128, 200$ elements with the spaces \mathcal{U}_p , $p = 1 - 4$, for Example 4.3.	119
4.12	\mathcal{L}^2 errors and global effectivity indices for Example 4.3 on uniform meshes having 32, 72, 128, 200, 450, 800 and 1250 elements using \mathcal{U}_p , $p = 1, 2, 3, 4$	121

4.13	Maximum errors and orders of convergence at the roots of $(p + 1)$ -degree Legendre polynomial on the <i>outflow</i> edges over all elements of type II for Example 4.5 on meshes having $N = 42, 72, 110, 156$ elements using \mathcal{U}_p with $p = 1, 2, 3, 4$	124
4.14	Maximum errors and rates of convergence at the endpoints of the <i>inflow</i> edge on all elements of type I for Example 4.5 on uniform meshes having $N = 42, 72, 110, 156$ elements using \mathcal{U}_p with $p = 1$ to 4.	125
4.15	$\ e\ _{\mathcal{L}^2}$ and global effectivity indices for Example 4.5 versus h and p using \mathcal{U}_p	125
4.16	Maximum error and its order of convergence at the superconvergence points for Example 4.7 on meshes having $N = 32, 72, 128, 200$ elements with the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$	129
4.17	\mathcal{L}^2 errors and global effectivity indices for Example 4.7 on uniform meshes having 32, 72, 128 and 200 elements using \mathcal{U}_p , $p = 1 - 4$	130
4.18	Maximum error and its order of convergence at the superconvergence points for Example 4.8 on meshes having $N = 32, 72, 128, 200$ elements with the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$	131
4.19	\mathcal{L}^2 errors and global effectivity indices for Example 4.8 on uniform meshes having 32, 72, 128 and 200 elements using \mathcal{U}_p , $p = 1 - 4$	131
4.20	Maximum error at $t = 1$ and its order of convergence at superconvergence points for Example 4.9 on meshes having $N = 48, 108, 192, 300$ elements. . .	134
4.21	\mathcal{L}^2 errors and global effectivity indices at $t = 1$ for Example 4.9 on uniform meshes having $N = 48, 108, 192, 300$ elements using and $\mathcal{P}_p, \mathcal{V}_p, \mathcal{U}_p$, $p = 1, 2, 3, 4$.	135
4.22	Maximum error at $t = 1$ and its order of convergence at superconvergence points for Example 4.9 on meshes having $N = 48, 108, 192, 300$ elements using \mathcal{L}^2 projections.	136
4.23	\mathcal{L}^2 errors and global effectivity indices at $t = 1$ for Example 4.9 on uniform meshes having $N = 48, 108, 192, 300$ elements using \mathcal{L}^2 projections and $\mathcal{P}_p, \mathcal{V}_p, \mathcal{U}_p$, $p = 1, 2, 3, 4$	137
4.24	\mathcal{L}^2 errors and global effectivity indices at $t = 1$ for Example 4.9 on uniform meshes having $N = 48, 108, 192, 300$ elements using and $\mathcal{P}_p, \mathcal{V}_p, \mathcal{U}_p$, $p = 1, 2, 3, 4$.	138
4.25	Maximum error at $t = 1$ and its order of convergence at the superconvergence points marked by \times in Figure 4.31 for Example 4.10 on meshes having $N = 32, 72, 128, 200$ elements with the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$	140
4.26	\mathcal{L}^2 errors and global effectivity indices at $t = 1$ for Example 4.10 on uniform meshes having $N = 32, 72, 128, 200$ elements using \mathcal{U}_p , $p = 1, 2, 3, 4$	140

4.27	Maximum error and its order of convergence at the superconvergence points for problem (4.71) on meshes having $N = 32, 72, 128, 200$ elements with the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$.	141
4.28	Effectivity indices Problem (4.71) using the linearized error estimator (4.47) on meshes having 32, 72, 128, 200, 400, 800 and 1250 elements and \mathcal{U}_p , $p = 1, 2, 3, 4$.	142
4.29	Global effectivity indices for problem (4.71) using the nonlinear error estimator (4.48) on meshes having 32, 72, 128, 200, 450, 800 and 1250 elements and \mathcal{U}_p , $p = 1, 2, 3, 4$.	142
4.30	Effectivity indices for problem (4.72) on $[0, 1] \times [0, 0.3]$ with the error estimate (4.47) on meshes with $N = 32, 72, 128, 200, 450, 800, 1250$ elements and \mathcal{U}_p , $p = 1, 2, 3, 4$.	144
4.31	Maximum errors and orders of convergence at the superconvergence points in the strip $[0, 1] \times [0, 0.3]$ for Example 4.12 on meshes having $N = 32, 72, 128, 200$ elements with the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$.	145
4.32	Maximum errors and orders of convergence at the superconvergence points in $[0, 1] \times [0, 0.999]$ for Example 4.12 on meshes having $N = 32, 72, 128, 200$ elements with the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$.	145
5.1	Maximum error and its order of convergence at the superconvergence points for Example 5.1 on meshes having $N = 34, 50, 74, 100$ elements with the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$.	156
5.2	\mathcal{L}^2 errors and global effectivity indices for Example 5.1 on meshes having 34, 50, 74 and 100 elements using \mathcal{U}_p , $p = 1, 2, 3, 4$.	156
5.3	Maximum error at $t = 1$ and its order of convergence at the superconvergence points for Example 5.2 on unstructured meshes having $N = 34, 50, 74, 100$ elements with the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$.	157
5.4	\mathcal{L}^2 errors and global effectivity indices at $t = 1$ for Example 5.2 on unstructured meshes having 34, 50, 74 and 100 elements using \mathcal{U}_p , $p = 1, 2, 3, 4$.	158
5.5	Maximum error and its order of convergence at the superconvergence points for Example 5.3 on meshes having $N = 34, 50, 74, 100$ elements with the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$.	159
5.6	\mathcal{L}^2 errors and global effectivity indices for Example 5.3 on meshes having 34, 50, 74 and 100 elements using \mathcal{U}_p , $p = 1, 2, 3, 4$.	159
5.7	Maximum error and its order of convergence at the superconvergence points on $[0, 1] \times [0, 0.999]$ for Example 5.3 on meshes having $N = 34, 50, 74, 100$ elements with the spaces \mathcal{U}_p , $p = 1, 2, 3, 4$.	159

5.8 \mathcal{L}^2 errors and global effectivity indices on $[0, 1] \times [0, 0.999]$ for Example 5.3 on meshes having 34, 50, 74 and 100 elements using \mathcal{U}_p , $p = 1, 2, 3, 4$ 160