

REFERENCES

- Abu-Lebdeh, G. and Benekohal, R. F. (1998), "Evaluation of Dynamic Signal Coordination and Queue Management Strategies for Oversaturated Arterials.
- Al-Deek, H., Garib, A. and Radwan, A. E. (1995), "New Method for Estimating Freeway Incident Congestion", *Transportation Research Record 1494*, TRB, National Research Council, Washington, D. C.,
- Allsop, R. E. (1972), "Delay at a Fixed Time Traffic Signal – I: Theoretical Analysis", *Transportation Science*, Vol. 6, No. 3, pp. 260-285.
- Akcelik, R. (1978), "A New Look at Davidson's Travel Time Function", *Traffic Engineering and Control*, Vol. 19, No. 10, pp. 459-463.
- Akcelik, R. (1988), "The Highway Capacity Manual Delay Formula for Signalized Intersections", *ITE Journal*, Vol. 58, No. 3, pp. 23-27.
- Akcelik, R. and Roupail, N. M. (1993), "Estimation of Delays at Traffic Signals for Variable Demand Conditions", *Transportation Research B*, Vol. 27B, No. 2, pp. 109-131.
- Akcelik, R. (1994), "Estimation of Green Times and Cycle Time for Vehicle-Actuated Signals", *Transportation Research Record 1457*, TRB, National Research Council, Washington, D. C., pp. 63-72.
- Akcelik, R. and Roupail, N. M. (1994), "Overflow Queues and Delays with Random and Platooned Arrivals at Signalized Intersections", *Journal of Advance Transportation*, Vol. 28, No. 3, pp. 227-251.
- Akcelik, R. (1996), "Progression Factor for Queue Length and Other Queue-Related Statistics", *Transportation Research Record 1555*, TRB, National Research Council, Washington, D. C., pp. 99-104.
- Ansorge, R. (1990), "What does the entropy condition mean in traffic flow theory?", *Transportation Research B*, Vol. 24B, No. 2, pp. 133-143.
- Arasan, V. T. and Jagadeesh, K. (1995), "Effect of Heterogeneity of Traffic on Delay at Signalized Intersections", *Journal of Transportation Engineering*, Vol. 121, No. 5, pp. 397-404.
- Bailey, N. T. J. (1954), "One Queueing Process with Bulk Service", *Journal of the Royal Statistical Society Series B*, Vol. 16, pp. 80-87.
- Benekohal, R. F. and El-Zohairy, Y. M. (1999), "Progression Adjustment Factors for Uniform Delay at Signalized Intersections", *78th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Berry, D. S. and Pfefer, R. C. (1986), "Analysis of the Proposed Use of Delay-Based Levels of Service at Signalized Intersections", *Transportation Research Record 1091*, TRB, National Research Council, Washington, D. C., pp. 78-86.

Berry, D. S. (1987), "Volume Counting for Computing Delay at Signalized Intersections", *ITE Journal*, Vol. 57, No. 3, pp. 21-23.

Berry, D. S. (1987), "Using Volume-to-Capacity Ratios to Supplement Delay as Criteria for Levels of Service at Traffic Signals", *Transportation Research Record 1112*, TRB, National Research Council, Washington, D. C., pp. 23-38.

Ben-Akiva, M., Cyna, M. and Palma, A. (1984), "Dynamic Model of Peak Period Congestion", *Transportation Research B*, Vol. 18B, No. 4/5, pp. 339-355.

Bonneson, J. A. and Fitts, J. W. (1997), "Effect of Upstream Signal on Nonpriority Movement Capacity and Delay", *Transportation Research Record 1572*, TRB, National Research Council, Washington, D. C., pp. 174-182.

Bonneson, J. A. and Messer, C. J. (1998), "Phase Capacity Characteristics for Signalized Interchange and Intersection Approaches", *77th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Botma, H. (1999), "Queueing Model to Determine Variability of Recurrent Congestion at a Freeway Link Over a Year", *78th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Branston, D. (1978), "A Comparison of Observed and Estimated Queue Lengths at Oversaturated Traffic Signals", *Traffic Engineering and Control*, Vol. 19, No. 7, pp. 322-327.

Braun, S. M. and Ivan, J. N. (1996), "Estimating Intersection Approach Delay Using 1985 and 1994 *Highway Capacity Manual* Procedures", *Transportation Research Record 1555*, TRB, National Research Council, Washington, D. C., pp. 23-32.

Brilon, W. and Wu, N. (1990), "Delays at Fixed-Time Traffic Signals under Time-Dependent Traffic Conditions", *Traffic Engineering and Control*, Vol. 31, No. 12, 623-631.

Brilon, W. (1995), "Delay at Oversaturated Unsignalized Intersections Based on Reserve Capacities", *Transportation Research Record 1484*, TRB, National Research Council, Washington, D. C., pp. 1-8.

Burrow, I. (1989), "A Note on Traffic Delay Formulas", *ITE Journal*, Vol. 59, No. 10, pp. 29-32.

- Cassidy, M. J. and Han, L. D. (1993), "A Proposed Model for Predicting Motorist Delays at Two-Lane Highway Work Zones", *Journal of Transportation Engineering*, Vol. 119, No. 1, pp. 27-42.
- Cassidy, M. C., Son, Y. T. and Rosowsky, D. V. (1994), "Estimating Motorist Delay at Two-Lane Highway Work Zones", *Transportation Research A*, Vol. 28A, No. 5, pp. 433-444.
- Cassidy, M. J., Madanat, S. M., Wang, M.-H. and Yang, F. (1995), "Unsignalized Intersection Capacity and Level of Service: Revisiting Critical Gap", *Transportation Research Record 1484*, TRB, National Research Council, Washington, D. C., pp. 16-23.
- Catling, I. (1977), "A Time-Dependent Approach to Junction Delays", *Traffic Engineering and Control*, Vol. 18, No. 11, pp. 520-523, 526.
- Chang, E. C., Messer, C. J. and Marsden, B. G. (1985), "Reduced-Delay Optimization and Other Enhancements in the Passer II-84 Program", *Transportation Research Record 1005*, TRB, National Research Council, Washington, D. C., pp. 80-89.
- Chin, Hoong-Chor (1996), "A Reexamination of the Analysis of Freeway Bottlenecks", *ITE Journal*, Vol. 66, No. 1, Jan. pp. 30-35.
- Chow, W.-M. (1976), "An Optimization Model for Freeway Stationary Emergency Service Systems", *Transportation Science*, Vol. 10, pp. 20-34.
- Chow, W.-M. (1976), "Study of Traffic Performance Models Under and Incident Condition", *Transportation Research Record 567*, TRB, National Research Council, Washington, D. C., pp. 31-36.
- Cisco, B. A. and Khasnabis, S. (1995), "Techniques to Assess Delay and Queue Length Consequences of Bus Preemption", *Transportation Research Record 1494*, TRB, National Research Council, Washington, D. C.
- Courage, K. G., Wallace, C. E. and Alqasem, R. (1988), "Modeling the Effect of Traffic Signal Progression on Delay", *Transportation Research Record 1194*, TRB, National Research Council, Washington, D. C., pp. 139-146.
- Courage, K. G., and Luh, J. Z. (1988), "Computation of Signalized Intersection Service Volumes Using the 1985 Highway Capacity Manual", *Transportation Research Record 1194*, TRB, National Research Council, Washington, D. C., pp. 179-186.
- Cronje, W. B. (1983a), "Optimization Model for Isolated Signalized Traffic Intersections", *Transportation Research Record 907*, TRB, National Research Council, Washington, D. C., pp. 80-83.

Cronje, W. B. (1983b), "Analysis of Existing Formulas for Delay, Overflow, and Stops", *Transportation Research Record 907*, TRB, National Research Council, Washington, D. C., pp. 89-92.

Cronje, W. B. (1983c), "Derivation of Equations for Queue Length, Stops, and Delay for Fixed-Time Traffic Signals", *Transportation Research Record 907*, TRB, National Research Council, Washington, D. C., pp. 93-95.

Cronje, W. B. (1986), "Comparative Analysis of Models for Estimating Delay for Oversaturated Conditions at Fixed-Time Traffic Signals", *Transportation Research Record 1091*, TRB, National Research Council, Washington, D. C., pp. 48-59.

Daniel, J., Fambro, D. B. and Roupail, N. M. (1996), "Accounting for Nonrandom Arrivals in Estimate of Delay at Signalized Intersections", *Transportation Research Record 1555*, TRB, National Research Council, Washington, D. C., pp. 9-16.

Dion, F. (1998), *Development and Evaluation of a Distributed System for the Real-Time Control of Signalized Networks*, Ph.D. Thesis, Department of Civil Engineering, University of Waterloo, Waterloo, Canada.

Dowling, R. G. (1994), "Use of Default Parameters for Estimating Signalized Intersection Level of Service", *Transportation Research Record 1457*, TRB, National Research Council, Washington, D. C., pp. 82-95.

Dowling, R. G., Singh, R. and Cheng, W. W. (1998), "The Accuracy and Performance of Improved Speed-Flow Curves", *77th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Edie, L. C. and Foote, R. S. (1960), "Effect of Shock Waves on Tunnel Traffic Flow", *Proceedings of Highway Research Record*, HRB, National Research Record Council, Washington, D.C., Vol. 39, pp. 492-505.

Engelbrecht, R. J., Fambro, D. B., Roupail, N. M. and Barkawi, A. A. (1997), "Validation of Generalized Delay Model for Oversaturated Conditions", *Transportation Research Record 1572*, TRB, National Research Council, Washington, D. C., pp. 122-130.

Erera, A. L., Lawson, T. W. and Daganzo, C. F. (1998), "A Simple, Generalized Method for Analysis of a Traffic Queue Upstream of a Bottleneck", *77th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Fambro, D. B. and Roupail, N. M. (1997), "Generalized Delay Model for Signalized Intersections and Arterial Streets", *Transportation Research Record 1572*, TRB, National Research Council, Washington, D. C., pp. 112-121.

Fisk, C. S. and Tan, H. H. (1989), "Delay Analysis for Priority Intersections", *Transportation Research B*, Vol. 23B, No. 6, pp. 453-469.

Greenshields, B. D. (1960), "The Density Factor in Traffic Flow", *Traffic Engineering*, Vol. 30, pp. 26-30.

Guell, D. L. and Virkler, M. R. (1988), "Capacity Analysis of Two-Lane Highway", *Transportation Research Record 1194*, TRB, National Research Council, Washington, D. C., pp. 199-205.

Ha, T.-J. and Berg, W. D. (1995), "Development of Safety-Based Level-of-Service Criteria for Isolated Signalized Intersections", *Transportation Research Record 1484*, TRB, National Research Council, Washington, D. C., pp. 98-104.

Hagen, L. T. and Courage, K. G. (1989), "Comparison of Macroscopic Models for Signalized Intersections", *Transportation Research Record 1225*, TRB, National Research Council, Washington, D. C., pp. 33-44.

Hall, F. L., Hurdle, V. F. and Banks, J. H. (1992), "Synthesis of Recent Work on the Nature of Speed-Flow and Flow-Occupancy (or Density) Relationships on Freeways", *Transportation Research Record 1365*, TRB, National Research Council, Washington, D. C., pp. 12-18.

Hall, R. W. and Daganzo, C. F. (1983), "Tandem Toll Booths for the Golden Gate Bridge", *Transportation Research Record 905*, TRB, National Research Council, Washington, D. C., pp. 7-13.

Heidemann, D. (1991), "Queue Length and Waiting-Time Distributions at Priority Intersections", *Transportation Research B*, Vol. 25B, No. 4, pp. 163-174.

Heidemann, D. (1994), "Queue Length and Delay Distributions at Traffic Signals", *Transportation Research B*, Vol. 28B, No. 5, pp. 377-389.

Hillier, J. A. and Rothery, R. (1967), "The Synchronization of Traffic Signals for Minimum Delay", *Transportation Science*, Vol. 2, May, pp. 81-94.

Horowitz, A. J. (1993), "Revised Queueing Model of Delay at All-Way Stop-Controlled Intersections", *Transportation Research Record 1398*, TRB, National Research Council, Washington, D. C., pp. 49-53.

Horowitz, A. J. (1997), "Intersection Delay in Regionwide Traffic Assignment", *Transportation Research Record 1572*, TRB, National Research Council, Washington, D. C., pp. 1-8.

Hurdle, V. F. (1984), "Signalized Intersection Delay Models – A Primer for the Uninitiated", *Transportation Research Record 971*, TRB, National Research Council, Washington, D. C., pp. 96-105

Hurdle, V. F. (1992), "A Theory of Traffic Flow for Congested Conditions on Urban Arterial Streets II: Four Illustrative Examples", *Transportation Research B*, Vol. 26B, No. 5, pp. 397-415.

Hurley, J. W. (1995), "Utilization of Auxiliary Through Lanes at Signalized Intersections", *Transportation Research Record 1484*, TRB, National Research Council, Washington, D. C., pp. 50-57.

Hutchinson, T. P. (1972), "Delay at a Fixed Time Traffic Signal – II: Numerical Comparisons of Some Theoretical Expressions", *Transportation Science*, Vol. 6, No. 3, pp. 286-305.

Ismart, D. (1986), "A Comparison of the 1985 *Highway Capacity Manual* and the Signal Operations Analysis Package 84", *Transportation Research Record 1091*, TRB, National Research Council, Washington, D. C., pp. 109-116.

ITE (1995), "Canadian Capacity Guide for Signalized Intersection", Second Edition, S. Teply Editor, *Institute of Transportation Engineers*, District 7, Canada.

Khattak, A. J. and Jovanis, P. P. (1990), "Capacity and Delay Estimation for Priority Unsignalized Intersections: Conceptual and Empirical Issues", *Transportation Research Record 1287*, TRB, National Research Council, Washington, D. C., pp. 129-137.

Khisty, C. J. and Lall, B. K. (1998), *Transportation Engineering, An Introduction*, 2nd Edition, Prentice Hall, Upper Saddle River, New Jersey.

Kimber, R. M. and Hollis, E. M. (1978), "Peak-period Traffic Delays at Road Junctions and Other Bottlenecks", *Traffic Engineering and Control*, Vol. 19, No. 10, pp. 442-446.

Kimber, R. M., Summersgill, I. and Burrow, I. J. (1986), "Delay Processes at Unsignalised Junctions: The Interrelation Between Geometric and Queueing Delay", *Transportation Research B*, Vol. 20B, No. 6, pp. 457-476.

Lawson, T. W., Lovell, D. J. and Daganzo, C. F. (1997), "Using Input-Output Diagram To Determine Spatial and Temporal Extents of a Queue Upstream of a Bottleneck", *Transportation Research Record 1572*, TRB, National Research Council, Washington, D. C., pp. 140-147.

Li, J., Roupail, N. M. and Akcelik, R. (1994), "Overflow Delay Estimation for a Simple Intersection with Fully Actuated Signal Control", *Transportation Research Record 1457*, TRB, National Research Council, Washington, D. C., pp. 73-81.

Li, J., Roupail, N. M., Tarko, A. and Velichansky, L. (1996), "Overflow Delay Model for Signalized Arterials", *Transportation Research Record 1555*, TRB, National Research Council, Washington, D. C., pp. 1-8.

Lighthill, M. J. and Whitham, G. B. (1955), "On Kinematic Waves II. A Theory of Traffic Flow on Long Crowded Roads", *Proceedings of Royal Society of London*, Vol. 229, No. 1178, May, pp. 317-345.

Lin, F.-B. and Mazdeyasna, F. (1983), "Delay Models of Traffic-Actuated Signal Controls", *Transportation Research Record 905*, TRB, National Research Council, Washington, D. C., pp. 33-37.

Lin, F.-B. (1989), "Applications of 1985 *Highway Capacity Manual* for Estimating Delays at Signalized Intersections", *Transportation Research Record 1225*, TRB, National Research Council, Washington, D. C., pp. 18-23.

Lin, F.-B. (1990), "Estimating Average Cycle Lengths and Green Intervals of Semiactuated Signal Operations for Level-of-Service Analysis", *Transportation Research Record 1287*, TRB, National Research Council, Washington, D. C., pp. 119-128.

Lin, F.-S. and Courage, K. G. (1996), "Phase Time Prediction for Traffic-Actuated Intersections", *Transportation Research Record 1555*, TRB, National Research Council, Washington, D. C., pp. 17-22.

Madanat, S. M., Cassidy, M. J. and Wang, M.-H. (1994), "Probabilistic Delay Model at Stop-Controlled Intersection", *Journal of Transportation Engineering*, Vol. 120, No. 1, pp. 21-36.

Makigami, Y., Newell, G. F. and Rothery, R. (1971), "Three-Dimensional Representation of Traffic Flow", *Transportation Science*, Vol. 5, pp. 302-313.

May, A. D. Jr. and Keller, H. E. M. (1967), "A Deterministic Queueing Model", *Transportation Research*, Vol. 1, pp. 117-128.

May, A. D., Gedizlioglu, E. and Tai, L. (1983), "Comparative Analysis of Signalized-Intersection Capacity Methods", *Transportation Research Record 907*, TRB, National Research Council, Washington, D. C., pp. 118-126.

May, A. D. (1990), *Traffic Flow Fundamentals*, Prentice Hall, Englewood Cliffs, New Jersey 07632.

May, A. D. (1994), "Traffic Management from Theory to Practice: Past, Present, Future", *Transportation Research Record 1457*, TRB, National Research Council, Washington, D. C., pp. 5-14.

McShane, W. R. and Roess, R. P. (1990), *Traffic Engineering*, Prentice Hall, Englewood Cliffs, New Jersey 07632.

Messer, C. J., Dudek, C. J. and Friebele, J. D. (1973), "Method for Predicting Travel Time and Other Operational Measures in Real-Time During Freeway Incident Conditions", *Highway Research Record 461*, HRB, National Research Council, Washington, D.C. pp. 1-11.

Messer, C. J. (1998), "Extension and Application of Prosser-Dunne Model to Traffic Operation Analysis of Oversaturated Closely-Spaced Signalized Intersection", *77th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Messer, C. J. (1998), "Simulation Studies of Traffic Operations at Oversaturated Closely-Spaced Signalized Intersections", *77th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Michalopoulos, P. G. and Stephanopoulos, G. (1977), "Oversaturated Signal Systems with Queue Length Constraints – I. Single Intersection", *Transportation Research*, Vol. 11, pp. 413-421.

Michalopoulos, P. G. and Stephanopoulos, G. (1978), "Optimal Control of Oversaturated Intersections: Theoretical and Practical Considerations", *Traffic Engineering and Control*, Vol. 19, No. 5, pp. 216-221.

Michalopoulos, P. G., Stephanopoulos, G. and Pisharody, V. B. (1980), "Modelling of Traffic Flow at Signalized Links", *Transportation Science*, Vol. 14, No. 1, pp. 9-41.

Michalopoulos, P. G., Stephanopoulos, G. and Stephanopoulos, G. (1981a), "An Application of Shock Wave Theory to Traffic Signal Control", *Transportation Research B*, Vol. 15B, pp. 35-51.

Michalopoulos, P. G. and Pisharody, V. B. (1981b), "Derivation of Delays Based on Improved Macroscopic Traffic Models", *Transportation Research B*, Vol. 15B, No. 5, pp. 299-317.

Michalopoulos, P. G., Beskos, D. E. and Yamauchi, Y. (1984), "Multilane Traffic Dynamics: Some Macroscopic Considerations", *Transportation Research B*, Vol. 18B, No. 4/5, pp. 377-395.

Michalopoulos, P. G. (1984), "Dynamic Freeway Simulation Program for Personal Computers", *Transportation Research Record 971*, TRB, National Research Council, Washington, D. C., pp. 68-79.

Michalopoulos, P. G., Yi, P. and Lyrintzis, A. S. (1993), "Continuum Modelling of Traffic Dynamics for Congested Freeways", *Transportation Research B*, Vol. 27B, No. 4, pp. 315-332.

Miller, A. J. (1963), "Setting for Fixed-Cycle Traffic Signals", *Operational Research Quarterly*, Vol. 14, No. 4, pp. 373-386.

Morales, J. M. (1987), "Analytical Procedures for Estimating Freeway Traffic Congestion", *ITE Journal*, Jan. pp. 45-49.

Moskowitz, K. and Newman, L. (1963), "Notes on Freeway Capacity", *Highway Research Record* 27, pp. 44-68.

Mystkowski, C. and Khan, S. (1999), "Estimating Queue Lengths Using SIGNAL94, SYNCHRO3, TRANSYT-7F, PASSER II-90, and CORSIM", *78th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Nam, D. H. (1995), *Methodologies for Integrating Traffic Flow Theory, Its and Evolving Surveillance Technologies*, Unpublished Ph.D. dissertation, Virginia Polytechnic Institute and State University, Blacksburg, VA.

Nam, D. H. (1998), "Analyzing Freeway Traffic Under Congestion: A Traffic Dynamics Approach", *77th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Nemeth, Z. A. and Mekemson, J. R. (1983), "Comparison of Soap and Netsim: Pretimed and Actuated Signal Controls", *Transportation Research Record* 907, TRB, National Research Council, Washington, D. C., pp. 84-88.

Newell, G. F. (1960), "Queues for a Fixed-Cycle Traffic Light", *Annals of Mathematical Statistics*", Vol. 31, 589-597

Newell, G. F. (1988), "Traffic Flow in the Morning Commute", *Transportation Science*, Vol. 22, No. 1, pp. 47-58.

Newell, G. F. (1993), "A Simplified Theory of Kinematic Waves in Highway Traffic, Part I: General Theory", *Transportation Research B*, Vol. 27B, No. 4, pp. 281-287.

Newell, G. F. (1993), "A Simplified Theory of Kinematic Waves in Highway Traffic, Part II: Queueing at Freeway Bottleneck", *Transportation Research B*, Vol. 27B, No. 4, pp. 289-303.

Newell, G. F. (1993), "A Simplified Theory of Kinematic Waves in Highway Traffic, Part III: Multi-Destination Flows", *Transportation Research B*, Vol. 27B, No. 4, pp. 305-313.

Niittymaki, J. and Pursula, M. (1997), "Saturation Flows at Signal-Group-Controlled Traffic Signals", *Transportation Research Record* 1572, TRB, National Research Council, Washington, D. C., pp. 24-32.

Olmstead, T. (1999), "An Important Pitfall to Avoid When Using a Deterministic Queuing Model to Estimate Incident-Induced Delay", *78th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Olszewski, P. (1990), "Traffic Signal Delay Model for Nonuniform Arrivals", *Transportation Research Record* 1287, TRB, National Research Council, Washington, D. C., pp. 42-53.

Olszewski, P. (1993), "Overall Delay, Stopped Delay, and Stops at Signalized Intersections", *Journal of Transportation Engineering*, Vol. 119, No. 6, pp. 835-852.

Olszewski, P. (1994), "Modeling Probability Distribution of Delay at Signalized Intersections", *Journal of Advanced Transportation*, Vol. 28, No. 3, pp. 253-274.

Pitstick, M. E. (1990), "Measuring Delay and Simulating Performance at Isolated Signalized Intersections Using Cumulative Curves", *Transportation Research Record 1287*, TRB, National Research Council, Washington, D. C., pp. 34-41.

Prassas, E. S. (2000), "A Comparison of Delay on Arterials by Simulation versus HCM Computations", *79th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Prevedouros, P. D. and Jovanis, P. P. (1988), "Validation of Saturation Flows and Progression Factors for Traffic-Actuated Signals", *Transportation Research Record 1457*, TRB, National Research Council, Washington, D. C., pp. 147-159.

Prevedouros, P. D. and Koga, C. A. (1996), "Comparison of 1985 and 1994 HCM: Signalized Intersection Delay Estimates", *ITE Journal*, Vol. 66, No. 7, July, pp. 26-30.

Pursula, M. (1995), "Approximation of Percentage Time Delay with Local Measurements", *Transportation Research Record 1484*, TRB, National Research Council, Washington, D. C., pp. 58-65.

Rakha, H. (1993), *A Simulation Approach for Modeling Real-Time Traffic Signal Control*, Ph.D. Thesis, Department of Civil Engineering, Queen's University, Kingston, Ontario, Canada.

Rakha, H., Van Aerde, M., and Wang, J. (1993), "A Comparison of Two Alternatives Traffic Simulation Models: TRANSYT vs. INTEGRATION", *Proceedings, Canadian Institute of Transportation Engineers*, Edmonton, Alberta, Canada.

Richards, P. I. (1956), "Shock Waves on the Highway", *Operations Research*, Vol. 4, pp. 42-51.

Richardson, A. J. (1979), "Measurement of the Performance of Signalized Intersections", *Transportation Research Record 699*, TRB, National Research Council, Washington, D. C., pp. 49-60.

Roess, R. P. (1987), "Development of Analysis Procedure for Signalized Intersections in the 1985 Highway Capacity Manual", *Transportation Research Record 1112*, TRB, National Research Council, Washington, D. C., pp. 10-16.

- Romana, M. G. and Lopez, M. G. (1998), "Estimation of the Percentage of Delayed Vehicles Based on Traffic Variables in Rural Highways", *77th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.
- Rorbeck, J. (1968), "Determining the Length of the Approach Lanes Required at Signal-Controlled Intersections on Through Highways", *Transportation Research*, Vol. 2, pp. 283-291.
- Ross, Sheldon. M. (1993), *Introduction to Probability Models*, 5th Edition, Academic Press Inc. San Diego, CA.
- Rouphail, N. M. (1983), "Analysis of Transyt Platoon-Dispersion Algorithm", *Transportation Research Record 907*, TRB, National Research Council, Washington, D. C., pp. 72-79.
- Rouphail, N. M. (1988), "Delay Models for Mixed Platoon and Secondary Flows", *Journal of Transportation Engineering*, Vol. 114, No. 2, pp. 131-152.
- Rouphail, N. M. (1989), "Progression Adjustment Factors at Signalized Intersections", *Transportation Research Record 1225*, TRB, National Research Council, Washington, D. C., pp. 8-17.
- Rouphail, N. M. (1991), "Cycle-by-Cycle Analysis of Congested Flow at Signalized Intersections", *ITE Journal*, Vol. 61, No. 3, pp. 33-36.
- Rouphail, N. M. and Akcelik, R. (1992), "Oversaturation Delay Estimates with Consideration of Peaking", *Transportation Research Record 1365*, TRB, National Research Council, Washington, D. C., pp. 71-81.
- Rouphail, N. M. and Akcelik, R. (1996), "More Signal Capacity – With Less Green?", *ITE Journal*, Vol. 66, No. 7, July, pp. 34-40.
- Rouphail, N. M., Anwar, M., Fambro, D. B., Sloup, P. and Perez, C. E. (1997), "Validations of Generalized Delay Model for Vehicle-Actuated Traffic Signals", *Transportation Research Record 1572*, TRB, National Research Council, Washington, D. C., pp. 105-111.
- Sadegh, A. and Radwan, A. E. (1988), "Comparative Assessment of the 1985 HCM Delay Model", *Journal of Transportation Engineering*, Vol. 114, No. 2, 194-208.
- Shawaly, E. A. A., Ashworth, R. and Laurence, C. J. D. (1988), "A Comparison of Observed, Estimated and Simulated Queue Lengths and Delays at Oversaturated Signalised Junctions", *Traffic Engineering and Control*, Vol. 29, No. 12, pp. 637-643.
- Showers, R. H. and Courage, K. G. (1998), "Corsim Treatment of Gap Acceptance and Delay", *77th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Skabardonis, A. and Dowling, R. (1997), "Improved Speed-Flow Relationships for Planning Applications", *Transportation Research Record 1572*, TRB, National Research Council, Washington, D. C., pp. 18-23.

Son, Y. T., Cassidy, M. J. and Mondanat, S. M. (1995), "Evaluating Steady-State Assumption for Highway Queueing System", *Journal of Transportation Engineering*, Vol. 121, No. 2, pp. 182-190.

Sosin, J. A. (1980), "Delay at Intersections Controlled by Fixed Traffic Signals", *Traffic Engineering and Control*, Vol. 21, No. 8/9, pp. 407-413.

Staniewicz, J. M. and Levinson, H. S. (1985), "Signal Delay with Platoon Arrivals", *Transportation Research Record 1005*, TRB, National Research Council, Washington, D. C., pp. 28-34.

Stephanopoulos, G., Michalopoulos, P. G. and Stephanopoulos, G. (1979), "Modelling and Analysis of Traffic Queue Dynamics at Signalized Intersections", *Transportation Research A*, Vol. 13A, pp. 295-307.

Tarko, A., Rouphail, N. and Akcelik, R. (1993), "Overflow Delay at a Signalized Intersection Approach Influenced by an Upstream Signal: An Analytical Investigation", *Transportation Research Record 1398*, TRB, National Research Council, Washington, D. C., pp. 82-89.

Tarko, A. and Rouphail, N. (1994), "Distribution-Free Model for Estimating Random Queues in Signalized Networks", *Transportation Research Record 1457*, TRB, National Research Council, Washington, D. C., pp.192-197.

Teply, S. (1985), "Highlights of the Canadian Capacity Guide for Signalized Intersection", *Transportation Research Record 1005*, TRB, National Research Council, Washington, D. C., pp. 20-26.

Teply, S. and Evans, G. D. (1989), "Evaluation of the Quality of Signal Progression by Delay Distributions", *Transportation Research Record 1225*, TRB, National Research Council, Washington, D. C., pp. 1-7.

Teply, S. (1989), "Accuracy of Delay Surveys at Signalized Intersections", *Transportation Research Record 1225*, TRB, National Research Council, Washington, D. C., pp. 24-32.

Teply, S. (1990), "Combined Effect of Radius and Pedestrians on Right-Turn Saturation Flow at Signalized Intersection", *Transportation Research Record 1287*, TRB, National Research Council, Washington, D. C., pp. 82-95.

Teply, S. and Jones, A. M. (1991), "Saturation Flow: Do We Speak the Same Language?", *Transportation Research Record 1320*, TRB, National Research Council, Washington, D. C., pp. 144-153.

Teply, S. (1993), "Probability of Overload at Signalized Intersections", *Transportation Research Record 1398*, TRB, National Research Council, Washington, D. C., pp.101-110.

Teply, S., Allingham, D. I., Richardson, D. B. and Stephenson, B. W. (1995), *Canadian Capacity Guide for Signalized Intersections*, Institute of Transportation Engineers, District 7, 2nd Edition, Canada.

Teply, S. (1997), "Performance Measures in *Canadian Capacity Guide for Signalized Intersections*", *Transportation Research Record 1572*, TRB, National Research Council, Washington, D. C., pp.148-159.

Tidewell, J. E. and Humphreys, J. B. (1970), "Relation of Signalized Intersection Level of Service to Failure Rate and Average Individual Delay", *Highway Research Record 321*, HRB, National Research Council, Washington, D.C.

Transportation Research Board (1994), *Special Report 209, Highway Capacity Manual*, National Research Council, Washington D.C.

Transportation Research Board (1998), *Special Report 209, Highway Capacity Manual 2000*, National Research Council, Washington D.C.

Troutbeck, R. J. (1986), "Average Delay at an Unsignalized Intersection with Two Major Streams Each Having a Dichotomized Headway Distribution", *Transportation Science*, Vol. 20, No. 4, 272-286.

Troutbeck, R. J. (1998), "The Background to the Proposed HCM Section on the Analysis of the Performance of Roundabouts", *77th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Troutbeck, R. J. and Blogg, M. (1998), "Queueing at Congested Intersections", *77th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.

Tsao, S. and Chu, S. (1993), "Adjustment Factors for Heavy Vehicles at Signalized Intersections", *Journal of Transportation Engineering*, Vol. 121, No. 2, pp. 150-157.

Van Aerde, M. (1985), *Modeling of Traffic Flows, Assignment and Queuing in Integrated Freeway/Traffic Signal Networks*, Ph.D. Thesis, Department of Civil Engineering, University of Waterloo, Waterloo, Canada.

Van Aerde, M. (1995), "A Single Regime Speed-Flow-Density Relationship for Congested and Uncongested Highways", Presented at the *Transportation Research Board 74th Annual Meeting* [950802], Washington, D.C.

- Van Aerde, M. & Associates (1999), "INTEGRATION[®] Release 2.20 for WINDOWS: User's Guide-Volume I & II: Fundamental Model Features and Advanced Model Features", Blacksburg, Virginia.
- Van Aerde, M. and Yagar, S. (1988a), "Dynamic Integrated Freeway/Traffic Signal Networks: A Routing-Based Modeling Approach", *Transportation Research A*, Vol. 22A, No. 6, pp. 445-453.
- Van Aerde, M. and Yagar, S. (1988b), "Dynamic Integrated Freeway/Traffic Signal Networks: Problems and Proposed Solutions", *Transportation Research A*, Vol. 22A, No. 6, pp. 435-443.
- Van Aerde, M. and Yagar, S. (1990), "Combining Traffic Management and Driver Information in Integrated Traffic Networks", *Third International Conference on Road Traffic Control*, IEE Conference Publication No. 320, London.
- Van As, S. C. (1991), "Overflow Delay at Signalized Networks", *Transportation Research A*, Vol. 25A, No. 1, pp. 1-7.
- Vaughan, R. and Hurdle, V. F. (1992), "A Theory of Traffic Flow for Congested Conditions on Urban Arterial Streets I: Theoretical Development", *Transportation Research B*, Vol. 26B, No. 5, pp. 381-396.
- Velan, S. M. and Van Aerde, M. (1996), "Gap Acceptance and Approach Capacity at Unsignalized Intersections", *ITE Journal*, Vol. 66, No. 3, pp. 40-45.
- Viloria, F., Courage, K. and Avery, D. (2000), "Comparison of Queue Length Models at Signalized Intersection", *79th Annual Meeting of the Transportation Research Board*, January, Washington, D.C.
- Virkler, M. R. and Chen, C.-C. (1992), "Potential Accuracy of a Planning Application for the HCM Signalized Intersection Operational Procedure", *Transportation Research Record 1365*, TRB, National Research Council, Washington, D. C., pp. 40-53.
- Virkler, M. R., Gannavaram, S. and Ramabhadran, A. (1996), "Comparison of Planning and Operational Analysis Procedures for Signalized Intersections from the *Highway Capacity Manual*", *Transportation Research Record 1555*, TRB, National Research Council, Washington, D. C., pp. 59-64.
- Webster, F. V. and Cobbe, B. M. (1966), "Traffic Signals", *Road Research*, Technical Paper No. 56, Her Majesty's Stationery Office, London, England.
- Weiss, G. and Maradudin, A. (1962), "Some Problems in Traffic Delay", *Operations Research*, Vol. 10, 74-104.
- Westby K. and Nihan, N. (1996), "Predicting the 24-Hour Delay at Signalized Intersections", *ITE Journal*, Vol. 66, No. 9, Sept., pp. 47-51.

Wirasinghe, S. C. (1978), "Determination of Traffic Delays from Shock-Wave Analysis", *Transportation Research*, Vol. 12, pp. 343-348.