

References:

- Adams RP, Kendall E and Kartha KK. 1990. Comparison of free sugars in growing and desiccated plants of *Selaginella lepidophylla*. *Biochem. Syst. Ecol.* 18:107-110.
- Ahmadjian V. 1973. *The lichens*. Academic Press, New York, New York.
- Anderson, AB 1991. Symbiotic and asymbiotic germination and growth of *Spiranthes magnicamporum* (Orchidaceae). *Lindleyana* 6:183-186.
- Appel M, Bellstedt DU and Gresshoff PM. 1999. Differential display of eukaryotic mRNA: meeting the demands of a new millenium? *J. Plant Phys.* 154: 561-570.
- Arditti J. 1992. *Fundamentals of Orchid Biology*. John Wiley and Sons. New York, NY.
- Arditti J, Clements MA, Fast G, Hadley G, Nishimura G and Ernst R. 1982. Orchid seed germination and seedling culture - a manual. In J. Arditti (ed.) *Orchid biology; reviews and perspectives II*. Pp245-370. Cornell Univ. Press, Ithaca, NY.
- Arditti J, Ernst R, Yam TW and Glabe C. 1990. The contributions of orchid mycorrhizal fungi to seed germination: a speculative review. *Lindleyana* 5: 249-255.
- Arditti, J and Oliva AP. 1981. Seed germination of North American orchids I. Native California and related species of *Calypso*, *Epipactis*, *Goodyera*, *Piperia*, and *Platanthera*. *Bot. Gaz.* 142: 442-453.
- Ausubel F and Bisseling T. 1999. Biotic interactions pathogenesis and symbiosis: two sides of the same coin that should be united by a common web-accessible database. *Curr. Opin. Plant Biol.* 2: 265-267.
- Bachem CWB, Oomen RFJF and Visser RGF. 1998. Transcript imaging with cDNA-AFLP: A step-by-step protocol. *Plant Mol. Biol. Reporter* 16: 157-173.
- Bachem CWB, van der Hoeven RS, de Bruijn SM, Vrugdenhil D, Zabeau M and Visser RGF. 1998. Visualization of differential gene expression using a novel method of RNA fingerprinting based on AFLP: analysis of gene expression during potato tuber development. *Plant J.* 9: 745-753.
- Bechtold N and Pelletier G. 1998. *In planta Agrobacterium*-mediated transformation of adult *Arabidopsis thaliana* plants by vacuum infiltration. *Methods Mol Biol* 82: 259-266.
- Belarmino MM and Mii M. 2000. *Agrobacterium*-mediated genetic transformation of a Phalaenopsis orchid. *Plant Cell Rep.* 19: 435-442.

Benito EP, Prins T and van Kan JAL. 1996. Application of differential display RT-PCR to the analysis of gene expression in a plant-fungus interaction. *Plant Mol. Biol.* 32: 947-957.

Benzing DH. 1987. Major patterns and processes in orchid evolution: a critical synthesis. In Arditti, J. (ed) *Orchid Biology: reviews and perspectives IV*. Pp 33-78. Cornell University Press, Ithaca, NY.

Beyrle HF, Smith SE, Peterson RL and Franco CMM. 1995. Colonization of *Orchis morio* protocorms by a mycorrhizal fungus - effects of nitrogen nutrition and Glyphosate modifying the responses. *Can. J. Bot.* 73: 1128-1140.

Bianchi G, Gamba A, Limiroli R, Pozzi N, Elster R, Salamini F and Bartels D. 1993. The unusual sugar composition in leaves of resurrection plant *Myrothamnus flabellifolia*. *Physiol. Plant.* 87: 223-226.

Blakeman JP, Mokahel MA and Hadley G. 1976. Effect of mycorrhizal infection on respiration and activity of some oxidase enzymes of orchid protocorms. *New Phytol.* 77:697-704.

Blancaflor EB, Zhao LM and Harrison MJ. 2001. Microtubule organization in root cells of *Medicago truncatulae* during development of an arbuscular mycorrhizal symbiosis with *Glomus versiforme*. *Protoplasma* 217: 154-165.

Blazquez MA, Lagunas R, Ganecedo C and Ganecedo JM. 1993. Trehalose-6-phosphate a new regulator of yeast glycolysis that inhibits hexokinases. *FEBS Lett.* 329: 51-54.

Brundette MC, Piche Y and Peterson RL. 1984. A new method of observing the morphology of vesicular-arbuscular mycorrhizae. *Can. J. Bot.* 62: 2473-2482.

Cameron KM, Chase MW, Whitten WM, Kores PJ, Jarrell DC, Albert VA, Yukawa T, Hills HG and Goldman DH. 1999. A phylogenetic analysis of the Orchidaceae: evidence from rbcL nucleotide sequences. *Am. J. Bot.* 86: 208-224.

Chen W, Provart NJ, Glazebrook J, Katagiri F, Chang H-S, Eulgem T, Mauch F, Luan S, Zou G, Whitham SA, Budworth PR, Tao Y, Xie Z, Chen X, Lam S, Kreps JA, Harper JF, Si-Ammour A, Mauch-Mani B, Heinlein M, Kobayashi K, Hohn T, Dangl JL, Wang X and Zhu T. 2002. Expression profile matrix of Arabidopsis transcription factor genes suggests their putative functions in response to environmental stresses. *Plant Cell* 14: 559-574.

Clements MA. 1981. The germination of Australian orchid seed. In *Proc. Orchid Symposium 13th International Bot. Congr.* Sydney, Australia.

Clements MA. 1982. Development in the symbiotic germination of Australian terrestrial orchids. In J. Stewart and C. N. van der Merme (eds.) Proc 10th World Orchid Conf., Durban.

Clements MA and Elyard K. 1979. The symbiotic germination of Australian terrestrial orchids. Amer. Orchid. Soc. Bull. 48: 810-816.

Clements MA, Muir H and Cribb PJ. 1986. A preliminary report on the symbiotic germination of European terrestrial orchids. Kew Bull. 41: 437-445.

Colletti KS, Tattersall EA, Pyke K, Froelich JE, Stokes KD and Osteryoung KW. 2000. A homologue of the bacterial cell division site-determining factor MinD mediates placement of the chloroplast division apparatus. Curr. Biol. 10: 507-516.

Collinge M and Boller T. Differential induction of two potato genes, *Stprx2* and *StNAC*, in response to infection by *Phytophthora infestans* and to wounding. 2001. Plant Mol. Biol. 46: 521-529.

Cordell SC and Lowe J. 2001. Crystal structure of the bacterial cell division regulator MinD. FEBS Letters 492: 160-165.

Cox AV, Pridgeon AM, Albert VA and Chase MW. 1997. Phylogenetics of the slipper orchids (Cypripedoideae, Orchidaceae): nuclear rDNA and ITS sequences. Pl. Syst. Evol. 208: 197-223.

Crowe JH, Hoekstra FA and Crowe LM. 1992. Anhydrobiosis. Annu. Rev. Physiol. 54: 579-599.

Currah RS, Zelmer CD, Hambleton S and Richardson KA. 1997. Fungi from orchid mycorrhizas. In Arditti, J. and A. M. Pridgeon (eds.) Orchid Biology: reviews and perspectives VII. Pp 117-170. Kluwer Academic Press, Dordrecht, Netherlands.

Dafni A. 1987. Pollination in *Orchis* and related taxa: evolution from reward to deception. In Arditti, J. (ed.) Orchid Biology: reviews and perspectives IV. Pp 79-104. Cornell University Press, Ithaca, NY.

Debouk C. 1995. Differential display or differential dismay? Curr. Opin. Biotechnol. 6: 597-599.

de Boer PAJ, Crossley RE, Hand AR and Rothfield LI. 1991. The MinD protein is a membrane ATPase required for the correct placement of the *Escherichia coli* division site. EMBO J. 10: 4371-4380.

Delp G, Smith ES and Barker SJ. 2000. Isolation by differential display of three partial cDNAs potentially coding for proteins from the VA mycorrhizal *Glomus intrardices*. Mycol. Res. 104: 293-300.

Di Felice G, Barletta B, Tinghino R and Pini C. 2001. Cupressaceae pollinosis: identification, purification and cloning of relevant allergens. *Int. Arch. Allergy Immunol.* 125: 280-289.

Dixon K. 1987. Raising terrestrial orchids from seed. In W. K. Harris (ed.) *Modern orchid growing for pleasure and profit*. Pp 47-54. Orchid Club of South Australia, Adelaide, S. Australia.

Doug G, Loukinova E, Chen Z, Gangi L, Chanturita TI, Liu ET and Van Waes C. 2001. Molecular cloning of transformed and metastatic murine squamous carcinoma cells by differential display and cDNA microarray reveals altered expression of multiple genes related to growth, apoptosis, angiogenesis, and the NF-kappa B signal pathway. *Cancer Res.* 61: 4794-4808.

Doyle JJ and Doyle JL. 1987. A rapid DNA isolation procedure for small quantities of DNA from fresh leaf tissue. *Phytochem. Bull.* 19: 11-15.

Dressler RL. 1993. *Phylogeny and Classification of the Orchid Family*. Dioscorides Press. Portland, OR.

Eastmond PJ, van Dijken AJH, Spielman M, Kerr A, Tissier AF, Dickinson HG, Jones JDG, Smeekens SC and Graham IA. 2002. Trehalose-6-phosphate synthase 1, which catalyzes the first step in trehalose synthesis, is essential for Arabidopsis embryo maturation. *Plant J.* 29:225-235.

Esau K. 1977. *Anatomy of Seed Plants*. John Wiley and Sons, Inc. New York, New York.

Eulgem T, Rushton PJ, Schmelzer E, Hahlbrock K and Somssich IE. 1999. Early nuclear events in plant defense signaling: Rapid gene activation by WRKY transcription factors. *EMBO J.* 18: 4689-4699.

Eulgem T, Rushton PJ, Robatzek S and Somssich IE. 2000. The WRKY superfamily of plant transcription factors. *Trends Plant Sci.* 5: 199-206.

Francois J, Higgins DL, Chang F and Tatchell K. 1991. Inhibition of glycogen synthesis in *Saccharomyces cerevisiae* by the mating pheromone α -factor. *J. Biol. Chem.* 266: 6174-6180.

Gianinazzi-Pearson V, Arnould C, Oufattole M, Arango M and Gianinazzi S. 2000. Differential activation of H⁺-ATPase genes by an arbuscular mycorrhizal fungus in root cells of transgenic tobacco. *Planta* 211: 609-613.

Goetz M, Godt DE, Guivarc'h A, Kahmann U, Chriqui D and Roitsch T. 2001. Induction of male sterility in plants by metabolic engineering of the carbohydrate supply. *Proc. Nat. Acad. Sci. USA.* 98: 6522-6527.

Habu Y, FukadaTanaka S, Hisatomi Y and Iida S. 1997. Amplified fragment length polymorphism-based mRNA fingerprinting using a single restriction enzyme that recognizes a 4-bp sequence. *Biochem. Biophys. Res. Comm.* 234: 516-521.

Hadley G. 1982. Orchid Mycorrhiza. In J. Arditti (ed.) *Orchid Biology: reviews and perspectives II.* Pp 83-118. Cornell University Press. Ithaca, NY.

Hirsch AM and Kapulnik Y. 1998. Signal transduction pathways in mycorrhizal associations: comparisons with the *Rhizobium*-Legume symbiosis. *Fungal Genet. Biol.* 23: 205-212.

Hoffman E, Wallenda T, Schaeffer C and Hampp R. 1997. Cyclic AMP, a possible regulator of glycolysis in the ectomycorrhizal fungus *Amanita muscaria*. *New Phytol.* 137: 351-356.

Ichihashi S. 1989. Seed germination of *Ponerorchis graminifolia*. *Lindleyana* 4: 161-163.

Ishimizu T, Mitsukami Y, Shinkawa T, Natsuka S, Hase S, Miyagi M, Sakiyama F and Norioka S. 1999. Presence of asparagine-linked N-acetylglucosamine and chitobiose in *Pyrus pyrifolia* S-Rnases associated with gametophytic self-incompatibility. *Eur. J. Biochem.* 263: 624-634.

Ivashuta S, Imai R, Uchiyama K, and Gau M. 1999. The coupling of differential display and AFLP approaches for nonradioactive mRNA fingerprinting. *Mol. Biotech.* 12(2): 137-141.

Jagoueix-Evillard S, Tarandeu F, Goulter K, Danet JL, Bove JM, Garnier M. 2001. *Catharanthus roseus* genes regulated differentially by mollicute infections. *Mol. Plant-Microbe Inter.* 14: 225-233.

Jefferson RA, Kavanagh TA and Bevan MW. 1987. GUS fusion: β -glucuronidase as a sensitive and versatile gene fusion marker in higher plants. *EMBO J.* 6: 3901-3907.

Jones JT and Harrower BE. 1998. A comparison of the efficiency of differential display and cDNA-AFLPs as tools for the isolation of differentially expressed parasite genes. *Fundam. Appl. Nematol.* 21: 81-88.

Johnson RR, Cranston HJ, Chaverra ME and Dyer DE. 1995. Characterization of cDNA clones for differentially expressed genes in embryos of dormant and nondormant *Avena fatua* L. caryopses. *Plant Mol. Biol.* 28: 113-122.

- Kakimoto T. 1996. CKI1, a histidine kinase homolog implicated in cytokinin signal transduction. *Science* 274: 982-985.
- Kimura T, Nakaon T, Taki N, Ishikawa M, Asami T and Yoshida S. 2001. Cytokinin-induced gene expression in cultured green cells of *Nicotiana tabacum* identified by fluorescent differential display. *Biosci. Biotechnol. Biochem.* 65: 125-1283.
- Knapp JE and Chandlee JM. 1996. RNA/DNA mini-prep from a single sample of orchid tissue. *Biotechniques* 21: 54-46.
- Knapp JE, Kausch AP and Chandlee JM. 2000. Transformation of three genera of orchid using the *bar* gene as a selectable marker. *Plant Cell Rep.* 19: 893-898.
- Knudson L. 1922. Nonsymbiotic germination of orchid seed. *Bot. Gaz.* 73:1-25.
- Koide RT, Shumway DL and Stevens CM. 2000. Soluble carbohydrates of red pine (*Pinus resinosa*) mycorrhizas and mycorrhizal fungi. *Mycol. Res.* 104: 834-840.
- Kreps JA, Muramatsu T, Furuya M, and Kay SA. 2000. Fluorescent differential display identifies circadian clock regulated genes in *Arabidopsis thaliana*. *J. Biol. Rhythms* 15: 208-217.
- Koller AL. 1982. Growth and development of the megagametophyte of the vascular plant *Selaginella* (Lycopsidea) on defined media. Masters Thesis, Virginia Polytechnic Institute and State Univeristy, Blacksburg, VA.
- Koonin EV. 1993. A superfamily of ATPases with diverse functions containing either classical or deviant ATP-binding motif. *J. Mol. Biol.* 229: 1165-1174.
- Kuehnle AR. 1997. Molecular biology of orchids. In Arditti, J. and A. M. Pridgeon (eds.) *Orchid Biology: reviews and perspectives VII*. Pp 75-116. Kluwer Academic Press, Dordrecht, Netherlands.
- Kumar S, Li QX, Dua A, Ying YK, Bagchi MK and Bagchi IC. 2001. Messenger ribonucleic interferon-inducible guanylate binding protein 1 is induced in human endometrium within the putative window of implantation. *J. Clinical Endocrinol. Metabol.* 86: 2420-2427.
- Leyman B, Van Dijck P and Thevelein JM. 2001. An unexpected plethora of trehalose synthesizing genes in *Arabidopsis thaliana*. *TRENDS Plant Sci.* 6: 510-5113.
- Li Z and Thomas TL. 1998. PEI1, an embryo specific zinc finger protein gene required for heart-stage embryo formation in *Arabidopsis*. *Plant Cell.* 10:383-398.
- Liang P and Pardee AB. 1992. Differential display of eukaryotic messenger RNA by means of the polymerase chain reaction. *Science* 257: 967-971.

- Linden B. 1980. Aseptic germination of seeds of northern terrestrial orchids. *New Phytol.* 72: 387-392.
- Londesborough J and Vuorio OE. 1991. Trehalose-6-phosphate synthase/phosphatase complex from baker's yeast: purification of a proteolytically activated form. *J. Gen. Microbiol.* 137: 323-330.
- Londesborough J and Vuorio OE. 1993. Purification of trehalose synthase from baker's yeast. Its temperature dependent activation by fructose-6-phosphate and inhibition by phosphate. *Eur. J. Biochem.* 216: 841-848.
- Martin F, Boiffin V and Pfeffer PE. 1998. Carbohydrate and amino acid metabolism in the *Eucalyptus globulus-Pisolithus tinctorius* ectomycorrhiza during glucose utilization. *Plant Physiol.* 118: 627-635.
- Martin F, Laurent P, de Carvalho D, Voiblet C, Balestrini R, Bonfante P and Tagu D. 1999. Cell wall proteins of the ectomycorrhizal Basidiomycete *Pisolithus tinctorius*: identification, function and expression in symbiosis. *Fungal Genet. and Biol.* 27: 161-174.
- Martin-Laurent F, van Tuinen D, Dumas-Gaudot E, Gianinazzi-Pearson V, Gianinazzi S and Franken P. 1997. Differential display analysis of RNA accumulation in arbuscular mycorrhiza of pea and isolation of a novel symbiosis-regulated plant gene. *Mol. Gen. Genet.* 256: 37-44.
- Morlais I and Severson DW. 2001. Identification of a polymorphic mucin-like gene expressed in the midgut of mosquito, *Aedes aegyptica*, using an integrated bulked segregant and differential display analysis. *Genetics* 158: 1125-1136.
- Muller J, Wiemken A and Aeschbacher RA. 1999. Trehalose metabolism in sugar sensing and plant development. *Plant Sci.* 147: 37-47.
- Nadeau JA, Zhang XS, Li J and O'Neil SD. 1996. Ovule development: Identification of stage-specific and tissue-specific cDNAs. *Plant Cell* 8: 213-239.
- Nagel AC, Fleming JT, Sayler GS and Beattie KL. 2001. Screening for ribosomal-based false positives following prokaryotic mRNA differential display. *Biotechniques* 30: 988.
- Nakashima H, Grahovac MJ, Mazzarella R, Fujiwara H, Kitchen JR, Threat TA and Ko MSH. 1999. Two novel mouse genes - Nubp2, mapped to the t-complex on chromosome 17, and Nubp1, mapped to chromosome 17 – establish a new gene family of nucleotide binding proteins in eukaryotes. *Genomics* 60: 152-160.
- Nan GL and Kuehnle AR. 1995. Factors affecting gene delivery by particle bombardment of *Dendrobium* orchids. *In Vitro Cell Devel. Biol.* 31: 131-136.

- Nan GL, Tang CS, Kuehnle AR and Kado CI. 1997. *Dendrobium* orchids contain an inducer of *Agrobacterium* virulence genes. *Phys. Mol. Plant Path.* 51: 391-399.
- Neyland R and Urbatsch LE. 1996. Phylogeny of subfamily Epidendroideae (Orchidaceae) inferred from *ndhF* chloroplast gene sequences. *Am. J. Bot.* 83: 1195-1206.
- Oliva AP and Arditti J. 1984. Seed germination of North American orchids II. Native California and related species of *Aplectrum*, *Cypripedium*, and *Spiranthes*. *Bot. Gaz.* 145: 495-501.
- O'Neil SD, JA Nadeau, Zhang YS, Bui AQ and Halery AH. 1993. Inter-organ regulation of ethylene biosynthesis genes by pollination. *Plant Cell* 5: 419-432.
- Osteryoung, KW and McAndrew RS. 2001. The plastid division machine. *Ann. Rev. Plant Physiol. Plant Molec. Biol.* 52: 315-333.
- Pridgeon AM. 1987. The velamen and exodermis of roots. In Arditti, J. (ed.) *Orchid Biology: reviews and perspectives IV*. Pp 139-192. Cornell University Press, Ithaca, NY.
- Purves S and Hadley G. 1976. The physiology of symbiosis in *Goodyera repens*. *New Phytol.* 77:689-696.
- Raghavan V and Goh CJ. 1994. DNA synthesis and mRNA accumulation during germination of embryos of the orchid *Spathoglottis plicata*. *Protoplasma* 183:137-147.
- Rasmussen HN. 1992. Seed dormancy patterns in *Epipactis palustris* (Orchidaceae), requirements for germination and establishment of mycorrhiza. *Physiol. Plant.* 86: 161-167.
- Rasmussen HN and Rasmussen RN. 1991. Climatic and seasonal regulation of seed plant establishment *Dactylorhiza majalis* inferred from symbiotic experiments in vitro. *Lindleyana* 5:221-227.
- Romero C, Belles JM, Vya JL, Serrano R and Culianez-Macia FA. 1997. Expression of the yeast trehalose-6-phosphate synthase gene in transgenic tobacco plants: pleiotropic phenotypes include drought tolerance. *Planta* 201: 293-297.
- Sambrook J, Fritsch EF and Maniatis T. 1989. *Molecular Cloning: A laboratory manual*, 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.
- Selosse MA and Le Tacon F. 1998. The land flora: a phototroph-fungus partnership? *TRENDS Ecol. Evol.* 13: 15-20.

- Sijmons PC, Grundler FMW, Von Mende N, Burrow PR and Wyss U. 1991. *Arabidopsis thaliana* as a new host for plant-parasitic nematodes. *Plant J.* 1: 245-254.
- Smreciu EA and Currah RS. 1989. Symbiotic seed germination of seeds of terrestrial orchids of North America and Europe. *Lindleyana* 1: 6-15.
- Stoutamire WP. 1974. Terrestrial orchid seedlings. in C. L. Whithner (ed.) *The orchids: scientific studies* pp 101-128. John Wiley and Sons, New York.
- Swiderski MR, Zaborowska Z and Legocki AB. 2000. Identification of new nodulin cDNAs from yellow lupin by differential display. *Plant Sci.* 151: 75-83.
- Uno I, Matsumoto K, Adachi K and Ishikawa T. 1983. Genetic and biochemical evidence that trehalase is a substrate of cAMP-dependent protein kinase in yeast. *J. Biol. Chem.* 258: 10867-10872.
- Van Aelst L, Hohmann S, Bulaya B, de Konig, W, Sierkstra L, Neves MJ, Luyten K, Aijo, R. Ramos, J. Coccetti, P. Martegani E, du Magalhaes-Rocha NM, Brandao RL, Van Dijk P, Vanhalewyn M, Durnez, P, Jans AWH and Thevelein JM. 1993. Molecular cloning of a gene involved in glucose sensing in the yeast *Saccharomyces cerevisiae*. *Mol. Microbiol.* 8: 927-943.
- van Buuren ML, Maldonado-Mendoza IE, Trieu AT, Blaylock LA and Harrison MJ. 1999. Novel genes induced during an arbuscular mycorrhizal (AM) symbiosis formed between *Medicago trunculata* and *Glomus versiforme*. *Mol. Plant-Microbe Interact.* 12: 171-181.
- Van der Kinderen G. 1987. Abscisic acid in terrestrial orchid seeds: a possible impact on their germination. *Lindleyana* 2: 84-87.
- Van der Pijl L and Dodson CH. 1966. *Orchid Flowers: their pollination and evolution.* University of Miami Press. Coral Gables, FL.
- Vellupillai M, Swarup S and Goh CJ. 1997. Histological and protein changes during early stages of seed germination in the orchid, *Dendrobium crumenatum*. *J. Hort. Sci.* 72: 941-948.
- Vitale G, Fabre E, and Hurt EC. 1996. NBP35 encodes an essential and evolutionary conserved protein in *Saccharomyces cerevisiae* with homology to a superfamily of bacterial ATPases. *Gene* 178: 97-106.
- Vogel G, Aeschbacher RA, Muller J, Boller T and Wiemken A. 1998 Trehalose-6-phosphate phosphatases from *Arabidopsis thaliana*: identification by functional complementation of the yeast *tps2* mutant. *Plant J.* 13: 673-683.

Vogel G, Fiehn O, Jean-Richard-dit-Brissel L, Boller T, Wiemken A, Aeschbacher RA and Wingler A. 2001. Trehalose metabolism in Arabidopsis: occurrence of trehalose and molecular cloning and characterization of trehalose-6-phosphate synthase homolog. *J. Exp. Bot.* 52: 1817-1826.

Vuorio OE, Kalkkinen N and Londesborough J. 1993. Cloning of two related genes encoding the 56-kDa and 123-kDa subunits of trehalose synthase from the yeast *Saccharomyces cerevisiae*. *Eur. J. Biochem.* 182: 613-620.

Wan JS, Sharp SJ, Poirier GMC, Wagaman PC, Chambers J, Pyati J, Hom Y-L, Galindo JE, Huvar A, Peterson PA, Jackson MR and Erlander MG. 1996. Cloning differentially expressed mRNAs. *Nature Biotechnol.* 14: 1685-1691.

Warcup JH. 1973. Symbiotic germination of some Australian terrestrial orchids. *New Phytol.* 72: 387-392.

Whitten WM, Williams NH and Chase MW. 2000. Subtribal and generic relationship of Maxillarieae (Orchidaceae) with emphasis on Stanhopeinae: combined molecular evidence. *Am. J. Bot.* 87: 1842-1856.

Wilkinson KG, Dixon KW, Sivasithamparam K and Ghisalberti EL. 1994. Effect of IAA on symbiotic germination of an Australian orchid and its production by orchid-associated bacteria. *Plant Soil* 159: 291-295.

Wingler A, Fritzius T, Wiemken A, Boller T and Aeschbacher RA. 2001. Trehalose induced the ADP-glucose pyrophosphorylase gene ApL3, and starch synthesis in Arabidopsis. *Plant Physiol.* 124: 105-114.

Wright DP, Read DJ, and Scholes JD. 1998. Mycorrhizal sink strength influences whole plant carbon balance of *Trifolium repens* L. *Plant Cell Environ.* 21: 881-891.

Yeung EC and Law SK. 1997. Ovule and megagametophyte development in orchids. In Arditti, J. and A. M. Pridgeon (eds.) *Orchid Biology: reviews and perspectives VII.* pp. 31-73. Kluwer Academic Press, Dordrecht, Netherlands.

Yoder JA, Zettler LW and Stewart SL. 2000 Water requirements of terrestrial and epiphytic orchid seeds and seedlings, end evidence for water uptake by means of mycotrophy. *Plant Sci.* 156: 145-150.

Yu H and Goh CJ. Differential gene expression during floral transition in an orchid hybrid *Dendrobium* Madame Thong-In. *Plant Cell Rep.* 19: 926-931.

Zettler LW. 1997. North American native terrestrial orchids: propagation and production. In, C. Allen (Ed.), *Proceedings of the North American Native Terrestrial Orchid Conf.*

Zettler LW and McInnis Jr TM. 1993. Symbiotic seed germination and development of *Spiranthes cernua* and *Goodyera pubescens* (Orchidaceae: Spiranthoideae). *Lindleyana* 8: 155-16.

Vita

Jonathan I. Watkinson was born near Canterbury England on April 29th 1971. His family emigrated to the United States in 1983 after spending 18 months as part of a family exchange in Modesto, CA. Jonathan completed his undergraduate work at the University of Delaware in May 1993, graduating with a BS in Plant Science and a BA in English. He then spent several months working for the Department of the Environment in England working on the Air Pollution Modeling System. After touring Europe, he returned to the States and worked briefly at the USDA site in Brawley, CA studying biological control agents of whitefly. His love for horticulture then surfaced with a need to return to school and in 1996 he started an MS program at the University of Delaware while working as an assistant manager at a retail nursery. The MS research focused on production and establishment of wildflowers for use in meadow plantings. He also served as a TA for the laboratory sections of the Botany courses. After graduating with his MS in Plant Science in 1997, he moved with his wife to Blacksburg, VA and commenced a PhD program in Horticulture. Jonathan currently lives in Christiansburg, VA with his wife Christine.