

REFERENCES

- AASHTO (1996). *Standard Specifications for Highway Bridges, Sixteenth Edition*, American Association of State Highway and Transportation Officials, Inc., Washington, D.C.
- Adalier, K. (1996). "Mitigation of Earthquake Induced Liquefaction Hazards," Ph.D. Dissertation, Rensselaer Polytechnic Institute, Troy, New York.
- Adalier, K., Elgamal, A.-W., and Martin, G. R. (1998). "Foundation Liquefaction Countermeasures for Earth Embankments," *J. of Geotech and Geoenv. Engrg.*, ASCE, Vol. 124, No. 6, June, 500-517.
- Akiyoshi, T., Fuchida, K., Matsumoto, H., Hyodo, T. and Fang, H. L. (1994). "Liquefaction Analyses of Sandy Ground Improved by Sand Compaction Piles," *Soil Dynamics and Earthquake Engineering*, V12(5), 299-307.
- Andrus, R. D. and Chung, R. M. (1995). "Ground Improvement Techniques for Liquefaction Remediation Near Existing Lifelines." *National Institute of Standards and Technology Report NISTIR 5714*, Gaithersburg, MD, 74 pp.
- Applied Technology Council (1996). *ATC-32: Improved Seismic Design Criteria for California Bridges: Provisional Recommendations*, Applied Technology Council, Redwood City, CA, 215 pp.
- Arulanandan, K. (1996). "Application of Numerical Procedures in Geotechnical Earthquake Engineering," *Proc., Application of Numerical Procedures in Geotechnical Earthquake Engineering*, National Science Foundation Workshop/Conference, October 28-30.
- Arulanandan, K. and Scott, R. F., eds. (1993/1994). *Proc., Verification of Numerical Procedures for the Analysis of Soil Liquefaction Problems*, Vols. 1 and 2, A. A. Balkema, Brookfield, Vermont, 1801 pp.
- Arulanandan, K., Muraleetharan, K. K., and Yogachandran, C. (1997). "Seismic Response of Soil Deposits in Sand Francisco Marina District," *J. Geotech. and Geoenv. Engrg.*, ASCE, Vol. 123, No. 10, October, 965-974.
- Arumoli, K., Muraleetharan, K. K., Hossain, M. M., and Fruth, L. S. (1992). "VELACS: Verification of Liquefaction Analyses by Centrifuge Studies Laboratory Testing Program Soil Data Report," Earth Technology Corporation, Irvine, CA.
- Balakrishnan, A., Kutter, B. L., and Idriss, I. M. (1998). "Centrifuge Testing of Remediation of Liquefaction at Bridge Sites," Paper No. 98-1278, *Transportation Research Record No. 1633*, Transportation Research Board, National Research Council, National Academy Press, Washington, D.C., 26-37.

- Balakrishnan, A. and Kutter, B. L. (1999). "Settlement, Sliding, and Liquefaction Remediation of Layered Soil," *J. Geotech. And Geoenv. Engrg.*, ASCE, Vol 125, No. 11, November, 968 – 978.
- Baziar, M., Dobry, R. and Elgamal, A.-W. (1992). "Engineering Evaluation of Permanent Ground Deformations Due to Seismically-Induced Liquefaction," *Technical Report NCEER-92-0007*, National Center for Earthquake Engineering Research, Buffalo, NY, 269 pp.
- Beatty, M. and Byrne, P. M. (1998). "An Effective Stress Model for Predicting Liquefaction Behavior of Sand," *Proc., Geotechnical Earthquake Engineering and Soil Dynamics III, Vol. I*, Geotech. Special Pub. No. 75., ASCE, Reston, VA, 766-777.
- Berrill, J. B., Christensen, S. A., Keenan, R. J., Okada, W. and Pettinga, J. R. (1997). "Lateral-spreading Loads on a Piled Bridge Foundation," *Seismic Behavior of Ground and Geotechnical Structures, Proc., Special Technical Session on Earthquake Geotechnical Engineering, 14th ICSMFE*, A. A. Balkema, Rotterdam, 173-183.
- Buckle, I. G. and Friedland, I. M. (1995). "Seismic Retrofitting Manual for Highway Bridges," *Report No. FHWA-RD-94-052*, Federal Highway Administration, McLean, VA, 309 pp.
- Byrne, P. M. (1991). "A Cyclic Shear-Volume Coupling and Pore Pressure Model for Sand," *Proc., Second International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, Vol. 1, Prakash, S., ed., University of Missouri, Rolla, Missouri, 47-55.
- Byrne, P. M., Roy, D., Campagnella, R. G., and Hughes, J. (1995). "Predicting Liquefaction Response of Granular Soils from Pressuremeter Tests," *Static and Dynamic Properties of Gravelly Soils*, Geotech. Special Pub. No. 56, ASCE, New York, 122-135.
- Chang, T. S. and Woods, R. D. (1987). "Effect of Confining Pressure on Shear Modulus of Cemented Sand," *Soil-Structure Interaction Developments in Geotechnical Engineering, Vol. 43*, Cakmak, A. S., ed., Elsevier Science Publishing Co., Inc., N.Y. and Computational Mechanics Publications, Southampton, U.K., 193-208.
- Clough, G. W., Kuck, W. M, and Kasali, G. (1979). "Silicate-Stabilized Sands," *J. of Geotech. Engrg. Div.*, ASCE, 105(GT1), 65-82.
- Committee on Earthquake Engineering (1985). *Liquefaction of Soils During Earthquakes*, Committee on Engineering and Technical Systems, National Research Council, 240 pp.
- Cooke, H. G. and Mitchell, J. K. (1999). "Guide to Remedial Measures for Liquefaction Mitigation at Existing Highway Bridge Sites," *Technical Report MCEER-99-015*, Multidisciplinary Center for Earthquake Engineering Research, Buffalo, NY, 176 pp.

- Cundall, P. A. (1993). *FLAC User Manual*, Itasca Consulting Group, Inc. (as cited in Riemer et al., 1996)
- Cundall, P. A. (1995). *FLAC User's Manual, Version 3.3*, Itasca Consulting Group Inc., Minneapolis, MN. (as cited in Puebla et al., 1997)
- Dickenson, S. E. and Yang, D-S. (1998). "Seismically-Induced Deformations of Caisson Retaining Walls in Improved Soils," *Proc., Geotechnical Earthquake Engineering and Soil Dynamics III, Vol. II*, Geotech. Special Pub. No. 75., ASCE, Reston, VA, 1071-1082.
- Dobry, R. and Abdoun, T. (1998). "Post-Triggering Response of Liquefied Sand in the Free Field and Near Foundations," *Proc., Geotechnical Earthquake Engineering and Soil Dynamics III, Vol. I*, Geotech. Special Pub. No. 75., ASCE, Reston, VA, 270-300.
- Dormieux, L. and Pecker, A. (1995). "Seismic Bearing Capacity of Foundation on Cohesionless Soil," Technical Note, *J. Geotech. Engrg.*, ASCE, Vol. 121, No. 3, March, 300-303.
- Duncan, J. M. and Chang, C. Y. (1970). "Nonlinear Analysis of Stress and Strain in Soils," *J. Soil Mechanics and Foundations Div.*, ASCE, Vol. 96, No. SM5, September, 1629-1653. (as cited by Morrison, 1996)
- Duncan, J. M. and Tan, C. K. (1991). "Part 5 - Engineering Manual for Estimating Tolerable Movements of Bridges," *NCHRP Report No. 343 - Manual for the Design of Bridge Foundations*, 219-225.
- Finn, W. D. L. (1988). "Dynamic Analysis in Geotechnical Engineering," *Proc., Earthquake Engineering and Soil Dynamics II - Recent Advances in Ground Motion Evaluation*, ASCE Geotechnical Engineering Division, Park City, Utah, June, 523-591. (as cited in Finn et al., 1994)
- Finn, W. D. L. (1991). "Estimating How Embankment Dams Behave During Earthquakes," *Water Power and Dam Construction*, London, April, 17-22. (as cited in Finn et al., 1994)
- Finn, W. D., Ledbetter, R. H. and Marcuson, W. F. III (1994). "Seismically Induced Deformations and Remediation Design," *Proc. 4th U.S.-Japan Workshop on Soil Liquefaction*, Tsukuba City, Japan, July 4-6, 284-308.
- Florin, V. A. and Ivanov, P. L. (1961). "Liquefaction of Saturated Sandy Soils," *Proc., 5th Int. Conf. Soil Mech. And Found. Engrg.*, Paris, Vol. 1, 107-111.
- Geo-Research Institute (1995). Ground motion records from vertical array in northwest corner of Port Island during 1995 Kobe Earthquake.

- Hatanaka, M., Suzuki, Y., Miyaki, M. and Tsukuni, S. (1987). "Some Factors Affecting the Settlement of Structures Due to Sand Liquefaction in Shaking Table Tests," *Soils and Foundations*, JSSMFE, Vol. 27, No. 1, 94-101.
- Hausmann, M. R. (1990). *Engineering Principles of Ground Modification*, McGraw-Hill Publishing Co., New York, 632 pp.
- Hilf, J. W. (1991). "Compacted Fill," *Foundation Engineering Handbook, 2nd Edition*, Fang, W. H., ed., Van Nostrand Reinhold, NY, 249-316.
- Hudson, M., Idriss, I. M., and Beikae, M. (1994). "QUAD4M – A Computer Program to Evaluate Soil Structures Using Finite Element Procedures and Incorporating a Compliant Base," *User's Manual*, Center for Geotechnical Modeling, Department of Civil and Environmental Engineering, University of California, Davis, CA, 27 pp. (plus appendices)
- Hynes-Griffin, M. E. and Franklin, A. G. (1984). "Rationalizing the Seismic Coefficient Method," *Miscellaneous Paper GL-84-13*, U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, Mississippi, 21 pp. (as cited in Kramer, 1996)
- Iai, S., Noda, S. and Tsuchida, H. (1988). "Basic Consideration for Designing the Area of the Ground Compaction as a Remedial Measure Against Liquefaction," *Proc., U.S.-Japan Joint Workshop on Remedial Measures for Liquefiable Soils*, U.S.-Japan Panel on Wind and Seismic Effects, UJNR, Jackson, Wyoming, May 11-13.
- Iai, S. (1996). Personal Communication.
- Idriss, I. M. (1990). "Response of Soft Soil Sites During Earthquakes," *Proc., H. Bolton Seed Memorial Symposium*, Duncan, J. M., ed., Bi-Tech Publishers, Vancouver, BC, 273-289.
- Itasca Consulting Group, Inc. (1999). "FLAC - Fast Lagrangian Analysis of Continua", *User's Manuals for Version 3.4*, Itasca Consulting Group, Inc., Minneapolis, MN.
- Jackura, K. A. and Abghari, A. (1994). "Mitigation of Liquefaction Hazards at Three California Bridge Sites," *Proc., 5th U.S.-Japan Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures Against Soil Liquefaction*, Technical Report NCEER-94-0026, NCEER, Buffalo, NY, 495-513.
- Kauschinger, J. L. and Welsh, J. P. (1989). "Jet Grouting for Urban Construction," *Proc., Geotechnical Lecture Series, Boston Society of Civil Engineering: Design, Construction, and Performance of Earth Support Systems*, MIT, Cambridge, MA, 60 pp. (as cited in Xanthakos et al., 1994)

- Kawakami, T. (1996). "Experimental Study on Countermeasures Against Liquefaction-Induced Lateral Ground Movement by In-Ground Wall," *Proc., 6th Japan-U.S. Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures for Soil Liquefaction*, Technical Report NCEER-96-0006, NCEER, Buffalo, NY, 477-486.
- Kramer, S. L. (1996). *Geotechnical Earthquake Engineering*, Prentice Hall, Upper Saddle River, NJ, 653 pp.
- Kuhlemeyer, R. L. and Lysmer, J. (1973). "Finite Element Method for Accuracy for Wave Propagation Problems," *J. Soil Mechanics and Foundations Div.*, ASCE, Vol. 99, No. SM5, May, 421-427.
- Lambe, T. W. and Whitman, R. V. (1969). *Soil Mechanics*, John Wiley & Sons, Inc., New York, 553 pp.
- Langbehn, W. K. (1986). "The Jet Grouting Method: Applications in Slope Stabilization and Landslide Repair," *Master of Engineering Report*, Dept. of Civil Engineering, University of California, Berkeley, CA, 72 pp. (as cited in Xanthakos et al. 1994)
- Li, X. S., Wang, Z. L., and Shen, C. K. (1992). "SUMDES, A Nonlinear Procedure for Response Analysis of Horizontally-Layered Sites Subjected to Multidirectional Earthquake Loading," Department of Civil Engineering, University of California, Davis, CA. (as cited in Li et al., 1998)
- Li, X. S., Shen, C. K., and Wang, Z. L. (1998). "Fully Coupled Inelastic Site Response Analysis for 1986 Lotung Earthquake," *J. Geotech. and Geoenv. Engrg.*, Vol. 124, No. 7, 560-573.
- Li, N. and Woods, R. D. (1987). "Dynamic Behavior of Grouted Sand," *Soil-Structure Interaction Developments in Geotechnical Engineering, Vol. 43*, Cakmak, A. S., ed., Elsevier Science Publishing Co., Inc., N.Y. and Computational Mechanics Publications, Southampton, U.K., 221-241.
- Liu, L. (1992). "Centrifuge Earthquake Modelling of Liquefaction and Its Effect on Shallow Foundations," Ph.D. Dissertation, Rensselaer Polytechnic Institute, Troy, NY, 303 pp.
- Liu, L. and Dobry, R. (1997). "Seismic Response of Shallow Foundation on Liquefiable Sand," *J. Geotech. and GeoEnv. Engrg.*, ASCE, Vol. 123, No. 6, June, 557-567.
- Lok, M. H. and Mitchell, J. K. (1994). "Allowable Movements of Bridge Supports," *Year 1 Summary Reports*, FHWA Project 106, NCEER, Buffalo, N.Y.
- Madabhushi, S. P. G. and Zeng, X. (1998). "Seismic Response of Gravity Quay Walls. II: Numerical Modeling," *J. Geotech. and Geoenv. Engrg.*, ASCE, Vol. 124, No. 5, May, 418-427.

- Makdisi, F. and Seed, H. B. (1978). "Simplified Procedure for Estimating Dam and Embankment Earthquake-Induced Deformations, *J. Geotech. Engrg. Div.*, ASCE, 104(GT7), 849-867.
- Maher, M. H., Kwang, S. R., and Welsh, J. P. (1994). "Cyclic Undrained Behavior and Liquefaction Potential of Sand Treated with Chemical Grouts and Microfine Cement (MC-500)," *Geotechnical Testing Journal*, GTJODJ, Vol. 17, No. 2, 159-170.
- Marcuson, W. F. and Hynes, M. E. (1989). "Stability of Slopes and Embankments During Earthquakes," *Proc, ASCE/Pennsylvania Department of Transportation Geotechnical Seminar*, Hershey, PA. (as cited in Seed and Harder, 1990)
- Martin, G. R., Finn, W. D. L., and Seed, H. B. (1975). "Fundamentals of Liquefaction Under Cyclic Loading," *J. of Geotech. Engrg. Div.*, ASCE, 101(GT5), 423-438.
- Martin, P. P. and Seed, H. B. (1979). "Simplified Procedure for Effective Stress Analysis of Ground Response," *J. of Geotech. Engrg.*, Vol. 105, GT6, 739-758. (as referenced by McCullough and Dickenson, 1998).
- Mast, R. M., Marsh, L., Spry, C., Johnson, S., Griebenow, R., Guarre, J. and Wilson, W. (1996). "Seismic Design of Bridges Design Example Nos. 1-7," Publication Nos. FHWA-SA-97-006 to 012, Federal Highway Administration, Washington, D.C.
- McCullough, N. J. and Dickenson, S. E. (1998). "Estimation of Seismically Induced Lateral Deformations for Anchored Sheetpile Bulkheads," *Proc., Geotechnical Earthquake Engineering and Soil Dynamics III, Vol. II*, Geotech. Special Pub. No. 75., ASCE, Reston, VA, 1095-1106.
- McDonald, M. and Harbaugh, A. (1984). "A Modular Three-Dimensional Finite Difference Groundwater Flow Model", U.S. Geological Survey, Reston, VA. (as cited in Schaeffer, 1998)
- Mitchell, J. K. (1992). "Ground Treatment for Seismic Stability of Bridge Foundations." *Proc., Seismic Design and Retrofit of Bridges*, University of California, Berkeley, CA, June 8-9.
- Mitchell, J. K., Baxter, C. D. P., and Munson, T. C. (1995). "Performance of Improved Ground During Earthquakes," *Soil Improvement for Liquefaction Hazard Mitigation*, Geotech. Special Pub. No. 49, ASCE, 1-36.
- Mitchell, J. K. and Cooke, H. G. (1995). "Assessment and Mitigation of Liquefaction Risk for Existing Highway Bridge Foundations," *Proc., National Seismic Conference on Bridges and Highways*, San Diego, CA, December 10-15.

- Mitchell, J. K., Cooke, H. G., and Schaeffer, J. A. (1998). "Design Considerations in Ground Improvement for Seismic Risk Mitigation," *Proc., Geotechnical Earthquake Engineering and Soil Dynamics III, Vol. I*, Geotech. Special Pub. No. 75., ASCE, Reston, VA, 580-613.
- Morrison, C. S. (1995). "Development of a Modular Finite Element Program for Analysis of Soil-Structure Interaction," Ph.D. Dissertation, Department of Civil and Environmental Engineering, Virginia Polytechnic Institute and State University, Blacksburg, VA, 318 pp.
- Moulton (1985). "Tolerable Movement Criteria for Highway Bridges," *FHWA Report No. FHWA-TS-85-228*. (as cited in Lok and Mitchell, 1994)
- Moulton, L. K., GangaRao, H. V. S., and Halvorsen, G. T. (1985). *Tolerable Movement Criteria for Highway Bridges, Report No. FHWA/RD-85/107*, Federal Highway Administration, Washington, D. C., 118 pp. (as cited in Duncan and Tan, 1991)
- NCEER (1997). *Proc., NCEER Workshop on Evaluation of Liquefaction Resistance of Soils, Technical Report NCEER-97-0022*, Youd, T. L. and Idriss, I. M., eds., National Center for Earthquake Engineering Research, Buffalo, NY.
- Newmark, N. M. (1965). "Effects of Earthquakes on Dams and Embankments," Fifth Rankine Lecture, *Geotechnique*, Vol. 15, No. 2, 139-160.
- Ohtomo, K. (1996). "Soil Force on Conduit Pile System due to Liquefaction-Induced Lateral Flow," *Proc., 6th Japan-U.S. Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures for Soil Liquefaction*, Technical Report NCEER-96-0006, NCEER, Buffalo, NY, 541-550.
- Paz, M. (1980). *Structural Dynamics: Theory & Computation*, Van Nostrand Reinhold Co., New York, 446 pp.
- Pecker, A. and Salencon, J. (1991). "Seismic Bearing Capacity of Shallow Strip Foundations on Clay Soils," *Proc., Int. Workshop on Seismology and Earthquake Engrg.*, CENAPRED, Mexico, April, 287-304.
- Puebla, H., Byrne, P. M., and Phillips, R. (1997). "Analysis of CANLEX Liquefaction Embankments, Prototype and Centrifuge Models," *Canadian Geotechnical Journal*, 34, 641-657.
- Pyke, R. (1979). "Nonlinear Soil Models for Irregular Cyclic Loadings," *J. of Geotech. Engrg. Div.*, ASCE, 105(GT6), 715-726.

- Riemer, M. F., Lok, T. M. and Mitchell, J. K. (1996). "Evaluating Effectiveness of Liquefaction Remediation Measures for Bridges," *Proc., 6th Japan-U.S. Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures for Soil Liquefaction*, Technical Report NCEER-96-0006, NCEER, Buffalo, NY, 441-455.
- Schaeffer, J. A. (1998). "Excess Pore Water Pressure Migration and Dissipation in Densified Sand Zones During and After Earthquakes," Master's Project Report, Department of Civil and Environmental Engineering, Virginia Polytechnic Institute and State University, Blacksburg, VA, 63 pp.
- Schnabel, B., Lysmer, J. and Seed, H. B. (1972). "SHAKE - A Computer Program for Earthquake Response of Horizontally Layered Sites," *Report No. EERC 72-12*, Earthquake Engineering Research Center, University of California, Berkeley, CA, 92 pp.
- Scott, R. F. (1994). "Lessons Learned from VELACS Project," *Proc., Verification of Numerical Procedures for the Analysis of Soil Liquefaction Problems, Vol. 2*, A. A. Balkema, Brookfield, Vermont, 1773-1784.
- Seed, H. B. and DeAlba, P. (1986). "Use of SPT and CPT Tests for Evaluating the Liquefaction Resistance of Soils," *Proc. Insitu 1986*, ASCE. (as cited by McCullough and Dickenson, 1998)
- Seed, R. B., and Harder, L. F. (1990). "SPT-Based Analysis of Cyclic Pore Pressure Generation and Undrained Residual Strength," *Proc. of H. Bolton Seed Memorial Symposium*, Vol. 2, Duncan, J. M., ed., BiTech Publishers, Vancouver, B.C., Canada, pp. 351-376.
- Seed, H. B. and Idriss, I. M. (1970). "Soil Moduli and Damping Factors for Dynamic Response Analyses," *Report EERC 70-10*, Earthquake Engineering Research Center, University of California, Berkeley, CA. (as cited in Kramer, 1996)
- Shi, X. and Richards, R., Jr. (1995). "Earthquake-induced Foundation Movement with Variable Shear Transfer," *Earthquake-Induced Movements and Seismic Remediation of Existing Foundations and Abutments*, Geotech. Special Pub. No. 55, ASCE, New York, 17-32.
- Silver, M. L. and Seed, H. B. (1971). "Volume Changes in Sands During Cyclic Loading," *J. Soil Mech. Found. Div.*, ASCE, 97(9), 1171-1182.
- Smith, I. M. (1994). "An Overview of Numerical Procedures Used in the VELACS Project," *Proc., Numerical Procedures for the Analysis of Soil Liquefaction Problems, Vol. 2*, Arulanandan, K. and Scott, R. F., eds., A. A. Balkema, Brookfield, Vermont, 1321-1328.
- Soydemir, C., Zoli, T., LaPlante, K., Kraemer, S., Davidson, W. and McCabe, R. (1997). "Seismic Design of Central Artery Bridges Across Charles River in Boston: Geotechnical/Substructure Aspects," from NCEER Post Liquefaction Ground Deformation Workshop, USC, August, 1997 (original source unknown).

- Taguchi, Y., Ishihara, K. and Kato, S. (1992). "Experimental Study on Behavior of the Boundary Between Liquefied and Non-Liquefied Ground," *Proc., 4th Japan-U.S. Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures for Soil Liquefaction, Vol. 2*, Technical Report NCEER-92-0019, NCEER, Buffalo, NY, August 12, 639-653.
- Tan, D. Y. and Clough, G. W. (1980). "Ground Control for Shallow Tunnels by Soil Grouting," *J. of Geotech. Engrg. Div.*, ASCE, 106(GT9), 1037-1057.
- Tokida, K., Matsumoto, H., and Iwasaki, H. (1992). "Experimental Study on Drag Acting on Piles in Ground Flowing by Soil Liquefaction," *Proc., 4th Japan-U.S. Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures for Soil Liquefaction, Vol. 2*, Technical Report NCEER-92-0019, NCEER, Buffalo, NY, August 12, 511-523.
- Tokimatsu, K. and Seed, H.B. (1987). "Evaluation of Settlements in Sands due to Earthquake Shaking," *J. Geotech. Engrg.*, ASCE, 113(8), 861-878.
- Tsuchida, H. (1968). "Pressure due to Liquefied Sand on a Rigid Wall," *Tsuchi-to-kiso*, JSSMFE, May, 3-10.
- Vucetic, M. and Dobry, R. (1991), "Effect of Soil Plasticity on Cyclic Response," *Journal of Geotechnical Engineering*, ASCE, Vol. 117, No.1, January, 89-107.
- Westergaard, H. M. (1931). "Water Pressure on Dams During Earthquakes," paper no 1835, *Proceedings, ASCE*, 418-433.
- Wright, S. G. (1991). "UTEXAS3 – A Computer Program for Slope Stability Calculations," Shinoak Software, Austin, TX, 158 pp.
- Xanthakos, P. P., Abramson, L. W. and Bruce, D. A. (1994). *Ground Control and Improvement*, John Wiley & Sons, Inc., New York, 910 pp.
- Yanagihara, S., Takeuchi, M., and Ishihara, K. (1991). "Dynamic Behavior of Embankment on Locally Compacted Sand Deposits," *Proc., Fifth International Conference on Soil Dynamics and Earthquake Engineering V*, Computational Mechanics Publication, Boston, and Elsevier Applied Science, New York, 365-376.
- Yasuda, S., Nagase, H., Kiku, H., and Uchida, Y. (19??). "Countermeasures Against Permanent Ground Displacement due to Liquefaction," *Soil Dynamics and Earthquake Engineering V*, Elsevier Science Publishing Inc., New York, 341-350.
- Youd, T. L. (1984). "Geologic Effects - Liquefaction and Associated Ground Failure," *Proc., Geologic and Hydrologic Hazards Training Program*, Open-File Report 84-760, U.S. Geological Survey, Menlo Park, CA, 210-232.

- Youd, T. L. (1992). "Liquefaction, Ground Failure and Consequent Damage During the April 22, 1991, Costa Rica Earthquake," *Proc., NSF/UCR, U.S.-Costa Rica Workshop on the Costa Rica Earthquakes of 1990-1991, Effects on Soil and Structures*, EERI Pub. No. 93-A, EERI, Oakland, CA, 73-95.
- Youd, T. L. (1993). "Liquefaction-Induced Damage to Bridges," *Transportation Research Record No. 1411*, National Research Council, National Academy Press, Washington, D.C., 35-41.
- Youd, T. L. (1998). "Screening Guide for Rapid Assessment of Liquefaction Hazard at Highway Bridge Sites," *MCEER Technical Report MCEER-98-0005*, Multidisciplinary Center for Earthquake Engineering Research, Buffalo, NY, 58 pp.
- Youd, T. L., Willey, P. S., Gilstrap, S. G., and Peterson, C. R. (1998). "Liquefaction Hazard Evaluation of Interstate, Federal, and State Highway Bridge Sites in Utah," *Report Presented to the Utah Department of Transportation*, Brigham Young University, Provo, Utah, December 30.
- Zeng, X. (1993). "Experimental Results of Model No. 11," *Proc., Verification of Numerical Procedures for the Analysis of Soil Liquefaction Problems, Vol. 1*, Arulanandan, K. and Scott, R. F., eds., Balkema, Brookfield, Vermont, 895-908.