

References

Allen, D.E., and Murray, T.M. (1993). "Design Criterion for Vibrations Due to Walking." *AISC Engineering Journal*, 4th Qtr, 117-129.

Alvis, S.R. (2001). "An Experimental and Analytical Investigation of Floor Vibrations." M.S. Thesis, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.

Avci, O. (2005). "Effects of Bottom Chord Extensions on the Static and Dynamic Performance of Steel Joist Supported Floors." Ph.D. Dissertation, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.

Bachmann, H. and Ammann, W. (1987). *Vibrations in Structures Induced by Man and Machines*. International Association for Bridge and Structural Engineering, Zurich, Switzerland.

Bachmann, H. et al. (1995). *Vibration Problems in Structures: Practical Guidelines*. Birkhauser, Verlag, Basel.

Barrett, A.R. (2006). "Dynamic Testing of In-Situ Composite Floors and Evaluation of Vibration Serviceability Using the Finite Element Method." Ph.D. Dissertation, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.

Brownjohn, J.M.W., Pavic, A., and Omenzetter, P. (2004). "A Spectral Density Approach for Modelling Continuous Vertical Forces on Pedestrian Structures Due to Walking." *Canadian Journal of Civil Engineering*, 31, 65-77.

Chopra, A.K. (2001). *Dynamics of Structures: Theory and Applications to Earthquake Engineering*, 2nd Ed., Prentice Hall, Upper Saddle River, New Jersey.

Clough, R.W. and Penzien, J. (1993). *Dynamics of Structures*, 2nd Ed. McGraw-Hill, New York, New York.

CSI (2004). *SAP2000—Linear and Nonlinear Static and Dynamic Analysis and Design of Three-Dimensional Structures—User's Manual, Version 9*. Computers and Structures, Inc., Berkeley, California.

CSI (2005). *SAP2000—Linear and Nonlinear Static and Dynamic Analysis and Design of Three-Dimensional Structures—User's Manual, Version 10*. Computers and Structures, Inc., Berkeley, California.

Davis, D.B. and Murray, T.M. (2007a). "Vibration Tests of Consolidated Systems, Inc. 30 ft Deep-Dek® Composite Slab Floor," Report No. CEE/VPI-ST07/01, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.

Davis, D.B. and Murray, T.M. (2007b). “Comparisons of Measured Natural Frequencies and Walking Accelerations to Design Guide Predictions.” *Proceedings of the Experimental Vibration Analysis for Civil Engineering Structures*, Porto, Portugal.

Davis, D.B., Barrett, A.R., and Murray, T.M. (2007). “Use of a Force Plate Versus Armature Accelerometer for Measuring Accelerance Frequency Response Functions in Low Frequency Civil Structures.” *Proceedings of the 18th Engineering Mechanics Division Conference*, ASCE, Reston, Virginia.

Ellingwood, B. and Tallin, A. (1984), “Structural Serviceability: Floor Vibrations.” *Journal of Structural Engineering*, 110(2), 401-419.

Ellis, B.R. (2000). “On the Response of Long-Span Floors to Walking Loads Generated by Individuals and Crowds.” *The Structural Engineer*, 78 (10), 17–25.

Ellis, B.R. (2001). “Serviceability Evaluation of Floor Vibration Induced by Walking Loads.” *The Structural Engineer*, 79(21), 30-36.

Ellis, B.R. (2003). “The Influence of Crowd Size on Floor Vibrations Induced by Walking.” *The Structural Engineer*, 81(6), 20-27.

Ewins, D.J. (2000). *Modal Testing: Theory, Practice, and Application*, 2nd Ed, Research Studies Press Ltd., Baldock, England.

Galbraith, F.W. and Barton, M.V. (1970) "Ground Loading From Footsteps," *Journal of the Acoustical Society of America*, 48(5), 1288–1292.

Griffin, M.J. (1990). *Handbook of Human Vibration*, Elsevier Press, London, England.

Hanagan, L.M., Raebel, C.H., and Trethewey, M.W. (2003). “Dynamic Measurement of In-Place Steel Floors to Assess Vibration Performance.” *Journal of Performance of Constructed Facilities*, 17(3), 126-135.

Hicks, S. (2004). “Vibration Characteristics of Steel-Concrete Composite Floor Systems.” *Progress in Structural Engineering and Materials*, 6:21-38.

International Federation for Structural Concrete (fib). (2005). *Bulletin 32: Guidelines for the design of footbridge*, International Federation for Structural Concrete, Lausanne, Switzerland.

International Standards Organization, (2007). *International Standard ISO 10137, Bases for design of structures – Serviceability of buildings and walkways against vibrations*, 2nd Ed, International Standards Organization, Geneva, Switzerland.

Kerr, S.C. (1998). “Human Induced Loading on Staircases.” Ph.D. Thesis, University of London, London, England.

Kerr, S.C. and Bishop, N.W.M. (2001). "Human Induced Loading on Flexible Staircases." *Engineering Structures*, 23:37-45.

Khoncarly, M.M.S. (1997). "Dynamic Response of Floor Systems to Footfall-Induced Vibrations." Ph.D. Dissertation, Case Western Reserve University, Cleveland, Ohio.

Lamond, J.F. and Pielert J.H. (2006). *Significance of Tests and Properties of Concrete & Concrete-Making Materials, ASTM STP 169D*. ASTM International, West Conshohocken, PA, USA.

Mayes, R.L. and Gomez, A.J. (2006). "Part 4: What's Shakin', Dude? Effective Use of Modal Shakers." *Experimental Techniques*, July/August 2006: 51-61.

Murray, T.M., Allen, D.E., and Ungar, E.E. (1997). "Steel Design Guide Series 11: *Floor Vibrations Due to Human Activity*." American Institute of Steel Construction (AISC), Chicago, Illinois.

Murray, T.M. and Boice, M.D. (2006) "How Accurate are Current Floor Vibration Procedures?" *North American Steel Conference Proceedings*, AISC, Chicago, Illinois..

Obata, T. and Miyamori, Y. (2006). "Identification of a Human Walking Force Model Based on Dynamic Monitoring Data From Pedestrian Bridges." *Computers and Structures*, 84:541-548.

Pachi, A. and Ji, T. (2005). "Frequency and Velocity of People Walking." *The Structural Engineer*, 78(10), 17-25.

Pavic, A. and Reynolds, P. (1999). "Experimental Assessment of Vibration Serviceability of Existing Office Floors Under Human-Induced Excitation." *Experimental Techniques*, September/October, 41-45.

Pavic, A., Miskovic, Z., and Reynolds, P. (2007). "Modal Testing and Finite-Element Model Updating of a Lively Open-Plan Composite Building Floor." *Journal of Structural Engineering*, 133(4), 550-558.

Pernica, G. (1990). "Dynamic Load Factors for Pedestrian Movements and Rhythmic Exercises." *Canadian Acoustics*, 18(2), 3-18.

Perry, J.D. (2003). "A Study of Computer Modeling Techniques to Predict the Response of Floor Systems Due to Walking." M.S. Thesis, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.

Rainer, J.H., Pernica, G., and Allen, D.E. (1988). "Dynamic Loading and Response of Footbridges." *Canadian Journal of Civil Engineering*, 15, 66-71.

Reynolds, P. and Pavic, A. (2000a). "Impulse Hammer versus Shaker Excitation for the Modal Testing of Building Floors." *Experimental Techniques*, May/June, 39-44.

Reynolds, P. and Pavic, A. (2000b). "Quality Assurance Procedures for the Modal Testing of Building Floor Structures." *Experimental Techniques*, July/August, 36-41.

Ricciardelli, F. and Pizzimenti, A.D. (2007). "Lateral Walking-Induced Forces on Footbridges." *Journal of Bridge Engineering*, 12(6), 677-688.

Sladki, M.J. (1999). "Prediction of Floor Vibration Response Using the Finite Element Method." M.S. Thesis, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.

Smith, A.L., Hicks, S.J., and Devine, P.J. (2007). *Design of Floors for Vibration: A New Approach*, The Steel Construction Institute (SCI), Silwood Park, Ascot, Berkshire.

Stergiou, N., Giakas, G., Byrne, J.E., and Pomeroy, V. (2002). "Frequency Domain Characteristics of Ground Reaction Forces During Walking of Young and Elderly Females," *Clinical Biomechanics*, 17, 615-617.

The Mathworks, Inc. (2006). "MATLAB Online Help." The MathWorks, Inc., Natick, MA, USA.

Ungar, E.E, Zapfe, J.A., and Kemp, J.D. (2004). "Predicting Footfall-Induced Vibrations of Floors," *Sound and Vibration*, November 2004.

Vibrant Technology, Inc. (2003). "ME'scopeVES Online Help." Vibrant Technology, Inc., Scotts Valley, California.

Wicks, A.L. (2006). "Experimental Modal Analysis Course Notes," Department of Mechanical Engineering, Virginia Tech, Blacksburg, Virginia, USA.

Willford, M., Field, C., and Young, P. (2006). "Improved Methodologies for the Prediction of Footfall-Induced Vibration." *Proceedings of the 2006 Architectural Engineering National Conference*, ASCE, Reston, Virginia.

Willford, M., Young, P., and Field, C. (2007). "Predicting Footfall-Induced Vibration: Part I." *Structures and Buildings*, 160(SB2), 65-72.

Wyatt, T.A. (1989). "Design Guide on the Vibration of Floors." *SCI Publication 076*, Steel Construction Institute, Ascot, U.K.

Young, P. (2001) "Improved Floor Vibration Prediction Methodologies." *Proceedings of Arup Vibration Seminar on Engineering for Structural Vibration—Current Developments in Research and Practice*, Institution of Mechanical Engineers, London, U.K.

Zivanovic, S., Pavic, A., and Reynolds, P. (2007). "Probability-Based Prediction of Multi-Mode Vibration Response to Walking Excitation," *Engineering Structures*, 29(6), 942-954.

This page left intentionally blank.