

References:

- Aki, K. (1993). Local site effects on weak and strong ground motions, *Tectonophysics*, 218(1993), pp93-111.
- Algermissen, S.T. and E.V. Leyendecker (1992). A Technique for Uniform Hazard Spectra Estimation in the US, *Proceedings: Tenth World Conference on Earthquake Engineering*, Balkema, Rotterdam, pp391-397.
- AlKahatib, M. (1994). Liquefaction Assessment by Strain Energy Approach, Ph.D. Thesis (T. Kagawa, Advisor), Wayne State University, 212pp.
- Ambraseys, N.N. (1988). *Engineering Seismology, Earthquake Engineering and Structural Dynamics*, Vol. 17, pp1-105.
- Anderson, R.D. (1974). New Method for Deep Sand Vibratory Compaction, *Journal of the Construction Division*, 100(CO1), pp79-95.
- Ang, A. H.-S. (1966). Numerical Approach for Wave Motions in Nonlinear Solid Media, Report No. AFFDL-TR-66-80, *Matrix Methods in Structural Mechanics*, Air Force Systems Command and Air Force Institute of Technology, pp753-778.
- Annaki, M. and K.L. Lee (1977). Equivalent Uniform Cycle Concept for Soil Dynamics, *Journal of the Geotechnical Engineering Division*, 103(GT6), pp549-564.
- Arango, I. (1994). Methodology for Liquefaction Potential Evaluation of Sites East of the Rockies, Volume 1 - Report, Bechtel Corporation Technical Grant, June.
- Arango, I. (1996). Magnitude Scaling Factors for Soil Liquefaction Evaluations, *Journal of Geotechnical Engineering*, 122(11), pp929-936.
- Arias, A. (1970). A Measure of Earthquake Intensity, *Seismic Design for Nuclear Power Plants* (R.J. Hansen, ed.), The MIT Press, Cambridge, MA, pp438-483.
- ASCE (1997). *Ground Improvement, Ground Reinforcement, Ground Treatment: Developments 1987-1997* (V.R. Schaefer, ed.), Geotechnical Special Publication No. 69, American Society of Civil Engineers, New York, New York.
- Awad, A.A.A. (1990). A Numerical Model for Blast-Induced Liquefaction Using Displacement-Pore Pressure Formulations, Ph.D Thesis (W.A. Charlie, Advisor), Colorado State University, Fort Collins, CO, 192pp.
- Baez, J.I. (1995). A Design Model for the Reduction of Soil Liquefaction by Vibro-Stone Columns, Ph.D Thesis (G. Martin, Advisor), The University of Southern California.

- Berrill, J.B. and R.O. Davis (1985). Energy Dissipation and Seismic Liquefaction of Sands: Revised Model, *Soils and Foundations*, 25(2), pp106-118.
- Bhandari, R.K.M. (1981). Dynamic Consolidation of Liquefiable Sands, *Proceedings of the International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, St. Louis, MO, pp857-860.
- Biot, M.A. (1956). Theory of Propagation of Elastic Waves in a Fluid Saturated Porous Solid, *Journal of the Acoustical Society of America*, 28(2), pp168-191.
- Bjølgerud, H. and A.K. Haug (1983). Dynamic Consolidation of Rockfill at an Oil Refinery Site, Volume 1, *Proceedings: Eighth European Conference on Soil Mechanics and Foundation Engineering*, Helsinki, pp213-218.
- Bonita, J. (2000). The Effects of Vibration on the Penetration Resistance and Pore Water Pressure in Sands, Ph.D. Thesis (T.L. Brandon and J.K. Mitchell, Advisors), Department of Civil Engineering, Virginia Tech, Blacksburg, VA, 349pp.
- Booker, J.R., M.S. Rahman, and H.B. Seed (1976). GADFLEA – A Computer Program for the Analysis of Pore Pressure Generation and Dissipation During Cyclic or Earthquake Loading. EERC 76-24. University of California, Berkeley.
- Bretz, T.E. (1989). Soil Liquefaction Resulting from Blast-Induced Spherical Stress Waves, PhD Thesis (W.A. Charlie, Advisor), Department of Civil Engineering, Colorado State University, 256pp.
- Broms, B.B. (1991). Deep Compaction of Granular Soils, Chapter 23, *Foundation Engineering Handbook*, Second Edition, (H.-Y. Fang, ed.), Van Nostrand Reinhold, pp814-832.
- Brown, R.E. and A.J. Glenn (1976). Vibroflotation and Terra-Probe Comparison, *Journal of the Geotechnical Engineering Division*, 102(GT10), pp1059-1072.
- Brown, R.E. (1977). Vibroflotation Compaction of Cohesionless Soils, *Journal of the Geotechnical Engineering Division*, 103(GT12), pp1437-1451.
- Brune, J.N. (1970). Tectonic Stress and the Spectra of Seismic Shear Waves from Earthquakes, *Journal of Geophysical Research*, 75, pp4997-5009.
- Brune, J.N. (1971). Correction, *Journal of Geophysical Research*, 76, p5002.
- Charles, J.A., D. Burford, and K.S. Watts (1981). Field Studies of the Effectiveness of Dynamic Consolidation, Volume 3, *Proceedings: Tenth International Conference of Soil Mechanics and Foundation Engineering*, Stockholm, Sweden, pp617-622.

Charlie, W., J.P. Martin, J. Shinn, S. Blouin, and S. Melzer (1980). Blast Induced Soil Liquefaction Phenomena and Evaluation, Proceedings: International Symposium on Soils Under Cyclic and Transient Loading (G.N. Pande and O.C. Zienkiewicz, eds.), 7-11 January, Swansea, Wales, pp533-542.

Charlie, W.A. (1985). Review of Present Practices Used in Predicting the Effects of Blasting on Pore Pressure, Geotechnical Branch, Div. of Research and Laboratory Services, Engineering and Research Center, US Dept. of Interior, Bureau of Reclamation, 23pp. {as cited in: Narin van Court, W.A. and J.K. Mitchell (1994). Explosive Compaction: Densification of Loose, Saturated, Cohesionless Soils by Blasting, Geotechnical Engineering Report No. UCB/GT/94-03, Department of Civil Engineering, University of California, Berkeley.} *Reference not verified.*

Charlie, W.A., G.E. Veyera, S.R. Abt (1985a). Predicting Blast-Induced Porewater Pressure Increases in Soils, Journal of Civil Engineering for Practicing and Design Engineers, 4(4), pp311-328. {as cited in: Narin van Court, W.A. and J.K. Mitchell (1994). Explosive Compaction: Densification of Loose, Saturated, Cohesionless Soils by Blasting, Geotechnical Engineering Report No. UCB/GT/94-03, Department of Civil Engineering, University of California, Berkeley.} *Reference not verified.*

Charlie, W.A., G.E. Veyera, D.O. Doehring, S.R. Abt (1985b). Blast Induced Liquefaction Potential and Transient Porewater Pressure Response in Saturated Soils, Air Force Office of Scientific Research, Washington, DC, 198pp. {as cited in: Narin van Court, W.A. and J.K. Mitchell (1994). Explosive Compaction: Densification of Loose, Saturated, Cohesionless Soils by Blasting, Geotechnical Engineering Report No. UCB/GT/94-03, Department of Civil Engineering, University of California, Berkeley.} *Reference not verified.*

Charlie, W.A., P.J. Jacobs, D.O. Doehring (1992). Blast Induced Liquefaction of an Alluvial Sand Deposit, Geotechnical Testing Journal, 15(1), pp14-23.

Chopra, A.K. (1995). Dynamics of Structures: Theory and Applications to Earthquake Engineering, Prentice-Hall, Inc. Upper Saddle River, NJ, 729pp.

Costantino, C.J., C.A. Miller, E. Heymsfield, and Y. Yang (1995). CARES: Computer Analysis for Rapid Evaluation of Structures, Version 1.2, US Nuclear Regulatory Commission, Washington, DC.

Dahisaria, N.M. (1991). Evaluation of Soil Liquefaction by Energy Principles, M.S. Thesis completed under the direction of Professor J.L. Figueroa, Department of Civil Engineering, Case Western Reserve University, May 1991, 125pp.

D'Appolonia, E. (1953). Loose Sands – Their Compaction by Vibroflotation, Symposium on Dynamic Testing of Soils, 56th Annual Meeting of the American Society for Testing Materials, ASTM Special Technical Publication No. 156, Philadelphia, PA, pp138-162.

Davis, R.O. and J.B. Berrill (1982). Energy Dissipation and Seismic Liquefaction in Sands, *Earthquake Engineering and Structural Dynamics*, Vol 10, pp. 59-68.

Davis, R.O. and A.P.S. Selvadurai (1996). *Elasticity and Geomechanics*, Cambridge University Press, 201pp.

Davis, R.O. and J.B. Berrill (2001). Pore Pressure and Dissipated Energy in Earthquakes – Field Verification, *Journal of Geotechnical and Geoenvironmental Engineering*, 127(3), pp269-274.

DeAlba, P.S., H.B. Seed, and C.K. Chan (1976). Sand Liquefaction in Large-Scale Simple Shear Tests, *Journal of the Geotechnical Engineering Division*, 102(GT9), pp909-927.

Degen, W.S. (2001). Personal communication.

Degen, W.S. and J.D. Hussin (2001). Soil Densification: Short Course Notes taught in conjunction with the ASCE Geo-Odyssey Conference, June 10, 2001, Blacksburg, VA, 89pp.

Deresiewicz, H. (1974). Bodies in Contact with Applications to Granular Media, in R.D. Mindlin and *Applied Mechanics* (Herrmann, ed.), Pergamon Press, Inc. New York, pp105-147.

Dobry, R. (1970). Damping in Soils: Its Hysteretic Nature and the Linear Approximation, Research Report R70-14, Department of Civil Engineering, Massachusetts Institute of Technology, 82pp.

Dobry, R., R.V. Whitman, and J.M. Roesset (1971). Soil Properties and the One-Dimensional Theory of Earthquake Amplification, Research Report R71-18, Department of Civil Engineering, Massachusetts Institute of Technology, 347pp.

Dobry, R., I. Oweis, and A. Urzua (1976). Simplified Procedures for Estimating the Fundamental Period of a Soil Profile, *Bulletin of the Seismological Society of America*, 66(4), pp1293-1321.

Dobry, R., I.M. Idriss, and E. Ng (1978). Duration Characteristics of Horizontal Components of Strong Motion Earthquake Records, *Bulletin of the Seismological Society of America*, 68(5), pp1487-1520.

Dobry, R., R.S. Ladd, F.Y. Yokel, R.M. Chung, and D. Powell (1982). Prediction of Pore Water Pressure Buildup and Liquefaction of Sands During Earthquakes by the Cyclic Strain Method, NBS Building Science Series 138, US Department of Commerce, 152pp.

Dobry, R. and G. Gazetas (1986). Dynamic Response of Arbitrarily Shaped Foundations, *Journal of Geotechnical Engineering*, 112(2), pp109-135.

Dobry, R. (1994). Soil properties and earthquake ground response, Volume 4, *Proceedings of the Tenth European Conference on Soil Mechanics and Foundation Engineering*, pp1171-1187.

Dobry, R., R.D. Borcherdt, C.B. Crouse, I.M. Idriss, W.B. Joyner, G.R. Martin, M.S. Power, E.E. Rinne, and R.B. Seed (2000). New Site Coefficients and Site Classification Systems Used in Recent Building Code Provisions, *EERI Earthquake Spectra*, 16(1), pp41-67.

Dobson, T. and B. Slocombe (1982). Deep Densification of Granular Fills, Paper presented at the 2nd Geotechnical Conference and Exhibit on Design and Construction, Las Vegas, Nevada {as cited in: Barksdale, R.D. and R.C. Bachus (1983). *Design and Construction of Stone Columns*, Volume 1, Report No. FHWA/RD-83/026, Federal Highway Administration, Washington, DC, 194pp.} *Unable to verify reference.*

Dowding, C.H. (1985). *Blast Vibration Monitoring and Control*, Prentice Hall, Inc., Englewood Cliffs, NJ, 297pp.

Dowding, C.H. and R.D. Hryciw (1986). A Laboratory Study of Blast Densification of Saturated Sands, *Journal of Geotechnical Engineering*, 112(2), pp187-199.

Dowding, C.H. (1996). *Construction Vibrations*, Prentice-Hall, Inc., Upper Saddle River, NJ, 610pp.

Drake, J.L. and C.D. Little (1983). Ground Shock from Penetrating Conventional Weapons, *Proceedings: Symposium on the Interaction of Non-Nuclear Munitions with Structures*, US Air Force Academy, Colorado Springs, CO, Part I, 10-13 May, pp1-6. {as cited in: Charlie, W.A., P.J. Jacobs, D.O. Doehring (1992). Blast Induced Liquefaction of an Alluvial Sand Deposit, *Geotechnical Testing Journal*, 15(1), pp14-23.} *Reference not verified.*

Duffy, J. and R.D. Mindlin (1956). Stress-Strain Relations and Vibrations of a Granular Medium, *Journal of Applied Mechanics*, ASME, 24, pp585-593.

Duvall, W.I., T.C. Atchison, and D.F. Fogelson (1967). Empirical Approach to Problems in Blasting Research, *Proceedings of the Eight Symposium on Rock Mechanics*. {as cited in: Long, J.H., E.R. Ries, and A.P. Michalopoulos (1981). Potential for Liquefaction Due to Construction Blasting, *Proceedings: International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, pp191-194.} *Reference not verified.*

Egan, J.A. and D. Rosidi (1991). Assessment of Earthquake-Induced Liquefaction Using Ground-Motion Energy Characteristics, Pacific Conference on Earthquake Engineering, Nov. 20-23, New Zealand, pp313-324.

Elias, V., J. Welsh, J. Warren, and R. Lucas (1999). Ground Improvement Technical Summaries, Volume 1, Demonstration Project 116, Report No. FHWA-SA-98-086, Federal Highway Administration, Washington, DC.

Elton, D.J. and T. Hadj-Hamou (1990). Liquefaction Potential Map for Charleston, South Carolina, Journal of Geotechnical Engineering, 116(2), pp244-265.

EPRI (1988). Engineering Model of Earthquake Ground Motion for Eastern North America, Electric Power Research Institute report: EPRI NP-6074, prepared by Risk Engineering, Inc., October.

Fear, C.E. and E.C. McRoberts (1995). Report on Liquefaction Potential and Catalogue of Case Records, Internal Research Report, Geotechnical Engineering Library, Department of Civil Engineering, University of Alberta, Edmonton, Alberta, Canada, 338pp.

Fellin, W. (2000). Rutteldruckverdichtung als plastodynamisches problem (Deep vibration compaction as plastodynamic problem), A.A. Balkema, Rotterdam, Netherlands, 216pp. (in German)

Fernandez, F. and P.T. Corcoran (2001). A Concept for Assessing Soil Compaction Efficiency, Foundations and Ground Improvement (T.L. Brandon, ed.), ASCE Geotechnical Special Publication No. 133, pp325-339.

Figuroa, J.L. (1990). A Method for Evaluating Soil Liquefaction by Energy Principles, Volume 3, Proceedings of Fourth U.S. National Conference on Earthquake Engineering, May 20-24, Palm Springs, California, pp695-704.

Figuroa, J.L. and N. Dahisaria (1991). An Energy Approach in Defining Soil Liquefaction, Second International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics, University of Missouri, Rolla, pp407-410.

Figuroa, J.L. (1993). Unit energy level associated with pore pressure development during liquefaction, Proceeding of the Sixth International Conference on Soil Dynamics and Earthquake Engineering VI, UK and Elsevier Applied Science, London, pp413-427.

Figuroa, J.L., A.S. Saada, and L. Liang (1994a). Review of Energy-Based Liquefaction Research at Case Western Reserve University, Proceedings from the Fifth US-Japan Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures Against Soil Liquefaction (T.D. O'Rourke and M. Hamada, eds.), Snowbird, UT, Sept. 29 – Oct. 1, 1994, NCEER, pp301-314.

Figuroa, J.L., A.S. Saada, L. Liang, and N.M. Dahisaria (1994b). Evaluation of Soil Liquefaction by Energy Principles, *Journal of Geotechnical Engineering*, 120(9), pp1554-1569.

Figuroa, J.L., A.S. Saada, and L. Liang (1995). Effect of the Grain Size on the Energy per Unit Volume at the Onset of Liquefaction, Vol. I, *Third International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, St. Louis, Missouri, pp197-202.

Figuroa, J.L., A.S. Saada, D. Kern, and L. Liang (1997a). Shear strength and shear modulus degradation models based on the dissipated unit energy, Vol. 1, *Proceedings of the Fourteenth International Conference on Soil Mechanics and Foundation Engineering*, Sept. 6-12, Hamburg, Germany, A.A. Balkema Publishers, Rotterdam, Netherlands, pp291-294.

Figuroa, J.L., A.S. Saada, and L. Liang (1997b). The Ground Deformations and Failures in the Van Norman Complex after the 1994 Northridge Earthquake. Part III – Laboratory Investigation, Soil Characterization and Evaluation of Liquefaction Potential Using the Unit Energy Method, *Proceedings of the NEHRP Conference and Workshop on Research on the Northridge, California Earthquake of January 17, 1994*, ppII-108 to II-116.

Figuroa, J.L., A.S. Saada, M.D. Rokoff, and L. Liang (1999). Influence of Grain-Size Characteristics in Determining the Liquefaction Potential of a Soil Deposit by the Energy Method, *Proceedings of the International Workshop on the Physics and Mechanics of Soil Liquefaction* (P.V. Lade and J.A. Yamamuro, eds.), Sept. 10-11, 1998, pp237-245.

Fragaszy, R.J. and M.E. Voss (1982). Laboratory Modelling of Blast-Induced Liquefaction, Volume 2, *Proceedings: Soil Dynamics and Earthquake Engineering Conference*, pp873-886.

Gambin, M.P. (1984). Ten Years of Dynamic Consolidation, *Proceedings: Eighth Regional Conference for Africa on Soil Mechanics and Foundation Engineering*, Harare, pp363-370. {as cited in: Van Impe, W.F., W.Haegeman, P. Menge, and M.R. Madhav (1993). *Dynamic Soil Improvement Methods*, *Proceedings: Soil Dynamics and Geotechnical Earthquake Engineering* (Seco e Pinto, ed.), A.A. Balkema, Rotterdam, pp271-351.} *Reference not verified.*

Gibbs, H.J. and W.G. Holtz (1957). Research on Determining the Density of Sands by Spoon Penetration Testing, *Proceedings: 4th International Conference on Soil Mechanics and Foundation Engineering*, Vol. I, pp35-39.

Gohl, W.B., M.G. Jefferies, J.A. Howie, and D. Diggles (2000). Explosive Compaction: Design, Implementation, and Effectiveness, *Geotechnique*, 50(6), pp657-665.

Goodman, L.E. and C.B. Brown (1962). Energy Dissipation in Contact Friction: Constant Normal and Cyclic Tangential Loading, *Journal of Applied Mechanics*, ASME, 29, pp17-22.

Green, R.A., J.K. Mitchell, and C.P. Polito (2000). An Energy-Based Excess Pore Pressure Generation Model for Cohesionless Soils. *Proceedings: Developments in Theoretical Geomechanics – The John Booker Memorial Symposium* (D.W. Smith and J.P. Carter, eds.), Sydney, New South Wales, Australia, Nov. 16-17, A.A. Balkema Publishers, Rotterdam, Netherlands, pp383-390.

Greenwood, D.A. (1991). Vibrational loading used in the construction process, Chapter 10, *Cyclic Loading of Soils: from theory to design* (O'Reilly and Brown, eds.), Blackie and Son Ltd., pp435-475.

Gutenberg, B. and C.F. Richter (1956). Magnitude and Energy of Earthquakes, *Ann. Geofis.*, 9, pp1-15.

Gutowski, T.G. and C.L. Dym (1976). Propagation of Ground Vibration: A Review, *Journal of Sound and Vibration*, 49(2), pp179-193.

Hadjian, A. and R.A. Green (2000). Impact of Layering on Local Site Response, *Proceedings: Sixth International Conference on Seismic Zonation*, November 12-15, 2000, Palm Springs Riviera Resort, CA, Earthquake Engineering Research Institute, Oakland, CA.

Hagerty, J.M. (2001). Personal Communication via e-mail.

Hall, J.R. (1962). Effects of amplitude on Damping and Wave Propagation in Granular Materials, Ph.D. Thesis (F.E. Richart, Advisor), University of Florida.

Hall, J.R. and F.E. Richart (1963). Dissipation of Elastic Wave Energy in Granular Soils, *Journal of the Soil Mechanics and Foundations Division*, 89(SM6), pp27-56.

Hall, W.J. and S.L. McCabe (1989). Current Design Spectra: Background and Limitations, *Earthquake Hazards and the Design of Constructed Facilities in the Eastern United States* (K.H. Jacob and C.J. Turkstra, eds.), Volume 558, *Annals of the New York Academy of Sciences*, pp222-233.

Hanks, T.C. and R.K. McGuire (1981). The Character of High-Frequency Strong Ground Motions, *Bulletin of the Seismological Society of America*, 71(6), pp2071-2095.

Hansbo, S. (1977). Dynamic Consolidation of Rockfill at Uddevalla Shipyard, Volume 2, *Proceedings: Ninth International Conference on Soil Mechanics and Foundation Engineering*, Tokyo, Japan, pp241-246.

- Hansbo, S. (1978). Dynamic Consolidation of Soil by a Falling Weight, *Ground Engineering*, 11(5), pp27-30, 36.
- Hardin, B.O. (1965). The Nature of Damping in Sands, *Journal of the Soil Mechanics and Foundations Division*, 91(SM1), pp63-97.
- Hatanaka, M. and A. Uchida (1996). Empirical Correlation Between Penetration Resistance and Internal Friction Angle of Sandy Soils, *Soils and Foundations*, 36(4), pp1-9.
- Hayward Baker (1996). *Ground Modification Seminar Notes*, Hayward Baker, Odenton, MD, 102pp.
- Heaton, T., F. Tajima, and A.W. Mori (1986). Estimating Ground Motions Using Recorded Accelerograms, *Surveys in Geophysics*, 8, pp25-83.
- Heckman, W.S. and J.M. Hagerty (1978). Vibrations Associated with Pile Driving, *Journal of the Construction Division*, 104(CO4), pp385-394.
- Holeyman, A. (1985). Unidimensional Modelling of Dynamic Footing Behaviour, Volume 2, *Proceedings: Eleventh International Conference on Soil Mechanics and Foundation Engineering*, 12-16 August, San Francisco, CA, A.A. Balkema, Rotterdam, Netherlands, pp761-764.
- Holeyman, A.E. (1997). An Earthquake Engineering Approach to Vibrocompaction, Volume 3, *Proceedings: Fourteenth International Conference on Soil Mechanics and Foundation Engineering*, 6-12 Sept., Hamburg, Germany, A.A. Balkema, Rotterdam, pp1603-1608.
- Hryciw, R.D. (1986). A Study of the Physical and Chemical Aspects of Blast Densification of Sand, Ph.D. Thesis (C.H. Dowding, Advisor), Northwestern University, Evanston, IL, 229pp.
- Hsu, H.-L., (1995). Study on the relationship between shear work and pore water pressure for saturated sand in undrained test, Vol. 1, *Proceedings: First International Conference on Earthquake Geotechnical Engineering* (Ishihara, ed.), A.A. Balkema Publishers, Rotterdam, Netherlands, pp301-307.
- Hynes, M.E. and R.S. Olsen (1999). Influence of Confining Stress on Liquefaction Resistance, *Proceedings of the International Workshop on the Physics and Mechanics of Soil Liquefaction*, A.A. Balkema, Rotterdam, pp145-152.
- Idriss, I.M. and H.B. Seed (1968). Seismic Response of Horizontal Layers, *Journal of the Soil Mechanics and Foundations Division*, 94(SM4), pp1003-1031.

Idriss, I.M. (1990). Response of Soft Soil Sites During Earthquakes, Volume 2, Proceedings: H. Bolton Seed Memorial Symposium, (J.M. Duncan, ed.), University of California, Berkeley, May 1990, pp273-289.

Idriss, I.M. (1991). Earthquake Ground Motions at Soft Soil Sites, Volume III, Proceedings: Second International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics, March 11-15, 1991, St. Louis Missouri, pp2265-2272.

Idriss, I.M. and J.I. Sun (1992). SHAKE91: a computer program for conducting equivalent linear seismic response analyses of horizontally layered soil deposits, University of California, Davis.

Idriss, I.M. (1993). Assessment of Site Response Analysis Procedures, report to the Structures Division, Building and Fire Research Laboratory, National Institute of Standards and Technology, July 1993.

Idriss, I.M. (1997). Evaluation of Liquefaction Potential and Consequences: Historical Perspective and Updated Procedures, Presentation Notes, 3rd Short Course on Evaluation and Mitigation of Earthquake Induced Liquefaction Hazards, March 13-14, 1997, San Francisco, 16pp.

Ishibashi, I. and X. Zhang (1993). Unified Dynamic Shear Moduli and Damping Ratios of Sand and Clay, Soils and Foundations, 33(1), pp182-191.

Ishihara, K. and M. Yoshimine (1992). Evaluation of Settlements in Sand Deposits Following Liquefaction During Earthquakes, Soils and Foundations, 32(1), pp173-188.

Ivanov, P.L. (1967). Compaction of Noncohesive Soils by Explosions (translated from Russian, 1972), National Technical Information Service Report No. TT7057221, US Department of Commerce, Springfield, VA, 211pp.

Iwan, W.D. and I-M. Yang (1971). Statistical Linearization for NonLinear Structures, Journal of the Engineering Mechanics Division, 97(EM6), pp1609-1623.

Jacobsen, L.S. (1930). Steady Forced Vibration as Influenced by Damping, Transactions of ASME, Vol.52, pp169-181.

Jacobsen, L.S. (1960). Damping in Composite Structures, Volume 2, Proceedings of the Second World Conference on Earthquake Engineering, pp1029-1044.

Johnson, K.L. (1961). Energy Dissipation at Spherical Surfaces in Contact Transmitting Oscillating Forces, Journal of Mechanical Engineering Science, Institute of Mechanical Engineers, 3(4), pp362-368.

Kayen, R.E. (1993). Accelerogram Energy Approach for Prediction of Earthquake-Induced Ground Liquefaction, Ph.D. Thesis (J.K. Mitchell, Advisor), Department of Civil Engineering, University of California at Berkeley, 289pp.

Kayen, R.E. and J.K. Mitchell (1997). Assessment of Liquefaction Potential During Earthquakes by Arias Intensity, *Journal of Geotechnical and Geoenvironmental Engineering*, 123(12), pp. 1162-1174.

Kayen, R.E. and J.K. Mitchell (1998). Variation of the Intensity of Earthquake Motion Beneath the Ground Surface, *Proceedings of the Sixth U.S. National Conference on Earthquake Engineering – Seismic Design and Mitigation for the Third Millennium*, May 31 – June 4, Seattle, Washington.

Kennedy, J.E. (1996). Detonation Physics, Volume 2, short course presentation materials, 16-20 September, Santa Fe, NM.

Kern, D.M. (1996). Validation of Degradation Models Based on the Unit Energy for Evaluating the Liquefaction Potential of Soils, MS Thesis (J.L. Figueroa, Advisor), Department of Civil Engineering, Case Western Reserve University, Cleveland, OH, 102pp.

Kim, D.-S. and J.-S. Lee (1998). Source and Attenuation Characteristics of Various Ground Vibrations, Volume 2, *Geotechnical Earthquake Engineering and Soil Dynamics III* (P. Dakoulas, M. Yegian, and B. Holtz, eds.), Geotechnical Special Publication No. 75, ASCE, pp1507-1517.

Koester, J.P. (1992). Cyclic Strength and Pore Pressure Generation Characteristics of Fine-Grained Soils, Ph.D Thesis (N-Y. Chang and H-Y. Ko, Advisors), Department of Civil Engineering, University of Colorado at Boulder, Boulder, CO, 637pp.

Kok, L. and R.W. Trense (1979). Blast-Induced Soil Liquefaction: State-of-the-art, *Proceedings: Sixth International Symposium on Military Applications of Blast Simulation*, Cahors, France, 25-29 June, pp7.6.1 to 7.6.11.

Kok, L. (1981). Settlements Due to Contained Explosions in Water-Saturated Sands, *Proceedings: Seventh International Symposium on Military Applications of Blast Simulation*, Medicine Hat, Alberta, Canada, 13-17 July, pp4.3-1 to 4.3-8.

Konya, C.J. and E.J. Walter (1990). *Surface Blast Design*, Prentice Hall, Inc., Englewood Cliffs, NJ, 303pp.

Kramer, S.L. (1996). *Geotechnical Earthquake Engineering*, Prentice Hall Publishing, Upper Saddle River, NJ, 653pp.

Krinitzsky, E.L., J.P. Gould, and P.H. Edinger (1993). *Fundamentals of Earthquake Resistant Construction*, John Wiley and Sons, Inc., 299pp.

- Kummeneje, O. and O. Eide (1961). Investigation of Loose Sand Deposits by Blasting, Volume 1, Proceedings: Fifth International Conference on Soil Mechanics and Foundation Engineering, 17-22 July, Paris, France, pp491-497.
- Kusky, P.J. (1996). The Influence of Loading Rate on the Unit Energy Required for Liquefaction, MS Thesis (J.L. Figueroa, Advisor), Department of Civil Engineering, Case Western Reserve University, May 1996, 97pp.
- Kuwano, J. (2000). Personal Communication via e-mail.
- Law, K.T., Y.L. Cao, and G.N. He (1990). An Energy Approach for Assessing Seismic Liquefaction Potential, Canadian Geotechnical Journal, 27(3), pp320-329.
- Lee, K.L. and K. Chan (1972). Number of Equivalent Significant Cycles in Strong Motion Earthquakes, Vol. 2, Proceedings of the International Conference on Microzonation for Safer Construction Research and Application, October 30 – November 3, 1972, Seattle Washington, pp609-627.
- Lee, M.K.W. and W.D.L. Finn (1978). DESRA-2, Dynamic Effective Stress Response Analysis of Soil Deposits with Energy Transmitting Boundary Including Assessment of Liquefaction Potential, Soil Mechanics Series No. 38, University of British Columbia, Vancouver, Canada.
- Lenards, G.A., W.A. Cutter, and R.D. Holtz (1980). Dynamic Compaction of Granular Soils, Journal of the Geotechnical Engineering Division, 106(GT1), pp35-41.
- Liang, L. (1995). Development of an Energy Method for Evaluating the Liquefaction Potential of a Soil Deposit, Ph.D. Dissertation (J.L. Figueroa and A.S. Saada, Advisors), Case Western Reserve University, 281pp.
- Liang, L., J.L. Figueroa, and A.S. Saada (1995a). Effect of the amplitude of shear strain on the energy density at the onset of liquefaction, Proceedings of the Seventh International Conference on Soil Dynamics and Earthquake Engineering VII (A.S. Cakmak and C.A. Brebbria, eds.), May, Crete, Greece, Computational Mechanics Publications, Southampton, pp133-146.
- Liang, L., J.L. Figueroa, and A.S. Saada (1995b). Liquefaction Under Random Loading: Unit Energy Approach, Journal of Geotechnical Engineering, 121(11), pp776-781.
- Liao, S.S.C. and R.V. Whitman (1986). A Catalog of Liquefaction and Non-Liquefaction Occurrences During Earthquakes, Department of Civil Engineering, Massachusetts Institute of Technology, Cambridge, MA, 117pp.
- Long, J.H., E.R. Ries, and A.P. Michalopoulos (1981). Potential for Liquefaction Due to Construction Blasting, Proceedings: International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics, pp191-194.

- Lukas, R.G. (1984). *Densification of Loose Deposits by Pounding*, Journal of the Geotechnical Engineering Division, 106(GT4), pp435-446.
- Lukas, R.G. (1986). *Dynamic Compaction for Highway Construction, Volume 1, Design and Construction Guidelines*, Report No. FHWA/RD-86/133, Federal Highway Administration, Washington, DC, 230pp.
- Lukas, R.G. (1995). *Dynamic Compaction*, Geotechnical Engineering Circular No. 1, Publication No. FHWA-SA-95-037, Federal Highway Administration, Office of Engineering, Office of Technology Applications, Washington, DC, 97pp.
- Lyman, A.K.B. (1942). *Compaction of Cohesionless Foundation Soils by Explosives*, Transactions of ASCE, Vol. 107, pp1330-1341.
- Lysmer, J. and F.E. Richart (1966). *Dynamic Response of Footings to Vertical Loading*, Journal of the Soil Mechanics and Foundations Division, 92(SM1), pp65-91.
- Madera, G.A. (1970). *Fundamental Period and Amplification of Peak Acceleration in Layered Systems*, Research Report R70-37, Soils Publication No. 260, Department of Civil Engineering, MIT, 77pp.
- Martin, G.R., W.D.L. Finn, and H.B. Seed (1975). *Fundamentals of Liquefaction Under Cyclic Loading*, Journal of the Geotechnical Engineering Division, 101(GT5), pp423-438.
- Massarsch, K.R. and B.B. Broms (1983). *Soil Compaction by Vibro Wing Method, Volume 1, Proceedings: the Eighth European Conference on Soil Mechanics and Foundation Engineering* (H.G. Rathmayer and K.H.O. Saari, eds.), Helsinki, May 23-26, pp275-278.
- Massarsch, K.R. and B. Lindberg (1984). *Deep Compaction by Vibro Wing Method, Volume 3, Proceedings: Eighth World Conference on Earthquake Engineering*, July 21-28, Prentice-Hall, Inc., pp103-110.
- Massarsch, K.R. (1991). *Deep Soil Compaction Using Vibratory Probes*, in *Deep Foundations Improvements: Design, Construction, and Testing* (M.I. Esrig and R.C. Bachus, eds.), STP 1089, American Society for Testing and Materials, Philadelphia, PA, pp297-319.
- Massarsch, K.R. and G. Heppel (1991). *Deep Vibratory Compaction Using the Muller Resonance Compaction (MRC) System*, Report 91:2, Muller Geosystems, Marburg, Germany, 23pp.
- MathSoft, Inc. (1998). *Mathcad 8*, MathSoft, Inc., 101 Main Street, Cambridge, MA 02142

- Mayne, P.W. and J.S. Jones (1983). Impact Stresses During Dynamic Compaction, *Journal of Geotechnical Engineering*, 109(10), pp1342-1346.
- Mayne, P.W. (1984). Ground Improvement by Dynamic Compaction, *Civil Engineering Practice, Geotechnical Ocean Engineering*, pp405-422.
- Mayne, P.W., J.S. Jones, and J.C. Dumas (1984). Ground Response to Dynamic Compaction, *Journal of Geotechnical Engineering*, 110(6), pp757-774.
- Mayne, P.W. (1985). Ground Vibrations During Deep Dynamic Compaction, *Vibration Problems in Geotechnical Engineering* (G. Gazetas and E.T. Selig, eds.), Proceedings of a Symposium sponsored by the Geotechnical Engineering Division in conjunction with the ASCE Convention in Detroit, Michigan, October 22, pp247-265.
- McCabe, S.L. and W.J. Hall (1987). Evaluation of Structural Response and Damage Resulting from Earthquake Ground Motion, SRS No. 538, University of Illinois at Urbana-Champaign, 271pp.
- McGuire, R.K. and K.M. Shedlock (1981). Statistical Uncertainties in Seismic Hazard Evaluations in the United States, *Bulletin of the Seismological Society of America*, 71(4), pp1287-1308.
- McLaughlin, P. (1991). Crater Blasting of Soils (Developing Production Crater Blast Patterns in Plastic Materials), Northwest Mining Association Short Course, Spokane, WA, {as cited in: Narin van Court, W.A. and J.K. Mitchell (1995). Investigation of Predictive Methodologies for Explosive Compaction, Proceedings: Soil Improvement for Earthquake Hazard Mitigation (R.D. Hryciw, ed.), Geotechnical Special Publication No. 49, ASCE, pp51-65.} *Unable to verify reference.*
- Meek, J.W. and J.P. Wolf (1992). Cone Models for Homogeneous Soil. I., *Journal of Geotechnical Engineering*, 118(5), pp667-685.
- Meek, J.W. and J.P. Wolf (1993a). Cone Models for Nearly Incompressible Soil, *Earthquake Engineering and Structural Dynamics*, Vol. 22, pp649-663.
- Meek, J.W. and J.P. Wolf (1993b). Why Cone Models Can Represent the Elastic Half-Space, *Earthquake Engineering and Structural Dynamics*, Vol. 22, pp759-771.
- Menard, L. and Y. Broise (1975). Theoretical and Practical Aspects of Dynamic Consolidation, *Geotechnique*, Vol. 25, pp3-18.
- Mindlin, R.D. (1949). Compliance of Elastic Bodies in Contact, *Transactions of the American Society of Mechanical Engineers*, 71, 259-268.

- Mindlin, R.D., W.P. Mason, T.F. Osmer, and H. Deresiewicz (1951). Effects of an Oscillating Tangential Force on the Contact Surfaces of Elastic Spheres, Proceedings: First US National Congress of Applied Mechanics, pp203-208.
- Mindlin, R.D. (1954). Mechanics of Granular Media, Proceedings: Second US National Congress of Applied Mechanics, Ann Arbor, MI, June 16, pp13-20.
- Mitchell, J.K. (1981). Soil Improvement - State-of-the-Art Report, Volume 4, Proceedings of the 10th International Conference on Soil Mechanics and Foundation Engineering, Stockholm, pp509-565.
- Mitchell, J.K. and P.M. Gallagher (1998). Guidelines for Ground Improvement of Civil Works and Military Structures and Facilities, Publication No. ETL 1110-1-185, US Army Corps of Engineers, Washington, DC, 109pp.
- Miura, S. and S. Toki (1982). A Sample Preparation Method and its Effect on Static Cyclic Deformation-Strength Properties of Sand, Soils and Foundations, 22(1), pp61-77.
- Moreno, E., E. Santoyo, and A. Fuentes de la Rosa (1983). Dynamic Compaction of Penitas Dam Foundation, Volume 1, Proceedings: Seventh Panamerican Conference on Soil Mechanics and Foundation Engineering, June, Vancouver, Canada, pp123-133.
- Moroto, N. and Y. Tanoue (1989). Liquefaction Potential of Sandy Ground from an Energy Consideration, Proceedings: 4th International Conference on Soil Dynamics and Earthquake Engineering (A.S. Cakmak and I. Herrera, eds.), Computational Mechanics Publications, South Hampton, United Kingdom, pp22-25.
- Moroto, N. (1995). Liquefaction Potential of Sandy Ground Derived from Energy Consideration, Proceedings: Earthquake Geotechnical Engineering (Ishihara, ed.), A.A. Balkema, Rotterdam, pp905-910.
- Mostaghel, M. and K. Habibaghi (1978). Cyclic Liquefaction Strength of Sands, Report: School of Engineering, Pahlavi University, Shiraz, Iran, 25pp.
- Mostaghel, M. and K. Habibaghi (1979). Cyclic Liquefaction Strength of Sands, Earthquake Engineering and Structural Dynamics, Vol. 7, pp213-233.
- Narin van Court, W.A. and J.K. Mitchell (1994a). Soil Improvement by Blasting, Journal of Explosive Engineering, 12(3), pp34-41.
- Narin van Court, W.A. and J.K. Mitchell (1994b). Explosive Compaction: Densification of Loose, Saturated, Cohesionless Soils by Blasting, Geotechnical Engineering Report No. UCB/GT/94-03, Department of Civil Engineering, University of California, Berkeley, CA.

Narin van Court, W.A. and J.K. Mitchell (1995). Investigation of Predictive Methodologies for Explosive Compaction, Proceedings: Soil Improvement for Earthquake Hazard Mitigation (R.D. Hryciw, ed.), Geotechnical Special Publication No. 49, ASCE, pp51-65.

Narin van Court, W.A. and J.K. Mitchell (1998). Investigation of Predictive Methodologies for Explosive Compaction, Volume 1, Proceedings: Geotechnical Earthquake Engineering and Soil Dynamics III (P. Dakoulas, M. Yegian, and R.D. Holtz, eds.), Geotechnical Special Publication No. 75, ASCE, pp639-653.

NCEER (1997). Proceeding of the NCEER Workshop on Evaluation of Liquefaction Resistance of Soils, (T.L. Youd and I.M. Idriss, eds.), Technical Report NCEER-97-0022, National Center for Earthquake Engineering Research, State University of New York at Buffalo, 276pp.

Neely, W.J. and D.A. Leroy (1991). Densification of Sand Using a Variable Frequency Vibratory Probe, in Deep Foundations Improvements: Design, Construction, and Testing (M.I. Esrig and R.C. Bachus, eds.), STP 1089, American Society for Testing and Materials, Philadelphia, PA, pp320-332.

NEHRP (1998). NEHRP Recommended Provisions for Seismic Regulations for New Buildings and Other Structures, Part 1- Provisions: FEMA 302, Part 2-Commentary FEMA 303, Federal Emergency Management Agency, Washington DC.

Nemat-Nasser, S. and A. Shokooh (1977). A Unified Approach to Densification and Liquefaction of Cohesionless Sand, Technical Report No. 77-10-3, Earthquake Research and Engineering Laboratory, Department of Civil Engineering, Northwestern University, Evanston, IL, October, 44pp.

Nemat-Nasser, S. and A. Shokooh (1979). A Unified Approach to Densification and Liquefaction of Cohesionless Sand in Cyclic Shearing, Canadian Geotechnical Journal, Vol. 16, pp659-678.

Newmark, N.M. (1968). Problems in Wave Propagation in Soil and Rock, Proceedings: International Symposium on Wave Propagation and Dynamic Properties of Earth Materials, August 23-25, 1967, University of New Mexico Press, Albuquerque, MN, pp7-26.

Newmark, N.M. and W.J. Hall (1982). Earthquake Spectra and Design, Monograph Series, Earthquake Engineering Research Institute, Oakland, CA, 103pp.

NRC (1985). Liquefaction of Soils During Earthquakes, Committee on Earthquake Engineering, Commission on Engineering and Technical Systems, National Research Council, National Academy Press, Washington, DC, 240pp.

- NRC (1988). Probabilistic Seismic Hazard Analysis, National Research Council, National Academy Press, Washington, DC, 97pp.
- Ogawa, Y., H. Abe, and S. Yoshitsugu (1995). Energy loss and stored elastic energy during liquefaction process, Proceedings: First International Conference on Earthquake Geotechnical Engineering (K. Ishihara, ed.), A.A. Balkema Publishers, Rotterdam, Netherlands, pp957-962.
- Ostadan, F., N. Deng, and I. Arango (1996). Energy-Based Method for Liquefaction Potential Evaluation, Phase I – Feasibility Study, U.S. Department of Commerce, Technology Administration, National Institute of Standards and Technology, Building and Fire Research Laboratory, August.
- Ostadan, F., N. Deng, and I. Arango (1998). Energy-Based Method for Liquefaction Potential Evaluation, Proceedings: Eleventh European Conference on Earthquake Engineering, Sept. 6-11.
- Oweis, I., A. Urzua, and R. Dobry (1975). Simplified Procedures for Estimating the Fundamental Period of a Soil Profile, Proceedings: Thirteenth Annual Engineering Geology and Soils Engineering Symposium, 2-4 April, Moscow, ID, pp51-58.
- Pan, J.L. and A.R. Selby (2000). Analysis of Dynamic Compaction of Loose Soils Under Impact Loads, Proceedings: 4th International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics, Paper 2.09, 7pp.
- Peck, R.B., W.E. Hanson, and T.H. Thornburn (1974). Foundation Engineering, 2nd edition, John Wiley and Sons, Inc., New York, New York, 514pp.
- Polito, C.P. (1999). The Effects of Non-Plastic and Plastic Fines on the Liquefaction of Sandy Soils, Ph.D. Thesis (J.R. Martin, Advisor), Department of Civil Engineering, Virginia Tech, Blacksburg, VA, 289pp.
- Polito, C.P. and J.R. Martin (2001). Effects of Nonplastic Fines on the Liquefaction Resistance of Sands, Journal of Geotechnical and Geoenvironmental Engineering, pp408-415.
- Puchstein, A.F., T.C. Llyod, and A.G. Conrad (1954). Alternating-Current Machines, 3rd edition, Asia Publishing House, Bombay India.
- Qian, J.H. (1985). Dynamic Consolidation: From Practice to Theory, Proceedings: ICSMFE {as cited in: Van Impe, W.F., W.Haegeman, P. Menge, and M.R. Madhav (1993). Dynamic Soil Improvement Methods, Proceedings: Soil Dynamics and Geotechnical Earthquake Engineering (Seco e Pinto, ed.), A.A. Balkema, Rotterdam, pp271-351.} *Unable to verify reference.*

Ramaswamy, S.D., S.L. Lee, and I.U. Daulah (1981). Dynamic Consolidation – Dramatic Way to Strengthen Soil, Civil Engineering, ASCE, April. {as cited in: Moreno, E., E. Santoyo, and A. Fuentes de la Rosa (1983). Dynamic Compaction of Penitas Dam Foundation, Volume 1, Proceedings: Seventh Panamerican Conference on Soil Mechanics and Foundation Engineering, June, Vancouver, Canada, pp123-133.} *Reference not verified.*

Rathje, E.M., N.A. Abrahamson, and J.D. Bray (1998). Simplified Frequency Content Estimates of Earthquake Ground Motions, Journal of Geotechnical and Geoenvironmental Engineering, 124(2), pp150-159.

Richart, F.E., J.R. Hall, and R.D. Woods (1970). Vibrations of Soils and Foundations, Prentice-Hall, Inc., Englewood Cliffs, NJ, 414pp.

Robertson, P.K. and C.E. Wride (1998). Evaluating Cyclic Liquefaction Potential Using the Cone Penetration Test, Canadian Geotechnical Journal, 35(3), pp442-459.

Rokoff, M.D. (1999). The Influence of Grain-Size Characteristics in Determining the Liquefaction Potential of a Soil Deposit by the Energy Method, MS Thesis (J.L. Figueroa, Advisor), Department of Civil Engineering, Case Western Reserve University, January 1999, 133pp.

Roesset, J.M. (1970). Fundamentals of Soil Amplification, in: Seismic Design for Nuclear Power Plants (R.J. Hansen, ed.), The MIT Press, Cambridge, MA, pp183-244.

Roesset, J.M., E. Kausel, V. Cuellar, J.L. Monte, and J. Valerio (1994). Impact of Weight Falling onto the Ground, Journal of Geotechnical Engineering, 120(8), pp1394-1412.

Running, D.L. (1996). An Energy-Based Model for Soil Liquefaction, Ph.D thesis (B. Muhunthan, Advisor), Washington State University, 267pp.

Saito, A. (1977). Characteristics of Penetration Resistance of a Reclaimed Sandy Deposit and Their Change Through Vibratory Compaction, Soils and Foundations, 17(4), pp32-43.

Sanders, S.G. (1982). Assessment of the Liquefaction Hazards Resulting from Explosive Removal of the Bird's Point New-Madrid Fuze Plug Levee, Misc. Paper No. GL-82-5, US Army Corps of Engineers Waterways Experiment Station, Vicksburg, MS, 32pp. {as cited in: Bretz, T.E. (1989). Soil Liquefaction Resulting from Blast-Induced Spherical Stress Waves, PhD Thesis (W.A. Charlie, Advisor), Department of Civil Engineering, Colorado State University, 256pp.} *Reference not verified.*

Santoyo, E. and A. Fuentes de la Rosa (1982). Pruebas de Penetracion en el Aluvion de la Presa Penitas, Antes y Despues de la Compactacion Dinamica (Penetration Tests in the Alluvial Deposits of Penitas Dam, Before and After Dynamic Compaction), in Spanish, Report submitted to Comision Federal de Electricidad by Instituto de Ingenieria, UNAM, March, Mexico City, Mexico {as cited in: Moreno, E., E. Santoyo, and A. Fuentes de la Rosa (1983). Dynamic Compaction of Penitas Dam Foundation, Volume 1, Proceedings: Seventh Panamerican Conference on Soil Mechanics and Foundation Engineering, June, Vancouver, Canada, pp123-133.} *Unable to verify reference.*

Schnabel, P.B., J. Lysmer, and H.B. Seed (1972). SHAKE: A Computer Program for Earthquake Response Analysis of Horizontally Layered Sites, Report No. EERC 72-12, Earthquake Engineering Research Center, University of California, Berkeley, California.

Schofield, A. and P. Wroth (1968). Critical State Soil Mechanics, McGraw-Hill Book Company, New York, NY, 310pp.

Schroeder, W.L. and M. Byington (1972). Experiences with Compaction of Hydraulic Fills, Proceedings: Tenth Annual Engineering Geology and Soils Engineering Symposium, 5-7 April, Moscow, ID, pp123-135.

Schure, L.A. (1990). Porewater Pressure Increases Resulting from Blast-induced Spherical Stress Waves, MS Thesis, Colorado State University. {as cited in: Narin van Court, W.A. and J.K. Mitchell (1994). Explosive Compaction: Densification of Loose, Saturated, Cohesionless Soils by Blasting, Geotechnical Engineering Report No. UCB/GT/94-03, Department of Civil Engineering, University of California, Berkeley.} *Reference not verified.*

Scott, R.A. and R.W. Pearce (1975). Soil Compaction by Impact, *Geotechnique*, 25, pp19-30.

Seed, H.B., I.M. Idriss, and F.W. Kiefer (1969). Characteristics of Rock Motions During Earthquakes, *Journal of the Soil Mechanics and Foundation Division*, 95(5), pp1199-1218.

Seed, H.B., and I.M. Idriss (1971). Simplified Procedure for Evaluating Soil Liquefaction Potential, *Journal of the Soil Mechanics and Foundations Division*, 97(SM9), pp1249-1273.

Seed, H.B., I.M. Idriss, F. Makdisi, N. Banerjee (1975). Representation of Irregular Stress Time Histories by Equivalent Uniform Stress Series in Liquefaction Analyses, Report No. EERC 75-29, College of Engineering, University of California, Berkeley, 13pp.

Seed, H.B. and I.M. Idriss (1982). Ground Motions and Soil Liquefaction During Earthquakes, Monograph Series, Earthquake Engineering Research Institute, Oakland, CA, 134pp.

- Seed, H.B. (1983). Earthquake Resistance Design of Earth Dams, Symposium on Seismic Design of Earth Dams and Caverns, ASCE, New York, pp41-64.
- Seed, H.B., K. Tokimatsu, L.F. Harder, R.M. Chung (1984). The Influence of SPT Procedures in Soil Liquefaction Resistance Evaluations, Report No. EERC 84-15, College of Engineering, University of California, Berkeley.
- Seed, H.B., R.T. Wong, I.M. Idriss, and K. Tokimatsu (1986). Moduli and Damping Factors for Dynamic Analyses of Cohesionless Soils, *Journal of Geotechnical Engineering*, 112(GT11), pp1016-1032.
- Seed, R.B. and L.F. Harder (1990). SPT-Based Analysis of Cyclic Pore Pressure Generation and Undrained Residual Strength, Volume 2, Proceedings: H. Bolton Seed Memorial Symposium (J.M. Duncan, ed.), BiTech Publishers, Ltd., pp351-376.
- Shakal, A.F. and D.L. Bernreuter (1981). Empirical Analyses of Near-Source Ground Motion, NUREG/CR-2095, US Nuclear Regulatory Commission.
- Sharpe, J.A. (1942). The Production of Elastic Waves by Explosive Pressures. I. Theory and Empirical Observations, *Geophysics*, 7, pp144-154.
- Silva, W.J. and K. Lee (1987). WES RASCAL Code for Synthesizing Earthquake Ground Motions, Miscellaneous Paper S-73-1, State-of-the-Art for Assessing Earthquake Hazards in the United States Report 24, Geotechnical Laboratory, US Army Engineer Waterways Experiment Station, Vicksburg, MS.
- Simcock, K.J., R.O. Davis, J.B. Berrill, and G. Mullenger (1983). Cyclic Triaxial Tests with Continuous Measurement of Dissipated Energy, *Geotechnical Testing Journal*, 6(1), pp35-39.
- Sinitzin, A.P. (1983). Improving the Bearing Capacity of Two-Layered Soil, Volume 1, Proceedings: Eighth European Conference on Soil Mechanics and Foundation Engineering, A.A. Balkema, Rotterdam, Netherlands, pp307-308.
- Skempton, A.W. (1954). The Pore Pressure Coefficients A and B, *Geotechnique*, 4(4), pp143-147.
- Skempton, A.W. (1986). Standard Penetration Test Procedures and the Effects in Sand of Overburden Pressure, Relative Density, Particle Size, Aging, and Overconsolidation, *Geotechnique*, 36(3), pp425-447.
- Smolczyk, U. (1983). Deep Compaction - General Report, Volume 3, Proceedings: Eight European Conference on Soil Mechanics and Foundation Engineering, Helsinki, pp1105-1116.
- Solymar, Z.V. (1984). Compaction of Alluvial Sands by Deep Blasting, *Canadian Geotechnical Journal*, Vol. 21, pp305-321.

Soydemir, Cetin (2000). Personal communication via e-mail.

Streeter, V.L., E.B. Wylie, and F.E. Richart (1973). Soil Motion Computations by Characteristic Methods, Proceedings: ASCE National Structural Engineering Conference, San Francisco.

Studer, J. and L. Kok (1980). Blast-Induced Excess Porewater Pressure and Liquefaction Experience and Application, Proceedings: International Symposium on Soils Under Cyclic and Transient Loading (G.N. Pande and O.C. Zienkiewicz, eds.), 7-11 January 1980, Swansea, Wales, pp581-593.

Trifunac, M.D. (1976a). Preliminary Analysis of the Peaks of Strong Earthquake Ground Motion - Dependence of Peaks on Earthquake Magnitude, Epicentral Distance and the Recording Site Conditions, Bulletin of the Seismological Society of America, 66, pp189-219.

Trifunac, M.D. (1976b). Preliminary Empirical Model for Scaling Fourier Amplitude Spectra of Strong Ground Acceleration in Terms of Earthquake Magnitude, Source to Station Distance and the Recording Site Conditions, Bulletin of the Seismological Society of America, 66, pp1343-1373.

Trifunac, M.D. (1995). Empirical criteria for liquefaction in sands via standard penetration tests and seismic wave energy, Soil Dynamics and Earthquake Engineering, Vol. 14, pp419-426.

Tokimatsu, K. and H.B. Seed (1987). Evaluation of Settlements in Sands due to Earthquake Shaking, Journal of Geotechnical Engineering, 113(8), pp861-878.

Towhata, I. and K. Ishihara (1985). Shear Work and Pore Water Pressure in Undrained Shear, Soils and Foundations, 25(3), pp73-84.

Tsuchida, H. (1970). Prediction and Countermeasure Against the Liquefaction in Sand Deposits, Abstract of the Seminar, Port and Harbor Research Institute, (in Japanese). {as cited in: Ishihara, K., T. Kokusho, and M.L. Silver (1989). Recent Developments in Evaluating Liquefaction Characteristics of Local Soils, Volume 4, Proceedings: 12th International Conference on Soil Mechanics and Foundation Engineering, A.A. Balkema, Rotterdam, Netherlands, pp2719-2734.} *Unable to verify reference.*

Uang, C-M. and V. V. Bertero (1988). Use of Energy as a Design Criterion in Earthquake-Resistant Design, UCB/EERC-88/18, Earthquake Engineering Research Center, University of California at Berkeley, 46pp.

Van Impe, W.F. (1989). Soil Improvement Techniques and their Evolution, A.A. Balkema, Rotterdam, Netherlands, 125pp.

Van Impe, W.F., W.Haegeman, P. Menge, and M.R. Madhav (1993). Dynamic Soil Improvement Methods, Proceedings: Soil Dynamics and Geotechnical Earthquake Engineering (Seco e Pinto, ed.), A.A. Balkema, Rotterdam, pp271-351.

Van Impe, W.F., F. De Cook, R. Massarsch, and P. Menge (1994). Recent Experiences and Developments of the Resonant Vibrocompaction Technique, Volume 3, Proceedings of the Thirteenth International Conference on Soil Mechanics and Foundation Engineering, New Delhi, India, pp1151-1156.

Van Impe, W.F. and M.R. Madhav (1995). Deep Dynamic Densification of Granular Deposits, Report: Soil Mechanics Laboratory, Ghent University, Zwijnaarde, Belgium.

Vucetic, M. and R. Dobry (1991). Effect of Soil Plasticity on Cyclic Response, Journal of Geotechnical Engineering, 117(1), pp89-107.

Wang, G., J. Takemura, and J. Kuwano (1997). Evaluation of excess pore water pressures of intermediate soils due to cyclic loading by energy method, Computer Methods and Advances in Geomechanics (Yuan, ed), A.A. Balkema Publishers, Rotterdam, Netherlands, pp2215-2220.

Whitman, R.V. (1971). Resistance of Soil to Liquefaction and Settlement, Soils and Foundations, 11(4), pp59-68.

Whitman, R., J. Roessett, R. Dobry, L. Ayestaran (1972). Accuracy of Modal Superposition for One-Dimensional Amplification Analysis, Vol. 2, Proc. Intern. Conf. on Microzonation for Safer Construction Research and Application, pp483-498.

Whitman, R.V. and R. Dobry (1993). Modulus and Damping for Large Strains, Chapter 14, Soil Dynamics (draft), Wiley Publishing, (used as course notes for CE1.331 Soil Dynamics, MIT, Spring 1993).

Wiss, J.F. (1967). Damage Effects of Pile Driving Vibration, Highway Research Record No. 155, Highway Research Board, Washington, DC, pp14-20.

Wolf, J.P. (1994). Foundation Vibration Analysis Using Simple Physical Models, PTR Prentice Hall, Englewood Cliffs, NJ, 423pp.

Wolf, J.P. and C. Song (1999). The Guts of Dynamic Soil-Structure Interaction, Proceedings: International Symposium on Earthquake Engineering, Budva, Montenegro, September 22-25, 15pp.

Woods, R.D. and L.P. Jedgele (1985). Energy – Attenuation Relationships from Construction Vibrations, Vibration Problems in Geotechnical Engineering (G. Gazetas and E.T. Selig, eds.), Proceedings of a Symposium sponsored by the Geotechnical Engineering Division in conjunction with the ASCE Convention in Detroit, Michigan, October 22, pp229-246.

Wu, G. (1995). Dynamic Response Analysis of Saturated Granular Soils to Blast Loads Using a Single Phase Model, NSERC Research Report, 68pp.

Wu, G. (1996). Volume Change and Residual Pore Water Pressure of Saturated Granular Soils to Blast Loads, NSERC Research Report.

Yamazaki, F., I. Towhata, and K. Ishihara (1985). Numerical model for liquefaction problem under multidirectional shearing on horizontal plane, Volume 1, Proceedings: Fifth International Conference on Numerical Methods in Geomechanics, Nagoya, Japan, April 1-5, pp399-406.

Yanagisawa, E. and T. Sugano (1994). Undrained Shear Behaviors of Sand in View of Shear Work, special volume on Performance of Ground and Soil Structures during Earthquakes, Thirteenth International Conference on Soil Mechanics and Foundation Engineering, New Delhi, pp155-158.

Yoshimi, Y., K. Tokimatsu, O. Kaneko, and Y. Makihara (1984). Undrained Cyclic Shear Strength of a Dense Niigata Sand, *Soils and Foundations*, 24(4), pp131-145.

Youd, T.L. and S.K. Noble (1997). Magnitude Scaling Factors, in NCEER (1997), pp201-215.

Youd, T.L., I.M. Idriss, R.D. Andrus, I. Arango, G. Castro, J.T. Christian, R. Dobry, W.D.L. Finn, L.F. Harder, M.E. Hynes, K. Ishihara, J.P. Koester, S.S.C. Liao, W.F. Marcuson, G.R. Martin, J.K. Mitchell, Y. Moriwaki, M.S. Power, P.K. Robertson, R.B. Seed, and K.H. Stokoe (2001). Liquefaction Resistance of Soils: Summary Report from the 1996 NCEER and 1998 NCEER/NSF Workshops on Evaluation of Liquefaction Resistance of Soils, *Journal of Geotechnical and Geoenvironmental Engineering*, 127(4), pp297-313.

Zahrah, T.F. and W.J. Hall (1982). Seismic Energy Absorption in Simple Structures, SRS No. 501, University of Illinois at Urbana-Champaign, 207pp.