

Chapter 4

LITERATURE CITED

1. Ainsworth, G.C.; Sussman, A.S. 1965. The Fungi: an Advanced Treatise, Volume 1, The Fungal Cell. Academic Press, New York. 748 pp.
2. Anagnostakis, S. L. 1977. Vegetative incompatibility in *Endothia parasitica*. *Experimental Mycology* 1: 306-316.
3. Anagnostakis, S.L. 1981. Stability of double-stranded RNA components of *Endothia parasitica* through transfer and subculture. *Experimental Mycology* 5: 236-242.
4. Anagnostakis, S.L. 1982. Genetic analyses of *Endothia parasitica*: linkage data for four single genes and three vegetative compatibility types. *Genetics* 102: 25-28.
5. Anagnostakis, S.L. 1983. Conversion to curative morphology in *Endothia parasitica* and its restriction by vegetative incompatibility. *Mycologia* 75: 777-780.
6. Anagnostakis, S.L.; Day, P. R. 1979. Hypovirulence conversion in *Endothia parasitica*. *Phytopathology* 69: 1226-1229.
7. Biella, S.; Smith, M.L.; Aist, J.R.; Cortesi, P.; Milgroom, M.G. 2002. Programmed cell death correlates with virus transmission in a filamentous fungus. *Proc. R. Soc. London Ser. B.* 269: 2269-76.
8. Biraghi, A. 1953. Possible active resistance to *Endothia parasitica* in *Castanea sativa*. *Rep. Cong. Int. Union For. Res. Org. Rome* 11:149-157.
9. Bonifacio, A.; Turchetti, T. 1973. Differenze morfologiche e fisiologiche in isolate di *Endothia parasitica* (Murr.) And. *Annali Accademia Italiana di Scienze Forestali* 22: 111-131.
10. Chen, B.; Nuss, D. 1999. Infectious cDNA clone of hypovirus CHV1-Euro 7: A comparative virology approach to investigate virus-mediated hypovirulence of the chestnut blight fungus, *Cryphonectria parasitica*. *Journal of Virology* 73: 985-992.
11. Choi, G.H.; Nuss, D.L. 1992. Hypovirulence of chestnut blight fungus conferred by an infectious viral cDNA. *Science* 257: 800-803.
12. Cortesi, P.; Rigling, D.; Heiniger, U. 1998. Comparison of vegetative compatibility types in Italian and Swiss subpopulations of *Cryphonectria parasitica*. *Eur. J. For. Path.* 28: 167-176.

13. Coskun, H.; Turchetti, T.; Maresi, G.; Santagada, A. 1999. Preliminary investigations into *Cryphonectria parasitica* (Murr.) Barr isolates from Turkey. *Phytopathology Mediterr.* 38: 101-110.
14. Davidson, F. A.; Sleeman, B. D.; Rayner, A. D. M.; Crawford, J. W.; Ritz, K. 1996. Context-dependent macroscopic patterns in growing and interacting mycelial networks. *Proceedings of the Royal Society of London Series B* 263: 873-880.
15. Day, P.R.; Dodds, J.A.; Elliston, J.E.; Jaynes, R.A.; Anagnostakis, S.L. 1997. Double stranded RNA in *Endothia parasitica*. *Phytopathology* 67: 1393-1396.
16. Dierauf, T.; Artman, J.; Elkins, J.; Griffin, S.L.; Griffin, G.J. 1997. High level of chestnut blight control on American chestnut trees inoculated with hypovirulent strains. *Journal of Arboriculture* 23: 87-88.
17. Dietz, A. 1978. The use of ionizing radiation to develop a blight resistant American chestnut, *Castanea dentata*, through induced mutations. Pages 17-20 in *Proc. Am. Chestnut Symp.* W.L. MacDonald, F.C. Cech, J. Luchok, and H.C. Smith, eds. West Virginia University Books, Morgantown. 122 pp.
18. Elkins, J.R.; Pate, W.; Hicks, S. 1979. Evidence for a role of hamamelitannin in the pathogenicity of *Endothia parasitica*. (Abstr.) *Phytopathology* 69: 1027.
19. Elkins, J.R. 1981. A correlation between the presence of hamamelitannin and blight susceptibility in American chestnut. (Abstr.) U.S. For. Ser. Am. Chestnut Cooperators Meet. Gen. Techn. Rep. NE-64: 2.
20. Elliston, J.E. 1985a. Characteristics of dsRNA-free and dsRNA-containing strains of *Endothia parasitica* in relation to hypovirulence. *Phytopathology* 74: 151-158.
21. Elliston, J. E. 1985b. Preliminary evidence for two debilitating cytoplasmic agents in a strain of *Endothia parasitica* from western Michigan. *Phytopathology* 75: 170-173.
22. Farias, G.M.; Gorbea, C.; Elkins, J.R.; Griffin, G.J. 1994. Purification, characterization, and substrate relationships of the tannase from *Cryphonectria parasitica*. *Physiological and Molecular Plant Pathology* 44: 51-63.
23. Friese, C. F.; Allen, M.F.; Martin, R.; Van Alfen, N.K. 1992. Temperature and structural effects on transfer of double stranded RNA among isolates of the chestnut blight fungus (*Cryphonectria parasitica*). *Applied and Environmental Microbiology* 58: 2066-2070.
24. Fulbright, D.W.; Weidlich W.H.; Haufler, K.Z.; Thomas, C.S.; Paul, C.P. 1983. Chestnut blight and recovering American chestnut trees in Michigan. *Canadian Journal of Botany* 61: 3164-3171.

25. Grente, J. 1965. Les formes hypovirulentes d'*Endothia parasitica* et les espoirs de lutte contre le chancre du chataignier. Acad. Agric. France. 51: 1033-1036.
26. Grente, J.; Berthelay-Sauret, S. 1978. Biological control of chestnut blight in France. Pages 30-34 in Proc. Am. Chestnut Symp. W.L. MacDonald, F.C. Cech, J. Luchok, and H.C. Smith, eds. West Virginia University Books, Morgantown. 122 pp.
27. Grente, J. 1981. The hypovirulent variations of *Endothia parasitica* and biological control of chestnut blight. Thesis, presented at the University of Western Brittany. 195pp.
28. Griffin, G.J.; Hebard, F.V.; Wendt, R.W.; Elkins, J.R. 1983. Survival of American chestnut trees: Evaluation of blight resistance and virulence in *Endothia parasitica*. Phytopathology 73: 1084-1092.
29. Griffin, G.J.; Smith, H.C.; Dietz, A.; Elkins, J.R. 1991. Importance of hardwood competition to American chestnut survival, growth, and blight development in forest clearcuts. Canadian Journal of Botany 69: 1804-1809.
30. Griffin, G.J. 1992. American chestnut survival in understory mesic sites following the chestnut blight pandemic. Canadian Journal of Botany 70: 1950-1956.
31. Griffin, G.J.; Griffin S.L. 1995. Evaluation of superficial canker instability for hypovirulent *C. parasitica* inoculated on American chestnut trees. European Journal of Forrest Pathology 25: 351-355.
32. Griffin, G.J. 2000. Blight control and restoration of the American chestnut. Journal of Forestry 98: 22-27.
33. Griffin, G.J.; Robbins, N.; Hogan, E.P.; Farias-Santopietro, G. 2004. Nucleotide sequence identification of *Cryphonectria hypovirus 1* infecting *Cryphonectria parasitica* on grafted American chestnut trees 12-18 years after inoculation with a hypovirulent strain mixture. Forest Pathology 34: 33-46.
34. Heald, F.D. 1926. Manual of Plant Diseases. McGraw-Hill, New York. 891 pp.
35. Hebard, F.V.; Griffin, G.J.; Elkins, J.R. 1984. Developmental histopathology of cankers incited by hypovirulent and virulent isolates of *Endothia parasitica* on susceptible and resistant chestnut trees. Phytopathology 74:140-149.
36. Heiniger, U.; Rigling, D. 1994. Biological control of chestnut blight in Europe. Annual Review of Phytopathology 32: 581-599.
37. Hillman, B.I.; Halpern B.T.; Brown, M.P. 1994. A viral dsRNA element of the chestnut blight fungus with a distinct genetic organization. Virology 201: 241-50.

38. Hillman, B.I.; Fulbright, D. W.; Nuss, D.L.; VanAlfen, N.K. 1995. Hypoviridea. In: Rep. Int. Committee Taxon, Viruses, 6th edn. Ed. by Murphy, F.A.; Fauquet, C. M.; Bishop, D.H.L.; Ghabrial, S.A.; Jarvis, A.W.; Martelli, G.P.; Mayo, M.A.; Summer, M.P. New York: Spriger-Verlag, pp. 261-264.
39. Hillman, B.I.; Fulbright, D. W.; Nuss, D.L.; VanAlfen, N.K. 2000. Hypoviridea. In: Rep. Int. Committee Taxon, Viruses, 7th edn. Ed. by von Regenmortel, M.H.V.; Fauquet, C.M.; Bishop, D.H.L.; Carstens, E.B.; Estes, M.K. San Diego: Academic Press, pp. 515-20.
40. Hillman, B.I., Supyani, S., Kondo, H., Suzuki, N., 2004. A Reovirus of the Fungus *Cryphonectria parasitica* That Is Infectious as Particles and Related to the *Coltivirus* Genus of Animal Pathogens. *Journal of Virology* 78: 892–898.
41. Hobbins, D.L.; Double, M.L.; Sypolt, C.R.; MacDonald, W.L. 1994. Interactions between artificially established virulent *Cryphonectria parasitica* cankers and sources of virulent and hypovirulent inoculum on American chestnut stems. In: Proc. Int. Chestnut Con. Ed. by Double, M.L.; Macdonald, W.L. Morgantown, WV: West Virginia University Press, pp. 156-160.
42. Hogan, E.P.; Griffin, G.J. 2002a. Spread of *Cryphonectria hypovirus 1* into 45 vegetative compatibility types of *Cryphonectria parasitica* on grafted American chestnut trees. *Forest Pathology* 32: 73 – 85.
43. Hogan, E.P.; Griffin, G.J. 2002b. Incomplete movement of *Cryphonectria hypovirus 1* within a vegetative compatibility type of *Cryphonectria parasitica* in natural cankers on grafted American chestnut trees. *Forest Pathology* 32: 331-344.
44. Huber D.H.; Fulbright, D.W. 1994. Preliminary investigations on the effect of individual *vic* genes upon the transmission of dsRNA in *Cryphonectria parasitica*. In: Proc. Int. Chestnut Con. Ed. by Double, M.L.; Macdonald, W.L. Morgantown, WV: West Virginia University Press, pp. 15-19.
45. Koonin, E.V.; Choi, G.H.; Nuss, D.L.; Shapira, R.; Carrington, J.C. 1991. Evidence for common ancestry of a chestnut blight hypovirulence-associated double-stranded RNA and a group of positive-strand RNA plant viruses. *Proc. Natl Acad. Sci. USA* 88: 10647-10651.
46. Kuhlman, E.G.; Bhattacharyya, H. 1984. Vegetative compatibility and hypovirulence conversion among naturally occurring isolates of *Cryphonectria parasitica*. *Phytopathology* 74: 659-664.
47. Liu, Y-C.; Milgroom, M.G. 1996. Correlation between hypovirus transmission and the number of vegetative incompatibility (*vic*) genes different among isolates from a natural population of *Cryphonectria parasitica*. *Phytopathology* 86: 79-86.

48. Markham, P.; Collinge, A.J. 1987. Woronin bodies of filamentous fungi. *FEMS Microbiology Reviews* 46(1): 1-11.
49. Matzke, M.A. 2002. Gene silencing mechanisms illuminate new pathways of disease resistance. *Transgenic Research* 11: 637-8.
50. Matzke, M.A.; Aufsatz, W.; Kanno, T.; Mette, M.F.; Matzke, A.J.M. 2002. Homology-Dependent Gene Silencing and Host Defense in Plants. *Advances in Genetics* 46: 235-275.
51. Morris, T.J.; Dodds, J.A. 1979. Isolation and analysis of double stranded RNA from virus-infected plant and fungal tissue. *Phytopathology* 69: 854-858.
52. Moffit, E.M.; Lister, R.M. 1975. Application of a serological screening test for detecting double-stranded RNA mycoviruses. *Phytopathology* 65: 851-859.
53. Napoli, C.; Lemieux, C.; Jorgensen, R. 1990. Introduction of a chalcone synthase gene into petunia results in reversible co-suppression of homologous genes *in trans*. *Plant Cell* 2: 291-299.
54. Newhouse, J.R.; C. Hoch; W.L. MacDonald. 1983. The ultrastructure of *Endothia parasitica*. Comparison of a virulent with a hypovirulent isolate. *Canadian Journal of Botany* 61: 389-399.
55. Newhouse, J.R.; MacDonald, W. L.; Hoch, H.C. 1990. Virus-like particles in hyphae and conidia of European hypovirulent (dsRNA-containing) strains of *Cryphonectria parasitica*. *Canadian Journal of Botany* 68: 90-101.
56. Newhouse, J.R.; Macdonald, W. L. 1991. The ultrastructure of hyphal anastomoses between vegetatively compatible and incompatible virulent and hypovirulent strains of *Cryphonectria parasitica*. *Canadian Journal of Botany* 69: 602-614.
57. Nuss, D.L. 1992. Biological control of Chestnut blight: An example of virus-mediated attenuation of fungal pathogenesis. *Microbiol. Rev.* 56: 561-576.
58. Nuss D.L. 2005. Hypovirulence: Mycoviruses at the fungal-plant interface. 2005. *Nature Reviews Microbiology* 3: 632-642.
59. Olsson, S. 1999. Nutrient translocation and electrical signaling in mycelia. In: *The Fungal Colony*. Ed. by Gow, N.A.R.; Robson, G.D.; Gadd, G.M. Cambridge, U.K. Cambridge University Press, pp. 25-48.
60. Olsson, S.; Gray, S. N. 1998. Patterns and dynamics of ³²P-phosphate and labeled 2-aminoisobutyric acid (¹⁴C-AIB) translocation in intact basidiomycete mycelia. *PEMS Microbiology Ecology* 26: 109-120.

61. Peever, T.L.; Y.C. Liu; M.G. Milgroom. 1997. Diversity of hypoviruses and other double-stranded RNAs in *Cryphonectria parasitica* in North America. *Phytopathology* 87: 1026-33.
62. Polashock J.J.; Anagnostakis, S.L.; Milgroom, M. G.; Hillman, B.I. 1994. Isolation and characterization of a virus-resistant mutant of *Cryphonectria parasitica*. *Current Genetics* 26: 528-534.
63. Rayner, A.D.M. 1991. The challenge of the individualistic mycelium. *Mycologia* 83:48-71.
64. Roane, M.; Griffin, G.; Elkins, J. 1986. Chestnut blight, other *Endothia* diseases, and the genus *Endothia*. APS Press: St. Paul. 53 pp.
65. Robbins, N.; Griffin, G.J. 1999. Spread of white hypovirulent strains of *Cryphonectria parasitica* on grafted American chestnut trees exhibiting a high level of blight control. *European Journal of Forest Pathology* 29: 51-64.
66. Romano, N.; Macino, G. 1992. Quelling: transient inactivation of gene expression in *Neurospora crassa* by transformation with homologous sequences. *Molecular Microbiology* 6: 3343-3345.
67. Roth, D.A.; Griffin, G.J.; Graham, P.J. 1979. Low temperature induces decreased germinability of *Cylindrocladium microscerotia*. *Canadian Journal of Microbiology* 25: 157-162.
68. Shain, L.; Miller, J. B. 1992. Movement of cytoplasmic hypovirulence agents in chestnut blight cankers. *Canadian Journal of Botany* 70: 557-561.
69. Smart, C. D.; Yuan, W.; Foglia, R.; Nuss, D. L.; Fulbright, D. W.; Hillman, B. I. 1999. *Cryphonectria hypovirus 3*, a virus species in the family Hypoviridae with a single open reading frame. *Virology* 265: 66-73.
70. Turchetti, T. 1978. Some observations on the "hypovirulence" of chestnut blight in Italy. In: Proc. Am. Chestnut Symp. Ed. by Macdonald, W.L.; Cech, F.C.; Luchok, J.; Smith, H.C. Morgantown, Wv: West Virginia University Press, pp. 92-94.
71. Timonen, S.; Finlay, R.D.; Olsson, S.; Söderström, B. 1996. Dynamics of phosphorus translocation in intact ectomycorrhizal systems: non-destructive monitoring using a B-scanner. *FEMS Microbiology Ecology* 19: 171-180.
72. Trinci, A. J. P.; Collinge, A. J. 1974. Spore formation in nitrogen and carbon starved cultures of *Geotrichum candidum* and *Mucor racemosus*. *Transactions of the British Mycological Society* 62: 351-358.
73. Voinnet, O. 2001. RNA silencing as a plant immune system against viruses. *Trends in Genetics* 17: 449-459.

74. Watkinson, S. 1999. Metabolism and hyphal differentiation in large basidiomycete colonies. In: *The Fungal Colony*. Ed. by. Gow, N.A.R.; Robson, G.D.; Gadd, G.M. Cambridge, U.K.: Cambridge University Press, pp. 126-156.
75. Wendt, R.; Weidhaas, J.; Griffin, G.J.; Elkins, J. R. 1983. Association of *Endothia parasitica* with mites isolated from cankers on American chestnut trees. *Plant Disease* 67: 757-758.