

REFERENCES

- Abbott, A. P., Durling, N. E., Dyer, P. W., Hope, E., Langer, S., Vukusic, S. (2004). Polymerization of methyl methacrylate in sc difluoromethane. *Green Chem.*, 6, 81-83.
- Adrian, T.; Maurer, G. (1997). Solubility of carbon dioxide in acetone and propionic acid at temperatures between 298 K and 333 K. *J. Chem. Eng. Data*, 42, 668-672.
- Agari, Y., Anan, Y., Nomura, R., Kawasaki, Y. (2007). Estimation of the compositional gradient in a PVC/PMMA graded blend prepared by the dissolution-diffusion method. *Polymer*, 48, 1139-1147.
- Ahemed, J., Ramaswamy, H. S. (2003). Effect of high-hydrostatic pressure and temperature on rheological characteristics of glycomacropeptide. *J. Dairy Sci.*, 86, 1535-1540.
- Ahmed, J., Rammaswamy, H. S. (2004). Effect of high-hydrostatic pressure and concentration on rheological characteristics of xanthan gum. *Food Hydrocolloids*, 18, 367-373.
- Ajili, S. H., Ebahimi, N. G. (2007). Miscibility of TPU (PCL diol) / PCL blend and its effect on PCL crystallinity. *Macromol. Symp.*, 249-259, 623-627.
- Ajzenberg, N., Trabelsi, F., Recasens, F. (2000). What is new in industrial polymerization with supercritical solvents? A short Review, *Chem. Eng. Technol.*, 23 (10), 829-839.
- Alessi, P., Ireneo, K., Angelo, C., Alessi, F., Mariarosa, M. (2003). Polydimethylsiloxanes in supercritical solvent impregnation (SSI) of polymers. *J of Supercritical Fluids*, 27, 309-315.
- Allal, A., Boned, C., Baylaucq, A. (2001). Free-volume viscosity model for fluids in the dense and gaseous states. *Physical Review*, E64, 11203/1-10.
- Al-Mulla, A. (2007). Isothermal crystallization kinetics of poly (ethylene terephthalate) and poly (methyl methacrylate) blends. *eXPRESS Polymer Letters*, 1(6), 334-344.
- Al-Mulla, A., Shaban, H. I. (2007). Degradation kinetics of poly (ethylene terephthalate) and poly (methyl methacrylate) blends. *Polymer Bulletin*, 58, 893-902.
- Anand, M.; Mcleod, M. C.; Bell, P. W.; Robert, C. B. (2005). Tunable solvation effects on the size-selective fractionation of metal nanoparticles in CO₂ gas-expanded solvents. *J. Phys. Chem. B*, 109, 22852-22859.

- Aouachria, K., Belhaneche-Bensemra, N. (2006). Miscibility of PVC/PMMA blends by vicat softening temperature, viscometry, DSC and FTIR analysis. *Polymer Testing*, 25, 1101-1108.
- Arita, T., Beuermann, S., Buback, M., Vana, P. (2004). Reversible addition fragmentation transfer (RAFT) polymerization of styrene in fluid CO₂. *e-polymer*, 3, 1-14.
- Aydin, H. M., Piskin, Calimli, A. (2004). Microporous scaffolds from poly (lactide-co-ε-caprolactone) composites with hydroxyapatite and tricalcium phosphates using supercritical CO₂ for bone tissue engineering. *J of Bioactive and Compatible Polymers*, 19, 383-394.
- Azevedo, R. G., Szydowski, J., Pires, R. F., Esperanca, J. M. S. S., Guedes, H. J. R., Rebelo, L. P. N. (2004). A novel non-intrusive microcell for sound-speed measurements in liquid. Speed of sound and thermodynamic properties of 2-propanone at pressures up to 160 MPa. *J. Chem. Thermodynamics*, 36, 211-222.
- Baiker, A. (1999). Supercritical fluids in heterogeneous catalysis. *Chem. Rev.*, 99, 453-473.
- Bair, S. (2001a). The pressure-viscosity coefficient of a perfluorinated polyether over a wide temperature range. *ASME J. of Tribology*, 123, 50-53.
- Bair, S., (2001b). The high-pressure, high-shear stress rheology of a polybutene. *J. Non-Newtonian Fluid Mech.*, 97, 53-65.
- Balsamo, V., Gouveia, L. (2004). Nucleation versus melting point depression of the polycaprolactone phase in polypropylene / polycaprolactone blends. *e-Polymers*, 17, 1-19.
- Balsamo, V., Newman, D., Gouveia, L., Herrera, L., Grimau, M., Laredo, E. (2006). Molecular dynamics and crystallization kinetics in PSMA14/PCL blends. *Polymer*, 47, 5810-5820.
- Bamberger, A.; Maurer, G. (2000). High-pressure (vapor + Liquid) equilibria in (carbon dioxide + acetone or 2-propanol) at temperatures from 293 K to 333 K. *J. of Chem. Thermodynamics*, 32, 685-700.
- Barakat, I., Dubois, Ph., Jerome, R., Teyssie, Ph. (1991). Living polymerization and selective end functionalization of ε-caprolactone using zinc alkoxides as initiator. *Macromolecules*, 24, 6542-6545.
- Barrufet, M. A., Setiadarma, A. (2003). Experimental viscosities of heavy oil mixtures up to 450 K and high pressures using a mercury capillary viscometer. *J of Petroleum Science and Engineering*, 40, 17-26.

Beasley, J. K. (1989). *Polymerization at high pressures*, Ch. 21., in *Comprehensive Polymer Science*, G. Allen, Ed., Pergamon Press: New York; pp. 273-282.

Berens, A. R., Huvad, G. S., Korsmayer, R. W., Kung, F. W. (1992). Application of compressed carbon dioxide in the incorporation of additives into polymers. *J of Appl. Polym. Sci.*, 46 (2), 231-242.

Bergemann, Ch., and Luft, R.C.G. (1997). Copolymerization of ethylene and 1,5-hexadiene under high pressure catalyzed by a metallocene. *J of Molecular Catalysis A: Chemical*, 116, 317-322.

Bergemann, Ch., and Luft, R.C.G. (1998). Application of a cationic activated metallocene catalyst system in the copolymerization of ethylene and 1-butane under high pressure. *J of Molecular Catalysis A: Chemical*, 135, 41-45.

Bergemann, Ch., Cropp, R., Luft, G. (1995). Copolymerization of ethylene and linear 1-olefins with a metallocene catalyst system under high pressure Part I. Copolymerization of ethylene and propene. *J of Molecular Catalysis A: Chemical*, 102, 1-5.

Bergeot, V., Tassaing, T., Besnard, M., Cansell, F., Mingotaud, A.F. (2004). Anionic ring-opening polymerization of ϵ -caprolactone in sc CO₂: parameters influencing the reactivity. *J supercritical fluids*, 28, 249-261.

Beuermann, S., Buback, M., Isemer, C., Lacik, I., Wahl, A. (2002). Pressure and temperature dependence of the propagation rate coefficient of free-radical styrene polymerization in sc CO₂. *Macromolecules*, 35, 3866-3869.

Beuermann, S., Buback, M., Schmalz, C. (1999). Termination rate coefficients of butyl acrylate free-radical homopolymerization in sc CO₂ and in bulk. *Ind. Eng. Chem. Res.*, 38, 3338-3344.

Beuermann, S., Nelke, D. (2003). The influence of hydrogen bonding on the propagation rate coefficient in free-radical polymerizations of hydroxypropyl methacrylate. *Macromolecular Chemistry and Physics*, 204, 460-470.

Bhide, S., Morris, D., Leroux, J., Wain, S., Perez, J. M., Boehman, A. L. (2003). Characterization of the viscosity of blends of dimethyl ether with various fuels and additives. *Energy & Fuels*, 17, 1126-1132.

Billmeyer Jr. F.W. (1984). *Textbook of Polymer Science*. New York: Wiley.

Blatchford, M. A., Raveendran, P., Wallen, S. L. (2003). Spectroscopic studies of model carbonyl compounds in CO₂: Evidence for cooperative C-H \cdots O interactions. *J. of Phys. Chem. A*, 107, 10311-10323.

- Boned, C., Zeberg-Mikkelsen, C. K., Baylaucq, A., Dauge, P. (2003). High-pressure dynamic viscosity and density of two synthetic hydrocarbon mixtures representative of some heavy petroleum distillation cuts. *Fluid Phase Equilibria*, 212, 143-164.
- Borkar, S., Sen, A., Shallenberger, J. R. (2006). Alternating polyester/fluoroalkene copolymers: Combining high hydrophobicity with degradability. *J. of Polymer Science, Part A: Polymer Chemistry*, 44 (3), 1225-1232.
- Bortner, M. J., Baird, D. G. (2004). Absorption of CO₂ and subsequent viscosity reduction of an acrylonitrile copolymer. *Polymer*, 45 (10), 3399-3412.
- Brunner, G. (1994). Gas extraction An introduction to fundamentals of supercritical fluids and the application to separation process. In H. Baumgartel, E. U. Franck, W. Grunbein (Eds.), *Topics in Physical Chemistry*. Springer: New York.
- Buback, M., Egorov, M., Feldermann, A. (2004). Chain-length dependence of termination coefficients in acrylate and methacrylate homopolymerization investigation via SP-PLP techniques. *Macromolecules*, 37, 1768-1776.
- Buback, M., Kuelpmann, S., Kurz, C. (2002a). Termination kinetics of methyl acrylate and dedecyl acrylate free-radical homopolymerization up to high pressure, *Macromolecular Chem. and Phys.*, 230(8), 1065-1070.
- Buback, M., Wittkowski, L. (2000b). High-pressure free-radical copolymerization of ethene with methacrylic acid and ethene with acrylic acid. 2 Ethene reactivity ratios. *Macromolecular Chemistry and Physics*, 201 (4), 419-426.
- Bukowski, R.; Sadlej, J.; Jeziorski, B.; Jankowski, P.; Szalewicz, K.; Kucharski, S.; Williams, H. L.; Rice, B. M. (1999). Intermolecular potential of carbon dioxide dimer from symmetry-adapted perturbation theory. *J. of Chem. Phys.*, 110, 3785-3803.
- Bungert, B., Sadowski, G., Arlt, W. (1997). Supercritical antisolvent fraction: measurement in the systems monodisperse and bidisperse polystyrene-cyclohexane-carbon dioxide. *Fluid Phase Equilib.*, 139, 349-359.
- Burke, A.L.C., Givens, R.D., Jikei, M., DeSimone, J.M. (1997). Use of CO₂ in step-growth polymerizations: from plasticized polymer melts to solid state polymerizations. *Polym. Prepr.*, 38, 387-388.
- Burke, A.L.C., Maier, G., DeSimone, J.M. (1996). Synthesis of polyesters in supercritical carbon dioxide. *Polym. Mater. Sci. Eng.*, 74, 248-249.
- Busby, A. J., Zhang, J. X., Roberts, C. J., Lester, E., Howdle, S. M. (2005). Novel nanostructured polymeric composites of polycaprolactone and ultra-high-molecular-weight polyethylene via a supercritical-fluid route. *Advanced Materials* (Weinheim, Germany), 17 (3), 364-367.

Byun, H. S., Lee, D. H. (2006). Cosolvent effect and solubility measurement for butyl (methyl) acrylate polymers in benign environment supercritical solvents. *Ind. Eng. Chem. Res.*, 45, 3354-3365.

Byun, H. S., Lee, D. H., Lim, J. S. Yoo, K. P. (2006). Phase behavior of the binary and ternary mixtures of biodegradable poly (ϵ -caprolactone) in supercritical fluids. *Industrial & Engineering Chemistry Research*, 45 (10), 3366-3372.

Cabaco, M. I.; Danten, Y.; Tassaing T.; Longelin, S.; Besnard, M. (2005). Raman spectroscopy of CO₂ – acetone and CO₂ – ethanol complexes. *Chemical Physics Letter*, 413, 258-262.

Canelas, D. A., DeSimone, J. M. (1997). Polymerization in liquid and supercritical carbon dioxide, *Adv. Polm. Sci.*, 133, 103-140.

Casell, F., Aymonier, C., Loppinet-Serani, A. (2003). Review on materials science and supercritical fluids. *Current Opinion in solid state & Materials Science*, 7, 331-340.

Chang, C. J.; Day, C. Y.; Ko, C. M.; Chiu, K. L. (1997). Densities and p-x-y diagrams for carbon dioxide dissolution in methanol, ethanol, and acetone mixtures. *Fluid Phase Equilibria*, 131, 243-258.

Chang, Y., Lee, D., Bae, S. (2006). Precipitation of polyethylene-octene elastomer/clay nanocomposite and microcellular foam processed in supercritical carbon dioxide. *Polymer International*, 55, 184-189.

Chang, Y., Xu, Q., Han, B., Wang, Y., Liu, M., Zhao, Q. (2004). Supercritical CO₂ assisted processing of polystyrene/Nylon 1212 blends and CO₂-induced epitaxy on Nylon 1212. *J of Applied Polymer Science*, 92, 2023-2024.

Charpentier, P. A., DeSimone, J. M., Roberts, G. (2000). Continuous precipitation polymerization of vinylidene fluoride in sc CO₂: Modeling the rate of polymerization. *Ind. Eng. Chem. Res.*, 39, 4588-4596.

Chen, J.; Wu, W.; Han, B.; Gao, L.; Mu, T.; Liu, Z.; Jiang, T.; Du, J. (2003). Phase behavior, densities, and isothermal compressibility of CO₂ + pentane and CO₂ + acetone systems in various phase regions. *J. Chem. Eng. Data*, 48, 1544-1548.

Chen, S. J., Economou, I. G., Radosz M. (1992). Density-tuned polyolefin equilibria. 2. Multicomponent solutions of alternating poly (ethylene-propylene) in subcritical and supercritical olefins. Experiment and SAFT model. *Macromolecules*, 25, 4987-4995.

Clark, M.R., Kendall, J.L., DeSimone, J.M. (1997). Cationic dispersion polymerizations in liquid carbon dioxide. *Macromolecules*, 30, 6011-6014.

- Clarke, M. J., Cooper, A. I., Howdle, S. M., Poliakoff, M. (2000). Photochemical reactions of organometallic complexes impregnated into polymers: Speciation, isomerization, and hydrogenation of residue alkene moieties polyethylene. *J of Am. Chem. Soc.*, 122, 2523-2531.
- Clarke, M. J., Howdle, S. M., Jobling, M., Poliakoff, M. (1993). "Solvent-free" impregnation of dinuclear metal complexes into polyethylene: Use of supercritical CO₂ and the in situ photochemical assembly of Mn₂(CO)₁₀ from HMn(CO)₅. *Inorg. Chem.*, 32, 5643-5644.
- Coleman, M. M., Moskala, E. J. (1982). Fti.r. studies of polymer blends containing the poly (hydroxy ether of bisphenol A) and poly (ε-caprolactone). *Polymer*, 24, 251-257.
- Coleman, M. M., Zarian, J. (1979). Fourier-transform infrared studies of polymer blends. II. Poly (ε-caprolactone)-poly (vinyl chloride) system. *Journal of Polymer Science: Polymer Physics Edition*, 17, 837-850.
- Combes, J. R., Guan, Z., DeSimone, J. M. (1994). Homogeneous free-radical polymerizations in carbon dioxide: 3. Telomerization of 1,1-difluoroethylene in supercritical carbon dioxide. *Macromolecules*, 27 (3), 865-867.
- Cook, R. L., King, H. E., Peiffer, Jr., D. G. (1992a). High-pressure viscosity of dilute polymer solution in good solvents. *Macromolecules*, 25, 2928-2934.
- Cook, R. L., King, H. E., Peiffer, Jr., D. G. (1992b). High-pressure viscosity of an associating system : Zinac sulfonated polystyrene/poly(styrene-4-vinylpyridine) copolymer solution. *Macromolecules*, 25, 629-635.
- Cooper, A. I. (2000). Polymer synthesis and processing using supercritical carbon dioxide. *J. Matter. Chem.*, 10, 207-234.
- Cooper, A. I. (2001). Recent developments in materials synthesis and processing using supercritical CO₂. *Advanced Materials*, 13 (14), 1111-1114.
- Cooper, A. I., and DeSimone, J. M. (1996). Polymer synthesis and characterization in liquid/supercritical carbon dioxide. *Current Opinion in Solid State & Materials Science*, 1, 761-768.
- Cooper, A. I., Wood, C. D., Holmes, A. B. (2000). Synthesis of well-defined macroporous polymer monoliths by sol-gel polymerization in supercritical CO₂. *Ind. Eng. Chem. Res.*, 39, 4741-4744.
- Corres, M. A., Mugica, A., Carrasco, P. M., Cortazar, M. M. (2006). Effect of crystallization on morphology-conductivity relationship in polypyrrole / poly (ε-caprolactone) blends. *Polymer*, 47, 6759-6764.

- Cotugno, S., Di Maio, E., Mensitieri, G., Iannace, S., Roberts, G. W., Carbonell, R. G., Hopfenberg, H. B. (2005). Characterization of microcellular biodegradable polymeric foams produced from supercritical carbon dioxide solutions. *Ind. Eng. Chem. Res.*, 44, 1795-1803.
- Dai, X., Liu, Z., Wang, Y., Yang, G., Xu, J., Han, B. (2005). High damping property of microcellular polymer prepared by friendly environmental approach. *J of Supercritical Fluids*, 33, 259-267.
- Danten, Y., Tassaing, T., Besnard, M. (2002). Vibrational spectra of CO₂-electron donor-acceptor complexes from ab initio. *J. of Phys. Chem. A*, 106, 11831-11840.
- Day, C. Y.; Chang, C. J.; Chen, C. Y. (1996). Phase equilibrium of ethanol + CO₂ and acetone + CO₂ at elevated pressures. *J. Chem. Eng. Data*, 41, 839-843.
- De Juana, R., Cortazar, M. (1993). Study of the melting and crystallization behavior of binary poly (ϵ -caprolactone) / poly (hydroxyl ether bisphenol A) blends. *Macromolecules*, 26, 1170-1176.
- Deanin, R. D., Vale, T. (2000). Polycaprolactone as compatibilizer for polyblends of bisphenol polycarbonate with styrene-acrylonitrile copolymers. *Polymeric Materials Science and Engineering*, 83, 388-342.
- Deen, W. M. (1998). *Analysis of transport phenomena*. Oxford: New York.
- DeSimone, J. M., Guan, Z. B., Combes, J. R.. (1992). Synthesis of fluoropolymers in supercritical carbon dioxide. *Science*, 257 (5072), 945-947.
- Di Lorenzo, M. L., La Pietra, P., Errico, M. E., Righetti, M. C., Angiuli, M. (2007). Poly (butylene terephthalate) / poly (ϵ -caprolactone) blends: Miscibility and thermal and mechanical properties. *Polym. Eng. & Sci.*, 323-329.
- Dindar, C. (2001). MS Thesis, *High-pressure viscosity and density of polymer solutions at the critical polymer concentration in supercritical fluids*, Virginia Tech, Blacksburg.
- Dindar, C., Kiran, E. (2002a). High-pressure viscosity and density of polymer solutions at the critical polymer concentration in near-critical and supercritical fluids. *Ind. Chem. Eng. Res.*, 41, 6354-6362.
- Dindar, C., Kiran, E. (2002b). Reliable method for determination of the velocity of a sinker in a high-pressure falling body type viscometer. *Rev. Sci. Instrum.*, 73 (10), 3664-3670.
- Domingo, C., Vega, A., Fanovich, M. A., Elvira, C., Subra, P. (2003). Behavior of poly (methyl methacrylate)-based systems in supercritical CO₂ and CO₂ cosolvent: Solubility measurement and process assessment. *J of Applied Polymer Science*, 90, 3652-3659.

Duarte, A. R. C., Gordillo, M. D., Cardoso, M. M., Simplicio, A. L., Duarte, C. M. M. (2006). Preparation of ethyl cellulose / methyl cellulose blends by supercritical antisolvent precipitation. *International Journal of Pharmaceutics*, 311, 50-54.

Elvassore, N., Baggio, M., Pallado, P., Bertucco, A. (2001). Production of different morphologies of biocompatible polymeric materials by supercritical CO₂ antisolvent techniques. *Biotechnology and Bioengineering*, 73 (6), 449-457.

Elvira, C., Fanovich, A., Fernandez, M., Fraile, J., San Roman, J., Domingo, C. (2004). Evaluation of drug delivery characteristics of microspheres of PMMA- PCL -cholesterol obtained by supercritical-CO₂ impregnation and by dissolution-evaporation techniques. *Journal of Controlled Release*, 99 (2), 231-240.

Elzein, T., Nasser-Eddine, M., Delaite, C., Bistac, S., Dumas, P. (2004). FTIR study of polycaprolactone chain organization at interfaces. *Colloid and Interface Science*, 273, 381-387.

Et-Tahir, E., Boned, C., Lagourette, B., Xans, P. (1995). Determination of the viscosity of various hydrocarbons and mixtures of hydrocarbons versus temperature and pressure, *Int. J. Thermophys.*, 16, 1309-1334.

Fang, J., Kiran, E. (2006). Crystallization and gelation of isotactic poly (4-methyl-1-pentene) in n-pentane and in n-pentane + CO₂ at high pressure. *J. of Supercritical Fluids*, 38 (2), 132-145.

Fedchenia, I. I.; Schröder, J. (1997). Local orientational correlations and short time anisotropic motion in molecular liquids: Computer simulations of liquid CO₂. *J. of Chem. Phys.*, 106, 7749-7755.

Flichy, M. M. B., Lawrence, C. J., Kazarian, S. G. (2005). Rheology of poly (propylene glycol) and suspensions of fumed silica in poly (propylene glycol) under high-pressure CO₂. *J. of Am. Chem. Soc.*, 6310-6319.

Forst, P., Werner, F., Delgado, A. (2002). On the pressure dependence of the viscosity of aqueous sugar solutions. *Rhol. Acta*, 41, 369-374.

Forster, D. J., Heuts, J. P. A., Lucien, F. P., Davis, T. P. (1999). Catalytic chain transfer polymerization of methyl methacrylate in sc CO₂: evidence for a diffusion-controlled transfer process. *Macromolecules*, 32, 5514-5518.

Fried, J. R. (2003). *Polymer science and technology*. Prentice Hall: New Jersey.

Funazukuri, T.; Kong, C. Y.; Kagei, S. (2000). Binary diffusion coefficient of acetone in carbon dioxide at 308.2 and 313.2 K in the pressure range from 7.9 to 40 MPa. *International Journal of Thermophysics*, 21, 651-669.

- Ghaderi, R., Artursson, P., Carlfors, J. (1999). Preparation of biodegradable microparticles using solution-enhanced dispersion by supercritical fluids (SEDS). *Pharmaceutical Research*, 16 (5), 676-681.
- Giles, M. R., Griffiths, R. M. T., Aguiar-Ricardo, A., Silva, M. M. C. G., Howdle, S. M. (2001). Fluorinated graft stabilizers for polymerization in supercritical carbon dioxide: The effect of stabilizer architecture, *Macromolecules*, 34 (1), 20-25.
- Giles, M. R., Hay, J. N., Howdle, S. M., Winder, R. J. (2000). Macromonomer surfactants for the polymerization of methyl methacrylate in sc CO₂. *Polymer*, 41 (2000) 6715-6721.
- Givens, R.D., Jikei, M., DeSimone, J.M. (1997). Synthesis of polyamides and polycarbonates using supercritical CO₂. *Polym. Prepr.*, 38, 468-469.
- Gozalpour, F., Danesh, A., Todd, A. C., Tohidi, B. (2005). Viscosity, Density, interfacial tension and compositional data for critical mixtures of methane + butane and methane + decane systems at 310.95 K. *Fluid Phase Equilibria*, 233, 144-150.
- Gross, S. M., Flowers, D., Roberts, G., Kiserow, D. J., DeSimone, J. M. (1999). Solid-state polymerization of polycarbonates using sc CO₂. *Macromolecules*, 32, 3167-3169.
- Gross, S. M., Roberts, G. W., Kiserow, D. J., DeSimone, J. M. (2000). Crystallization and solid-state polymerization of poly (bisphenol A carbonate) facilitated by sc CO₂. *Macromolecules*, 33, 40-45.
- Gross, S. M., Roberts, G. W., Kiserow, D. J., DeSimone, J. M. (2001). Synthesis of high molecular weight polycarbonate by solid-state polymerization. *Macromolecules*, 34, 3916-3920.
- Grunberg, L. and Nissan, A. H. (1949). Mixture law for viscosity. *Nature*, 164, 799-800.
- Guney, O., Akgerman, A. (2002). Synthesis of controlled-released products in supercritical medium. *AIChE J*, 48 (4), 856-866.
- Han, S. J., Lohse, D. J., Radosz, M., Sperling, L. H. (2000). Morphologies of blends of isotactic polypropylene and ethylene copolymer by rapid expansion of supercritical solution and isobaric crystallization from supercritical solution. *J. of Appl. Polym. Sci.*, 77, 1478-1487.
- Harris, L. D., Kim, B., Mooney, D. J. (1998). Open pore biodegradable matrices formed with gas forming. *J. Biomed Mater Res*, 42(3), 396-402.

- Hasch, B. M., Meilchen, M. A., Lee, S. H., McHugh, M. A. (1993). Cosolvency effects on copolymer solutions at high pressure. *J. Polym. Sci.: Part B, Polym. Phys. Ed.*, 31, 429-439.
- Hile, D. D., Pishko, M. V. (2004). Solvent-free protein encapsulation within biodegradable polymer foams. *Drug Delivery*, 11, 287-293.
- Hiraguri, Y., Katase, K., Tokiwa, Y. (2005). Biodegradability of poly (ester-ether) and poly (ester) obtained from a radical ring-opening polymerization of cyclic ketene acetals. *J. of Macromolecular Science, Part A: Pure and Applied Chemistry*, 42, 901-907.
- Hirota, S., Sato, T., Tominaga, Y., Asai, S., Sumita, M. (2006). The effect of high-pressure carbon dioxide and mechanical properties of poly (L-lactic acid)/poly (methyl methacrylate) blends. *Polymer*, 47, 3954-3960.
- Hoogenboom, R., Fijiten, M. W. M., Paulus, R. M., Thijs, H. M. L., Hoeppener, S., Kickelbick, G., Schubert, U. S. (2006). Accelerated pressure synthesis and characterization of 2-oxazoline block copolymers. *Polymer*, 47, 75-84.
- Hori, H., Six, C., Leitner, W. (1999). Rhodium-catalyzed phenylacetylene polymerization in compressed CO₂. *Macromolecules*, 32, 3178-3182.
- Horst, R., Wolf, B. A., Kinzl, M., Luft, G., Folie, B. (1998). Shear influences on the solubility of LDPE in ethene. *J. of Supercritical Fluids*, 14, 49-54.
- Huang, Z. H., Shi, C. M., Xu, J. H., Kilic, S., Enick, R. M., Beckman, E. J. (2000). Enhancement of the viscosity of carbon dioxide using styrene/fluoroacrylate copolymers. *Macromolecules*, 33, 5437-5442.
- Iojoiu, C., Hamaide, T., Harabagiu, V., Simionescu, B. C. (2004). Modified poly (ϵ -caprolactone)s and their use for drug encapsulating nanoparticles. *J. Polym. Sci.: Part A: Polymer Chemistry*, 42, 689-700.
- Jenner, G. (1978). Effects of pressure on the formation and properties of polymers. In H. Kelm (Eds.), *High Pressure Chemistry*, (pp. 365-420). Reidel Publishing Company.
- Jessop, P.G., Ikariya, T., and Noyori, R. (1999). Homogeneous catalysis in supercritical fluids. *Chem. Rev.*, 99, 475-493.
- Jin, S., Gonsalves, K. E. (1997). A study of the mechanism of the free-radical ring-opening polymerization of 2-methylene-1,3-dioxepane. *Macromolecules*, 30, 3104-3106.
- Jin, S., Gonsalves, K. E. (1998). Synthesis and characterization of functionalized poly (ϵ -caprolactone) copolymers by free-radical polymerization. *Macromolecules*, 31, 1010-1025.

- Kailas, L., Bertrand, P. (2006). End group effect on surface and interfacial segregation in PS-PMMA blend thin films. *Applied Surface Science*, 252, 6648-6651.
- Kalogiannis C. G., Panayiotou, C. G. (2006). Bubble and cloud points of systems poly (ϵ -caprolactone) + carbon dioxide + dichloromethane or chloroform, *J. Chem. Eng. Data*, 51, 107-111.
- Kalogiannis, C., G., Panayiotou, C. G. (2005). Bubble and cloud points of the system poly (L-lactic acid) + carbon dioxide + dichloromethane. *J. of Chem. Data*, 50, 1442-1447.
- Kazarian, S. G., Brantley, N. H., West, B. L., Vincent, M. F., Eckert, C. A. (1997). In situ spectroscopy of polymers subjected to supercritical CO₂: Plasticization and dye impregnation. *Appl. Spectrosc.*, 51, 491-494.
- Kazarian, S. G., Martirosyan, G. G. (2002). Spectroscopy of polymer/drug formulations processed with supercritical fluids: in situ ATR-IR and Raman study of impregnation of isuprofen into PVP. *International J of Pharmaceutics*, 232, 81-90.
- Kemmere, M., de Vries, T., Vorstman, M., Keurentjes, J. (2001). A novel process for the catalytic polymerization of olefin in sc CO₂. *Chemical Engineering Science*, 56, 4197-4204.
- Kendall, J.L., Canelas, J.A., Young, J.L., and DeSimone, J.M., (1999). Polymerizations in supercritical carbon dioxide. *Chem. Rev.*, 99, 543-563.
- Kennis, H. A. J., de Loos, Th. W., de Swann Arons, J., van der Haegan, R., Kleintjens, L. A. (1990). The influence of nitrogen on the liquid-liquid phase behavior of system n-hexane-polyethylene: experimental results and predictions with the mean-field lattice-gas model. *Chem. Eng. Sci.*, 45 (7), 1875-1884.
- Khandare, P. M., Zondlo, J. W., Stansberry, P. B., Stiller, A. H. (2000a). Rheological investigation of pitch materials Part I: Design and development of a high-temperature high-pressure (HTHP) rhometer. *Carbon*, 38, 881-887.
- Khandare, P. M., Zondlo, J. W., Stansberry, P. B., Stiller, A. H. (2000b). Rheological investigation of pitch materials Part II: Viscosity measurement of A240 and ARA-24 pitches using a high-temperature high-pressure rheometer. *Carbon*, 38, 889-897.
- Kiamos A. A., Donohue, M. D. (1994). The effect of supercritical carbon dioxide on polymer-solvent mixtures. *Macromolecules*, 27, 357-364.
- Kichatov, B. V., Korshunov, A. M. (2005). Nucleation of gas bubbles in extrusion foaming of high-pressure polyethylene. *Theoretical Foundation of Chemical Engineering*, 39 (6), 643-652.

Kikic, I, Vacchione, F. (2003). Supercritical impregnation of polymers. *Current Opinion in Solid State and Materials Science*, 7, 399-405.

Kim, J., Paxton, T. E., Tomasko, D. L. (1996). Microencapsulation of Naproxen using rapid expansion of supercritical solutions. *Biotechnol. Prog.*, 12, 650-661.

Kim, K. Y., Kang, S. L., Kwak, H. (2004). Bubble nucleation and growth in polymer solutions. *Polymer Engineering and Science*, 44 (10), 1890-1899.

Kinzl, M., Luft, G., Horst, R., Wolf, B. A. (2003). Viscosity of solutions of low-density polyethylene in ethylene as a function of temperature and pressure. *J. Rheol.*, 47 (4), 869-877.

Kiran, E. (1994). Polymer formation, modifications and processing in or with supercritical fluids. In E. Kiran and J. M. H. Levelt Sengers (Eds.), *Supercritical Fluids. Fundamentals for Application* (pp. 541-588). Kluwer Academic Publishers: Dordrecht.

Kiran, E. (2000). Polymerization and polymer modification reactions in near and supercritical fluids, in *Supercritical Fluids*, E. Kiran, et. al. eds., Kluwer Academic Publishers, Boston, pp.253-276.

Kiran, E., Gokmenoglu, Z. (1995). High-pressure viscosity and density of polyethylene solutions in n-pentane. *J. of applied polymer science*, 58, 2307-2324.

Kiran, E., Saraf, V. P. (1990). Polymerization of styrene in supercritical n-butane. *Journal of Supercritical Fluids*, 3(4), 198-204.

Kiran, E., Saraf, V. P., Sen, Y. L. (1989). Solubility of polymers in supercritical fluids. *Int. J. Thermophys.*, 10, 437-446.

Kiran, E., Sen, Y. L. (1993). Viscosity of polymer solutions in near-critical and supercritical fluids, Chapter 9 in *Supercritical Fluid Engineering Science, Fundamentals and Applications*, E. Kiran and J. F. Brennecke, Eds., ACS Symposium Series 514 ACS, Washington, DC., pp.104-120.

Kiran, E., Sen, Y.L. (1992). High-pressure viscosity and density of n-alkane. *Int. J. Thermophys.*, 13, 411-442.

Kirby, C. F. and McHugh M. A. (1999). Phase behavior of polymers in supercritical solvents. *Chem. Rev.*, 99, 565-602.

Klaui, W., Bongards, J., Reib, G. J. (2000). Novel nickel (II) complexes for the catalytic copolymerization of ethylene and carbon monoxide: polyketone synthesis in supercritical CO₂. *Angew Chem. Int. Ed.*, 39, 3894-3896.

- Kolafa, J.; Nezbeda, I.; Lisal, M. (2001). Effect of short- and long-range forces on the properties of fluids. III. Dipolar and quadrupolar fluids. *Molecular Physics*, 99, 1751-1764.
- Koran, F., Dealy, J. M. (1999a). Wall slip of polyisobutylene: Interfacial and pressure effects. *J of Rheol.*, 43 (5), 1291-1306.
- Koran, F., Dealy, J. M. (1999b). A high pressure sliding plate rheometer for polymer melts. *J. of Rheology*, 43 (5), 1279-1290.
- Kuo, S. W., Chan, S. C., Chang, F. C. (2004). Crystallization kinetics and morphology of binary phenolic / poly (ϵ -caprolactone) blends. *J. of Polym. Sci., Part B: Polym. Phys.*, 42, 117-128.
- Kutota, K., Ogino, K. (1979). Pressure dependence of the intrinsic viscosity of poly (dimethylsiloxane)-cyclohexyl bromide solution. *Macromolecules*, 12 (1), 74-78.
- Lan, H. Y., Tseng, H. C. (2002). Study of the rheological behavior of PP/supercritical CO₂ mixture. *J. of Polymer Research*, 9, 157-162.
- Lecomte, Ph., Stassin, F., Jerome, R. (2004). Recent development in the ring-opening polymerization of ϵ -caprolactone and derivatives initiated by tin (IV) alkoxides. *Macromol. Symp.*, 215, 325-338.
- Lee, J. W. S., Wang, K., Park, C. B. (2005a). Challenge to extrusion of low-density microcellular polycarbonate foams using supercritical carbon dioxide. *Ind. Eng. Chem. Res.*, 44, 92-99.
- Lee, K., Lee, H., Kim, J. (2000a). Preparation and morphology characterization of microcellular styrene-co-acrylonitrile (SAN) foam processed in supercritical CO₂. *Polymer International*, 49, 712-718.
- Lee, P. C., Wang, J., Park, C. B. (2005b). Extruded open-cell foams using two crystalline polymers with different crystallization temperature. *Ind. Eng. Chem. Res.*, 45, 175-181.
- Lee, S. H., LoStracco, M. A., McHugh, M. A. (1996). Cosolvent effect on the phase behavior of poly (ethylene-co-acrylic acid)-butane mixtures. *Macromolecules*, 29, 1349.
- Lee, S. H., McHugh, M. A. (1997). Phase behavior studies with poly (ethylene-co-methacrylic acid) at high pressures. *Polymer*, 38, 1317.
- Lee, Y. H., Park, C. B., Wang, K. H., Lee, M. H. (2005). HDPE-clay nanocomposite foams blown with supercritical CO₂. *J of Cellular Plastics*, 41, 487-502.
- Lele, A. K., Shine, A. D. (1994). Effect of RESS dynamics on polymer morphology. *Ind. Eng. Chem. Res.*, 33, 1476-1485.

- Levit, N., Tepper, G. (2004). Supercritical CO₂-assisted electrospinning. *J of Supercritical Fluids*, 31, 329-333.
- Li, D., Han, B. (2000). Impregnation of polyethylene (PE) with styrene using supercritical CO₂ as the swelling agent and preparation of PE/polystyrene composites. *Ind. Eng. Chem. Res.*, 39, 4506-4509.
- Lide, D. R. (1990). CRC handbook of chemistry and physics.
- Lin, A. J., Chang, C. L., Lee, C. K., Cheng, L. P. (2006). Preparation and characterization of microporous PVDF/PMMA composite membranes by phase inversion in water/DMSO solutions. *European Polymer Journal*, 42, 2407-2418.
- Lin, W. J., Yu, C. C. (2001). Comparison of protein loaded poly (ϵ -caprolactone) microparticles prepared by the hot-melt technique. *Journal of Microencapsulation*, 18 (5), 585-592.
- Liu, K., Kiran, E. (2006). Miscibility, viscosity and density of the poly (ϵ -caprolactone) in acetone + CO₂ binary fluid mixtures. *J. of Supercritical Fluids*, 39, 192-200.
- Liu, K., Schuch, F., Kiran, E. (2006). High-pressure viscosity and density of poly (methyl methacrylate) + acetone and poly (methyl methacrylate) + acetone + CO₂ systems. *J of Supercritical Fluids*, 39, 89-101.
- Liu, T., DeSimone, J. M., Roberts, G. W. (2005a). Continuous precipitation polymerization of acrylic acid in sc CO₂: The polymerization rate and the polymer molecular weight. *J of polymer science: Part A: polymer chemistry*, 43. 2546-2555.
- LoStracco M. A., Lee, S. H., McHugh, M. A. (1994). Comparison of the effect of density and hydrogen bonding on the cloud-point behavior of poly (ethylene-co- methylacrylate)-propane-cosolvent mixtures. *Polymer*, 35, 3272-3277.
- Lovera, D., Maruuez, L., Balsamo, V., Taddei, A., Castelli, C., Muller, A. J. (2007). Crystallization, morphology, and enzymatic degradation of polyhydroxybutyrate / polycaprolactone (PHB / PCL) blends. *Macromol. Chem. & Phys.*, 208, 924-937.
- Luft, G., Batarseh, B., Cropp, R. (1993a). High pressure polymerization of ethylene with a homogeneous metallocene catalyst. *Die Angewandte Makromolekulare Chemie*, 211, 157-166.
- Luft, G., Stein, F., Dorn, M. (1993b). The free-radical terpolymerization of ethylene, methyl acrylate and vinyl acetate at high pressure. *Die Angewandte Makromolekulare Chemie*, 211, 131-140.

- Ma, W. Z., Zhang, J., Wang, X. L., Wang, S. M. (2007). Effect of PMMA on crystallization behavior and hydrophilicity of poly (vinylidene fluoride)/poly (methyl methacrylate) blend prepared in semi-dilute solutions. *Applied Surface Science*, 253, 8377-8388.
- Madbouly, S. A. (2007). Isothermal crystallization kinetics in binary miscible blend of poly (ϵ -caprolactone) / tetramethyl polycarbonate. *J. of Appl. Polym. Sci.*, 103, 3307-3315.
- Mang, S.A., Dokolas, P, and Holmes, B. (1999). Controlled polymerization of methyl methacrylate with porphinatocobalt(II) catalysts in supercritical carbon dioxide. *Organic Letters*, 1, 125-127.
- Matsuyama, K., Mishima, K. (2006). Phase behavior of CO₂ + polyethylene glycol + ethanol at pressures up to 20 MPa. *Fluid Phase Equilibria*, 249, 173-178.
- Mattischek, H. P., Sobczak, R. (1994). A new cell for measurement of viscosity under high pressure. *Meas. Sci. Technol.*, 5, 782-785.
- Mawson, S., Kanakia, S., Johnston, K. P. (1997). Metastable polymer blends by precipitation with a compressed fluid antisolvent. *Polymer*, 38 (12), 2957-2967.
- McHugh, M. A., Rindfleisch, R., Kuntz, P. T., Schmaltz, C., Buback, M. (1998). Cosolvent effect of alkyl acrylates on the phase behavior of poly (alkyl acrylate)-supercritical CO₂ mixtures. *Polymer*, 39, 6049-6052.
- McHugh, M.A. and Krukonis, V.J. (1994). *Supercritical fluid extraction: principle and practice* 2nd edition : Boston.
- McKee, M. G. et. al. (2005). Branched polyesters: Recent advances in synthesis and performance, *Prog. Polm. Sci.*, 30, 507-539.
- Men, Y., Strobl, G. (2003). Critical stains in poly (ϵ -caprolactone) and blends with poly (vinyl methyl ether) and poly (styrene-co-acrylonitrile). *Macromolecules*, 36, 1889-1898.
- Mercangoz, M., Kusefoglu, S., Akman, U., Hortacsu, O. (2004). Polymerization of soybean oil via permanganate oxidation with sub/supercritical CO₂. *Chemical Engineering and Processing*, 43, 1015-1027.
- Mertsch, R., Wolf, B. A. (1994). Solutions of poly (dimethylsiloxane) in supercritical CO₂: Viscometric and volumetric behavior, *Macromolecules*, 27, 3289-3294.
- Meziani, M. J., Pankaj, P., Desai, T., Sun, Y. (2006). Supercritical fluid processing of nanoscale particles from biodegradable and biocompatible polymers. *Ind. Eng. Chem. Res.*, 45 (1), 3420-3424.

- Meziani, M. J., Pathak, P., Hurezeanu, R., Thies, M. C., Enick, R. M., Sun, Y. P. (2004). Supercritical-fluid processing technique for nanoscale polymer particles. *Angew. Chem. Int. Ed.*, 43, 704-707.
- Mingotaud, A. F., Begue, G., Cansell, F., Gnanou, Y. (2001). Free-radical polymerization of styrene in CO₂/ethanol mixed supercritical fluid. *Macromol. Chem. Phys.*, 202, 2857-2863.
- Mingotaud, A. F., Dargelas, F., Cansell, F. (2000). Cationic and anionic ring-opening polymerization in sc CO₂. *Macromol. Symp.*, 153, 77-86.
- Mori, T., Tsuchiya, Y., Okahata, Y. (2006). Polymerizations of tetrafluoroethylene in homogeneous supercritical fluorofrom and in detergent-free heterogeneous emulsion of supercritical fluorofrom/water. *Macromolecules*, 39, 604-608.
- Munson, C. A., Page, P. M., Bright, F. V. (2005). Effects of fluid density on a poly (dimethylsiloxane)-based junction in pure and methano-modified carbon dioxide. *Macromolecules*, 38, 1341-1348.
- Muth, O., Hirth, T., Vogel, H. (2000). Polymer modification by supercritical impregnation. *J of Supercritical Fluids*, 17 (1), 65-72.
- Muthukumasan, P., Gupta, R. B., Sung, H. D., Shun, J. J., Bae, H. K. (1999). Dye solubility in supercritical carbon dioxide. Effect of hydrogen bonding with cosolvent, *Korean J. of Chem. Eng.*, 16(1), 111-117.
- Nakamura, Y., Kurosaki, Y. (2005). Micro-rheometry of pressurized lubricants and micro-nanorheology. *Microsyst. Technol.*, 11, 1127-1131.
- Nakanishi, T., Hata, K., Katoh, S., Moriyoshi, T. (2005). Infusion of silver nanoparticles into transparent plastics using supercritical carbon dioxide, *Kobunshi Ronbunshi*, 62(4), 183-189.
- Nalawade, S. P., Picchiono, F., Janssen, L. P. B. M. (2006). Supercritical carbon dioxide as a green solvent for processing polymer melts: Processing aspects and applications. *Prog. Polym. Sci.*, 31, 19-43.
- Nelson, M. R., Borkman, R. F. (1998). Ab initio calculations on CO₂ binding to carbonyl groups. *J. of Phys. Chem. A*, 102, 7860-7863.
- Ngo, T. T., Liotta, C. L., Echert, C. A., Kazarian, S. G. (2003). Supercritical fluid impregnation of different azo-dyes into polymer: in situ UV/Vis spectroscopic study. *J of Supercritical fluids*, 27, 215-221.

O'Neill, M. L., Yates, M. Z., Johnston, K. P., Smith, C. D., Wilkinson, S. P. (1998). Dispersion polymerization in supercritical CO₂ with a siloxane-based macromonomer: 1. The particle formation regime, *Macromolecules*, 31 (9), 2838 - 2847.

Odian, G. (1981). Principles of polymerization, 2nd. ed John Wiley & Sons: New York, p.196.

Odian, G. (1991). Principles of polymerization, John Wiley & Sons, Inc., New York.

Ogo, Y. (1984). Polymerizations at high pressures, *JMS-Rev. Macromol. Phys.*, C24 (1), 1-48.

Okerberg, B. C., Marand, H. (2007). Crystal morphologies in thin film of PEO/PMMA blends. *J. Mater. Sci.*, 42, 4521-4529.

Padua, A. A. H., Fareleria, J. M. N. A., Calado, J.C.G. (1996). Density and viscosity measurements of 2,2,4- trimethylpentane (isooctane) from 198 to 348 K and up to 100 MPa, *J. Chem. Eng. Data*, 41, 1488-1494.

Pankaj G. (2004). Ph. D. Thesis, *Processing-structure-property studies of I) Submicron polymeric fibers produced by electrospinning and II) Films of linear low density polyethylenes as influenced by the short branch length in copolymers of ethylene/1-butene, ethylene/1-hexene & ethylene/1-octene synthesized by a single site metallocene catalyst*. Virginia Tech, Blacksburg.

Park, J. Y., Kim, S. Y., Byun, H. S., Yoo, K. P., Lim, J. S. (2006a). Cloud points of poly (ϵ -caprolactone), poly(L-lactide), and polystyrene in supercritical fluids. *Industrial & Engineering Chemistry Research*, 45 (10), 3381-3387. (2006b). Additions and correlations for "cloud points of poly (ϵ -caprolactone), poly (L-lactide), and polystyrene in supercritical fluids". *Industrial & Engineering Chemistry Research*, 45 (10), 6092.

Perez, M. H., Zinutti, C., Lamprecht, A., Ubrich, N., Astier, A., Hoffman, M., Bodmeier, R., Maincent, P. (2000). The preparation and evaluation of poly (ϵ -caprolactone) microparticles containing both a lipophilic and a hydrophilic drug, *Journal of Controlled Release*, 65, 429-438.

Pernecker, T., Kennedy, J. P. (1994). Carbocationic polymerizations in supercritical carbon dioxide. *Polymer Bulletin*, 32, 537-543.

Peroglio, M., Gremillard, L., Chevalier, J., Chazeau, L., Gauthier, C., Hamaide, T. (2007) Toughing of bio-ceramics scaffolds by polymer coating. *J. European Ceramic Soc.*, 27, 2679-2685.

Peticolas, W. L., Watkins, J. M. (1957). The molecular structure of polyethylene. VII. Melt viscosity and the effect of molecular weight and branching. *Melt viscosity of linear and branched polyethylene*, 5, 5083-5085.

- Pöhler, H.; Kiran, E. (1997a). Volumetric properties of carbon dioxide + acetone at high pressures. *J. Chem. Eng. Data*, 42, 379-383.
- Pöhler, H.; Kiran, E. (1997b). Volumetric properties of sulfur hexafluoride + pentane and sulfur hexafluoride + toluene at high pressures. *Journal of Chem. and Eng. Data*, 42, 389-394.
- Pöhler, H.; Kiran, E. (1997c). Volumetric properties of carbon dioxide + ethanol at high pressures. *Journal of Chem. and Eng. Data*, 42, 384-388.
- Popov, V. K., Bagratashvili, V. N., Krasnov, A. P., Said-Galiyev, E. E., Nikitin, L. N., Afonicheva, O. V., Aliev, A. D. (1998). Modification of triological properties of polyacrylate by supercritical fluid impregnation of copper (II) hexafluoroacetylacetonate. *Triology Letter*, 5, 297-301.
- Prusty M., Keestra, B. J., Goossens, J. G. P., Anderson, P. D. (2007). Experimental and computational study on structure development of PMMA/SAN blends. *Chemical Engineering Science*, 62, 1825-1837.
- Quirk, R. A., France, R. M., Shakesheff, K. M., Howdle, S. M. (2004). Supercritical fluid technologies and tissue engineering scaffolds. *Current Opinion in Solid State & Materials Science*, 8, 313-321.
- Rai, B., Teoh, S. H., Hutmacher, D. W., Cao, T., Ho, K. H. (2005). Novel PCL-based honeycomb scaffolds as drug delivery systems for rhBMP-2. *Biomaterials*, 26, 3739-3748.
- Ramesh, S., Leen, K. H., Kumatha, K., Arof, A. K. (2007). FTIR studies of PVC/PMMA blends based polymer electrolytes. *Spectrochimica Acta, Part A*, 66, 1237-1242.
- Reaves, J. T.; Griffith, A. T.; Roberts, C. B. (1998). Critical properties of dilute carbon dioxide + entrainer and ethane + entrainer mixtures. *J. Chem. Eng. Data*, 43, 683-686.
- Reed III, T. M.; Taylor, T. E. (1959). Viscosities of liquid mixtures. *J. Phys. Chem.*, 63, 58-67.
- Reignier, J., Huneault, M. A. (2006). Preparation of interconnected poly (ϵ -caprolactone) porous scaffolds by a combination of polymer and salt particulate leaching. *Polymer*, 47 (13), 4703-4717.
- Reverchon, E., Cardea, S. (2004). Formation of cellulose acetate membranes using supercritical fluid assisted process. *J of Membrane Science*, 240, 187-195.
- Reverchon, E., Della Porta, G., De Rosa, I., Subra, P., Letourneur, D. (2000). Supercritical antisolvent micronization of some biopolymers. *Journal of Supercritical Fluids*, 18 (3), 239-245.

Reverchon, E., Volpe, M.C., Caputo G., (2003). Supercritical fluid processing of polymers: composite particles and porous materials elaboration. *Current Opinion in solid state & Materials Science*, 7, 391-397.

Ripple, D. (1992). A compact, high-pressure capillary viscometer. *Rev. Sci. Instrum.*, 63 (5), 3153-3155.

Romack, T. J., DeSimone, J. M., Treat, T. A. (1995a). Synthesis of tetrafluoroethylene-based, nonaqueous fluoropolymers in supercritical carbon dioxide. *Macromolecules*, 28 (24), 8429-8431.

Romack, T. J., Kipp, B. E., DeSimone J. M. (1995b). Polymerization of tetrafluoroethylene in a hybrid carbon dioxide/aqueous medium. *Macromolecules*, 28 (24), 8432-8434.

Royer, J. R., DeSimone, J. M., Khan, S. A. (2001). High-pressure rheology and viscoelastic scaling predictions of polymer melts containing liquid and supercritical carbon dioxide. *J. of Polymer Science: Part B: Polymer Physics*, 39, 3055-3066.

Royer, J. R., Gay, Y. J., Adam, M., DeSimone, J. M., Khan, S. A. (2002). Polymer melt rheology with high-pressure CO₂ using a novel magnetically levitated sphere rheometer. *Polymer*, 43, 2375-2383.

Royer, J. R., Gay, Y. J., DeSimone, J. M., Khan, S. A. (2000). High-pressure rheology of polystyrene melts plasticized with CO₂: Experimental measurement and predictive scaling relationships. *J. of Polymer Science: Part B: Polymer Physics*, 38, 3168-3180.

Rutherford, W. M. (1998). Viscosity and density of some lower alkyl chlorides and bromides. *J. Chem. Eng. Data*, 33, 234-237.

Said-Galiyev, E., Nikitin, L., Vinokur, V., Gallyamov, M., Kurykin, M., Petrova, O., Lokshin, B., Volkov, I., Khokhlov, A., Schaumburg, K. (2000). New chelate complexes of copper and iron: Synthesis and impregnation into a polymer matrix from solution in supercritical carbon dioxide. *Ind. Eng. Chem. Res.*, 39, 4891-4896.

Sarazin, P., Favis, B. D. (2005). Influence of temperature –induced coalescence effects on co-continuous morphology in poly (ϵ -caprolactone)/polystyrene blends. *Polymer*, 46, 5966-5978.

Sarbu, T., Styranec, T. J., Beckman, E. J. (2000). Design and synthesis of low-cost, sustainable CO₂-philes, *Ind. Eng. Chem. Res.*, 39, 4678 - 4683.

Sarkar, S., Lee, G. Y., Wong, J. Y., Desai, T. A. (2006). Development and characterization of a porous micro-patterned scaffold for vascular tissue engineering applications. *Biomaterials*, 27 (27), 4775-4782.

- Sathyanarayana, B.; Ranjithkumar, B.; Jyostna, T. S.; Satyanarayana, N. (2007). Densities and viscosities of binary liquid mixtures of N-methylacetamide, with some chloroethanes and chloroethenes. *J. of Chem. Thermodynamics*, 39, 16-21.
- Savage, P.E., Gopalan, S., Mizan, T.I., Martino, C.J., Brock, E.E. (1995). Reactions at supercritical conditions: applications and fundamentals. *AIChE J.*, 41, 1723-1778.
- Schmidt, J. R., Wolf, B. A. (1982). Pressure dependence of intrinsic viscosities and huggins constants for polystyrene in tert-butyl acetate. *Macromolecules*, 15, 1192-1195.
- Schneider, G. M. (1978). Physicochemical principle of extraction with supercritical gases. *Angew. Chem. Int. Ed. Engl.*, 17, 716-727.
- Sen, Y. L., Kiran, E. (1990). A new experimental system to study the temperature and pressure dependence of viscosity, density, and phase behavior of pure fluids and solutions. *Journal of Supercritical Fluids*, 3 (2), 91-99.
- Shenoy, S. L. *et al.* (2005). Role of chain entanglements on fiber formation during electrospinning of polymer solutions: good solvent, non-specific polymer –polymer interaction limit, *Polymer* 46, 3372-3384.
- Shi, C. M., DeSimone, J. M., Kiserow, D. J., Roberts, G. W. (2001a). Reaction kinetics of the solid-state polymerization of poly (bisphenol A carbonate) facilitated by sc CO₂. *Macromolecules*, 34, 7744–7750.
- Shi, C. M., Huang, Z. H., Beckman, E. J., Enick, R. M., Kim, S. Y., Curran, D. P. (2001b). Semi-fluorinated trialkyltin fluorides and fluorinated telechelic ionomers as viscosity-enhancing agents for carbon dioxide. *Ind. Chem. Eng. Res.*, 40, 908-913.
- Shi, C. M., Roberts, G. W., Kiserow, D. J. (2003). Effect of sc CO₂ on the diffusion coefficient of phenol in poly (bisphenol A carbonate). *J of Polymer Science: part A: polymer physics*, 41, 1143-1156.
- Shieh, Y., Yang, H. (2005). Morphological changes of Polycaprolactone with high-pressure CO₂ treatment, *J. Supercritical Fluids*, 33, 183-192.
- Shiho H., DeSimone, J. M. (2000). Dispersion polymerization of styrene in sc CO₂ utilizing random copolymers containing a fluorinated acrylate for preparing micro-size polystyrene particles. *J of polymer science: Part A: polymer chemistry*, 38 (2000) 1146-1153.
- Shukla, C. L.; Hallett, J. P.; Popov, A. V.; Hernandez, R.; Liotta, C. L.; Eckert, C. A. (2006). Molecular dynamics simulation of the cybotactic region in gas-expanded methanol-carbon dioxide and acetone-carbon dioxide mixtures. *J. Phys. Chem. B*, 110, 24101-24111.

- Simha, V. R., Bansal, K., Kaushik, R., Kumria, R., Trehan, A. (2004). Poly ϵ -caprolactone microspheres and nanospheres: an overview. *Int. J. Pharmaceutics*, 278, 1-23.
- Siripurapu, S., Coughlao, J. A., Spontak, R. J., Khan, S. A. (2004). Surface-constrained foaming of polymer thin films with supercritical carbon dioxide. *Macromolecules*, 37, 9872-9879.
- Stephan, K.; Lucas, K. (1978.) *Viscosity of dense fluid*, Plenum Press: New York, pp 75-80.
- Stievano, M.; Elavassore, (2005). N. High-pressure density and vapor-liquid equilibrium for the binary systems carbon dioxide-ethanol, carbon dioxide-acetone and carbon dioxide-dichloromethane. *J. of Supercritical Fluids*, 33, 7-14.
- Strauss, W., D'Souza, N. A. (2004). Supercritical CO₂ processed polystyrene nanocomposite foams. *J of Cellular Plastics*, 40, 229-241.
- Strobl, G. (1997). *The Physics of Polymers. Concepts for understanding their structures and behavior*, 2nd Ed., Springer: New York.
- Subramaniam, B., Rajewski, R. A., Snavely, K. (1997). Pharmaceutical processing with supercritical carbon dioxide. *J. of Pharmaceutical Sciences*, 86(8), 885-890.
- Sun, L., Zhuo, R., Liu, Z. (2003a). Studies on the synthesis and properties of temperature responsive and biodegradable hydrogels. *Macromol. Biosci.*, 3 (12), 725-728.
- Sun, L., Zhuo, R., Liu, Z. (2003b). Synthesis and enzymatic degradation of 2-methylene-1,3-dioxapane and methyl acrylate copolymers. *J of Polymer Science: Part A: Polymer Chemistry*, 41, 2898-2904.
- Sun, S. B. K., Storvick, T. S. (1979). Viscosity of ammonia at high temperature and pressure. *J of Chemical and Engineering Data*, 24 (2), 88-91.
- Suzuki, N., Masubuchi, Y., Yamaguchi, Y., Kase, T., Miyamoto, T.K., Horiuchi, A., Mise, T. (2000). Olefin polymerization using highly congested ansa-metallocene under high pressure: formation of superhigh molecular weight polyolefins. *Macromolecules*, 33, 754-759.
- Suzuki, N., Yu, J., Masubuchi, Y., Horiuchi, A., Wakatsuki, Y. (2003). Nickel- and Palladium-catalyzed olefin polymerization under high pressures. *J. of Polymer Science: Part A: Polymer Chemistry*, 41, 293-302.
- Tanaka, T., Tsuchiya, T., Takahashi, H., Taniguchi, M., Lloyd, D. R. (2006). Microfiltration membrane of polymer blend of poly (L-lactic acid) and poly (ϵ -caprolactone). *Desalination*, 193, 367-374.

Teraoka, I. (2002). *Polymer solutions. An introduction to Physical Properties*, Wiley-Interscience: New York.

Terasaki, H., Kato, T., Urakawa, S., Funakoshi, K. I., Suzuki, A., Okada, T., Maeda, M., Sato, J., Kubo, T., Kasai, S. (2001). The effect of temperature, pressure, and sulfur content on viscosity of the Fe-FeS melt. *Earth and Planetary Science Letters*, 190, 93-101.

Theron, S. A., Zussman, E., Yarin, A. L. (2004). Experimental investigation of the governing parameters in the electrospinning of polymer solutions, *Polymer* 45(6), 2017-2030.

Thurecht, K. J., Hill, D. J. T., Preston, C. M. L., Rintoul, L., White, J. W., Whittaker, A. (2004). Determination of domain sizes in blends of poly (ethylene) and poly (styrene) formed in the presence of supercritical carbon dioxide. *Macromolecule*, 37, 6019-6026.

Tilly, K. D.; Foster, N. R.; Macnaughton, S. J.; Tomasko, D. L. (1994). Viscosity correlations for binary supercritical fluids. *Ind. Eng. Chem. Res.*, 33, 681-688.

Tom, J. W., Debenedetti, P. G. (1991). Formation of bioerodible polymeric microspheres and microparticles by rapid expansion of supercritical solutions, *Biotechnology Progress*, 7(5), 403-411.

Tomasko, D. L., Han, X. M., Liu, D. H., Gao, W. H. (2003b). Supercritical fluid applications in polymer nanocomposites. *Current Opinion in Solid State & Materials Science*, 7, 407-412.

Tomasko, D.L., Li, H., Liu, D., Han, X., Wingert, M. J., Lee, L. J., and Keolling, K. W. (2003a). A review of CO₂ applications in the processing of polymers. *Ind. Eng. Chem. Res.*, 42, 6431-6456.

Topallar, H., Bayrak, Y. (1998). The effect of temperature on the dynamic viscosity of acetone- sunflower seed oil mixtures, *Turkish J. Chem.*, 22, 361-366.

Tsuzuki, S.; Uchimar, T.; Mikami, M.; Tanabe, K. (1998). Intermolecular interaction potential of the carbon dioxide dimer. *J. of Chem. Phys.*, 109, 2169.

Umezawa, S.; Nagashima, (1992). A. Measurement of the diffusion coefficients of acetone, benzene, and alkane in supercritical CO₂ by the Taylor dispersion method. *J. of Supercritical Fluids*, 5 (4), 242-250.

Vaisburd, S., Brandon, D. G. (1997). A combined unit for viscosity, surface tension and density measurements in oxide melts. *Meas. Sci. Technol.*, 8, 822-826.

- Van Herk, A. M., Manders, B. G., Canelas, D. A., Quadir, M. A., DeSimone, J. M. (1997). Propagation rate coefficient of styrene and methyl methacrylate in sc CO₂. *Macromolecules*, 30, 4780-4782.
- Vandamme, Th. F., Ngombo Mukendi, J. F. (1996). Controlled release of levamisole from poly (ϵ -caprolactone) matrixes: III. Effects of molecular weight and polymer coating on drug release. *International Journal of Pharmaceutics*, 145 (1,2), 77-86.
- Varnell D. F., Runt, J. P., Coleman, M. M. (1981). Fourier-transform infrared studies of polymer blends. 6. Further observations on the poly (bisphenol A carbonate)-poly (ϵ -caprolactone) system. *Macromolecules*, 14, 1350-1356.
- Vega-Gonzalez, A., Domingo, C., Elvira, C., Subra, P. (2004). Precipitation of PMMA/PCL blends using supercritical carbon dioxide. *J of Applied Polymer Science*, 91, 2422-2426.
- Vega-Gonzalez, A., Domingo, C., Elvira, C., Subra, P. (2004). Precipitation of PMMA / PCL blends using supercritical carbon dioxide. *J. of Appl. Polym. Sci.*, 91, 2422-2426.
- Vemaverapu, C., Mollan, M. J., Lodaya, M., Needham, T. E. (2005). Design and process aspects of laboratory scale SCF particle formation systems, *Int. J. Pharmaceutics*, 292, 1-16.
- Vieira dos Santos, F. J., Nieto de Castro, C. A. (1997). Viscosity of toluene and benzene under high pressure. *Int. J. Thermophys.*, 18 (2), 367-378.
- Walker, T. A., Raghavan, S. R., Royer, J. R., Smith, S., D., Wignall, G. D., Melnichenko, Y., Khan, S. A., Spontak, R. J. (1999). *J of Phys. Chem. B*, 103, 5472-5476.
- Wang, J., Cheng, X., Zheng, X., Yuan, M., He, J. (2003a). Preparation and characterization of microcellular polystyrene/polystyrene ionomer blends with supercritical carbon dioxide. *J of Polymer Science: Part B: Polymer Physics*, 41, 368-377.
- Wang, J., Zhang, C., Liu, Z., Ding, K., Yang, Z. (2006). A simple and efficient route to prepare compound/polymer composites in supercritical fluids. *Macromolecular Rapid Communication*, 27, 787-792.
- Wang, J.W., Tian, Z.J., Xu, J.G., Xu, Y.P., Xu, Z.S., Lin, L.W., (2003b). Preparation of Mn substituted La-hexaaluminate catalysts by using supercritical drying. *Catalysis Today*, 83, 213-222.
- Wang, W. X., Griffiths, R. M. T., Gile, M. R., Williams, P., Howdle, S. M. (2003). Monitoring dispersion polymerizations of methyl methacrylate in sc CO₂, *European polymer J.*, 39, 423-428.

- Wang, W.X., Irvine, D. J., Howdle, S. M. (2005). Dispersion catalytic chain transfer polymerization of methyl methacrylate in sc CO₂. *Ind. Eng. Chem. Res.*, 44, 8654-8658.
- Wang, Y., Kunioka, M. (2005). Ring-opening polymerization of cyclic monomers with aluminum triflate. *Macromol. Symp.*, 224, 193-205.
- Watkins, J. J., Brown, G. D., RamachandraRao, V. S., Pollard, M. A., Russell, T. P. (1999). Phase separation in polymer blends and diblock copolymers induced by compressible solvents. *Macromolecules*, 32, 7737-7740.
- Wei, Y., Connors, E., Jia, X., Wang, B. (1996). First example of free radical ring-opening polymerization with some characteristics of a living polymerization. *Chem. Mater.*, 8, 604-606.
- Weinstein, R. D., Gribbin, J. J., Najjar, D. (2005). Liquid and supercritical carbon dioxide assisted blending of poly (vinyl acetate) and citric acid. *Ind. Eng. Chem. Res.*, 44, 3480-3484.
- West, B. L., Kazarian, S. G., Vincent, M. F., Brantley, N. H., Eckert, C. A. (1998). Supercritical fluid dyeing of PMMA films with azo-dyes. *J of Appl. Polym. Sci.*, 69, 911-919.
- Whaley, P. D., Winter, H. H., Ehrlich, P. (1997). Phase equilibria of polypropylene with compressed propane and related systems. 2. Fluid-phase equilibria of polypropylene with propane containing alcohols as cosolvent and of some other branched polyolefins with propane. *Macromolecules*, 30, 4887-4890.
- Wisniewski, R., Siegoczynski, R. M. (2003). Viscosity of the methyl alcohol doped castor oil high-pressure phase. *High Pressure Research*, 23 (3), 211-215.
- Wisniewski, R., Siegoczynski, R. M., Rostocki, J. (2005). Viscosity measurements of some castor oil based mixtures under high-pressure conditions. *High Pressure Research*, 25 (1), 63-70.
- Wohlfarth, C., Frank, U., Schultz, R., Heuer, T. (1992). Investigation of phase equilibria in mixtures composed of ethene, 1-butene, 4-methyl-1-pentene, and a polyethylene wax. *Angew. Makromol. Chem.*, 198, 91-110.
- Wolf, B. A., Jend, R. (1979). Pressure and temperature dependence of the viscosity of polymer solutions in the region of phase separation. *Macromolecules*, 12 (4), 732-737.
- Wu, B., M., Borland, S. W., Giordano, R. A., Cima, L. G., Sachs, E. M., Cima, M. J. (1996). Solid free-form fabrication of drug delivery devices. *Journal of Controlled Release*, 40 (1-2), 77-87.

- Wu, J.; Pan, Q.; Rempel, G. L. (2004). Pressure-density-temperature behavior of CO₂/acetone, CO₂/toluene, CO₂/monochlorobenzene mixtures in the near-critical region. *J. Chem. Eng. Data*, 49, 976-979.
- Wu, W.; Ke, J.; Poliakoff, M. (2005). Phase boundaries of CO₂ + toluene, CO₂ + acetone, and CO₂ + ethanol at high temperatures and high pressures. *J. Chem. Eng. Data*, 51, 1398-1403.
- Xia, J.H., Johnson, T., Gaynor, S.G., Matyjaszewski, K., DeSimone, J. (1999). Atom transfer radical polymerization in supercritical carbon dioxide. *Macromolecules*, 32, 4802-4805.
- Xie, J. W., Marijnissen, J. C. M., Wang, C. H. (2006). Microparticles developed by electrohydrodynamic atomization for the local delivery of anticancer drug to treat C6 glioma in vitro. *Biomaterials*, 27 (17), 3321-3332.
- Xiong, Y., Kiran, E. (1994) Effect of polydispersity on the demixing pressures of polyethylene in near- or supercritical alkanes. *J. of Supercritical Fluids*, 7 (4), 283-287.
- Xiong Y., Kiran, E. (1995). Miscibility, density and viscosity of poly (dimethylsiloxane) in supercritical carbon dioxide. *Polymer*, 36, 4817-4826.
- Xiong, Y., Kiran, E. (1997). Miscibility, density and viscosity of polystyrene in n-hexane at high pressures. *Polymer*, 38 (20), 5185-5193.
- Xu, Q., Chang Y. (2004). Complex interactions among additive/supercritical CO₂/polymer ternary systems and factors governing the impregnation efficiency. *J of Applied Polymer Science*, 93, 742-748.
- Xu, Q., Han, B. X., Yan, H. K. (2001). Effect of cosolvents on the precipitation polymerization of acrylic acid in sc CO₂. *Polymer*, 42, 1369-1373.
- Xu, Q., Pang, M., Peng, Q., Jiang, Y., Li, J., Wang, H., Zhu, M. (2005). Effect of experimental conditions on biodegradable polylactide membranes prepared with supercritical CO₂ as nonsolvent, *J. Appl Polym Sci*, 98, 831-837.
- Xu, Q., Ren, X., Chang, Y., Wang, J., Yu, L., Dean K. (2004). Generation of microcellular biodegradable polycaprolactone foams in supercritical carbon dioxide. *J. Appl. Polym. Sci.*, 94, 593-597.
- Yao, B. S., Nawaby, A. V., Liao, X., Burk, R. (2007). Physical characteristics of PLLA/PMMA blends and their CO₂ blowing foams. *Journal of Cellular Plastics*, 43, 385-398.

- Ye, W. J., DeSimone, J. M. (2005). Emulsion polymerization of N-ethylacrylamide in sc CO₂. *Macromolecules*, 38, 2180-2190.
- Yener, M. E., Kashulines, P., Rizvi, S. S. H., Harriott, P. (1998). Viscosity measurement and modeling of lipid-supercritical carbon dioxide mixtures. *J of Supercritical Fluids*, 11, 151-162.
- Yeo, S. D., Kiran, E. (1999a). High-pressure density and viscosity of polystyrene solutions in methylcyclohexane. *J. of Supercritical Fluids*, 15, 261-272.
- Yeo, S. D., Kiran, E. (1999b). Viscosity reduction of polystyrene solutions in toluene with supercritical carbon dioxide. *Macromolecules*, 32, 7325-7328.
- Yeo, S. D., Kiran, E. (2004). Copolymerization of acrylonitrile with methyl methacrylate and 2-chlorostyrene in sc CO₂. *Macromolecules*, 37, 8239-8248.
- Yeo, S. -D., Kiran, E. (2005). Formation of polymer particles with supercritical fluids: A review, *J. Supercritical Fluids* 34, 287-308.
- Yoda, S., Hasegawa, A., Suda, H., Uchimar, Y., Haraya, K., Tsuji, T., Otake, K. (2004). Preparation of a platinum and palladium/polyimide nanocomposite film as a precursor of metal-doped carbon molecular sieve membrane via supercritical impregnation. *Chem. Matter.*, 16, 2363-2368.
- Yokoyama, C., Takahashi, M. (1997). Viscosity CHF₃ in the critical region, *Int. J. Thermophys.*, 18, 1369-1385.
- Zhang, R., Li, W., Liang, X., Wu, G., Lv, Y., Zhan, L., Lu, C., Ling, L. (2003). Effect of hydrophobic group in polymer matrix on porosity of organic and carbon aerogels from sol-gel polymerization of phenolic resole and methylolated melamine. *Microporous and mesoporous materials*, 62, 17-27.
- Zhang, W., Dindar, C., Bayraktar, Z., Kiran, E. (2003). Phase behavior, density, and crystallization of polyethylene in n-pentane and in n-pentane/CO₂ at high pressures. *J. of Applied Polymer Science*, 89, 2201-2209.
- Zhang, W., Kiran, E. (2002). Phase behavior and density of polysulfone in binary mixtures of tetrahydrofuran and carbon dioxide under high pressure: Miscibility windows. *J. of Applied Polymer Science*, 86 (9), 2357-2362.
- Zhang, W., Kiran, E. (2006). High-pressure crystallization and melting of polyethylene in n-pentane. *Journal of Supercritical Fluids*, 38, 406-419.
- Zhou, H., Fang, J., Yang, J., Xie, X. (2003). Effect of the supercritical CO₂ on surface structure of PMMA/PS blend thin film. *J of Supercritical Fluids*, 26, 137-145.

Zhu, Z. B., Combes, J. B., Menciloglu, Y. Z., DeSimone, J. M. (1993). Homogeneous free radical polymerization in supercritical carbon dioxide: 2. thermal decomposition of 2,2'-azobis(isobutyronitrile). *Macromolecules*, 26, 2663-2669.

Zhuo, C., Si, Q. B., Ao, Y. H., Tan, Z. Y., Sun, S. L., Zhang, M. Y., Zhang, H. X. (2007). Effect of matrix composition on the fracture behavior of rubber-modified PMMA/PVC blends. *Polymer Bulletin*, 58, 979-988.