

BIBLIOGRAPHY

Abbott, W.S. 1925. A method of computing the effectiveness of an insecticide. *J. Econ. Entomol.* 18, 265-267

Aitchison, J. 1955. On the distribution of a positive random variable having a discrete probability mass at the origin. *Journal of American Statistical Association* 50, 901-908

Aitchison, J. and Brown, J.A.C. 1957. The lognormal distribution with special reference to its uses in economics. Cambridge at the University Press, Cambridge

Bailer, A.J., and Oris, J.T. 1993. Modeling reproductive toxicity in Ceriodaphnia tests. *Environmental Toxicology and Chemistry* 12, 787-791

Bailer, A.J., and Oris, J.T. 1994. Assessing toxicity of pollutants in aquatic systems. In N. Lange, L. Ryan, L. Billard, D. Brillinger, L. Conquest, J. Greenhouse, eds., Case studies in biometry, New York, NY 25-40

Basilevsky, A. 1994. Statistical Factor Analysis and Related Methods, Theory and Applications. John Wiley and Son, Inc., New York

Chelius, T.H. and Hoffmann, R.G. 1996. Analysis of variance with structural zeroes. Unpublished notes

Chester, T.S., Jr. 1982. Analyzing continuous biological data when structural zeros are present. Unpublished notes

Crow, E.L. and Shimizu, K., 1988. Lognormal Distribution, Theory and Application. Marcel Dekker, Inc., New York

Diggle, P.J., Liang, K.-Y., Zeger, S.L. 1994. Analysis of Longitudinal Data. Clarendon Press, Oxford

Efron, B. and Tibshirani, R.J. 1993. An Introduction to the Bootstrap, Chapman and Hall, London

Feuerverger, A. 1979. On some methods for the analysis of weather experiments. *Biometrika* 66, 655-658

Godambe, V.P. 1960. An optimum property of regular maximum likelihood estimation. *The Annals of Mathematical Statistics* 31, 1208-1211

Godambe, V.P. 1976. Conditional likelihood estimation and unconditional optimum estimating equations. *Biometrika* 63, 277-284

Godambe, V.P. and Kale, B.K. 1991. Estimating functions: an overview. In *Estimating Functions*, Ed. V.P. Godambe, Clarendon Oxford, p.3-20

Godambe, V.P. and Heyde, C.C. 1987. Quasi-likelihood and optimal estimation. *International Statist. review* 55, 231-244

Godambe, V.P. and Thompson, M.E. 1989. An extension of quasi-likelihood estimation. *Journal of Statist. Plann. and Inference* 22, 137-152

Hamilton, M.A. 1986. Statistical analysis of the cladoceran reproductivity test. *Envir. Tox. and Chem.* 5, 205-212

Heilbron, D.C. 1989. Generalized linear models for altered zero probabilities and overdispersion in count data. SIMS Technical Report No.9 Dept. of Epidemiology and Biostatistics, Univ. of California, San Francisco

Kaur, A., Gregori, D., Patil, G.P. and Taillie, C. 1995. Assessment of aquatic systems toxicity using generalized linear models and quasi-likelihood techniques. *COENOSIS* 10(2-3), 113-121

Kerr, D.R. and Meador, J.P. 1996. Modeling dose response using generalized linear models. *Environmental Toxicology and Chemistry* 15, 395-401

Koopmans, L.H. 1981. Introduction to Contemporary Statistical Methods. Second edition, Duxbury Press, Boston

Lachenbruch, P.A. 1976. Analysis of data with clumping at zero. *Biometrical Journal* 18, 351-356

Lambert, D. 1992. Zero-inflated Poisson regression, with an application to defects in manufacturing. *Technometrics* 34, 1-14

Lawless, J. 1987. Negative binomial and mixed Poisson regression. *Canadian Journal of Statistics* 15, 209-225

Liang, K.-Y. and Zeger, S.L. 1986. Longitudinal data analysis using generalized linear model. *Biometrika* 73, 13-22

- Lindsey, J.K. 1995. Modeling Frequency and Count Data. Oxford University Press, New York
- Little, R.J.A. and Rubin, D.B. 1987. Statistical Analysis with Missing Data. John Wiley, New York.
- Longford, N.T. 1993. Random Coefficient Models. Oxford University Press, Oxford
- McCullagh, P. 1983. Quasi-likelihood functions. *Annals of Statistics* 11, 59-67
- McCullagh, P. and Nelder, J.A. 1989. Generalized Linear Models, second edition. Chapman and Hall, University Press, Cambridge
- Morgan, B.J.T. 1992. Analysis of Quantal Response Data, Chapman and Hall, London
- Nelder, J.A., Lee, Y. 1992. Likelihood, quasi-likelihood and pseudolikelihood: Some comparisons. *Journal of the Royal Statistics Society (B)* 54, 1, 273-284.
- Norberg-King, T.J. 1988. An interpolation estimate for chronic toxicity: The IC_p approach. National effluent toxicity assessment center technical report 05-88. U.S. Environmental Protection Agency, Duluth, MN
- Oris, J.T. and Bailer, A.J. 1993. Statistical analysis of the Ceriodaphnia toxicity test: sample size determination for reproductive effects. *Environmental Toxicology and Chemistry* 12, 85-90
- Oris, J.T., Winner, R.W., and Moore, M.V. 1991. A four day Ceriodaphnia survival and reproduction toxicity test. *Environmental Toxicology and Chemistry* 10, 217-224
- Pennington, M. 1983. Efficient estimators of abundance, for fish and plankton surveys. *Biometrics* 39, 281-286
- Schabenberger, O. and Gregoire, T.G. 1995. A conspectus on estimating function theory and its applicability to recurrent modeling issues in forest biometry. *Silva Fennica* 29, 1
- Schabenberger, O. 1995. The analysis of longitudinal ordinal data. Dissertation, Virginia Tech, Blacksburg
- Shimizu, K. 1993. A bivariate mixed lognormal distribution with an analysis of rainfall data. *Journal of Applied Meteorology* 32, 161-171
- Smith, E.P. and Palettas, P.N. 1992. Mixture models in environmental impact assessment. *ASA 1992 Proceedings of Section on Statistics and the Environment* 118-123

Stephen, C.E. and Rogers, J.W. 1985. Advantages of using regression analysis to calculate results of chronic toxicity tests. In R.C. Bahner and D.J. Hansen, eds., *Aquatic Toxicology and Hazard Assessment :Eighth Symposium*. STP 891. American Society for Testing and Materials, Philadelphia, PA, 328 -338

Suter II, G.W. (1996). Abuse of hypothesis testing statistics in ecological risk assessments. *Human and Ecological Risk Assessment* 2, 331-347

Weber, C.I., Peltier, W.H., Norberg-King, T.J., Horning, W.B., Kessler, F.A., Menkedick, J.R., Neiheisel, T.W., Lewis, P.A., Klemm, D., Pickering, Q.H., Robinsin, E.L., Lazorchak, J.M., Wymer, L.J., and Freyberg, R.W. 1989. *Short-term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms*, 2nd ed. Cincinnati, Ohio: U.S. Environmental Protection Agency.

Wedderburn, R.W.M. 1974. Quasi-likelihood functions, generalized linear models and the Gauss-Newton method. *Biometrika* 61, 3, 439-447

Wishart, J. 1938. Growth-rate determinations in nutrition studies with the bacon pig and their analysis. *Biometrika* 30, 16-28

Zeger, S.L. and Liang, K.-Y. 1986. Longitudinal data analysis for discrete and continuous outcomes. *Biometrics* 42, 121-30

Zeger, S.L. and Liang, K.-L. 1992. An overview of methods for the analysis of longitudinal data. *Statistics in Medicine* 11, 1825-39

Zeger, S.L., Liang, K.-Y., Albert, P.S. (1988). Models for longitudinal data: a generalized estimating equation approach. *Biometrics* 44, 1049-60