

LITERATURE CITED

- Adkison, G. P. and Jackson, M. T. (1996). Changes in ground-layer vegetation near trails in midwestern U.S. Forests. *Natural Areas Journal* **16(1)**, 14-23.
- Alberti, M. and Parker, J. D. (1991). Indices of environmental quality: the search for credible measures. *Environmental Impact Assessment Review* **11**, 95-101.
- ATC (Appalachian Trail Conference) (1994). *The Trail Assessment Handbook*. Harpers Ferry, WV: ATC.
- Avery, T. E. and Burkhart, H. E. (1994). *Forest Measurements (4th Ed.)*. New York: McGraw-Hill.
- Backman, K. F., Uysal, M. and Backman, S. J. (1992). Index numbers: a tourism managerial and policy-making tool. *Journal of Applied Recreation Research* **17(2)**, 158-177.
- Balce, A. E. (1987). Determination of optimum sampling interval in grid digital elevation models (DEM) data acquisition. *Photogrammetric Engineering and Remote Sensing* **53(3)**, 323-330.
- Bayfield, N. G. (1973). Use and deterioration of some Scottish hill paths. *Journal of Applied Ecology* **10(2)**, 633-644.
- Bayfield, N. G. (1986). Penetration of the Cairngorm Mountains, Scotland, by vehicle tracks and footpaths: impacts and recovery. In *Proceedings-National Wilderness Research Conference: Current Research, July 23-26, 1985, Fort Collins, CO* (Lucas, R. C., comp.), pp. 121-128. General Technical Report INT-212. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Bayfield, N. G. and Lloyd, R. J. (1973). An approach to assessing the impact of use on a long distance footpath - the Pennine Way. *Recreation News Supplement* **8**, 11-17.
- Berry, B. J. L. and Baker, A. M. (1968). Geographic sampling. In *Spatial Analysis: A Reader in Statistical Geography* (Berry, B. J. L. and Marble, D. F., eds.), pp. 91-100. Englewood Cliffs, NJ: Prentice-Hall.
- Berry, B. J. L. and Marble, D. F., eds. (1968). *Spatial Analysis: A Reader in Statistical Geography*. Englewood Cliffs, NJ: Prentice-Hall.

- Bian, L. and Walsh, S. J. (1993). Scale dependencies of vegetation and topography in a mountainous environment of Montana. *Professional Geographer* **45(1)**, 1-11.
- Boden, R. (1977). Ecological aspects of outdoor recreation planning. In *Leisure and Recreation in Australia* (Mercer, D., ed.), pp. 222-232. Melbourne: Sorrett Pub.
- Bogucki, D. J. (1972). Intense rainfall in Great Smoky Mountains National Park. *Journal of the Tennessee Academy of Science* **47(3)**, 93-97.
- Boorman, L. A. and Fuller, R. M. (1977). Studies on the impact of paths on the dune vegetation at Winterton, Norfolk, England. *Biological Conservation* **12**, 203-216.
- Bratton, S. P. (1985). Effects of disturbance by visitors on two woodland orchid species in Great Smoky Mountains National Park. *Biological Conservation* **31**, 211-227.
- Bratton, S. P., Hickler, M. G., and Graves, J. H. (1978). Visitor impacts on backcountry campsites in the Great Smoky Mountains. *Environmental Management* **2(5)**, 431-442.
- Bratton, S. P., Hickler, M. G. and Graves, J. H. (1979). Trail erosion patterns in Great Smoky Mountains National Park. *Environmental Management* **3(5)**, 431-445.
- Bratton, S. P., Stromberg, L. L. and Harmon, M. E. (1982). Firewood-gathering impacts in backcountry campsites in Great Smoky Mountains National Park. *Environmental Management* **6(1)**, 63-71.
- Brewer, L. and Berrier, D. (1984). *Photographic Techniques for Monitoring Change at Backcountry Sites*. General Technical Report NE-86. Broomall, PA: USDA Forest Service, Northeastern Forest Experiment Station.
- Brunson, M. (1996). Integrating human habitat requirements into ecosystem management strategies: a case study. *Natural Areas Journal* **16(2)**, 100-107.
- Calais, S. S. and Kirkpatrick, J. B. (1986). Impact of trampling on natural ecosystems in the Cradle Mountain-Lake St. Clair National Park. *Australian Geographer* **17**, 6-15.
- Canon, L. K., Adler, S. and Leonard, R. E. (1979). *Factors Affecting Dispersion of Backcountry Campsites*. Research Note NE-276. Broomall, PA: USDA Forest Service, Northeastern Forest Experiment Station.
- Clark, R. N. and Stankey, G. H. (1979). Determining the acceptability of recreational impacts: an application of the Outdoor Recreation Opportunity Spectrum. In *Recreational Impact on Wildlands: Conference Proceedings, Oct 27-29, 1978, Seattle, WA* (Ittner,

- R., Potter, D. R., Agee, J. K. and Anschell, S., eds.), pp. 32-42. USFS#R-6-001-1979. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station and USDI National Park Service.
- Clawson, M. (1982). Effective acreage for outdoor recreation. *Resources* **781** (Fall Issue).
- Clawson, M. and Knetsch, J. L. (1971). *Economics of Outdoor Recreation*. Baltimore, MD: Johns Hopkins University Press.
- Cliff, A. D. and Ord, J. K. (1981). *Spatial Processes: Models and Applications*. London: Pion.
- Cole, D. N. (1978). Estimating the susceptibility of wildland vegetation to trailside alteration. *Journal of Applied Ecology* **15**, 281-286.
- Cole, D. N. (1982). Controlling the spread of campsites at popular wilderness destinations. *Journal of Soil and Water Conservation* **37(5)**, 291-295.
- Cole, D. N. (1983). *Assessing and Monitoring Backcountry Trail Conditions*. Research Paper INT-303. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Cole, D. N. (1987). Research on soil and vegetation in wilderness: a state-of-knowledge review. In *Proceedings-National Wilderness Research Conference: Issues, State-of-Knowledge, Future Directions, July 23-26, 1985, Fort Collins, CO* (Lucas, R. C., comp.), pp. 135-177. General Technical Report INT-220. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Cole, D. N. (1989a). *Wilderness Campsite Monitoring Methods: A Sourcebook*. General Technical Report INT-259. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Cole, D. N. (1989b). Recreation ecology: what we know, what geographers can contribute. *Professional Geographer* **41(2)**, 143-148.
- Cole, D. N. (1989c). *Area of Vegetation Loss: A New Index of Campsite Impact*. Research Note INT-389. Ogden, Utah: USDA Forest Service, Intermountain Research Station.
- Cole, D. N. (1990). Ecological impacts of wilderness recreation and their management. In *Wilderness Management (2nd Ed.)* (Hendee, J. C., Stankey, G. H. and Lucas, R. C.), pp. 425-466. Golden, CO: North American Press.

- Cole, D. N. (1992). Modeling wilderness campsites: factors that influence amount of impact. *Environmental Management* **16**, 255-264.
- Cole, D. N. (1993). *Campsites in Three Western Wildernesses: Proliferation and Changes in Condition Over 12 to 16 Years*. Research Paper INT-463. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Cole, D. N. (1994). Backcountry impact management: lessons from research. *Trends* **31(3)**, 10-14.
- Cole, D. N. and Bayfield, N. G. (1993). Recreational trampling of vegetation: standard experimental procedures. *Biological Conservation* **63**, 209-215.
- Cole, D. N. and Landres, P. B. (1996). Threats to wilderness ecosystems: impacts and research needs. *Ecological Applications* **6(1)**, 168-184.
- Cole, D. N., Watson, A. E., Hall, T. E. and Spildie, D. R. (1997). *High-Use Destinations in Wilderness: Social and Biophysical Impacts, Visitor Responses, and Management Options*. Research Paper INT-RP-496. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Coleman, R. A. (1981). Footpath erosion in the English Lake District. *Applied Geography* **1**, 121-131.
- Confer, J. J., Graefe, A. R. and Falk, J. M. (1992). A geographic information systems approach to analysis of the spatial relationships between recreational boating uses and perceived impacts. In *Proceedings of the 1992 Northeastern Recreation Research Symposium, April 5-7, 1992, Saratoga Springs, NY* (Vander Stoep, G. A., ed.), pp. 103-110. General Technical Report NE-176. Broomall, PA: USDA Forest Service, Northeastern Forest Experiment Station.
- Confer, J. J., Graefe, A. R. and Titre, J. P. (1995). Measuring recreation impact: site specific measures vs. overall indicators. In *The 1995 Leisure Research Symposium, Oct. 5-8, 1995, San Antonio, TX*.
- Coppock, J. T. and Duffield, B. S. (1975). *Recreation in the Countryside: A Spatial Analysis*. London: Macmillan.
- Crowder, A. (1983). Impact indices based on introduced plant species and litter: a study of paths in St. Lawrence Islands National Park, Ontario, Canada. *Environmental Management* **7(4)**, 345-354.

- Dacey, M. F. (1960). The spacing of river towns. *Annals of Association of American Geographers* **50**, 59-61.
- Dale, D. and Weaver, T. (1974). Trampling effects on vegetation of the trail corridors of north Rocky Mountain forests. *Journal of Applied Ecology* **11**, 767-772.
- Dale, V. H., Franklin, R. L. A., Post, W. M. and Gardner, R. H. (1991). Sampling ecological information: choice of sample size. *Ecological Modelling* **57**, 1-10.
- Davis, J. C. (1986). *Statistics and Data Analysis in Geology (2nd Ed.)*. New York: John Wiley & Sons.
- Ditton, R. B., Schmidly, D. J., Boer, W. J. and Graefe, A. R. (1977). A survey and analysis of recreational and livestock impact on the riparian zone of the Rio Grande in Big Bend National Park. In *Proceedings of the Symposium on River Recreation Management and Research, January 24-27, 1977, Minneapolis, MN*, pp. 256-266. General Technical Report NC-28. St. Paul, MN: USDA Forest Service, North Central Forest Experiment Station.
- Etchberger, R. C. and Krausman, P. R. (1997). Evaluation of five methods for measuring desert vegetation. *Wildlife Society Bulletin* **25(3)**, 604-609.
- Everett, B. (1980). *Cluster Analysis*. London: Heineman.
- Fischer, M., Scholten, H. J. and Unwin, D. (1996). Geographic information systems, spatial data analysis and spatial modelling: an introduction. In *Spatial Analytical Perspectives on GIS* (Fischer, M., Scholten, H. J. and Unwin, D., eds.), pp. 3-19. Bristol, PA: Taylor and Francis.
- Forman, R. T. T. (1995). *Land Mosaics: The Ecology of Landscapes and Regions*. New York: Cambridge University Press.
- Forman, R. T. T. and Godron, M. (1986). *Landscape Ecology*. New York: John Wiley & Sons.
- Gao, J. (1997). Resolution and accuracy of terrain representation by grid DEMs at a micro-scale. *International Journal of Geographical Information Science* **11(2)**, 199-212.
- Garland, G. G. (1990). Techniques for assessing erosion risk from mountain footpaths. *Environmental Management* **14(6)**, 793-798.

- Goldsmith, F. B. (1985). Future requirements for recreation ecology research. In *The Ecological Impacts of Outdoor Recreation on Mountain Areas in Europe and North America* (Bayfield, N. G. and Barrow, G. C., eds.), pp. 162-164. RERG Report No. 9. Wye, England: Wye College, Department of Horticulture.
- Goodchild, M. F. (1987). A spatial analytical perspective on geographical information systems. *International Journal of Geographical Information Systems* **1(4)**, 327-334.
- Graefe, A. R., Kuss, F. R. and Vaske, J. J. (1990). *Visitor Impact Management: The Planning Framework*. Washington, DC: National Parks and Conservation Association.
- Griffith, D. A. and Amrhein, C. G. (1991). *Statistical Analysis for Geographers*. Englewood Cliffs, NJ: Prentice Hall.
- Griffith, D. A. and Amrhein, C. G. (1997). *Multivariate Statistical Analysis for Geographers*. Upper Saddle River, New Jersey: Prentice-Hall.
- GSMNP (U.S. Dept. of Interior, National Park Service, Great Smoky Mountains National Park) (1992-1993). Backcountry use statistics. Unpublished data.
- GSMNP (1995). *A Strategic Plan for Managing Backcountry Recreation in Great Smoky Mountains National Park*. Gatlinburg, TN: GSMNP.
- Haining, R. (1990). *Spatial Data Analysis in the Social and Environmental Sciences*. New York: Cambridge University Press.
- Hair, J. F. Jr., Anderson, R. E., Tatham, R. L. and Black, W. C. (1995). *Multivariate Data Analysis with Readings (4th Ed.)*. Englewood Cliffs, NJ: Prentice-Hall.
- Hall, C. N. (1989). *Using Impact Indices and Baseline Vegetation Data to Assess the Condition of an Eastern Wilderness: A Case Study of the Dolly Sods*. College Park, MD: The University of Maryland. PhD Dissertation.
- Hall, C. N. and Kuss, F. R. (1989). Vegetation alteration along trails in Shenandoah National Park, Virginia. *Biological Conservation* **48**, 211-227.
- Hamilton, H. R. (1996). Identification and analysis of outdoor recreation habitats: the recreation habitat analysis method. *Water Resources Bulletin* **32(4)**, 761-766.
- Hammitt, W. E. and Cole, D. N. (1987). *Wildland Recreation: Ecology and Management*. New York: John Wiley & Sons.

- Hammitt, W. E., Bixler, R. D. and Noe, F. P. (1996). Going beyond importance-performance analysis to analyze the observance-influence of park impacts. *Journal of Park and Recreation Administration* **14**(1), 45-62.
- Hammond, R. and McCullagh, P. (1974). *Quantitative Techniques in Geography: An Introduction*. Oxford, England: Clarendon Press.
- Harden, C. P. (1992). Incorporating roads and footpaths in watershed-scale hydrologic and soil erosion models. *Physical Geography* **13**(4), 368-385.
- Harris, L. K., Gimblett, R. H. and Shaw, W. W. (1995). Multiple use management: using a GIS model to understand conflicts between recreationists and sensitive wildlife. *Society and Natural Resources* **8**, 559-572.
- Hart, J. B. (1982). Ecological effects of recreation use on campsites. In *Guiding Land Use Decisions: Planning and Management for Forests and Recreation* (Countryman, D. W. and Sofranko, D. M., eds.), pp. 150-182. Baltimore, MD: Johns Hopkins University Press.
- Hartshorne, R. (1959). *Perspective on the Nature of Geography*. Chicago, IL: Rand McNally.
- Hawes, M. (1996). A walking track management strategy for the Tasmanian Wilderness World Heritage Area. *Australian Parks and Recreation* **32**(2), 18-26.
- Hendee, J. C., Stankey, G. H. and Lucas, R. C. (1990). *Wilderness Management (2nd Ed.)*. Golden, CO: North American Press.
- Hickler, M. G. and Bratton, S. P. (1980). Patterns of soil erosion and vegetation damage associated with trails and campsites in Great Smoky Mountains National Park. In *Proceedings of the 2nd Conference on Scientific Research in the National Parks: Volume 9 - Human Impact on Natural Resources, November 26-30, 1979, San Francisco, CA* (Linn, R., ed.), pp. 1261-1266. NPS/ST-80/02-9. Washington, DC: USDI National Park Service.
- House, M. A. (1990). Water quality indices as indicators of ecosystem change. *Environmental Monitoring and Assessment* **15**, 255-263.
- Huggett, R. J. (1993). *Modelling the Human Impact on Nature: Systems Analysis of Environmental Problems*. Oxford, England: Oxford University Press.
- Hull, R. B., IV and Stewart, W. P. (1995). The landscape encountered and experienced while hiking. *Environment and Behavior* **27**(3), 404-426.

- Inhaber, H. (1976). *Environmental Indices*. New York: Wiley.
- James, T. D. W., Smith, D. W., Mackintosh, E. E., Hoffman, M. K. and Monti, P. (1979). Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario Park. *Forest Science* **25**, 333-349.
- King, P. B., Neuman, R. B. and Hadley, J. B. (1968). *Geology of the Great Smoky Mountains National Park, Tennessee and North Carolina*. Professional Paper 587. Washington, DC: USDI Geological Survey.
- Klein, J. M. and Burde, J. H. (1991). Monitoring impacts at backcountry campsites and shelters at Great Smoky Mountains National Park. In *Proceedings of the 1990 Southeastern Recreation Research Conference, Feb 14-16, 1990, Asheville, NC* (Hope III, D., ed.), pp. 29-36. General Technical Report SE-67. Asheville, NC: USDA Forest Service, Southeastern Forest Experiment Station.
- Kliskey, A. D. and Kearsley, G. W. (1993). Mapping multiple perceptions of wilderness in southern New Zealand. *Applied Geography* **13**, 203-223.
- Kuss, F. R. (1986). Impact ecology knowledge is basic. In *Proceedings-National Wilderness Research Conference: Current Research, July 23-26, 1985, Fort Collins, CO* (Lucas, R. C., comp.), pp. 92-93. General Technical Report INT-212. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Kuss, F. R., Graefe, A. R. and Vaske, J. J. (1990). *Visitor Impact Management: A Review of Research*. Washington, DC: National Parks and Conservation Association.
- Lajeunesse, D., Domon, G., Cogliastro, A. and Bouchard, A. (1997). Monitoring recreational use in urban natural areas. *Natural Areas Journal* **17(4)**, 366-379.
- Lam, N. S.-N. (1983). Spatial interpolation methods: a review. *American Cartographer* **10**, 29-149.
- Lam, N. S.-N. and Quattrochi, D. A. (1992). On the issues of scale, resolution, and fractal analysis in the mapping sciences. *Professional Geographer* **44(1)**, 88-98.
- Lance, A. N., Baugh, I. D. and Love, J. A. (1989). Continued footpath widening in the Cairngorm mountains, Scotland. *Biological Conservation* **49**, 201-214.
- Larson, G. L. and Hammitt, W. E. (1981). Management concerns for swimming, tubing, and wading in the Great Smoky Mountains National Park. *Environmental Management* **5(4)**, 353-362.

- Lemky, K. (1996). *Review of Methodologies for Monitoring and Assessing Trail Conditions in Wilderness Areas: Framework and Recommendations for Cape Breton Highlands National Park*. Report for Contract #CBH-96-002. Ingonish Beach, Nova Scotia: Cape Breton Highlands National Park.
- Leonard, R. E. and Whitney, A. M. (1977). *Trail Transects: A Methods for Documenting Trail Changes*. Research Paper NE-389. Upper Darby, PA: USDA Forest Service, Northeastern Forest Experiment Station.
- Leonard, R. E., Spencer, E. L. and Plumley, H. J. (1981). *Guidelines for Backcountry Facilities: Design and Maintenance*. Boston, MA: Appalachian Mountain Club.
- Leung, Y.-F. and Marion, J. L. (1996). Trail degradation as influenced by environmental factors: a state-of-knowledge review. *Journal of Soil and Water Conservation* **51(2)**, 130-136.
- Leung, Y.-F., Marion, J. L. and Ferguson, J. Y. (1997). Methods for assessing and monitoring backcountry trail conditions: an empirical comparison. In *Making Protection Work: Proceedings of the 9th George Wright Society Conference on Research and Resource Management in Parks and on Public Lands, March 17-21, 1997, Albuquerque, NM* (Harmon, D., ed.), pp. 406-414. Hancock, MI: The George Wright Society.
- Lewandowski, J. P. and McLaughlin, S. P. (1995). Managing visitors' environmental impacts in a system of sites: A network approach. *Pennsylvania Geographer* **33(2)**, 43-58.
- Li, Z. (1992). Variation of the accuracy of digital terrain models with sampling interval. *Photogrammetric Record* **14**, 113-128.
- Liddle, M. J. (1975). A selective review of the ecological effects of human trampling on natural ecosystems. *Biological Conservation* **7**, 17-36.
- Liddle, M. J. (1991). Recreation ecology: effects of trampling on plants and corals. *Trends in Ecology, Evolution and Systematics* **6(1)**, 13-17.
- Liddle, M. J. (1997). *Recreation Ecology: The Ecological Impact of Outdoor Recreation and Ecotourism*. London: Chapman and Hall.
- Lindsey, G., Wittman, J. and Rummel, M. (1997). Using indices in environmental planning: evaluating policies for wellfield protection. *Journal of Environmental Planning and Management* **40(6)**, 685-703.
- Littlejohn, M. (1997). *Great Smoky Mountains National Park Visitor Study: Summer and*

- Fall 1996. Visitor Services Project Report No. 92. Moscow, ID: University of Idaho, Cooperative Park Studies Unit.
- Lloyd, R. D. and Fischer, V. L. (1972). Dispersed versus concentrated recreation as forest policy. In *Proceedings of the 7th World Forestry Congress, October 4-18, 1972, Buenos Aires, Argentina*. Buenos Aires: Department of Argentine Scientific Publications.
- Lucas, R. C. (1964). Wilderness perception and use: the example of the Boundary Waters Canoe Area. *Natural Resources Journal* **3**, 394-411.
- Lucas, R. C. and Shechter, M. (1977). A recreational visitor travel simulation model as an aid to management planning. *Simulation and Games* **8(3)**, 375-384.
- Machlis, G. E. and McKendry, J. E. (1996). Maps and models for natural resource management: powerful tools from the social sciences. In *Natural Resource Management: The Human Dimension* (Ewert, A., ed.), pp. 195-226 . Boulder, CO: Westview Press.
- Manning, R. E. (1979). Impacts of recreation on riparian soils and vegetation. *Water Resources Bulletin* **15(1)**, 30-43.
- Manning, R. E. (1985). Crowding norms in backcountry settings: a review and synthesis. *Journal of Leisure Research* **17(2)**, 75-89.
- Marion, J. L. (1991). *Developing a Natural Resource Inventory and Monitoring Program for Visitor Impacts on Recreation Sites: A Procedural Manual*. Natural Resources Report NPS/NRVT/NRR-91/06. Denver, CO: USDI National Park Service, Natural Resources Publication Office.
- Marion, J. L. (1994). *An assessment of trail conditions in Great Smoky Mountains National Park*. Research/Resources Management Report. Atlanta, GA: USDI National Park Service, Southeast Region.
- Marion, J. L. (1995). Capabilities and management utility of recreation impact monitoring programs. *Environmental Management* **19(5)**, 763-771.
- Marion, J. L. and Cole, D. N. (1986). Recreation impact assessment and monitoring systems: past, present and future. Paper presented at the Conference on Science in the National Parks, July 13-18, 1986, Fort Collins, CO. 14p.
- Marion, J. L. and Cole, D. N. (1996). Spatial and temporal variation in soil and vegetation

- impacts on campsites. *Ecological Applications* **6(2)**, 520-530.
- Marion, J. L. and Leung, Y.-F. (1997). *An Assessment of Campsite Conditions in Great Smoky Mountains National Park*. Research/Resources Management Report. Atlanta, GA: USDI National Park Service, Southeast Regional Office.
- Marion, J. L. and Merriam, L. C. (1985). *Recreational Impacts on Well-Established Campsites in the Boundary Waters Canoe Area Wilderness*. Station Bulletin AD-SB-2502. St. Paul, MN: University of Minnesota, Agricultural Experiment Station.
- Marion, J. L. and Rogers, C. S. (1994). The applicability of terrestrial visitor impact management strategies to the protection of coral reefs. *Ocean and Coastal Management* **22**, 153-163.
- Marion, J. L. and Sober, T. (1987). Environmental impact management in a wilderness area. *Northern Journal of Applied Forestry* **4**, 7-10.
- Marion, J. L., Roggenbuck, J. W. and Manning, R. E. (1993). *Problems and Practices in Backcountry Recreation Management: A Survey of National Park Service Managers*. Natural Resources Report NPS/NRVT/NRR-93/12. Denver, CO: USDI National Park Service, Natural Resources Publication Office.
- Matlack, G. R. (1993). Sociological edge effects: Spatial distribution of human impact in suburban forest fragments. *Environmental Management* **17(6)**, 829-835.
- McEwen, D. and Tocher S. R. (1976). Zone management: key to controlling recreational impact in developed campsites. *Journal of Forestry* **74(2)**, 90-93.
- McEwen, D., Cole, D. N. and Simon, M. (1996). *Campsite Impacts in Four Wildernesses in the South-Central United States*. Research Paper INT-RP-490. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- McGarigal, K. and Marks, B. J. (1995). *FRAGSTATS: Spatial Pattern Analysis Program for Quantifying Landscape Structure*. General Technical Report PNW-GTR-351. Portland, OR: USDA Forest Service, Pacific Northwest Research Station.
- Meentemeyer, V. (1989). Geographical perspectives of space, time, and scale. *Landscape Ecology* **3(3/4)**, 163-173.
- Merigliano, L. L. (1990a). Indicators to monitor the wilderness recreation experience. In *Managing America's Enduring Wilderness Resource*. Minneapolis, MN, Sept. 11-17,

- 1989 (Lime, D. W., ed.), pp. 156-162. St. Paul, MN: University of Minnesota, Agricultural Experiment Station and Extension Service.
- Merigliano, L. L. (1990b). Indicators to monitor wilderness conditions. In *Managing America's Enduring Wilderness Resource*. Minneapolis, MN, Sept. 11-17, 1989 (Lime, D. W., ed.), pp. 205-209. St. Paul, MN: University of Minnesota, Agricultural Experiment Station and Extension Service.
- Merriam, L. C. Jr., Smith, C. K., Miller, D. E., Huang, C.-T., Tappeiner, J. C., Goeckermann, K., Bloemendal, J. A. and Costello, T. M. (1973). *Newly Developed Campsites in the Boundary Waters Canoe Area: A Study of 5 Year's Use*. Station Bulletin 511. St. Paul, MN: University of Minnesota, Agriculture Experiment Station.
- Mitchell, L. S. (1994). Research on the geography of tourism. In *Travel, Tourism, and Hospitality Research: A Handbook for Managers and Researchers* (Ritchie, J. R. B. and Goeldner, C. R., eds.), pp. 197-207. 2nd Ed.. New York: John Wiley & Sons.
- Mitchell, L. S. and Smith, R. V. (1985). Recreational geography: inventory and prospect. *Professional Geographer* **37(1)**, 6-14.
- Mitchell, L. S. and Smith, R. V. (1989). The geography of recreation, tourism, and sport. In *Geography in America* (Gaile, G. L. and Willmott, C. J., eds.), pp. 387-408. Columbus, OH: Merrill Pub.
- Morgan, J. M., III and Kuss, F. R. (1986). Soil loss as a measure of carrying capacity in recreation environments. *Environmental Management* **10(2)**, 263-270.
- Morrill, R. L. (1991). On the measure of geographic segregation. *Geography Research Forum* **11**, 25-36.
- Mortensen, C. O. (1989). Visitor use impacts within the Knobstone Trail corridor. *Journal of Soil and Water Conservation* **44(2)**, 156-159.
- Mueller-Dombois, D. and Ellenberg, H. (1974). *Aims and Methods in Vegetation Ecology*. New York: John Wiley and Sons.
- National Research Council, Rediscovering Geography Committee (1997). *Rediscovering Geography: New Relevance for Science and Society*. Washington, DC: National Academy Press.
- Noe, F. P., Hammitt, W. E. and Bixler, R. D. (1997). Park user perceptions of resource and use impacts under varied situations in three national parks. *Journal of Environmental*

- Management* **49(3)**, 323-336.
- NPS (U.S. Dept. of Interior, National Park Service) (1981). *General Management Plan - Great Smoky Mountains National Park*. Denver, CO: NPS Denver Service Center.
- NPS (1988). *Management Policies*. Washington, DC: U.S. Government Printing Office.
- NPS (1994). *National Park Service Statistical Abstract*. Denver, CO: USDI National Park Service, Denver Service Center, Socio-Economic Studies Division.
- NPS. (1997). *VERP: A Process for Addressing Visitor Carrying Capacity in the National Park System*. Denver, CO: USDI National Park Service, Denver Service Center.
- O'Connor, J. S. and Dewling, R. T. (1986). Indices of marine degradation: their utility. *Environmental Management* **10(3)**, 335-343.
- O'Neill, R. V., Krummel, J. R., Gardner, R. H., Sugihara, G., Jackson, B., DeAngelis, D. L., Milne, B. T., Turner, M. G., Zygmunt, B., Christensen S. W., Dale, V. H. and Graham, R. L. (1988). Indices of landscape pattern. *Landscape Ecology* **1(3)**, 153-162.
- Openshaw, S. (1991). Developing appropriate spatial analysis methods for GIS. In *Geographical Information Systems: Principles and Applications - Volume 1: Principles* (Maguire, D. J., Goodchild, M. F. and Rhind, D. W., eds.), pp. 389-402. New York: Longman.
- Orr, H. R. (1971). Design and layout of recreation facilities. In *Recreation Symposium Proceedings*, pp.23-27. Upper Darby, PA: USDA Forest Service, Northeastern Forest Experiment Station.
- Ott, W. R. (1978). *Environmental Indices: Theory and Practice*. Ann Arbor, MI: Ann Arbor Science.
- Overton, D. J. (1991). *Campsite Change Due to Minimum and Traditional Impact Behavior Practices*. Fort Collins, CO: Colorado State University. PhD Dissertation.
- Parikesit, P., Larson, D. W. and Matthes-Sears, U. (1995). Impacts of trails on cliff-edge forest structure. *Canadian Journal of Botany* **73(6)**, 943-953.
- Pikul, R. P., Bisselle, C. A. and Lilientha, M. (1975). Development of environmental indices: outdoor recreation resources and land use shift. In *Indicators of Environmental Quality* (Thomas, W. A., ed.), pp. 147-172. New York: Plenum.

- Pinder, D. A. and Witherick, M. E. (1973). Nearest-neighbour analysis of linear point patterns. *Tijdschrift voor Economische en Sociale Geographie* **64**, 160-163.
- Pinder, D. A. and Witherick, M. E. (1975). A modification of nearest-neighbour analysis for use in linear situations. *Geography* **60**, 16-23.
- Renfro, J. R. (1985). *The Incidence and Intensity of Backcountry Trail and Campsite Impacts along the Appalachian Trail in Great Smoky Mountains National Park*. Carbondale, IL: Southern Illinois University. M.S. Thesis.
- Robinson A. H., Morrison, J. L., Muehrcke, P. C., Kimerling, A. J. and Guptill, S. C. (1995). *Elements of Cartography (6th Ed.)*. New York: John Wiley & Sons.
- Roggenbuck, J. W., Williams, D. R. and Watson, A. E. (1993). Defining acceptable conditions in wilderness. *Environmental Management* **17(2)**, 187-197.
- Root, J. D. and Knapik, L. J. (1972). *Trail Conditions along a Portion of the Great Divide Trail Route, Alberta and British Columbia Rocky Mountains*. Earth Science Report 72-5. Edmonton, Alberta: Research Council of Alberta.
- Ruff, A. and Maddison, C. (1994). Footpath management in the national parks. *Landscape Research* **19(2)**, 80-87.
- Saunders, P. R. and Burnett, G. W. (1983). Diversity indexes and interpretation of recreation supply inventories. *Journal of Soil and Water Conservation* **38(2)**, 122-123.
- Schuster, E. G. and Zuuring, H. R. (1986). Quantifying the unquantifiable--or, have you stopped abusing measurement scales? *Journal of Forestry* **84(4)**, 25-30.
- Shanks, R. E. (1954). Climates of the Great Smoky Mountains. *Ecology* **35(3)**, 354-361.
- Shavel, C. L., Tonnessen, K. A. and Maniero, T. G. (1994). Clearing the air at Great Smoky Mountains National Park. *Ecological Applications* **4(4)**, 690-701.
- Shaw, G. and D. Wheeler. (1994). *Statistical Techniques in Geographical Analysis*. New York: Halsted Press.
- Shelby, B. B. and Heberlein, T. A. (1986). *Carrying Capacity in Recreation Settings*. Corvallis, OR: Oregon State University Press.
- Smith, S. L. J. (1983). *Recreation Geography*. Essex: Longman.

- Smith, S. L. J. (1989). The spatial analysis of recreation and leisure. In *Understanding Leisure and Recreation: Mapping the Past, Charting the Future* (Jackson, E. L. and Burton, T. L., eds.), pp. 303-330. State College, PA: Venture Publishing.
- Smith, S. L. J. (1995). *Tourism Analysis: A Handbook (2nd Ed.)*. Essex, England: Longman.
- Stankey, G. H., Cole, D. N., Lucas, R. C., Petersen, M. E. and Frissell, S. S. (1985). *The Limit of Acceptable Change (LAC) System for Wilderness Planning*. General Technical Report INT-176. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Stohlgren, T. J. (1986). Variation of vegetation and soil characteristics within wilderness campsites. In *Proceedings-National Wilderness Research Conference: Current Research, July 23-26, 1985, Fort Collins, CO* (Lucas, R. C., comp.), pp. 152-157. General Technical Report INT-212. Ogden, UT: USDA Forest Service, Intermountain Research Station.
- Stohlgren, T. J. and Parsons, D. J. (1992). Evaluating wilderness recreational opportunities: application of an impact matrix. *Environmental Management* **16(3)**, 397-403.
- Summer, R. M. (1980). Impact of Horse Traffic on Trails in Rocky Mountain National Park. *Journal of Soil and Water Conservation* **35**, 85-87.
- Taylor, K. C., Reader, R. J. and Larson, D. W. (1993). Scale-dependent inconsistencies in the effects of trampling on a forest understory community. *Environmental Management* **17(2)**, 239-248.
- Taylor, P. J. (1977). *Quantitative Methods in Geography: An Introduction to Spatial Analysis*. Prospect Heights, IL: Waveland Press.
- Treweek, J. (1995). Ecological impact assessment. In *Environmental and Social Impact Assessment* (Vanclay, F. and Bronstein, D. A., eds.), pp. 171-191. New York: John Wiley and Sons.
- Turner, M. G. and Gardner, R. H., eds. (1991). *Quantitative Methods in Landscape Ecology*. New York: Springer-Verlag.
- Turner, M. G., O'Neill, R. V., Gardner, R. H. and Milne, B. T. (1989). Effects of changing spatial scale on the analysis of landscape patterns. *Landscape Ecology* **3(3/4)**, 153-162.

- Unwin, D. (1981). *Introductory Spatial Analysis*. London, England: Methuen.
- Vanclay, F. and Bronstein, D. A., eds. (1995). *Environmental and Social Impact Assessment*. New York: John Wiley and Sons.
- Vaske, J. J., Graefe, A. R. and Dempster, A. (1982). Social and environmental influences on perceived crowding. In *Proceedings-Third Annual Conference of the Wilderness Psychology Group, July 8-9, 1982, Morgantown, WV* (Boteler, F. E., ed.), pp.211-227. Morgantown, WV: West Virginia University, Division of Forestry.
- Vogler, J. B. and Butler, D. R. (1996). Pedestrian- and bicycle-induced path erosion on a university campus. *Physical Geography* **17(5)**, 485-494.
- Wall, G. (1989). The nature of recreation. In *Outdoor Recreation in Canada* (Wall, G., ed.), pp. 1-18. Toronto: John Wiley & Sons.
- Wall, G. (1997). Tourism attractions: points, lines, and areas. *Annals of Tourism Research* **24(1)**, 240-243.
- Wall, G. and Wright, C. (1977). *The Environmental Impact of Outdoor Recreation*. Publication Series No. 11. Waterloo, Ontario: University of Waterloo, Department of Geography.
- Ward, R. M. and Berg, R. C. (1973). Soil compaction and recreational use. *Professional Geographer* **25(4)**, 269-372.
- Washburne, R. F. and Cole, D. N. (1983). *Problems and Practices in Wilderness Management: A Survey of Managers*. Research Paper INT-304. Ogden, UT: USDA Forest Service, Intermountain Forest and Range Experiment Station.
- Wathern, P., ed. (1988). *Environmental Impact Assessment: Theory and Practice*. London, England: Unwin Hyman.
- Watson, A. and Cole, D. (1992). LAC indicators: an evaluation of progress and list of proposed indicators. In *Ideas for Limits of Acceptable Change Process-Book 2* (Merigliano, L. L., ed.), pp. 65-84. Washington, DC: USDA Forest Service, Recreation Staff.
- Welch, D. M. and Churchill, J. (1986). *Hiking Trail Conditions in Pangnirtung Pass, 1984, Baffin Island, Canada*. Hull, Ontario: National Parks Documentation Centre.
- Westman, W. F. (1985). *Ecology, Impact Assessment, and Environmental Planning*. New

York: John Wiley and Sons.

- Whittaker, P. L. and Bratton, S. P. (1978). *Comparison of Surface Impact by Hiking and Horseback Riding in the Great Smoky Mountains National Park*. Research/Resource Management Report No. 24. Gatlinburg, TN: Great Smoky Mountains National Park, Uplands Field Research Laboratory.
- Whittaker, R. H. (1956). Vegetation of the Great Smoky Mountains. *Ecological Monograph* **26(1)**, 1-80.
- Wiens, J. A. (1989). Spatial scaling in ecology. *Functional Ecology* **3**, 385-397.
- Wightman, R. (1981). Backcountry campsite evaluation system. Gatlinburg, TN: Great Smoky Mountains National Park.
- Wightman, R. (1989). Summary of backcountry permit system at Great Smoky Mountains National Park. Unpublished manuscript on file. Gatlinburg, TN: Great Smoky Mountains National Park.
- Williams, D. and Parker, C. (1995). *Trails and Roads of Great Smoky Mountains National Park: A GIS Update*. Gatlinburg, TN: Great Smoky Mountains National Park.
- Williams, P. B. and Marion, J. L. (1995). *Assessing Campsite Conditions for Limits of Acceptable Change Management in Shenandoah National Park*. Blacksburg, VA: USDI National Biological Service, Virginia Tech Cooperative Park Studies Unit.
- Wolfe, R. I. (1964). Perspective on outdoor recreation: a bibliographic survey. *Geographical Review* **54**, 203-238.
- Wong, D. W. S. (1993). Spatial indices of segregation. *Urban Studies* **30(3)**, 559-572.
- Zabinski, C. A. and Gannon, J. E. (1997). Effects of recreational impacts on soil microbial communities. *Environmental Management* **21(2)**, 233-238.