

List of Tables

Table 3-1. Alkane Penetrants	15
Table 3-2. Ester Penetrants	15
Table 4-1. IRE Materials Used in ATR Applications	26
Table 4-2 Evaluated Diffusivity and Equilibrium IR Absorption of Ester Penetrants in R/flex 410 via FTIR-ATR Spectroscopy	55
Table 4-3. Temperature Dependence of IDP Diffusivity via FTIR-ATR Spectroscopy	56
Table 5-1. K and n parameters for n-alkanes for 23°C from nonlinear fit to equation (3)	71
Table 5-2.. K and n parameters for n-alkanes for 45°C from nonlinear fit to equation (3)	72
Table 5-3. K and n parameters for n-alkanes for 55°C from nonlinear fit to equation (3)	73
Table 5-4. K and n parameters for n-alkanes for 65°C from nonlinear fit to equation (3)	74
Table 5-5. K and n parameters for n-alkanes for 85°C from nonlinear fit to equation (3)	75
Table 5-6. Equilibrium sorption values for n-alkanes expressed in terms of percent weight uptake	76
Table 5-7. Equilibrium sorption values for n-alkanes expressed in terms of mole weight percent uptake	77
Table 5-8. Diffusion Coefficients for n-alkanes as a function of temperature	78
Table 5-9. Power law coefficients for molecular weight dependence for alkanes as described by equation (9)	81
Table 5-10. Arrhenius parameters from evaluation of activation energy of diffusion	84
Table 5-11. Permeability coefficients for n-alkanes	90

Table 5-12. Activation parameters for n-alkanes	91
Table 5-13. First-order kinetic parameters for n-alkanes at 23°, 45°, 55°, 65°, and 85°C	95
Table 5-14. Standard enthalpy (ΔH_o kJ/mole) and entropy of sorption ($\Delta S_o \times 10^2$ kJ/mole/°K)	96
Table 5-15. K and n parameters for sorption of ester penetrants at 23° using equation (3)	100
Table 5-16. K and n parameters for sorption of ester penetrants at 45° using equation (3)	101
Table 5-17. K and n parameters for sorption of ester penetrants at 55° using equation (3)	102
Table 5-18. K and n parameters for sorption of ester penetrants at 65° using equation (3)	103
Table 5-19. K and n parameters for sorption of ester penetrants at 85° using equation (3)	104
Table 5-20. Diffusion coefficients for ester penetrants	112
Table 5-21. b and n coefficients from molar mass power law fit of ester penetrants	114
Table 5-22. Arrhenius parameters for ester penetrants	116
Table 5-23. Permeability coefficients ($P \times 10^9$ cm ² /sec) for ester penetrants	118
Table 5-24. Activation parameters (E_d , E_p , and ΔH_s all in kJ/mole) for ester penetrants	119
Table 5-25. Standard enthalpy (ΔH_o kJ/mole) and entropy of sorption ($\Delta S_o \times 10^3$ kJ/mole/°K)	120
Table 5-26. First-order kinetic parameters for ester penetrants at 23°, 45°, 55°, 65°, and 85°C	122
Table 5-27. Evaluation of crosslink density, ρ_c , and molecular weight between crosslinks, M_c , for the neat adhesive film	126
Table 5-28. Evaluated χ parameters for n-alkanes as a function of temperature	129
Table 5-29. Evaluated χ parameters for esters as a function of temperature	130

Table 5-30. Activation energy per addition of a methylene (CH ₂) unit (kJ/mole/CH ₂) for both the n-alkane and ester penetrants.	138
Table 5-31. Number of iterations for the penetrants selected for Monte-Carlo analysis	139
Table 5-32. Geometrical parameters obtained from Monte-Carlo simulations of n-alkane and ester penetrants	140
Table 6-1. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to hexane	205
Table 6-2. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to heptane	205
Table 6-3. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to nonane	206
Table 6-4. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to decane	206
Table 6-5. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to undecane	207
Table 6-6. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to tridecane	207
Table 6-7. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to pentadecane	208
Table 6-8. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to hexadecane	208
Table 6-9. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to heptadecane	209
Table 6-10. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to methyl acetate	209
Table 6-11. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to ethyl propionate	210
Table 6-12. C ₁ and C ₂ values evaluated from frequency-temperature master curves of adhesive exposed to propyl butyrate	210

Table 6-13. C_1 and C_2 values evaluated from frequency-temperature master curves of adhesive exposed to ethyl heptanoate	211
Table 6-14. C_1 and C_2 values evaluated from frequency-temperature master curves of adhesive exposed to ethyl nonoate	211
Table 6-15. C_1 and C_2 values evaluated from frequency-temperature master curves of adhesive exposed to ethyl undecanoate	212
Table 6-16. C_1 and C_2 values evaluated from frequency-temperature master curves of adhesive exposed to ethyl myristate	212
Table 6-17. C_1 and C_2 values evaluated from frequency-temperature master curves of adhesive exposed to isopropyl myristate	213
Table 6-18. C_1 and C_2 values evaluated from frequency-temperature master curves of adhesive exposed to isodecyl pelargonate	213