

REFERENCES

- Athanasiau, C.M., Simonsen, A.S., and Ronning, S. (1991). "Back-calculation of case records to calibrate soil-structure interaction analysis by finite element method of deep excavation in soft clays", *Proceedings of the Tenth European Conference on Soil Mechanics and Foundation Engineering*, 10(1), 297-300.
- Bachus, R.C., Clough, G.W., Sitar, N.C., Shafir-Rad, N., Crosby, N. and Kaboli, P. (1982). "Behavior of weakly cemented soil slopes under static and seismic loading", Engineering Report, Vol. II, John A. Blume Earthquake Engineering Center, Stanford University, California.
- Balasubramaniam, A.S., Bergado, D.T., Chai, J.C., and Sutabutr, T. (1994). "Deformation analysis of deep excavations in Bangkok subsoils", *Proceedings of the Thirteenth International Conference on Soil Mechanics and Foundation Engineering*, 13(2), 909-914.
- Benham-Holway Power Group (1995). "Deformation Analyses," engineering report for the Arkansas Electric Cooperative Dam Number 2 Hydropower Project, FERC Project 3033-006, Tulsa, Oklahoma.
- Benham-Holway Power Group (1995). "Deformation Analyses," engineering report for the Arkansas Electric Cooperative Dam Number 2 Hydropower Project, FERC Project 3033-006, Tulsa, Oklahoma.
- Benham-Holway Power Group (1995). "Instrumentation and Monitoring Manual," engineering report for the Arkansas Electric Cooperative Dam Number 2 Hydropower Project, FERC Project 3033-006, Tulsa, Oklahoma.
- Benham-Holway Power Group (1995). "Instrumentation and Monitoring Program Quarterly report: First Quarter 1995," engineering report for the Arkansas Electric Cooperative Dam Number 2 Hydropower Project, FERC Project 3033-006, Tulsa, Oklahoma.
- Benham-Holway Power Group (1995). "Instrumentation and Monitoring Program Quarterly report: Second Quarter 1995," engineering report for the Arkansas Electric Cooperative Dam Number 2 Hydropower Project, FERC Project 3033-006, Tulsa, Oklahoma.

- Benham-Holway Power Group (1995). "Instrumentation and Monitoring Program Quarterly report: Third Quarter 1995," engineering report for the Arkansas Electric Cooperative Dam Number 2 Hydropower Project, FERC Project 3033-006, Tulsa, Oklahoma.
- Benham-Holway Power Group (1996). "Instrumentation and Monitoring Program Quarterly report: First Quarter 1996," engineering report for the Arkansas Electric Cooperative Dam Number 2 Hydropower Project, FERC Project 3033-006, Tulsa, Oklahoma.
- Benham-Holway Power Group (1996). "Instrumentation and Monitoring Program Quarterly report: Second and Third Quarter 1996," engineering report for the Arkansas Electric Cooperative Dam Number 2 Hydropower Project, FERC Project 3033-006, Tulsa, Oklahoma.
- Benham-Holway Power Group (1996). "Instrumentation and Monitoring Program Quarterly report: Fourth Quarter 1996 and First Quarter 1997," engineering report for the Arkansas Electric Cooperative Dam Number 2 Hydropower Project, FERC Project 3033-006, Tulsa, Oklahoma.
- Benham-Holway Power Group (1997). "Instrumentation and Monitoring Program Quarterly report: Second and Third Quarter 1997," engineering report for the Arkansas Electric Cooperative Dam Number 2 Hydropower Project, FERC Project 3033-006, Tulsa, Oklahoma.
- Biot, M.A. (1941). "General Theory of Three-Dimensional Consolidation," *Journal of Applied Physics*, 12, Feb., 155-164.
- Bolton, M.D. and Powrie, W. (1988). "Behaviour of diaphragm walls in clay prior to collapse", *Geotechnique*, 38(2), 167-189.
- Bolton, M.D. and Powrie, W. (1987). "The collapse of diaphragm walls retaining clay", *Geotechnique*, 37(3), 335-353.
- Bolton, M.D. and Stewart, D.I. (1994). "The effect on propped diaphragm walls of rising groundwater in stiff clay", *Geotechnique*, 44(1), 111-127.
- Bono, N.A., Liu, T.K., and Soydemir, C. (1992). "Performance of an internally braced slurry-diaphragm wall for excavation support," *Slurry Walls: Design, Construction, and Quality Control*, ASTM Special Topic Publication 1129, 347-360.

- Borja, R.I. (1990). "Analysis of incremental excavation based on critical state theory", *Journal of Geotechnical Engineering*, ASCE, 116(6), 964-985.
- Borst, A., Conley, T., Russel, D., and Boirum, R. (1990). "Subway Design and Construction for the Downtown Seattle Transit Project," Design and Performance of Earth Retaining Structures, ASCE Geotechnical Special Publication 25, 510-524.
- Brassinga, H.E. and Van Tol, A.F. (1991). "Deformation of a highrise building adjacent to a strutted diaphragm wall", *Proceedings of the Tenth European Conference on Soil Mechanics and Foundation Engineering*, 10(2), 787-790.
- Cacoilo, D.M., Edinger, P.H., and Tamaro, G.J. (1996). "Design and performance of a deep tiedback sheet pile wall in soft clay," *Proceedings of the Fourteenth International Conference on Soil Mechanics and Foundation Engineering*, 14(2), 1287-1290.
- Caliendo, J.A., Anderson, L.R., and Gordon, W.J. (1990). "A field study of a tieback excavation with a finite element analysis," Design and Performance of Earth Retaining Structures, ASCE Geotechnical Special Publication 25, 747-763.
- Cepollina, M., Libano, N., Barbera, A., Castilho, P., and Gonzales, N. (1991). "Combination of techniques to support an excavation," *Proceedings of the Ninth Panamerican Conference on Soil Mechanics and Foundation Engineering*, 9(2), 577-584.
- Chang, C.S. (1977). *Analysis of Consolidation of Earth and Rockfill Dams*. Ph.D. Thesis, University of California, Berkeley, California.
- Cheng, S. and Hansen, L. (1994). "Design, Construction and Performance of a Soil Nailed Wall in Puerto Rico," Serviceability of Earth Retaining Structures, ASCE Geotechnical Special Publication 42, 1-16.
- Clough, G.W. and Hansen, L.A. (1981). "Clay anisotropy and braced wall behavior," *Journal of Geotechnical Engineering*, ASCE, 107(7), 893-913.
- Clough, G. and O'Rourke, T. (1990). "Construction induced movements of in-situ walls," Design and Performance of Earth Retaining Structures, ASCE Geotechnical Special Publication 25, 439-470.

- Clough, G.W., Smith, E.M., and Sweeney, B.P. (1989). "Movement control of excavation support systems by iterative design," *Foundation Engineering: Current Principles and Practices*, ASCE Geotechnical Special Publication 22, 869-884.
- Clough, G.W. and Tsui, Y. (1974). "Performance of Tied-Back Walls in Clay," *Journal of the Geotechnical Engineering Division*, ASCE, 10(12), 1259-1273.
- Comodromos, R., Hatzigogos, T., and Pitilakis, K. (1993). "Multi-stage Finite Element Algorithm for Excavation in Elastoplastic Soils," *Computers and Structures*, 46(2), 289-298.
- Day, P. (1990). "Design and Construction of a Deep Basement in Soft Residual Soils," *Design and Performance of Earth Retaining Structures*, ASCE Geotechnical Special Publication 25, 734-746.
- Duncan, J.M., Byrne, P., Wong, K.S., and Mabry, P. (1980) "Strength, stress-strain and bulk modulus parameters for finite element analyses of stresses and movements in soil masses," Engineering Report, The Charles E. Via, Jr. Department of Civil Engineering, Virginia Polytechnic Institute and State University, Blacksburg, VA, 24061.
- Duncan, J.M. (1994). "The role of advanced constitutive relations in practical applications," *Proceedings of the Thirteenth International Conference on Soil Mechanics and Foundation Engineering*, 13(5), 31-48.
- Finno, R.J. (1992). "Deep cuts and ground movements in Chicago clay", *Excavation and Support for the Urban Infrastructure*, ASCE Geotechnical Special Publication 33, 119-143.
- Finno, R.J. and Harahap, I.S. (1991). "Finite element analyses of HDR-4 excavation," *Journal of Geotechnical Engineering*, ASCE, 117(10), 1590-1609.
- Finno, R.J., Harahap, I.S., and Sabatini, P.J. (1991). "Analysis of braced excavations with coupled finite element formulations," *Computers and Geotechnics*, 12(2), 91-114.
- Fourie, A.B. (1994). "Finite element analysis of braced excavations in soft clay," *Proceedings of the Thirteenth International Conference on Soil Mechanics and Foundation Engineering*, 13(4), 1375-1380.
- Garvin, R. and Boward, J. (1992). "Using slurry walls to protect an historic building: a case study," *Slurry Walls: Design, Construction, and Quality Control* ASTM Special Topic Publication 1129, 117-127.

- Gibson, R.E. and Anderson, W.F. (1961). "In-situ measurement of soil properties with the pressuremeter", *Civil Engineering and Public Works Review*, London, 56(658), pp. 615-618.
- Gibson, R.E., Schiffman, R.L., and Pu, S.L. (1970). "Plane Strain and Axially Symmetric Consolidation of a clay layer on a smooth impervious base," *Quarterly Journal of Mechanics and Applied Mathematics*, 23(4), 505-520.
- Gifford, D. and Wheeler, J. (1992). "Concrete slurry Wall for Temporary and Permanent Foundation Wall at Gallery at Harborplace - Baltimore, Maryland," *Slurry Walls: Design, Construction, and Quality Control* ASTM Special Topic Publication 1129, 151-163.
- Gill, S.A. (1989). "Performance of different retention systems in similar soils," *Foundation Engineering: Current Principles and Practices*, ASCE Geotechnical Special Publication 22, 1264-1280.
- Gill, S.A. and Lukas, R.G. (1990). "Ground movement adjacent to braced cuts," *Design and Performance of Earth Retaining Structures*, ASCE Geotechnical Special Publication 25, 471-488.
- Goh, A.T.C. (1994). "Estimating basal-heave stability for braced excavations in soft clay," *Journal of Geotechnical Engineering*, ASCE, 120(8), 1430-1436.
- Goh, A.T.C. (1990). "Assessment of basal stability for braced excavation systems using the finite element method," *Computers and Geotechnics*, 10(4), 325-338.
- Goh, A.T.C., Wong, K.S., and Broms, B.B. (1995). "Estimation of lateral wall movements in braced excavations using neural networks," *Canadian Geotechnical Journal*, 32(6), 1059-1064.
- Goldberg, D.T., Jaworski, W.E., and Gordon, M.D. (1976). *Lateral Support Systems and Underpinning*, Report FHWA-RD-75-128, Vol. 1, Federal Highway Administration, Washington, D.C.
- Gray, H. (1944). "Simultaneous consolidation of contiguous layers of unlike compressible soils," *Transactions*, ASCE, 2258, 1327-1356.
- Haghighyehi, A.R. and Mirzakashani, M. (1994). "Performance of Diaphragm Walls During Construction; Predictions vs. Field Measurements," *Proceedings of Structures Congress*, ASCE, Atlanta, Georgia, 264-270.

- Hashash, Y.M.A. and Whittle, A.J. (1996). "Ground movement prediction for deep excavations in soft clay," *Journal of Geotechnical Engineering, ASCE*, 122(6), 474-487.
- Hata, S., Ohta, H., Yoshida, S., Kitamura, H., and Honda, H. (1985). "A deep excavation in soft clay - performance of an anchored diaphragm wall," *Proceedings of the Fifth International Conference on Numerical Methods in Geomechanics*, 5(2), 725-730.
- Ho, D.K.H. and Smith, I.M. (1991). "Analysis of construction processes in braced excavations," *Proceedings of the Tenth European Conference on Soil Mechanics and Foundation Engineering*, 10(1), 213-218.
- Houghton, R.C. and Dietz, D.L. (1990). "Design and performance of a deep excavation support system in Boston, Massachusetts," *Design and Performance of Earth Retaining Structures, ASCE Geotechnical Special Publication 25*, 795-816.
- Hsi, J.P. and Small, J.C. (1993). "Application of a fully coupled method to the analysis of an excavation," *Soils and Foundations*, 33(4), 36-48.
- Hsi, J.P. and Small, J.C. (1992). "Ground settlements and drawdown of the water table around an excavation," *Canadian Geotechnical Journal*, 29(5), 740-756.
- Hsieh, P.G. and Ou, C.Y. (1997). "Use of the modified hyperbolic model in excavation analysis under undrained conditions," *Geotechnical Engineering Journal, SEAGS*, 28(2), 123-150.
- Hughes, J.M.O., Wroth, C.O. and Windle, D. (1977). "Pressuremeter tests in sands", *Geotechnique*, 27(4), pp. 445-477.
- Ikuta, Y., Maruoka, M., and Sato, E. (1994). "Application of the observational method to deep basement excavated using the top-down method," *Geotechnique*, 44(4), 655-664.
- Izuka, A. (1996). personal notes on Biot Consolidation and Sekiguchi-Ohta model.
- Jardine, R.J., Potts, D.M., Fourie, A.B., and Burland, J.B. (1986). "Studies of the influence of non-linear stress-strain characteristics in soil-structure interaction," *Geotechnique*, 36(3), 377-396.

- Kaiser, P.K. and Hewitt, K.J. (1982). "The effect of groundwater flow on the stability and design of retained excavations," *Canadian Geotechnical Journal*, 19(2), 139-153.
- Katzenbach, R., Floss, R., and Schwarz, W. (1994). "New concept for deep excavations in soft lacustrine clay," *Proceedings of the Thirteenth International Conference on Soil Mechanics and Foundation Engineering*, 13(2), 899-904.
- Kirsten, H.A.D. and Dell, A.G. (1992). "Application of empirical performance criteria and limiting equilibrium principles in design of an earth wall reinforced with grouted rebar nails," *Canadian Geotechnical Journal*, 29(2), 299-308.
- Kishnani, S.S. and Borja, R.I. (1993). "Seepage and soil-structure interaction effects in braced excavations," *Journal of Geotechnical Engineering*, ASCE, 119(5), 912-928.
- Lambe, T.W. (1970). "Braced excavations," *Specialty Conference on Lateral Stresses in Ground and Design of Earth-Retaining Structures*, ASCE, Ithaca, NY, 149-218.
- Lee, F.H., Yong, K.W., Quan K.C.N., and Chee K.T. (1998). "Effect of corners in strutted excavations: field monitoring and case histories," *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, 124(4); 339-349.
- Lee, S., Parnpoy, U., Yong, K., and Lee, F. (1991). "Time-dependent deformation of anchored excavation in soft clay," *Proceedings of the Twelfth International Conference on Soil Mechanics and Foundation Engineering*, 12(1), 241-246.
- Liao, S.S.C. and Neff, T.L. (1990). "Estimating lateral earth pressures for design of excavation support," *Design and Performance of Earth Retaining Structures*, ASCE Geotechnical Special Publication 25, 489-509.
- Lings, M.L., Nash, D.F.T., Ng, C.W.W., and Boyce, M.D. (1991). "Observed behaviour of a deep excavation in Gault clay. A preliminary appraisal," *Proceedings of the Tenth European Conference on Soil Mechanics and Foundation Engineering*, 10(2), 467-470.
- Mana, A.I. and Clough, G.W. (1981). "Prediction of movements for braced cuts in clay," *Journal of Geotechnical Engineering*, ASCE, 107(6), 759-777.

- Milligan, G.W.E. (1983). "Soil deformations near anchored sheet-pile walls," *Geotechnique*, 33(1), 41-55.
- Moh, Z.C., Chou, L.L., and Hwang, R.N. (1994). "Building protection for construction of Taipei MRT," *Proceedings of the Thirteenth International Conference on Soil Mechanics and Foundation Engineering*, 13(4), 1811-1814.
- Ng, C.W.W. and Lings, M.L. (1995). "Effects of modeling soil nonlinearity and wall installation on back-analysis of deep excavation in stiff clay," *Journal of Geotechnical Engineering*, ASCE, 121(10), 687-695.
- Ng, C.W.W., Lings, M.L., Simpson, B., and Nash, D.F.T. (1995). "An approximate analysis of the three-dimensional effects of diaphragm wall installation," *Geotechnique*, 45(3), 497-507.
- O'Rourke, T.D. (1981). "Ground movements caused by braced excavations," *Journal of Geotechnical Engineering*, ASCE, 107(9), 1159-1178.
- O'Rourke, T.D. and O'Donnell, C.J. (1997). "Deep rotational stability of tiedback excavations in clay," *Journal of Geotechnical Engineering*, ASCE, 123(6), 506-515.
- O'Rourke, T.D. and O'Donnell, C.J. (1997). "Field behavior of excavation stabilized by deep soil mixing," *Journal of Geotechnical Engineering*, ASCE, 123(6), 516-524.
- Osaimi, A. E. and Clough, G.W. (1979). "Pore-pressure dissipation during excavation," *Journal of the Geotechnical Engineering Division*, ASCE, 105(4), 481-498.
- Ou, C.Y., Chiou, D.C., and Wu, T.S. (1996). "Three-dimensional finite element analysis of deep excavations," *Journal of Geotechnical Engineering*, ASCE, 122(5), 337-345.
- Ou, C.Y., Hsieh, P.G., and Chiou, D.C. (1993). "Characteristics of ground surface settlement during excavation," *Canadian Geotechnical Journal*, 30(5), 758-767.
- Ou, C.Y. and Lai, C.H. (1994). "Finite-element analysis of deep excavation in layered sandy and clayey soil deposits," *Canadian Geotechnical Journal*, 31(2), 204-214.

- Ou, C.Y., Wu, T.S., and Hsieh, H.S. (1996). "Analysis of deep excavation with column type of ground improvement in soft clay," *Journal of Geotechnical Engineering*, ASCE, 122(9), 709-716.
- Patel, A. and Castelli, R. (1992). "Permanent slurry walls at Baltimore Metro's Shot Tower Station," *Slurry Walls: Design, Construction, and Quality Control*, ASTM Special Topic Publication 1129, 403-419.
- Peck, R.B. (1969). Deep Excavations and Tunneling in Soft Ground, *Proceedings of the Seventh International Conference on Soil Mechanics and Foundation Engineering*, State of the art volume, 7(3), 225-290.
- Powrie, W. and Li, E.S.F. (1991). "Finite element analyses of an in-situ wall propped at formation level," *Geotechnique*, 41(4), 499-514.
- Puller, Malcolm (1996). *Deep Excavations: A practical manual*, Thomas Telford Publishing, Thomas Telford Services, Ltd., 1 Heron Quay, London E14 4JD, 1996.
- Reinfurt, J.E., Anderson, T.C., Reitz, P., and Licari, T. (1994). "Temporary shoring support systems in an urban environment," *Serviceability of Earth Retaining Structures*, ASCE Geotechnical Special Publication 42, 24-42.
- Richards, D.J. and Powrie, W. (1994). "Finite element analysis of construction sequences for propped retaining walls," *Geotechnical Engineering*, ICE, 107(4), 207-216.
- Rodriguez-Ortiz, J.M. (1994). "Influence of strut and anchor stiffness on the behaviour of diaphragm walls," *Proceedings of the Thirteenth International Conference on Soil Mechanics and Foundation Engineering*, 13(4), 1709-1712.
- Schoenwolf, D.A., Whitman, R.V., Abbott, E.L., and Becker, J.M. (1992). "Post office square garage project- A case history of instrumented slurry wall performance", *Slurry Walls: Design, Construction, and Quality Control*, ASTM STP 1129, 361-376.
- Schweiger, H.F. and Freiseder, M. (1994). "Three dimensional finite element analysis of diaphragm wall construction," *Proceedings of the Eighth International Conference on Computer Methods and Advances in Geomechanics*, 8(3), 2493-2498.

- Sheth, J.N. and Coker, R.L. (1998). "Innovative use of Slurry Walls at Dam Number 2 Hydropower Project," *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, 124(6), 518-522.
- Smith, I.M. and Ho, D.K.H. (1992). "Influence of construction technique on the performance of a braced excavation in marine clay," *Proceedings of the Sixteenth International Journal for Numerical and Analytical Methods in Geomechanics*, 16(12), 845-867.
- Steiner, W. and Werder, F. (1991). "Performance of a seventeen meters deep tie-back wall under large surcharge loads," *Proceedings of the Tenth European Conference on Soil Mechanics and Foundation Engineering*, 10(2), 757-760.
- Swanson, P.G. and Larson, T.W. (1990). "Shoring failure in soft clay", *Design and Performance of Earth Retaining Structures*, ASCE GSP 25, 551-561.
- Tabrizi, K.S., Gucunski, N., and Maher, M.H. (1995). "3-D analysis of excavation of a soil-nail wall," *Second Congress on Computing in Civil Engineering*, ASCE, 1, 812-819.
- Tamano, T., Fukui, S., Kadota, S., and Ueshita, K. (1991). "Mechanical behaviour of bottom ground heave due to excavation," *Proceedings of the Seventh International Conference on Computer Methods and Advances in Geomechanics*, 7(1), 199-204.
- Tanaka, H. (1994). "Behavior of a braced excavation in soft clay and the undrained shear strength for passive earth pressure," *Soils and Foundations*, 34(1), 53-64.
- Tanaka, H. (1993). "Behavior of braced excavations stabilized by deep mixing method," *Soils and Foundations*, 33(2), 105-115.
- Tanaka, H. (1991). "A case study of a braced excavation in soft clay," *Proceedings of the Ninth Asian Regional Conference on Soil Mechanics and Foundation Engineering*, 9(1), 343-346.
- Terzaghi, K. (1925). "Principles of Soil Mechanics: IV – Settlement and consolidation of clay," *Engineering News Record*, vol. 95, 22, 874-878.

- Thompson, S.R. and Miller, I.R. (1990). "Design, construction and performance of a soil nailed wall in Seattle, Washington," *Design and Performance of Earth Retaining Structures*, ASCE, Geotechnical Special Publication 25, 629-643.
- Tsui, Y. and Clough, G. (1974). "Plane Strain Approximations in Finite Element Analyses of Temporary Walls," *Analysis and Design in Geotechnical Engineering*, ASCE Geotechnical Special Publication, 173-198.
- Whittle, A.J., Hashash, Y.M.A., and Whitman, R.V. (1993). "Analysis of deep excavation in Boston," *Journal of Geotechnical Engineering*, ASCE, 119(1), 69-90.
- Winter, D.G. (1990). "Pacific First Center performance of the tieback shoring wall," *Design and Performance of Earth Retaining Structures*, ASCE, Geotechnical Special Publication 25, 764-777.
- Winter, E., Skep, N., and Tallard, G. (1992). "Slurry Wall Performance Adjacent to Historic Church," *Slurry Walls: Design, Construction, and Quality Control*, ASTM Special Topic Publication 1129, 164-171.
- Wong, I.H., Poh, T.Y., and Chuah, H.L. (1997). "Performance of excavations for depressed expressways in Singapore," *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, 123(7), 617-625.
- Wong, I.H., Poh, T.Y., and Chuah, H.L. (1996). "Analysis of case histories from construction of the Central Expressway in Singapore," *Canadian Geotechnical Journal*, 33(5), 732-746.
- Wong, K.S. and Broms, B.B. (1989). "Lateral wall deflections of braced excavations in clay," *Journal of Geotechnical Engineering*, ASCE, 115(6), 853-870.
- Wong, K.S., Wong, I.H., and Broms, B.B. (1987). "Methods of improving the stability of deep excavations in soft clay," *Proceedings of the Eighth Asian Regional Conference on Soil Mechanics and Foundation Engineering*, 8(1), 321-324.
- Woo, S.M. (1991). "Use of ground improvement in deep excavation sites for protection of building in Taiwan," *Proceedings of the Ninth Asian Regional Conference on Soil Mechanics and Foundation Engineering*, 9(2), 549-554.

- Woo, S.M., Moh, Z.C., and Song, T.F. (1987). "Behaviors of strut braced sheetpile wall in soft ground excavations," *Proceedings of the Eighth Asian Regional Conference on Soil Mechanics and Foundation Engineering*, 8(1), 325-328.
- Yong, K.Y., Lee, F.H., Parnpoy, U., and Lee, S.L. (1989). "Elasto-plastic consolidation analysis for strutted excavation in clay", *Computers and Geotechnics*, 8(4), 311-328.
- Young, D.K. and Ho, E.W.L. (1994). "Observational approach to design of a sheet-piled retaining wall," *Geotechnique*, 44(4), 637-654.

BIBLIOGRAPHY

- Asaithambi, N.S. (1995). *Numerical Analysis: Theory and Practice*, Saunders College Publishing.
- Bathe, K.J. (1996). *Finite Element Procedures*, Prentice Hall, Upper Saddle River, New Jersey.
- Beer, G. and Watson, J.O. (1992). *Introduction to Finite and Boundary Element Methods for Engineers*, John Wiley and Sons Ltd., Chicester, U.K.
- Chapman, S.J. (1998). *Fortran 90/95 for Scientists and Engineers*, 1st edition, WCB/McGraw-Hill Book Company, Boston, Massachusetts.
- Cuthill, E. and McKee, J. (1969). "Reducing the bandwidth of sparse symmetric matrices," *Proceedings of the ACM National Conference*, New York, 157-172.
- Esterhuizen, J.J.B. (1997). *Progressive failure of slopes in lined waste impoundments*, Ph.D. Thesis, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.
- Nyhoff, L.R. and Leestma, S. (1995). *FORTTRAN 77 and Numerical Methods for Engineers and Scientist*, Prentice Hall, Englewood Cliffs, New Jersey.
- Press W.H., Teukolsky, S.A., Vetterling, W.T., and Flannery, B.P. (1994). *Numerical Recipes in FORTRAN: The Art of Scientific Computing*, 2nd edition, Cambridge University Press, Cambridge, U.K..
- Reddy, J.N. (1993). *An Introduction to the Finite Element Method*, 2nd edition, McGraw-Hill Book Company, New York, New York.
- Rosen, R. (1968). "Matrix bandwidth minimization," *Proceedings of the ACM National Conference*, Brandon Systems Press, Princeton, 585-595.
- Wood, D.M. (1990). *Soil Behavior and Critical State Soil Mechanics*, Cambridge University Press, Cambridge, U.K.
- Zienkiewicz, O.C. and Taylor, R.L. (1989). *The Finite Element Method, Volume 1: Basic Formulation and Linear Problems*, 4th edition, McGraw-Hill Book Company, London, U.K.

Zienkiewicz, O.C. and Taylor, R.L. (1991). *The Finite Element Method, Volume 2: Solid and Fluid Mechanics Dynamics and Non-linearity*, 4th edition, McGraw-Hill Book Company, London, U.K.