

References

- Ababou, R., D. McLaughlin, L.W. Gelhar, and A.F.B. Tompson. 1989. Numerical simulation of three-dimensional saturated flow in randomly heterogeneous porous media. *Transp. Porous Media* 4(6):549-565.
- Addiscott, T.M. 1977. A simple computer model for leaching in structured soils. *J. Soil Sci.* 28:554-563.
- Addiscott, T.M., and R.J. Wagenet. 1985. Concepts of solute leaching in soils: A review of modelling approaches. *J. Soil Sci.* 36:411-424.
- Ahuja, L.R., J.W. Naney, and D.R. Nielsen. 1984. Scaling soil water properties and infiltration modeling. *Soil Sci. Soc. Am. J.* 48(5):970-973.
- Akaike, H. 1974. A new look at the statistical model identification. *IEEE Transactions on Automatic Control*, AC-19:716-722.
- Amoozegar-Fard, A., D.R. Nielsen, and A.W. Warrick. 1982. Soil solute concentration distributions for spatially varying pore water velocities and apparent diffusion coefficients. *Soil Sci. Soc. Am. J.* 46(1):3-9.
- Anderson, J., and A.M. Shapiro. 1983. Stochastic analysis of one-dimensional steady state unsaturated flow: A comparison of Monte Carlo and perturbation methods. *Water Resour. Res.* 19(1):121-133.
- Balci, O. 1998. Verification, Validation, and Testing. In *The Handbook of Simulation*, ed. J. Banks. John Wiley & Sons, New York.
- Bakr, A.A., L.W. Gelhar, A.L. Gutjahr, and J.R. MacMillan. 1978. Stochastic analysis of spatial variability in subsurface flows, 1, Comparison of one- and three-dimensional flows. *Water Resour. Res.* 14(2):263-272.
- Beckett, P.H.T., and R. Webster. 1971. Soil variability: A review. *Soils Fert.* 34(1):1-15.
- Brakensiek, D.L., W.J. Rawls, S.D. Logsdon, and W.M. Edwards. 1992. Fractal description of macroporosity. *Soil Sci. Soc. Am. J.* 56(6):1721-1723.
- Bresler, E. 1989. Estimation of statistical moments of spatial field averages for soil properties and crop yields. *Soil Sci. Soc. Am. J.* 53:1645-1653.
- Bresler, E., and G. Dagan. 1979. Solute dispersion in unsaturated heterogeneous soil at field scale, II, Applications. *Soil Sci. Soc. Am. J.* 43:467-472.
- Bresler, E., and G. Dagan. 1981. Convective and pore scale dispersive solute transport in unsaturated heterogeneous fields. *Water Resour. Res.* 17(6):1683-1693.
- Bresler, E., and G. Dagan. 1983. Unsaturated flow in spatially variable fields, 3, Solute transport models and their application to two fields. *Water Resour. Res.* 19(2):429-435.
- Bresler, E., and R.E. Green. 1982. Soil parameters and sampling scheme for characterizing soil hydraulic parameters of a watershed. Univ. Hawaii Tech. Rep. 148.

- Briggs, G.G., R.H. Bromilow, and A.A. Evans. 1982. Relationships between lipophilicity and root uptake and translocation of non-ionised chemicals by barley. *Pesti. Sci.* 13:495-504.
- Brooks, R.H., and A.T. Corey. 1964. Hydraulic properties of porous media. Colorado State University Hydrology Paper 3. Colorado State University, Fort Collins, Colo., 27pp.
- Brown, B.W., and J. Lovato. 1991. RANLIB: Library of FORTRAN routines for random number generation. Dept. of Biomathematics, University of Texas, M.D. Anderson Cancer Center, Houston, Tex.
- Burden, D.S., and H.M. Selim. 1989. Correlation of spatially variable soil water retention for a surface soil. *Soil Sci.* 148(6):436-447.
- Burrough, P.A. 1993. Soil variability: a late 20th century view. *Soils Fert.* 56(5):529-562.
- Burrough, P.A., J. Bouma, and S.R. Yates. 1994. The state of the art in pedometrics. *Geoderma* 62:311-326.
- Butters, G.L., and W.A. Jury. 1989. Field scale transport of bromide in an unsaturated soil, 2, Dispersion modeling. *Water Resour. Res.* 25(7):1583-1589.
- Byers, E., and D.B. Stephens. 1983. Statistical and stochastic analyses of hydraulic conductivity and particle-size in a fluvial sand. *Soil Sci. Soc. Am. J.* 47:1072-1081.
- Campbell, J.E., and D.E. Longsine. 1990. Application of generic risk assessment software to radioactive waste disposal. *Reliability Engineering and System Safety* 30(1-3):183-193.
- Carsel, R.F., L.A. Mulkey, M.N. Lorber, and L.B. Baskin. 1985. The Pesticide Root Zone Model (PRZM): a procedure for evaluating pesticide leaching threats to groundwater. *Ecol. Modelling* 30(1/2):49-69.
- Carsel, R.F., R.S. Parrish, R.L. Jones, J.L. Hansen, and R.L. Lamb. 1988. Characterizing the uncertainty of pesticide leaching in agricultural soils. *J. Contam. Hydrol.* 2:111-124.
- Carvalho, H.O., D.K. Cassel, J. Hammond, and A. Bauer. 1976. Spatial variability of in-situ unsaturated hydraulic conductivity of Maddock sandy loam. *Soil Sci.* 121(1):1-8.
- Cooke, R.A., S. Mostaghimi, and C.D. Heatwole. 1994. A microcomputer-based routine for least squares and robust trend surface analysis. *Applied Engineering in Agriculture* 10(2):233-239.
- Cooke, R.A., S. Mostaghimi, and F.E. Woeste. 1993. VTFIT: A microcomputer-based routine for fitting probability distribution functions to data. *Applied Engineering in Agriculture* 9(4):401-408.
- Cressie, N.A.C. 1984. Toward resistant geostatistics. In *Geostatistics for natural resources characterization, I, Proceedings of the NATO Advanced Study Institute*, eds. Verly et al. NATO ASI Series, Series C, Mathematical and Physical Sciences. D. Reidel Publ., Dordrecht, The Netherlands.
- Cressie, N.A.C., and D.M. Hawkins. 1980. Robust estimation of the variogram, I. *J. Int. Assoc. Math. Geol.* 12:115-125.
- Dagan, G. 1984. Solute transport in heterogeneous formations. *J. Fluid Mech.* 145:151-177.
- Dagan, G. 1986. Statistical theory of groundwater flow and transport: Pore to laboratory, laboratory to formation, and formation to regional scale. *Water Resour. Res.* 22(9):120S-134S.

- Dagan, G. 1993. The Bresler-Dagan model of flow and transport: Recent theoretical developments. In *Water Flow and Solute Transport in Soils*, eds. D. Russo and G. Dagan, 13-32. Springer-Verlag, Berlin, Germany.
- Dagan, G., and E. Bresler. 1979. Solute dispersion in unsaturated heterogeneous soil at field scale: I. Theory. *Soil Sci. Soc. Am. J.* 43:461-467.
- Dagan, G., and E. Bresler. 1983. Unsaturated flow in spatially variable fields, 1, Derivation of models of infiltration and redistribution. *Water Resour. Res.* 19(2):413-420.
- Dagan, G., D. Russo, and E. Bresler. 1990. Effect of spatial variability upon subsurface transport of solutes from nonpoint sources. In *Proc. International Symposium on Water Quality Modeling of Agricultural Nonpoint Sources*, ed. D.G. De Coursey, 523-548. Agricultural Research Service, U.S. Department of Agriculture, Washington, D.C.
- Daniel, W.W. 1990. *Applied Nonparametric Statistics*, 2nd edition. PWS-Kent Publishing Co., Boston, Mass.
- Davis, J.C. 1986. *Statistics and Data Analysis in Geology*, 2nd edition. John Wiley and Sons, New York.
- De Willigen, P. 1991. Nitrogen turnover in the soil-crop system: comparison of fourteen models. *Fert. Res.* 27:141-149.
- Delfiner, P. 1976. Linear estimation of non-stationary spatial phenomena. In *Advanced Geostatistics in the Mining Industry*, eds. M. Guarascio, M. David, and C. Huijbregts, 49-68. D. Reidel Publ. Co., Dordrecht, The Netherlands.
- Destouni, G. 1992. The effect of vertical soil heterogeneity on field scale solute flux. *Water Resour. Res.* 28(5):1303-1309.
- Destouni, G. 1993. Stochastic modeling of solute flux in the unsaturated zone at the field scale. *J. Hydrol.* 143:45-61.
- Deutsch, C.V., and A.G. Journel. 1992. *GSLIB: Geostatistical Software Library and User's Guide*. Oxford University Press, New York, 340pp.
- Dowd, P.A. 1984. The variogram and kriging: Robust and resistant estimators. In *Geostatistics for natural resources characterization, I, Proceedings of the NATO Advanced Study Institute*, eds. Verly et al. NATO ASI Series, Series C, Mathematical and Physical Sciences. D. Reidel Publ., Dordrecht, The Netherlands.
- EPA. 1987. The Enhanced Stream Water Quality Models QUAL2E and QUAL2E-UNCAS: Documentation and User Manual. EPA 600/3-87/007. U.S. Environmental Protection Agency, Environmental Research Lab., Athens, Ga.
- EPA. 1989a. *Nonpoint sources: Agenda for the future*. WH-556. U.S. Environmental Protection Agency, Washington, D.C.
- EPA. 1989b. Risk of Unsaturated/Saturated Transport and Transformation of Chemical Concentrations (RUSTIC), Vol I. Theory and Code Verification. EPA 600/3-89/048a. U.S. Environmental Protection Agency, Environmental Research Lab., Athens, Ga.

- EPA. 1992. *National Water Quality Inventory: 1990 Report to Congress*. EPA 503/9-92/006. Office of Water, U.S. Environmental Protection Agency, Washington, D.C.
- Eagleson, P.S. 1978. Climate, soil, and vegetation, 1, Introduction to water balance dynamics. *Water Resour. Res.* 14(5):705-712.
- EarthInfo, Inc. 1995. 1995 Summary of Day, East. EarthInfo, Inc., Boulder, Colo.
- Ellsworth, T.R., W.A. Jury, F.F. Ernst, and P.J. Shouse. 1991. A three-dimensional field study of solute transport through unsaturated, layered, porous media, 1, Methodology, mass recovery, and mean transport. *Water Resour. Res.* 27(5):951-965.
- Farin, D., and D. Avnir. 1987. Reactive fractal surfaces. *J. Phys. Chem.* 91:5517-5521.
- Feder, J. 1988. *Fractals*. Plenum Press, New York, 283pp.
- Freeze, R.A. 1975. A stochastic conceptual analysis of one-dimensional groundwater flow in nonuniform homogeneous media. *Water Resour. Res.* 11(5):725-741.
- Freeze, R.A. 1980. A stochastic conceptual analysis of rainfall-runoff processes on a hillslope. *Water Resour. Res.* 16(2):391-408.
- Freyberg, D. 1986. A natural gradient experiment on solute transport in a sand aquifer. 2. Spatial moments and advection and dispersion of nonreactive tracers. *Water Resour. Res.* 22(13):2031-2046.
- Fryer, J.D., and K. Kirkland. 1970. Field experiments to investigate long-term effects of repeated applications of MCPA, triallate, simazine, and linuron: report after 6 years. *Weed Res.* 10:133-158.
- Gajem, Y.M., A.W. Warrick, and D.E. Myers. 1981. Spatial dependence of physical properties of a Typic Torrifluent soil. *Soil Sci. Soc. Am. J.* 45(4):709-715.
- Gamma Design Software. 1990. *GS+: Geostatitics for the Agronomic and Biological Sciences, Version 1.1*. Gamma Design Software, Plainwell, Mich.
- Garabedian, S.P., D.R. LeBlanc, L.W. Gelhar, and M.A. Celia. 1991. Large-scale, natural-gradient tracer test in sand and gravel, Cape Cod, Massachusetts. 2. Analysis of spatial moments for a nonreactive tracer. *Water Resour. Res.* 27(5):911-924.
- Gardner, W.R. 1958. Some steady solutions of unsaturated moisture flow equations with application to evaporation from a water table. *Soil Sci.* 85(4):228-232.
- Gelhar, L.W. 1993. *Stochastic Subsurface Hydrology*. Prentice Hall, Inc., Englewood Cliffs, N.J., 390pp.
- Gelhar, L.W., and C. Axness. 1983. Three-dimensional stochastic analysis of macrodispersion in aquifers. *Water Resour. Res.* 19(1):161-180.
- Gelhar, L.W., A.L. Gutjahr, and R.L. Naff. 1979. Stochastic analysis of macrodispersion in a stratified aquifer. *Water Resour. Res.* 15(6):1387-1397.
- Gish, T.J., and C.B. Coffman. 1987. Solute transport under no-till field corn. *Trans. ASAE* 30(5):1358-1363.

- Gish, T.J., and W.A. Jury. 1982. Estimating solute travel times through a crop root zone. *Soil Science* 133:124-130.
- Green, I.R.A., and D. Stephenson. 1986. Criteria for comparison of single event models. *Hydrological Sciences* 31(3):395-411.
- Greenholtz, D.E., T.-C. Jim Yeh, M.S.B. Nash, and P.J. Wierenga. 1988. Geostatistical analysis of soil hydrologic properties in a field plot. *J. Contam. Hydrol.* 3:227-250.
- Golden Software. 1995. *SURFER for Windows, Version 6 User's Guide*. Golden Software, Inc., Golden, Colo.
- Gutjahr, A.L., and L.W. Gelhar. 1981. Stochastic models of subsurface flow: Infinite versus finite domains and stationarity. *Water Resour. Res.* 17(2):337-350.
- Gutjahr, A.L., L.W. Gelhar, A.A. Bakr, and J.R. MacMillan. 1978. Stochastic analysis of spatial variability in subsurface flows, 2, Evaluation and applications. *Water Resour. Res.* 14(5):953-959.
- Haan, C.T., B. Allred, D.E. Storm, G.J. Sabbagh, and S. Prabhu. 1995. Statistical procedure for evaluating hydrologic/water quality models. *Trans. ASAE* 38(3):725-733.
- Harris, C.I., E.A. Woolson, and B.E. Hummer. 1969. Dissipation of herbicides at three soil depths. *Weed Sci.* 17:27-31.
- Hassanizadeh, S.M., and J. Carrera. 1992. Editorial – Special edition on model validation. *Advances in Water Resources* 15:1-3.
- Heatwole, C.D., S. Zacharias, S. Mostaghimi, and T.A. Dillaha. 1997. Movement of field-applied atrazine, metolachlor and bromide in a sandy loam soil. *Trans. ASAE* 40(5):1267-1276.
- Heatwole, C.D., S. Zacharias, S. Mostaghimi, T.A. Dillaha, and R.W. Young. 1992. Fate and transport of pesticides in a Virginia Coastal Plain soil. Bulletin 175. Virginia Water Resources Research Center, Blacksburg, Va., 116pp.
- Hewett, T.A. 1986. Fractal distributions of reservoir heterogeneity and their influence on fluid transport. Paper SPE 15386, presented at the 61st Ann. Tech. Conf. of the Society of Petrol. Eng., New Orleans, 5-8 Oct., 1986. Society of Petroleum Eng., Richardson, Tex.
- Hillel, D., and D.E. Elrick. 1990. *Scaling in Soil Physics: Principles and Applications*. SSSA Special Publ. No. 25, Soil Science Society of America, Madison, Wis.
- Hills, R.G., D.B. Hudson, and P.J. Wierenga. 1992. Spatial variability at the Las Cruces trench site. In *Proc. International Workshop on Indirect Methods for Estimating the Hydraulic Properties of Unsaturated Soils*, eds. M. Th. van Genuchten, F.J. Leij, and L.J. Lund, 529-538. University of California, Riverside, Calif.
- Hills, R.G., P.J. Wierenga, D.B. Hudson, and M.R. Kirkland. 1991. The second Las Cruces trench experiment: Experimental results and three-dimensional flow predictions. *Water Resour. Res.* 27(10):2707-2718.
- Hook, J.E. 1987. Soil physical properties of a pesticide study site in the Dougherty Plain of Georgia. Final Report. Department of Agronomy, University of Georgia Coastal Plain Experiment Station, Tifton, Ga.

- Hopmans, J.W., H. Schukking, and P.J.J. Torfs. 1988. Two-dimensional steady state unsaturated flow in heterogeneous soils with autocorrelated soil hydraulic properties. *Water Resour. Res.* 24(12):2005-2017.
- Hopmans, J.W., and J.N.M. Stricker. 1989. Stochastic analysis of soil water regime in a watershed. *J. Hydrol.* 105:57-84.
- Hornsby, A.G., P.S.C. Rao, P. Nkedi-Kizza, W.B. Wheeler, and R.B. Jones. 1983. Fate of aldicarb in Florida citrus soils: I. Field and laboratory studies. In *Proc. Conference on Characterization and Monitoring of the Vadose (Unsaturated) Zone*, eds. D.M. Nielsen, and M. Curl, 936-958. National Water Well Association, Worthington, Ohio.
- Hutson, J.L., and R.J. Wagenet. 1993. A pragmatic field-scale approach for modeling pesticides. *J. Environ. Qual.* 22(3):494-499.
- Huyakorn, P.S., E.P. Springer, V. Guvanasen, and T.D. Wadsworth. 1986. A three-dimensional finite element model for simulating water flow in variably saturated porous media. *Water Resour. Res.* 22(13):1790-1808.
- IMSL. 1987. Stat/Math/Sfun Libraries: FORTRAN subroutines for statistical analysis, math, and special functions. International Mathematical and Statistical Library, Houston, Tex.
- Iman, R.L., and W.J. Conover. 1982. A distribution-free approach to inducing rank correlation among input variables. *Communications in Statistics* B11(3):311-334.
- Isaaks, E.H., and R.M. Srivastava. 1989. *An Introduction to Applied Geostatistics*. Oxford University Press, New York.
- Jacobson, E.A. 1990. Investigation of the spatial correlation of saturated hydraulic conductivities from a vertical wall of trench. In *Proc. Fifth Canadian/American Conference on Hydrogeology: Parameter Identification and Estimation for Aquifer and Reservoir Characterization*, ed. S. Bachu, 189-198. National Water Well Association, Dublin, Ohio.
- Jensen, M.E., R.D. Burman, and R.G. Allen (Eds.). 1990. Evapotranspiration and Irrigation Requirements. American Society of Civil Engineers, Manuals and Reports on Engineering Practice, No. 70. 332pp.
- Jones, A.J., and R.J. Wagenet. 1980. In situ estimation of hydraulic conductivity using simplified methods. *Water Resour. Res.* 20:1620-1626.
- Journel, A.G. 1996. Geostatistics: Tools for advanced spatial modeling with GIS. In *Applications of GIS to the Modeling of Non-Point Source Pollutants in the Vadose Zone*, eds. D.L. Corwin, and K. Loague, 39-55. SSSA Special Publ. No. 48, Soil Science Society of America, Madison, Wis.
- Jury, W.A. 1982. Simulation of solute transport using a transfer function model. *Water Resour. Res.* 18(2):363-368.
- Jury, W.A. 1985. Spatial variability of soil physical parameters in solute migration: A critical literature review. Interim Report, EA-4228 Research Project 2485-6, Electric Power Research Institute, Palo Alto, Calif.
- Jury, W.A. 1996. Stochastic solute transport modeling trends and their potential compatibility with GIS. In *Applications of GIS to the Modeling of Non-Point Source Pollutants in the Vadose Zone*,

- eds. D.L. Corwin, and K. Loague, 39-55. SSSA Special Publ. No. 48, Soil Science Society of America, Madison, Wis.
- Jury, W.A., and J. Gruber. 1989. A stochastic analysis of the influence of soil and climatic variability on the estimate of pesticide groundwater pollution potential. *Water Resour. Res.* 25(12):2465-2474.
- Jury, W.A., and K. Roth. 1990. *Transfer functions and solute transport through soil: Theory and applications*. Birkhaeuser Publ., Basel, Switzerland.
- Jury, W.A., D. Russo, G. Sposito, and H. Elabd. 1987a. The spatial variability of water and solute transport properties in unsaturated soil: I. Analysis of property variation and spatial structure with statistical models. *Hilgardia* 55(4):1-32.
- Jury, W.A., D. Russo, and G. Sposito. 1987b. The spatial variability of water and solute transport properties in unsaturated soil: II. Scaling models of water transport. *Hilgardia* 55(4):33-56.
- Jury, W.A., and D.R. Scotter. 1994. A unified approach to stochastic-convective transport problems. *Soil Sci. Soc. Am. J.* 58(5):1327-1336.
- Jury, W.A., and J. Utermann. 1992. Solute transport through layered soil profiles: Zero and perfect correlation models. *Transp. Porous Media* 8:277-297.
- Katyal, A.K., and J.C. Parker. 1989. Three-dimensional finite element model for water flow in variably saturated heterogeneous media. ASAE Paper No. 89-2557. Am. Soc. Agric. Eng., St. Joseph, Mich.
- Katz, A.J., and A.H. Thompson. 1985. Fractal sandstone pores: Implications for conductivity and pore formation. *Phys. Rev. Lett.* 54:1325-1328.
- Kitanidis, P.K. 1983. Statistical estimation of polynomial generalized covariance functions and hydrologic applications. *Water Resour. Res.* 19:909-921.
- Kitanidis, P.K., and R.W. Lane. 1985. Maximum likelihood parameter estimation of hydrologic spatial processes by the Gauss-Newton method. *J. Hydrol.* 79:53-71.
- Knisel, W.G. (Ed.) 1980. CREAMS: A field-scale model for Chemicals, Runoff, and Erosion from Agricultural Management Systems. U.S. Department of Agriculture, Science and Education Administration, Conservation Research Report No. 26. 643 pp.
- Knisel, W.G. (Ed.) 1993. GLEAMS: Groundwater Loading Effects of Agricultural Management Systems, Version 2.10. UGA-CPES-BAED Publication No.5, University of Georgia, Coastal Plain Experiment Station, Tifton, Ga.
- Knisel, W.G., F.M. Davis, and R.A. Leonard. 1992. GLEAMS User Manual, Version 2.0. University of Georgia, Coastal Plain Experiment Station, Tifton, Ga.
- Konikow, L.F., and J.D. Bredehoeft. 1992. Ground-water models cannot be validated. *Advances in Water Resources* 15:75-83.
- Kothandaraman, V., and R.L. Evans. 1972. Use of air-water relationships for predicting water temperature. Illinois State Water Survey, Urbana, Ill., Report of Investigations No. 69. 14pp.
- Kumar, D. 1995. Parameter uncertainty in nonpoint source pollution modeling. Ph.D. dissertation. Dept. of Biological Systems Engineering, Virginia Tech, Blacksburg, Va.

- Kumar, D., and C.D. Heatwole. 1995. Probabilistic procedures for evaluating nonpoint source pollution models. In *Proc. International Symposium on Water Quality Modeling*, ed. C.D. Heatwole, 164-176. Am. Soc. Agric. Eng., St. Joseph, Mich.
- Kumar, D., and C.D. Heatwole. 1996. Uncertainty in comparative analysis with continuous nonpoint source pollution models. In *Proc. North American Water and Environment Congress '96*. Am. Soc. Civil Eng., New York.
- Kumar, D., C.D. Heatwole, A.C. Bruggeman, and F.E. Woeste. 1995. Assessing correlation structures with subjective information. *Simulation* 64(5):333-340.
- Kumar, D., and S.J. Thomson. 1995. Implementing direct Monte Carlo simulation in batch mode. *Computers and Electronics in Agriculture* 12:163-171.
- Lascano, R.J., and C.H.M. van Bavel. 1982. Spatial variability of soil hydraulics and remotely sensed soil parameters. *Soil Sci. Soc. Am. J.* 46:223-228.
- Law, A.M., and W.D. Kelton. 1991. *Simulation Modeling and Analysis*, 2nd ed. McGraw-Hill, Inc., New York.
- Leistra, M., R.H. Bromilow, and J.J.T.I. Boesten. 1980. Measured and simulated behaviour of oxamyl in fallow soils. *Pesti. Sci.* 11:379-388.
- Lemley, A.T., R.J. Wagenet, and W.Z. Zhong. 1988. Sorption and degradation of aldicarb and its oxidation products in a soil-water flow system as a function of pH and temperature. *J. Environ. Qual.* 17(3):408-414.
- Leonard, R.A., W.G. Knisel, and D.A. Still. 1987. GLEAMS: Groundwater loading effects of agricultural management systems. *Transactions of the ASAE* 30(5):1403-1418.
- Loague, K.M., and R.E. Green. 1991. Statistical and graphical methods for evaluating solute transport models: overview and application. *J. Contam. Hydrol.* 7:51-73.
- Loague, K.M., R.E. Green, T.W. Giambelluca, T.C. Liang, and R.S. Yost. 1990. Impact of uncertainty in soil, climatic, and chemical information in a pesticide leaching assessment. *J. Contam. Hydrol.* 5:171-194.
- Loague, K.M., R.S. Yost, R.E. Green, and T.C. Liang. 1989. Uncertainty in a pesticide leaching assessment of Hawaii. *J. Contam. Hydrol.* 4:139-161.
- Luis, S.J., and D. McLaughlin. 1992. A stochastic approach to model validation. *Advances in Water Resources* 15:15-32.
- Lumley, J.L., and A. Panofsky. 1964. *The Structure of Atmospheric Turbulence*. John Wiley and Sons, New York.
- Mandelbrot, B.B. 1983. *The Fractal Geometry of Nature*. W.H. Freeman, New York.
- Mantoglou, A., and L.W. Gelhar. 1987a. Stochastic modeling of large-scale transient unsaturated flow systems. *Water Resour. Res.* 23(1):37-46.
- Mantoglou, A., and L.W. Gelhar. 1987b. Capillary tension head variance, mean soil content and effective specific soil moisture of transient unsaturated flow in stratified soils. *Water Resour. Res.* 23(1):47-56.

- Mantoglou, A., and L.W. Gelhar. 1987c. Effective hydraulic conductivities of transient unsaturated flow in stratified soils. *Water Resour. Res.* 23(1):57-67.
- Mantoglou, A., and J.L. Wilson. 1982. The turning bands method for simulation of random fields using line generation by a spectral method. *Water Resour. Res.* 18(5):1379-1394.
- Marshall, T.J. 1958. A relationship between permeability and size distribution of pores. *J. Soil Sci.* 9:1-8.
- Matheron, G. 1971. The theory of regionalized variables and its applications. *Tech. Report Fascicule 5, Les Cahiers du Centre Morphologie Mathematique de Fontainebleau, Ecole Nationale Superieure des Mines de Paris, France, 211pp.*
- McKay, M.D., W.J. Conover, and R.J. Beckman. 1979. A comparison of three methods for selecting values of input variables in the analysis of output from a computer code. *Technometrics* 21(2):239-245.
- Microsoft. 1995a. *Microsoft Excel for Windows 95, Version 7.0.* Microsoft Corporation, Redmond, Wash.
- Microsoft. 1995b. *Microsoft Fortran PowerStation Professional Edition, Version 4.0.* Microsoft Corporation, Redmond, Wash.
- Miller, E.E. 1980. Similitude and scaling of soil water phenomena. In *Applications of Soil Physics*, ed. D. Hillel, 300-318. Academic Press, New York.
- Miller, E.E., and R.D. Miller. 1956. Physical theory for capillary flow phenomena. *J. Applied Phys.* 27:324-332.
- Minitab. 1995. *Minitab Reference Manual, Release 11 for Windows.* Minitab, Inc., State College, Pa.
- Mishra, S., J.C. Parker, and N. Singhal. 1989. Estimation of soil hydraulic properties and their uncertainty from particle size distribution data. *J. Hydrol.* 108:1-18.
- Mizell, S.A., A.L. Gutjahr, and L.W. Gelhar. 1982. Stochastic analysis of spatial variability in two-dimensional steady groundwater flow assuming stationary and nonstationary heads. *Water Resour. Res.* 18(4):1053-1067.
- Mohanty, B.P., and R.S. Kanwar. 1994. Spatial variability of residual nitrate-nitrogen under two tillage systems in central Iowa: A composite three-dimensional resistant and exploratory approach. *Water Resour. Res.* 30(2):237-251.
- Montgomery, J.H. 1993. *Agrochemicals Desk Reference: Environmental Data.* Lewis Publishers, Chelsea, Mich.
- Neter, J., W. Wasserman, and M.H. Kutner. 1990. *Applied linear statistical models: Regression, analysis of variance, and experimental designs*, 3rd ed. Richard D. Irwin, Inc., Homewood, Ill.
- Neuman, S.P. 1990. Universal scaling of hydraulic conductivities and dispersivities in geologic media. *Water Resour. Res.* 26(8):1749-1758.
- Neuman, S.P., and E.A. Jacobson. 1984. Analysis of nonintrinsic spatial variability by residual kriging with application to regional groundwater levels. *Math. Geol.* 16(5):499-521.

- Nicholls, P.H., R.H. Bromilow, and T.M. Addiscott. 1982. Measured and simulated behaviour of fluometuron, aldoxycarb and chloride ion in a fallow structured soil. *Pesti. Sci.* 13:475-483.
- Nielsen, D.R., J. Biggar, and K.T. Erh. 1973. Spatial variability of field-measured soil-water properties. *Hilgardia* 42(7):215-259.
- Nkedi-Kizza, P., L.A. Gaston, and H.M. Selim. 1994. Extrinsic spatial variability of selected macronutrients in a sandy soil. *Geoderma* 63:95-106.
- Nofziger, D.L., and A.G. Hornsby. 1987. Chemical Movement through Layered Soils: User's Manual. Circular 780, Institute of Food and Agriculture Sciences, University of Florida, Gainesville, Fla.
- Novotny, V., and H. Olem. 1993. *Water Quality: Prevention, Identification, and Management of Diffuse Pollution*. Van Nostrand Reinhold, New York.
- Olea, R.A. (Ed.) 1991. *Geostatistical Glossary and Multilingual Dictionary*. International Association of Mathematical Geology Studies in Mathematical Geology No.3, Oxford University Press, New York. 177 pp.
- Onstad, C. A., and G. R. Foster. 1975. Erosion modeling on a watershed. *Trans. ASAE* 18(2):288-292.
- Oren, S.S. 1981. A conjugate directions method for subjective assessment of normal distributions. *Journal of Optimization Theory and Applications* 33(1):25-36.
- Otnes, R.K., and L. Enochson. 1978. *Applied Time Series Analysis*. John Wiley and Sons, New York.
- Owens, L.B., R.W. van Keuren, and W.M. Edwards. 1985. Groundwater quality changes resulting from a surface bromide application to a pasture. *J. Environ. Qual.* 14(4):543-548.
- Palisade Corporation. 1996. *@RISK: Advanced Risk Analysis for Spreadsheets*. Version 3.5e, Sep. 1996. Palisade Corporation, Newfield, NY.
- Papoulis, A. 1965. *Probability, Random Variables, and Stochastic Processes*. McGraw-Hill, New York.
- Parkin, T.B. 1993. Spatial variability of microbial processes in soil – A review. *J. Environ. Qual.* 22(3):409-417.
- Parrish, R.S., and C.N. Smith. 1990. A method for testing whether model predictions fall within a prescribed factor of true values, with an application to pesticide leaching. *Ecol. Modelling* 51(1/2):59-72.
- Parrish, R.S., C.N. Smith, and F.K. Fong. 1992. Tests of the pesticide root zone model and the aggregate model for transport and transformation of aldicarb, metolachlor, and bromide. *J. Environ. Qual.* 21(4):685-697.
- Peck, A.J., R.J. Luxmoore, and L.J. Stolzy. 1977. Effects of spatial variability of soil hydraulic properties in water budget modeling. *Water Resour. Res.* 13:348-354.
- Pendleton, R.L. 1919. Are soils mapped under a given type name by the Bureau of Soils method closely similar to one another? *Univ. Calif. Publ. Agric. Sci.* 3:369-348.

- Pennell, K.D., A.G. Hornsby, R.E. Jessup, and P.S.C. Rao. 1990. Evaluation of five simulation models for predicting aldicarb and bromide behavior under field conditions. *Water Resour. Res.* 26(11):2679-2693.
- Philip, J.R. 1980. Field heterogeneity: some basic issues. *Water Resour. Res.* 16(2):443-448.
- Popper, K.R. 1959. *The Logic of Scientific Discovery*. Hutchinson & Company, London.
- Porro, I., and P.J. Wierenga. 1993. Transient and steady-state solute transport through a large unsaturated soil column. *Ground Water* 31:193-200.
- Priestly, C.H.B., and R.J. Taylor. 1972. On the assessment of surface heat flux and evaporation using large-scale parameters. *Monthly Weather Review* 100:81-92.
- Protopapas, A.L., and R.L. Bras. 1991. The one-dimensional approximation for infiltration in heterogeneous soils. *Water Resour. Res.* 27(6):1019-1027.
- Rao, P.S.C., R.E. Jessup, A.G. Hornsby, D.K. Cassel, and W.A. Pollens. 1983. Scaling soil microhydrologic properties of Lakeland and Konowa soils using similar media concepts. *Agric. Water Manage.* 6:277-290.
- Rao, P.S.C., and R.J. Wagenet. 1985. Spatial variability of pesticides in field soils: Methods of data analysis and consequences. *Weed Sci.* 33(Suppl.2):18-24.
- Rao, P.S.C., K.S.V. Edvardsson, L.T. Ou, R.E. Jessup, P. Nkedi-Kizza, and A.G. Hornsby. 1986. Spatial variability of pesticide sorption and degradation parameters. In *Evaluation of Pesticides in Ground Water*, eds. W.Y. Garner, R.C. Honeycutt, and H.N. Nigg, 100-115. ACS Symposium Series 315, American Chemical Society, Washington, D.C.
- Rawls, W.J., D.L. Brakensiek, and K.E. Saxton. 1982. Estimation of soil water properties. *Trans. ASAE* 25(5):1316-1320, 1328.
- Rawls, W.J., and D.L. Brakensiek. 1985. Prediction of soil water properties for hydrologic modeling. In *Proc. Symposium on Watershed Management*, 293-299. Am. Soc. Civil Eng., New York.
- Rawls, W.J., D.L. Brakensiek, and S.D. Logsdon. 1993. Predicting saturated hydraulic conductivity utilizing fractal principles. *Soil Sci. Soc. Am. J.* 57(5):1193-1197.
- Reynolds, W.D., and R.E. Elrick. 1985. In situ measurement of field-saturated hydraulic conductivity, sorptivity, and the alpha parameter using the Guelph permeameter. *Soil Sci.* 140:292-302.
- Ritchie, J.T. 1972. A model for predicting evaporation from a row crop with incomplete cover. *Water Resour. Res.* 8(5):1204-1213.
- Ritter, W.F., R.W. Scarborough, and A.E.M. Chrinside. 1994. Contamination of groundwater by triazines, metolachlor, and alachlor. *J. Contam. Hydrol.* 15:73-92.
- Rockhold, M.L., R.E. Rossi, and R.G. Hills. 1996. Application of similar media scaling and conditional simulation for modeling water flow and tritium transport at the Las Cruces trench site. *Water Resour. Res.* 32(3):595-609.
- Russo, D. 1984a. A geostatistical approach to solute transport in heterogeneous fields and its application to salinity management. *Water Resour. Res.* 20(9):1260-1270.

- Russo, D. 1984b. Design of an optimal sampling network for estimating the variogram. *Soil Sci. Soc. Am. J.* 48:708-716.
- Russo, D. 1988. Determining soil hydraulic properties by parameter estimation: On the selection of a model for the hydraulic properties. *Water Resour. Res.* 24(3):453-459.
- Russo, D. 1991. Stochastic analysis of simulated vadose zone solute transport in a vertical cross section of heterogeneous soil during nonsteady water flow. *Water Resour. Res.* 27(3):267-283.
- Russo, D. 1993a. Stochastic modeling of macrodispersion for solute transport in a heterogeneous unsaturated porous formation. *Water Resour. Res.* 29(2):383-397.
- Russo, D. 1993b. Stochastic modeling of solute flux in a heterogeneous partially saturated porous formation. *Water Resour. Res.* 29(6):1731-1744.
- Russo, D., and M. Bouton. 1992. Statistical analysis of spatial variability in unsaturated flow parameters. *Water Resour. Res.* 28(7):1911-1925.
- Russo, D., and E. Bresler. 1980. Scaling soil hydraulic properties of a heterogeneous field. *Soil Sci. Soc. Am. J.* 44(4):681-684.
- Russo, D., and E. Bresler. 1981. Soil hydraulic properties as stochastic processes, I, An analysis of field spatial variability. *Soil Sci. Soc. Am. J.* 45(4):682-687.
- Russo, D., and E. Bresler. 1982. Soil hydraulic properties as stochastic processes, II, Errors of estimates in a heterogeneous field. *Soil Sci. Soc. Am. J.* 46(1):20-26.
- Russo, D., E. Bresler, U. Shani, and J.C. Parker. 1991. Analysis of infiltration events in relation to determining soil hydraulic properties by inverse problem methodology. *Water Resour. Res.* 27:1361-1373.
- Russo, D., and G. Dagan. 1991. On solute transport in a heterogeneous porous formation under saturated and unsaturated water flows. *Water Resour. Res.* 27(3):285-292.
- Russo, D., and W.A. Jury. 1987a. A theoretical study of the estimation of the correlation scale in spatially variable fields, 1, Stationary fields. *Water Resour. Res.* 23(7):1257-1268.
- Russo, D., and W.A. Jury. 1987b. A theoretical study of the estimation of the correlation scale in spatially variable fields, 2, Nonstationary fields. *Water Resour. Res.* 23(7):1269-1279.
- Russo, D., J. Zaidel, and A. Laufer. 1994a. Stochastic analysis of solute transport in partially saturated heterogeneous soil, 1, Numerical experiments. *Water Resour. Res.* 30(3):769-779.
- Russo, D., J. Zaidel, and A. Laufer. 1994b. Stochastic analysis of solute transport in partially saturated heterogeneous soil, 2, Prediction of solute spreading and breakthrough. *Water Resour. Res.* 30(3):781-790.
- SCS. 1981. *Soil Survey of Westmoreland County, Virginia*. Soil Conservation Service, U.S. Dept. of Agriculture, Richmond, Va. 96pp.
- Samper, F.J. 1996. Program GEOS2: User's Manual. Universidad Politecnica de La Coruna, La Coruna, Spain.
- Samper, F.J., and S.P. Neuman. 1989. Estimation of spatial covariance structures by adjoint state maximum likelihood cross validation, 1, Theory. *Water Resour. Res.* 25(3):351-362.

- Sargent, R.G. 1991. Validation of mathematical models. In *GeoVal-1990: Proc. Symposium on Validation of Geosphere Flow and Transport Models*, Stockholm, Sweden. 14-17 May 1990. Nuclear Energy Agency, Organization of Economic Cooperation and Development, Paris, France.
- Scheuer, E.M., and D.S. Stoller. 1962. On the generation of normal random vectors. *Technometrics* 4:278-281.
- Simmons, C.S. 1982. A stochastic-convective transport representation of dispersion in one dimensional porous media systems. *Water Resour. Res.* 18(4):1193-1214.
- Small, M.J., and J.R. Mular. 1987. Long-term pollutant degradation in the unsaturated zone with stochastic rainfall infiltration. *Water Resour. Res.* 23(12):2246-2256.
- Smith, C.N., and R.S. Parrish. 1993. A field study to evaluate leaching of aldicarb, metolachlor, and bromide in a sandy loam soil. *J. Environ. Qual.* 22(3):562-577.
- Smith, C.N., R.S. Parrish, and R.F. Carsel. 1987. Estimating sample requirements for field evaluations of pesticide leaching. *Environ. Toxicol. Chem.* 6:343-357.
- Smith, H.F. 1938. An empirical law describing heterogeneity in the yield of agricultural crops. *J. Agric. Sci.* 28:1-23.
- Smith, L., and R.A. Freeze. 1979a. Stochastic analysis of steady state groundwater flow in a bounded domain, 2, One-dimensional simulations. *Water Resour. Res.* 15(3):521-528.
- Smith, L., and R.A. Freeze. 1979b. Stochastic analysis of steady state groundwater flow in a bounded domain, 2, Two-dimensional simulations. *Water Resour. Res.* 15(6):1543-1559.
- Smith, R.E. 1992. Opus, an Integrated Simulation Model for Transport of Nonpoint Source Pollutants at the Field Scale: Volume I, Documentation. U.S. Department of Agriculture, Agricultural Research Service, ARS-98, 120 pp.
- Smith, R.E., and B. Diekkruger. 1992. Field-scale soil water flow in heterogeneous soils, I, Modeling statistical soil variation and large-scale constituent relations. *Modeling of Geo-Biosphere Processes* 1:205-227.
- Smith, R.E., and V. Ferreira. 1989. Comparative evaluation of unsaturated flow methods in selected USDA simulation models. In *Unsaturated Flow in Hydrologic Modeling: Theory and Practice*, ed. H.J. Morel-Seytoux, 391-412. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Smith, V.J., and R.J. Charnneau. 1990. Probabilistic soil contamination exposure assessment procedures. *J. Environ. Eng.* 116(6):1143-1163.
- Snedecor, G.W., and W.G. Cochran. 1980. *Statistical Methods*, 7th ed. The Iowa State University Press, Ames, Iowa.
- Sposito, G., and W.A. Jury. 1990. Miller similitude and generalized scaling analysis. In *Scaling in Soil Physics: Principles and Applications*, eds. D. Hillel and D.E. Elrick, 13-22. Soil Science Society of America, Madison, Wis.
- Sposito, G., W.A. Jury, and V.K. Gupta. 1986. Fundamental problems in the stochastic convection-dispersion model of solute transport in aquifers and field soils. *Water Resour. Res.* 22(1):77-88.
- Stephens, M.A. 1974. EDF statistics for goodness of fit and some comparisons. *J. Amer. Statistical Assoc.* 69:730-737.

- Taylor, A.W., H.P. Freeman, and W.M. Edwards. 1971. Sample variability and the measurement of dieldrin content of a soil in the field. *J. Agr. Food Chem.* 19(5):832-836.
- Taylor, S.E., and D.A. Bender. 1988. Simulating correlated lumber properties using a modified multivariate normal approach. *Trans. ASAE* 31(1):182-186.
- Taylor, S.E., and D.A. Bender. 1989. A method for simulating mutiple correlated lumber properties. *Forest Products Journal* 39(7/8):71-74.
- Toledo, P., R.A. Novy, H.T. Davis, and L.E. Scriven. 1990. Behavior of hydraulic conductivity at low water contents. *Soil Sci. Soc. Am. J.* 54:673-679.
- Tsang, C.F. 1991. The modeling process and model validation. *Ground Water* 29(6):825-831.
- Tyler, S.W., and S.W. Wheatcraft. 1989. Application of fractal mathematics to soil water retention estimation. *Soil Sci. Soc. Am. J.* 53:987-996.
- Tyler, S.W., and S.W. Wheatcraft. 1990. Fractal processes in soil water retention. *Water Resour. Res.* 26(5):1047-1054.
- Tyler, S.W., and S.W. Wheatcraft. 1992. Fractal scaling of soil particle-size distributions: Analysis and limitations. *Soil Sci. Soc. Am. J.* 56(2):362-369.
- USDA. 1992. Root Zone Water Quality Model (RZWQM), ver. 1.0: User's Manual. GPSR Technical Report No. 3, U.S. Department of Agriculture, Agricultural Research Service, Great Plain Systems Research Unit, Ft. Collins, Colo.
- Unlu, K., M.L. Kavvas, and D.R. Nielsen. 1989. Stochastic analysis of field measured unsaturated hydraulic conductivity. *Water Resour. Res.* 25(12):2511-2519.
- Unlu, K., D.R. Nielsen, and J.W. Biggar. 1990. Stochastic analysis of unsaturated flow: One-dimensional Monte Carlo simulations and comparisons with spectral perturbation analysis and field observations. *Water Resour. Res.* 26(9):2207-2218.
- van Bavel, C.H.M., R.J. Lascano, and L. Stroosnijder. 1984. Test and analysis of a model water use by sorghum. *Soil Sci.* 137:443-456.
- van der Zee, S.E.A.T.M., and W.H. van Riemsdijk. 1986. Transport of phosphate in a heterogeneous field. *Transp. Porous Media* 1:339-359.
- van der Zee, S.E.A.T.M., and W.H. van Riemsdijk. 1987. Transport of reactive solute in spatially variable soil systems. *Water Resour. Res.* 23(11):2059-2069.
- van der Zee, S.E.A.T.M., and J.J.T.I. Boesten. 1991. Effects of soil heterogeneity on pesticide leaching to groundwater. *Water Resour. Res.* 27(12):3051-3063.
- van der Zee, S.E.A.T.M., and J.J.T.I. Boesten. 1993. Pesticide leaching in heterogeneous soils with oscillating flow: approximations. *The Science of the Total Environment* 132:167-179.
- van Genuchten, M.Th. 1980. A closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Soil Sci. Soc. Am. J.* 44(5):892-898.
- Van Genuchten, M.Th, F.J. Leij, and S.R. Yates. 1991. The RETC code for quantifying the hydraulic functions of unsaturated soils. EPA 600/2-91/065. U.S. Environmental Protection Agency, Robert S. Kerr Environmental Research Laboratory, Ada, Okla.

- Varljen, M.D., and J.M. Shafer. 1991. Assessment of uncertainty in time-related capture zones using conditional simulation of hydraulic conductivity. *Ground Water* 29(5):737-748.
- Wagenet, R.J., and J.L. Hutson. 1989. LEACHM: Leaching Estimation and Chemistry Model – a process based model of water and solute movement, transformations, plant uptake, and chemical reactions in the unsaturated zone. Continuum Vol. 2. Water Resour. Inst., Cornell Univ., Cornell, NY.
- Wagenet, R.J., and P.S.C. Rao. 1990. Modeling pesticide fate in soils. In *Pesticides in the Soil Environment: Processes, Impacts, and Modeling*, ed. H.H. Cheng, 351-399. Soil Science Society of America, Madison, Wis.
- Walker, A. 1974. A simulation model for prediction of herbicide persistence. *J. Environ. Qual.* 3(4):396-401.
- Walker, A. 1978. Simulation of the persistence of eight soil-applied herbicides. *Weed Res.* 18:305-313.
- Walker, A., and P.A. Brown. 1983. Spatial variability in herbicide degradation rates and residues in soil. *Crop Prot.* 2(1):17-25.
- Walker, A., and P.A. Brown. 1985. The relative persistence in soil of five acetanilide herbicides. *Bull. Environ. Contam. Toxicol.* 34:143-149.
- Ward, A. D., Q. Wu, S.R. Workman, and E. Salchow. 1995. Simulation of flow and transport through heterogeneous unsaturated soils. In *Proc. International Symposium on Water Quality Modeling*, ed. C.D. Heatwole, 374-383. Am. Soc. Agric. Eng., St. Joseph, Mich.
- Warrick, A.W., D.O. Lomen, and S.R. Yates. 1985. A generalized solution to infiltration. *Soil Sci. Soc. Am. J.* 49(1):34-38.
- Warrick, A.W., G.J. Mullen, and D.R. Nielsen. 1977. Scaling field measured soil hydraulic properties using a similar media concept. *Water Resour. Res.* 13:355-362.
- Warrick, A.W., and D.R. Nielsen. 1980. Spatial variability of soil physical properties in the field. In *Applications of Soil Physics*, ed. D. Hillel, 319-344. Academic Press, New York.
- Wauchope, R.D., T.M. Buttler, A.G. Hornsby, P.W.M. Augustijn Beckers, and J.P. Burt. 1992. *Rev. Environ. Contam. Toxicol.* 123:1-156.
- Wauchope, R.D., J.M. Chandler, and K.E. Savage. 1977. Soil sample variation and herbicide incorporation uniformity. *Weed Sci.* 25(2):193-196.
- Webster, R. 1994. The development of pedometrics. *Geoderma* 62:1-15.
- Wheatcraft, S.W., and S.W. Tyler. 1988. An explanation of scale-dependent dispersivity in heterogeneous aquifers using concepts of fractal geometry. *Water Resour. Res.* 24(4):566-578.
- Wierenga, P.J., R.G. Hills, and D.B. Hudson. 1991. The Las Cruces Trench Site: Characterization, experimental results, and one-dimensional flow predictions. *Water Resour. Res.* 27(10):2695-2705.
- Wierenga, P.J., D. Hudson, J. Vinson, M. Nash, A. Toorman, and R.G. Hills. 1989. Soil physical properties at the Las Cruces trench site. NUREG/CR-5441, U.S. Nuclear Regulatory Commission.

- Wierenga, P.J., D. Hudson, R.G. Hills, I. Porro, M.R. Kirkland, and J. Vinson. 1990. Flow and transport at the Las Cruces trench site. NUREG/CR-5607, U.S. Nuclear Regulatory Commission.
- Williams, J. R., and W. V. LaSeur. 1976. Water yield modeling using SCS curve numbers. *Journal of Hydraulics Division, Am. Soc. Civil Eng.* 102:1241-1253.
- Wood, L.S., H.D. Scott, D.B. Marx, and T.L. Lavy. 1987. Variability in sorption coefficients of metolachlor on a Captina silt loam. *J. Environ. Qual.* 16(3):251-256.
- Wosten, J.H.M. 1989. Use of scaling techniques to quantify variability in hydraulic functions of soils in the Netherlands. In *Field-Scale Water and Solute Flux in Soils*, eds. K. Roth, H. Fluhler, W.A. Jury, and J.C. Parker, 141-156. Birkhauser Verlag, Basel, Switzerland.
- Wu, Q.J., A.D. Ward, and S.R. Workman. 1996. Using GIS in simulation of nitrate leaching from heterogeneous unsaturated soils. *J. Environ. Qual.* 25(3):526-534.
- Wu, Q.J., A.D. Ward, S.R. Workman, and E.M. Salchow. 1997. Applying stochastic simulation techniques to a deterministic vadose zone solute transport model. *J. Hydrol.* 197:88-110.
- Yates, S.R., and M.V. Yates. 1990. Geostatistics for Waste Management: A User's manual for the GEOPACK (Version 1.0) Geostatistical Software System. EPA/600/8-90/004. U.S. Environmental Protection Agency, Washington, D.C.
- Yeh, T.-C., L.W. Gelhar, and A.L. Gutjahr. 1985a. Stochastic analysis of unsaturated flow in heterogeneous soils, 1, Statistically isotropic media. *Water Resour. Res.* 21(4):447-456.
- Yeh, T.-C., L.W. Gelhar, and A.L. Gutjahr. 1985b. Stochastic analysis of unsaturated flow in heterogeneous soils, 2, Statistically anisotropic media with variable α . *Water Resour. Res.* 21(4):457-464.
- Yeh, T.-C., L.W. Gelhar, and A.L. Gutjahr. 1985c. Stochastic analysis of unsaturated flow in heterogeneous soils, 3, Observations and applications. *Water Resour. Res.* 21(4):465-471.
- Zacharias, S., and C.D. Heatwole. 1993. Predicting tillage treatment effects on pesticide transport: A validation study. Paper No.93-2592. Am. Soc. Agric. Eng., St. Joseph, Mich.
- Zacharias, S., and C.D. Heatwole. 1994. Evaluation of GLEAMS and PRZM for predicting pesticide leaching under field conditions. *Trans. ASAE* 37(2):439-451.
- Zacharias, S., C.D. Heatwole, and C.W. Coakley. 1996. Comparison of quantitative techniques used for pesticide model validation. *Trans. ASAE* 39(1):47-54.
- Zacharias, S., C.D. Heatwole, and J.B. Campbell. 1997. Spatial trends in the texture, moisture content, and pH of a Virginia Coastal Plain soil. *Trans. ASAE* 40(5):1277-1284.
- Zacharias, S., C.D. Heatwole, N. Persaud, A.C. Bruggeman, D. Kumar, and C.N. Smith. 1998. Stochastic simulation of field-scale pesticide transport using Opus and GLEAMS. *J. Environ. Qual.* (under review).
- Zhang, H., C.T. Haan, and D.L. Nofziger. 1993. An approach to estimating uncertainties in modeling transport of solutes through soils. *J. Contam. Hydrol.* 12:35-50.