

References

- [1] G. Cancellieri, Introduction, in *Single-Mode Optical Fiber Measurement: Characterization and Sensing*, G. Cancellieri, ed.; Artech House: Boston (1993) 1-3.
- [2] E. Udd, The Emergence of Fiber Optic Sensor Technology, in *Fiber Optic Sensors: An Introduction for Engineers and Scientists*, E. Udd, ed.; John Wiley & Sons, Inc.: New York (1991) .
- [3] E. Udd, Fiber optic smart structure technology, in *Fiber Optic Smart Structures*, E. Udd, ed.; John Wiley & Sons, Inc.: New York (1995) 5-21.
- [4] R Kist, Fiber-optic sensors for networks, in *Selected Papers on Fiber Optic Sensors*, R Willsch and R. T. Kersten, ed.; SPIE Optical Engineering Press: Bellingham, Washington (1995) 65-80.
- [5] V. J. Tekippe, Passive components for fiber optic sensors, in *Fiber Optic Sensors*, E. Udd, ed.; SPIE Optical Engineering Press: Bellingham, Washington (1993) 2-30.
- [6] G. Keiser, *Optical Fiber Communication*, McGraw-Hill Inc.: New York (1991).
- [7] K. A. Murphy, B. R. Fogg, G. Z. Wang, A. M. Vengsarkar, and R. O. Claus, Sapphire fiber interferometer for microdisplacement measurements at high temperatures, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **1588** (1991) 117-124.
- [8] D. H. Jundt, M. M. Fejer, and R. L. Byer, Characterization of single-crystal sapphire fibers for optical power delivery systems, *Appl. Phys. Lett.* **55** (1989) 2170-2172.
- [9] R. Götz, B. Mizaikoff, and R. Kellner, Application of sapphire fibers to and IR fiber-optic sensor for the investigation of polymers at elevated temperature, *Appl. Spectrosc.* **52** (1998) 1248-1252.
- [10] M. A. El-Sherif, I.L. Kamel, F. K. Ko, M. Shaker, D. J. Roth, B. Lerch, and S. Swickard, A novel sapphire fiber-optic sensor for testing advanced ceramics, *Ceram. Eng. and Sci. Proc.* **14** (1993) 437-444.
- [11] R. R. Dils, High-temperature optical fiber thermometer, *J. Appl. Phys.* **54** (1983) 1198-1201.

- [12] J. R. Cooper, Optical fiber thermometry: quest for precision, *Photon. Spectra*, **19** (1985) 71-76.
- [13] G. W. Tregay, P. R. Calabrese, M. J. Finney, and K. B. Stukey, Durable, fiber-optic sensor for gas temperature measurement in the hot section of turbine engines, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng* **2295** (1994) 156-163.
- [14] Q. Zheng and K. Torii, Response of optical fiber thermometer with blackbody cavity sensor (aiming to measure the gas temperature inside internal combustion engine), *JSME International Journ. Series B — Fluids and Therm. Eng.* **37** (1994) 588-595.
- [15] Y. Shen, Y. Wang, L. Ye, and Z. Ding, Study on the doped crystal fiber high temperature sensor, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **2292** (1994) 421-428.
- [16] R. Kellner, R. Göbel, R. Götz, B. Lendl, B. Edl-Mizaikoff, M. Tacke, and A. Katzir, Recent progress on mid-IR sensing with optical fibers, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng* **2508** (1995) 212-223.
- [17] S. J. Saggese, J. A. Harrington, and G. H. Siegel, Jr., Hollow waveguides for sensor applications, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **1368** (1990) 2-14.
- [18] L. Ye and Y. Shen, Development of a sapphire fiber thermometer using two wavelength bands, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **2296** (1996) 393-400.
- [19] L. Tong, Y. Shen, and L. Ye, Performance improvement of radiation-based high-temperature fiber-optic sensor by means of curved sapphire fiber, *Sensors & Actuators A - Physical* **A75** (1999) 35-40.
- [20] M. A. Serio, H. Teng, K. S. Knight, S. C. Bates, S. Farquharson, A. S. Bonanno, P. R. Solomon, W. A. Stevenson, M. A. Druy, P. Glatkowski, J. A. Harrington, R. Nubling, Y. Ding, and A. G. Comolli, In-situ fiber optic FT-IR spectroscopy for coal liquefaction processes, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng* **1334** (1993) 121-131.
- [21] M. A. Serio, D. S. Pines, E. Kroo, K. S. Knight, P. R. Solomon, and A. S. Bonanno, A novel test for fuel thermal stability, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng* **2069** (1993) 121-131.

- [22] B. Edl-Mizaikoff, R. Götz, and R. Kellner, IR fiber optic evanescent field sensors for gas monitoring, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **1866** (1995) 253-264.
- [23] M. A. Druy, L. Elandjian, and W. A. Stevenson, Fourier transform infrared (FTIR) fiber optic monitoring of composites during cure in an autoclave, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **1170** (1989) 150-159.
- [24] K. A. Murphy, C. E. Koob, A. J. Plante, S. Desu, and R. O. Claus, High temperature sensing applications of silica and sapphire optical fibers, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **1370** (1990) 169-178.
- [25] T. G. Brown, *OPT 442: Instrumental Optics Class Notes*; University of Rochester: Rochester, NY (1999).
- [26] V. Bhatia, K. A. Murphy, R. G. May, R. O. Claus, T. A. Tran, J. A. Greene, and J. E. Coate, High temperature sapphire optical fiber interferometer strain sensor, *High Temp. & Mate. Sci.* **35** (1996) 31-41.
- [27] H. Xiao, W. Zhao, R. Lockhart, J. Wang, and A. Wang, Absolute sapphire optical fiber sensor for high-temperature applications, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **3201** (1997) 36-42.
- [28] A. Wang, S. Gollapudi, K. A. Murphy, R. G. May, and R. O. Claus, Sapphire-fiber-based intrinsic Fabry-Perot interferometer, *Opt. Lett.* **17** (1992) 1021-1023.
- [29] A. Wang, S. Gollapudi, R. G. May, K. A. Murphy, and R. O. Claus, Advances in sapphire-fiber-based intrinsic interferometric sensors, *Opt. Lett.* **17** (1992) 1544-1546.
- [30] B. E. A. Salah and M. C. Teich, *Fundamentals of Photonics*, John Wiley & Sons, Inc.: New York (1991).
- [31] A. Wang, G. Z. Wang, K. A. Murphy, and R. O. Claus, Birefringence-balanced polarimetric optical fiber sensor for high-temperature measurements, *Opt. Lett.* **17** (1992) 1391-1393.
- [32] M. A. El-Sherif, S. Hu, J. Rahdshnan, F. K. Ko, D. J. Roth, and B. Lerch, Optical response of sapphire multimode optical sensor for ceramic composite applications, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **2072** (1994) 244-251.
- [33] R. S. Feigelson, W. L. Kway, and R. K. Route, Single Crystal Fibers by the Laser-Heated Pedestal Growth Method, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **484** (1984) 133-141.

- [34] G. N. Merberg and J. Harrington, Optical and mechanical properties of single-crystal sapphire optical fibers, *Appl. Opt.* **32** (1993) 3201-3209.
- [35] R. K. Nubling and J. A. Harrington, Optical Properties of single-crystal sapphire fibers, *Appl. Opt.* **36** (1997) 5934-5940.
- [36] Saphikon, Incorporated, Product Information, *www.saphikon.com*, 33 Powers St., Milford, NH 03055.
- [37] J. Fitzgibbon and G. Hayes, Sapphire optical fibers: Rugged fiber expands surgical and sensor applications, *Photonics Spectra* **33** (1999) 118-119.
- [38] R. P. Steijn, On the Wear of Sapphire, *J. of Appl. Phy.* **32** (1961) 1951-1958.
- [39] D. H. Jundt, M. M. Fejer, and R. L. Byer, Growth and optical properties of single-crystal sapphire fibers, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **1048** (1989) 39-43.
- [40] G. Merberg and J. Harrington, Single-crystal fibers for laser power delivery, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng* **1591** (1991) 100-108.
- [41] G. N. Merberg and J. Harrington, Optical and mechanical properties of single-crystal sapphire optical fibers, *Appl. Opt.* **32** (1993) 3201-3209.
- [42] R. K. Nubling and J. A. Harrington, Optical properties of single-crystal sapphire fibers, *Appl. Opt.* **36** (1997) 5934-5940.
- [43] V. Phomsakha, R. S. F. Chang, N. Djeu, Novel implementation of laser heated pedestal growth for the rapid drawing of sapphire fibers, *Rev. Sci. Instrum.* **65** (1994) 3860-3861.
- [44] R. S. F. Chang, V. Phomsakha, and N. Djeu, Recent advances in sapphire fibers, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng* **2396** (1995) 48-53.
- [45] H. E. LaBelle, J. Serafino, and J. J. Fitzgibbon, Recent developments in growth of shaped sapphire crystals, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **683** (1986) 36-40.
- [46] H. E. LaBelle, Jr., EFG, the invention and application to sapphire growth, *J. of Crystal Growth* **50** (1980) 8-17.
- [47] M.E. Innocenzi and R. T. Swimm, Room-temperature optical absorption in undoped α -Al₂O₃, *J. Appl. Phys.* **67** (1990) 7542-7546.

- [48] M. E. Thomas, W. J. Tropsch, and S. L. Gilbert, Vacuum-ultraviolet characterization of sapphire ALON, and spinel near the band gap, *Opt. Engr.* **32** (1993) 1340-1343.
- [49] M. A. Omar, *Elementary Solid State Physics*, Addison-Wesley Publishing Company: Reading, MA (1975).
- [50] A. Sa ar and A. Katzir, Scattering effects in crystalline infrared fibers, *J. Opt. Soc. Am. A* **5** (1988) 823-833.
- [51] G. Keiser, *Optical Fiber Communications*, McGraw-Hill Inc.: New York (1991).
- [52] S. C. Bates, High temperature fiber optic imaging, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng* **2839** (1996) 227-238.
- [53] G. N. Morscher, H. Sayir, Bend properties of sapphire fibers at elevated temperatures I: Bend survivability, *Mat. Sci. & Engr. A* **A190** (1995) 267-274.
- [54] E. R. Trumbauer, J. R. Hellmann, D. L. shelleman, and D. A. Koss, Effect of cleaning and abrasion-induced damage on the Weibull strength distribution of sapphire fiber, *J. Am. Ceram. Soc.* **77** (1994) 2017-2024.
- [55] H. Yin, D. S. Grummon, and J. Lucas, Abrasion resistance and strength characteristics of [0001] sapphire fibers modified by 175 KEV Mg⁺ ion irradiation, *Scripta Materialia* **35** (1996) 749-754.
- [56] S. B. Desu, R. O. Claus, R. Raheem, and K. A. Murphy, High temperature sapphire optical sensor fiber coatings, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **1307** (1990) 2-9.
- [57] A. R. Raheem-Kizchery, S. B. Desu, and R. O. Claus, High temperature refractory coating materials for sapphire waveguides, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng* **1170** (1989) 513-517.
- [58] J. B. Davis, J. P. A. L fvander, and A. G. Evans, Fiber coating concepts for brittle-Matrix composites, *J. Am. Ceram. Soc.* **76** (1993) 1249-1257.
- [59] Stanford Materials Company, Product Information, www.stanfordmaterials.com, 120 West Third Ave. suite 1110 San Mateo, CA 94402-1502, USA
- [60] M. A. El-Sherif, W. Shih, Z. Cai, J. Radhakrishnan, S. Hu, F. K. Ko, D. J. Roth, and B. Lerch, Development of a fiber optic sensor for ceramic materials characterization, *Ceram. Engr. and Sci. Proc.* **15** (1994) 373-381.

- [61] K. D. Miller, University Science Books: Mill Valley, CA (1998)
- [62] M. V. Klein and T. E. Furtak, *Optics*, John Wiley & Sons, Inc.: New York (1986)
- [63] M. Francon, *Holography*, Academic Press: New York (1974)
- [64] J. W. Goodman, *Statistical Optics*, John Wiley & Sons, Inc.: New York (1985)
- [65] O. Svelto, *Principles of Lasers*, Plenum Press: New York (1998)
- [66] H. Kogelnik, Theory of optical Waveguides in *Guided-Wave Optoelectronics*, T. Tamir, ed.; Springer-Verlag.: New York (1990).
- [67] T. Erdogan, *OPT 568: Waveguide Optoelectronic Devices*: University of Rochester, Rochester, NY (1999)
- [68] N. J. Frigo, A. Dandridge, and A. B. Tveten, Technique for elimination of polarization fading in fibre interferometers, *Elec. Lett.*, **20** (1984) 319-320.
- [69] A. D. Kersey and M. J. Marrone, Input-polarization scanning technique for overcoming polarization-induced signal fading in interferometric sensors, *Elec. Lett.* **24** (1988) 931-933.
- [70] M. J. Marrone and A. D. Kersey, Visibility limits in fibre-optic Michelson interferometer with birefringence compensation, *Elec. Lett.* **27** (1991) 518-520.
- [71] T. Li, A. Wang, K. A. Murphy, and R. O. Claus, White-light scanning fiber Michelson interferometer for absolute position-distance measurement, *Opt. Lett.* **20** (1995) 785-787.
- [72] A. W. Snyder and J. D. Love, *Optical Waveguide Theory*, Chapman and Hall: New York (1983)
- [73] A. B. Buckman, *Guided-Wave Photonics*, Saunders College Publishing: New York (1992)
- [74] K. H. Wanser, Polarization Fade Free Michelson Interferometer using ordinary non-birefringent optical fiber, *SPIE-Int. Soc. Opt. Eng. Proc. of Spie — the Int. Soc. for Opt. Eng.* **891** (1988) 204-208.
- [75] A. D. Kersey, M. J. Marrone, and M. A. Davis, Polarization-insensitive fibre optic Michelson interferometer, *Elec. Lett.* **27** (1991) 518-520.
- [76] D. W. Stowe, D. R. Moore, and R. G. Priest, Polarization fading in fiber interferometric sensors, *IEEE J. Quantum Electron.*, **QE-18** (1982) 626-665.

- [77] K. H. Wanser, and N. H. Safar, Remote polarization control for fiber-optic interferometers, *Opt. Lett.* **12** (1987) 217-219.
- [78] R. Ulrich, Polarization stabilization on single-mode fibers, *Appl. Phys. Lett.* **35** (1979) 840-842.
- [79] T. Okoshi, Polarization-state control schemes for hetrodyne or homodyne optical fiber communications, *J. Lightwave Tech.* **LT-3** (1985) 1232-1237.
- [80] H. C. Lefevre, Single-mode fibre fractional wave devices and polarization controllers, *Electron. Lett.* **16** (1980) 778-780.