

REFERENCES

REFERENCES

- An, G., Ebert, P.R., Mitra, A. and Ha, S.B. (1988). Binary vectors. In: Gelvin, S.B. and Schilperoort, R.A. (eds.). *Plant Molecular Biology Manual*. Kluwer Academic Publishers, Belgium, A3/7.
- Anderson, A.O. (1990). Structure and organization of the lymphatic system. In: Oppenheim, J.J. and Shevach, E. (eds.). *Immunophysiology. The role of cells and cytokines in immunity and inflammation*, New York, Oxford University Press, pp. 14-45.
- Arakawa, T., Chong, D.K.X. and Langridge, W.H.R. (1997). Efficacy of a food plant-based oral cholera toxin B subunit vaccine. *Nat Biotech*, 16, 292-297.
- Arntzen, C.H. (1997). Edible vaccines. *Public Health Rep*, 112 (3), 190-197.
- Becker, D. (1990). Binary vectors which allow the exchange of plant selectable markers and reporter genes. *Nucl Acid Res*, 18, 203-210.
- Benfey, P.N., Ren, L. and Chua, N.H. (1989). The CaMV 35S enhancer contains at least two domains which can confer different developmental and tissue-specific expression patterns. *EMBO J*, 8, 2195-2202.
- Bergmann, K.C. and Waldman, R.H. (1988). Stimulation of secretory antibody following oral administration of antigen. *Rev Infect Dis*, 10, 939-950.
- Bradford, M.M. (1976). *Anal Biochem*, 72, 248.
- Brown, F., Dougan, G., Hoey, E.M., Martin, S.J., Rima, B.K. and Trudgett, A. (eds.) (1993). *Vaccine Design*. John Wiley & Sons, New York, 130p.
- Bussiere, J.L., McCormick, G.C. and Green, J.D. (1995). Preclinical safety assessment considerations in vaccine development. In: Powell, M.F. and Newman, M.J. (eds.). *Vaccine design. The subunit and adjuvant approach*. Plenum Press, New York, pp. 61-79.
- Carrington, J.C. and Freed, D.D. (1990). Cap-independent enhancement of translation by a plant potyvirus 5 nontranslated region. *J Virol*, 64, 1590-1597.
- Chen, Y., Inobe, J., Marks, R., Gonnella, P., Kuchroo, V.K. and Weiner, H.L. (1995). Peripheral deletion of antigen-reactive T cells in oral tolerance. *Nature*, 376, 177-189.
- Church, G.M. and Gilbert, W. (1984). Genomic sequencing. *Proc Natl Acad Sci USA*, 81, 1991-1995.
- Cramer, C.L. and Weissenborn, D.L. (1997). HMG2 promoter expression system and post-harvest production of gene products in plants and plant cell cultures. US patent, 5, 670, 349.

- Cramer, C.L., Boothe, J.G. and Oishi, K.K. (1999). Transgenic plants for therapeutic proteins: linking upstream and downstream strategies. *Curr Top Microbiol Immunol*, 240, 95-118.
- Cui, Z.D., Tristram, D., LaScolea, L.J., Kwiatkowski, T., Kospti, S. and Ogra, P.L. (1991). Induction of antibody response to *Chlamydia trachomatis* in the genital tract by oral administration. *Infect Immun*, 59, 1465-1469.
- Curtiss, R. and Cardineau, G.A. (1990). World intellectual property organization. PCT/US 89/03799.
- De Aizpurua, H.J. and Russell-Jones, G.J. (1988). Identification of classes of proteins that provoke an immune response upon oral feeding. *J Exp Med*, 167, 440-451.
- Dodson, J.M., Lenkowski, P.W., Eubanks, A.C., Jackson, T.F., Napodano, J., Lyerly, D.M., Lockhart, L.A., Mann, B.J. and Petri, W.A. (1999). Infection and immunity mediated by the carbohydrate recognition domain of the *Entamoeba histolytica* Gal/GalNAc lectin. *J Infect Dis*, 179, 460-466.
- Douglas, R.G. (1993). The children s vaccine initiative — Will it work? *J Infect Dis*, 168, 269-274.
- Edelman, R. and Tacket, C.O. (1990). Adjuvants. *Int Rev Immunol*, 7, 51-66.
- Edelman, R. (1997). Adjuvants for the future. In: Levine, M.M, Woodrow, G.C., Kaper, J.B. and Cobon, G.S. (eds.). *New generation vaccines*. Marcel Dekker, New York, pp. 173-192.
- Endo, Y. and Tsurugi, K. (1987). RNA N-glycosidase activity of ricin A-chain. Mechanism of action of the toxic lectin ricin on eukaryotic ribosomes. *J Biol Chem*, 262, 8128-8130.
- Fang, R.X., Nagy, F., Sivasubramaniam, S. and Chua, N.H. (1989). Multiple *cis* regulatory elements for maximal expression of the cauliflower mosaic virus 35S promoter in transgenic plants. *Plant Cell*, 1, 141-150.
- Franck, A., Jonard, G., Richards, K., Hirth, L., Guilley, H. (1980). Nucleotide sequence of cauliflower mosaic virus DNA. *Cell*, 21, 285-294.
- Freund, J. (1956). The mode of action of immunological adjuvants. *Adv Tuberc Res*, 7, 130-148.
- Frigerio, L., Vitale, A., Lord, J.M., Ceriotti, A. and Roberts, L.M. (1998). Free ricin A chain, proricin, and native toxin have different cellular fates when expressed in tobacco protoplasts. *J Biol Chem*, 273 (23), 14194-14199.

Glenny, A.T., Buttle, G.A.H. and Stevens, M.F. (1931). Rate of disappearance of diphtheria toxoid injected into rabbits and guinea-pigs: toxoid precipitated with alum. *J Pathol Bacteriol*, 34, 267-275.

Haq, T.A., Mason, H.S., Clements, J.D. and Arntzen, C.J. (1995). Oral immunization with a recombinant bacterial antigen produced in transgenic plants (comments). *Science*, 268, 714-716.

Horsch, R.B., Fraley, R.T. and Rogers, S.G. (1984). A simple and general method for transferring genes into plants. *Science*, 223, 496-498.

Hunter, R.L. and Lal, A.A. (1994). Copolymer adjuvants in malaria vaccine development. *Am J Trop Med Hyg*, 50, 52-58.

Jerne, N.K., Nordin, A. and Henry, C. (1963). In: Cell bound antibodies. Wistar Institute Press, Philadelphia, p109.

Kay, R., Chan, A., Daly, M. and McPherson, J. (1987). Duplication of CaMV 35S promoter sequences creates a strong enhancer for plant genes. *Science*, 236, 1299-1302.

Koga, T., Sugiyama, K. and Tanaka, A. (1971). Adjuvant activity of ricin as measured by Jerne's plaque technique. *Experientia*, 27, 323-324.

Kooter, J.M., Matzke, M.A. and Meyer, P. (1999). Listening to the silent genes: transgene silencing, gene regulation and pathogen control. *Trends in Plant Science*, 4(9), 340-347.

Kulakova, A.N., Stafford, T.M., Larkin, M.J. and Kulakov, L.A. (1995). Plasmid pRTL1 controlling 1-chloroalkane degradation by *Rhodococcus rhodochrous* NCIMB13064. *Plasmid*, 33(3), 208-217.

Lam, E. (1994). Analysis of tissue-specific elements in the CaMV 35S promoter. In: Nover, L. (ed.). *Plant promoters and transcription factors*. Springer Verlag, Germany, pp. 181-196.

Lamb, F.I., Roberts, L.M. and Lord, J.M. (1985). Nucleotide sequence of cloned cDNA coding for preproricin. *Eur J Biochem*, 148(2), 265-270.

Lomonosoff, G.P. and Hamilton, W.D.O. (1999). Cowpea mosaic virus — based vaccines. *Curr Top Microbiol Immunol*, 240, 177-189.

Lord, J.M., Roberts, L.M. and Robertus, J.D. (1994). Ricin: structure, mode of action, and some current applications. *FASEB*, 8, 201-207.

- Ma, S.W., Zhao, D.L., Yin, Z.Q., Mukherjee, R., Singh, B., Qin, H.Y., Stiller, C.R. and Jevnikar, A.M. (1997). Transgenic plants expressing autoantigens fed to mice to induce oral immune tolerance. *Nat Med*, 3, 793-796.
- Mannino, R.J. and Gould-Fogerite, S. (1995). Lipid matrix-based vaccines for mucosal and systemic immunization. In: Powell, M.F. and Newman, M.J. (eds.). *Vaccine design. The subunit and adjuvant approach*. Plenum Press, New York, pp. 363-387.
- Martinez-Palomo, A. (1986). Biology of *Entamoeba histolytica*. In: Martinez-Palomo, A (ed.). *Amebiasis*. Elsevier, New York, pp.11-43.
- Mason, H.S., Lam, D.M. and Arntzen, C.J. (1992). Expression of hepatitis B surface antigen in transgenic plants. *Proc Natl Acad Sci USA*, 89, 11745-11749.
- Mason, H.S., Ball, J.M., Shi, J.J., Jiang, X., Estes, M.K. and Arntzen, C.J. (1996). Expression of Norwalk virus capsid protein in transgenic tobacco and potato and its oral immunogenicity in mice. *Proc Natl Acad Sci USA*, 93, 5335-5340.
- Medina-Bolivar, F. and Flores, H.E. (1995). Selection for hyoscyamine and cinnamoyl putrescine overproduction in cell and root cultures of *hyoscyamus muticus*. *Plant Physiol*, 108, 1553-1560.
- Mestecky, J. and McGhee, J.R. (1989). Oral immunization: past and present. *Curr Top Microbiol Immunol*, 146, 3-11.
- Moffat, A.S. (1995). Exploring transgenic plants as a new vaccine source. *Science*, 268, 658-660.
- Munishkin, A. and Wool, I.G. (1995). Systematic deletion analysis of ricin A chain function. *J Biol Chem*, 270 (51), 30581-30587.
- Murashige, T. and Skoog, F. (1962). A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Plant Physiol*, 15, 473-497.
- Odell, J.T., Nagy, F., Chua, N.H. (1985). Identification of DNA sequences required for activity of the cauliflower mosaic virus 35S promoter. *Nature*, 313, 810.
- Olsnes, S. and Phil, A. (1982). Molecular action of toxins and viruses. In: Cohen, P. and Van Heyningen, S. (eds.). Elsevier, New York, pp. 51-105.
- Petri, W.A. and Ravdin, J.I. (1991). Protection of gerbils from amebic liver abscess by immunization with the galactose-specific adherence lectin of *Entamoeba histolytica*. *Infect Immun*, 59, 97-101.
- Ramon, G. (1925). Sur l'augmentation anormale de l'antitoxine chez les chevaux producteurs de serum antidiphérique. *Bull Soc Centr Med Vet*, 101, 227-234.

- Ramon, G. (1926). Proc d s pour accroitre la production des antitoxines, Ann Inst Pasteur, 40, 1-10.
- Ravdin, J.I., John, J.E., Johnston, L.I., Innes, D.J. and Guerrant, R.L. (1985). Adherence of *Entamoeba histolytica* to rat and human colonic mucosa. Infect Immun, 48, 292-297.
- Richter, L. and Kipp, P.B. (1999). Transgenic plants as edible vaccines. Curr Top Microbiol Immunol, 240, 159-176.
- Robertus, J.D. (1991). The structure and action of ricin, a cytotoxic N-glycosidase. Sem Cell Biol, 2, 23-30.
- Rogers, S.O. and Bendish, A.J. (1988). Extraction of DNA from plant tissues. In: Gelvin, S.B. and Schilperoort, R.A. (eds.). Plant molecular biology manual. Kluwer Academic Publishers, Dordrecht/Boston/London, pp. A6: 1-10.
- Roitt, I.M., Brostoff, J. and Male, D. (eds.) (1993). Immunology, 5th edition. Mosby, Summerset, UK.
- Saffer, L.D. and Petri, W.A. (1991). Role of the galactose-specific lectin of *Entamoeba histolytica* in contact-dependent killing of mammalian cells. Infect Immun, 59, 4681-4683.
- Sambrook, J., Fritsch, E.F. and Maniatis, T. (1989). Molecular cloning, 2nd edition. Cold Harbor Laboratory Press, New York.
- Sehnke, P.C., Pedrosa, L., Paul, A-L., Frankel, A.E. and Feri, R.J. (1994). Expression of active, processed ricin in transgene tobacco. J Biol Chem, 269 (36), 22473-22476.
- Sugiyama, Y., Hamamoto, H., Takemoto, S., Watanabe, Y. and Okada, Y. (1995). Systemic production of foreign peptides on the particle surface of tobacco mosaic virus. Febs Lett, 359, 247-250.
- Tacket, C.O., Mason, H.S., Losonsk, G., Clements, J.D., Levine, M.M. and Arntzen, C.J. (1998). Immunogenicity in humans of a recombinant bacterial antigen delivered in a transgenic potato. Nat Med, 4, 607-609.
- Thorpe, S.C., Murdoch, R.D. and Kemeny, D.M. (1989). The effect of the castor bean toxin, ricin, on rat IgE and IgG responses. Immunology, 68, 307-311.
- Turpen, T.H., Reinl, S.J., Charoenvit, Y., Hoffmen, S.L., Fallarme, V. and Grill, L.K. (1995). Malaria epitopes expressed on the surface of recombinant tobacco mosaic virus. Bio/Technology, 13, 53-57.

Walker, M.J., Rohde, M., Timmis, K.N. and Guzman, C.A. (1992). Specific lung mucosal and systemic immune responses after oral immunization of mice with *Salmonella typhimurium aro A*, *Salmonella typhi Ty21a* and invasive *Escherichia coli* expressing recombinant pertussis toxin S1 subunit. *Infect Immun*, 60, 4260-4268.

Weissenborn, D.L., Grabau, E.A., Pedersen, K., Oishi, K.K., Bennett, S., Velandar, W. and Cramer, C.L. (1995). Production of human protein C in transgenic tobacco. International Conference on Engineering Plants for Commercial Products and Applications, Lexington, KY, October, 1995 (abstract 50).

Wiley, R.G. and Oeltmann, T.N. (1991). Ricin and related plant toxins: mechanisms of action and neurobiological applications. In: Keeler, R.F. and Tu, A.T. (eds.). *Handbook of Natural toxins* (Vol. 6). Marcel Dekker, Inc., New York.

Wong, S.Y., Ho, K.S., Mason, H.S. and Arntzen, C.J. (1998). Edible vaccines. *Science and Medicine*, November/December 1998, 36-45.

World Health Organization (1995). The world health report 1995 — bridging the gaps. *World Health Forum*, 16, 377-385.

Tian, Y., Pierson, F.W., Boyle, S.M. and Cramer, C.L. (2000). Transgenic plants as edible vaccines. *Avian diseases*. In press.