

List of Figures

FIGURE		PAGE
1.0	Average monthly precipitation and potential evapotranspiration for three sites in Virginia.	55

List of Tables

TABLE		PAGE
2.1	Soil types and specifications at 1998 and 1999 experiments.	56
2.2	Average frost free dates at 1998 and 1999 experiment locations.	57
2.3	Precipitation amounts for 1998 and 1999 experiments	58
2.4	Planting dates for 1998 and 1999 experiments.	59
2.5	Preemergence herbicide application dates for full-season and double-crop corn in 1998 and 1999.	60
2.6	Early postemergence herbicide application dates for full-season and double-crop corn in 1998 and 1999.	61
2.7	Late postemergence herbicide application dates for full-season and double-crop corn in 1998 and 1999.	62
2.8	Herbicides and rates for treatments in 1998 and 1999 experiments.	63
3.1	Significance of main and interaction effects for cropping system and herbicide treatment in 1998 and 1999 experiments.	66
3.2	Weed species present in Middlesex County 1998 full-season and double-crop experiments as average sample dry weight from check plots (g/m^2), frequency of occurrence in check plots and percent of total weight by species in check plots.	67
3.3	Total weed dry weights as affected by herbicide treatment and cropping system in 1998 and 1999 Middlesex/New Kent County experiments.	68
3.4	Yields as affected by herbicide treatment and cropping system in 1998 and 1999 Middlesex/New Kent County experiments.	71
3.5	Weed species present in New Kent County 1999 full-season and double-crop experiments as average sample dry weight from check plots (g/m^2), frequency of occurrence in check plots and percent of total weight by species in check plots.	74

3.6	Weed species present in Amelia County 1998 full-season and double-crop experiments as average sample dry weight from check plots (g/m ²), frequency of occurrence in check plots and percent of total weight by species in check plots.	75
3.7	Total weed dry weights as affected by herbicide treatment and cropping system in 1998 and 1999 Amelia County experiments.	76
3.8	Yields as affected by herbicide treatment and cropping system in 1998 and 1999 Amelia County experiments.	79
3.9	Weed species present in Amelia County 1999 full-season and double-crop experiments as average sample dry weight from check plots (g/m ²), frequency of occurrence in check plots and percent of total weight by species in check plots.	82
3.10	Weed species present in Montgomery County 1998 full-season and double-crop experiments as average sample dry weight from check plots (g/m ²), frequency of occurrence in check plots and percent of total weight by species in check plots.	83
3.11	Total weed dry weights as affected by herbicide treatment and cropping system in 1998 and 1999 Montgomery County experiments.	84
3.12	Yields as affected by herbicide treatment and cropping system in 1998 and 1999 Montgomery County experiments.	87
3.13	Weed species present in Montgomery County 1999 full-season and double-crop experiments as average sample dry weight from check plots (g/m ²), frequency of occurrence in check plots and percent of total weight by species in check plots.	90
3.14	Comparison of selective postemergence treatments and postemergence glyphosate treatments with or without residual preemergence treatment for the control of Ivyleaf Morningglory (<i>Ipomoea hederacea</i>) in New Kent county, 1999	91
3.15	Double-crop treatment combinations with or without glyphosate for annual and perennial broadleaf control in 1998 in Middlesex County.	93
3.16	Effect of early postemergence glyphosate treatments on barnyardgrass (<i>Echinochola crus-galli</i>) control in full-season and double-crop corn following preemergence treatments in 1998 in Montgomery County.	94

3.17	Comparison of the utility of a burndown application in full-season vs double-crop systems in 1998 in Montgomery County.	96
3.18	Full-season yield differences due to rainfall amounts in 1998 and 1999 in Amelia County.	97
3.19	Double-crop yield differences due to rainfall amounts in 1998 and 1999 in Amelia County.	98
3.20	Minimum-till corn production budget for 6900 kg/ha yield in Virginia.	99
3.21	Barley grain production budget for 3700 kg/ha yield in Virginia.	100
3.22	Cost of herbicide treatments for 1998 and 1999 experiments.	101
