

Table of Contents

Chapter 1

Introduction

1.1	General properties of ozone	1
1.2	Catalytic oxidation of VOCs using ozone	2
1.3	Manganese oxide catalysts	3
1.4	Objectives	5
1.5	Organization	5
	References	7

Chapter 2

Acetone Oxidation Using Ozone on

Manganese Oxide Catalysts

2.1	Introduction	10
2.2	Experimental	11
2.2.1	Catalyst preparation	11
2.2.2	Catalyst characterization	13
2.2.3	Reactivity measurement	15

2.2.4	Raman spectroscopic measurements	18
2.3	Results	21
2.3.1	Catalyst characterization result	21
2.3.2	Reactivity results	25
2.3.3	Raman Spectroscopy results	33
2.4	Discussion	36
2.4.1	Identification of the structure of the supported manganese oxide	36
2.4.2	Reactivity study	37
2.4.3	Raman spectra	39
2.4.4	Mechanism of reaction	41
2.5	Conclusion	43
	References	45

Chapter 3

***In Situ* X-ray Absorption Studies of Supported Manganese Oxide Catalysts During Ozone Decomposition**

3.1	Introduction	47
3.2	Experimental	48
3.2.1	Catalyst preparation	48
3.2.2	Catalyst characterization	49
3.2.3	<i>In Situ</i> XAS (x-ray absorption spectroscopy) measurements	49
3.3	Results and discussion	52

3.3.1	Oxygen chemisorption and surface area measurements results	52
3.3.2	<i>In Situ</i> XAS and reactivity study	54
3.4	Conclusion	71
	References	72
	Chapter 4 Conclusion	74

List of Tables

Table 2-1	Sample weight summary for each step in the foam catalyst preparation	13
Table 2-2	Surface area, oxygen chemisorption, and dispersion values	25
Table 3-1	Surface area, oxygen chemisorption, and dispersion values	54
Table 3-2	EXAFS curve fitting results of the first shell Mn-O bond for the 3 wt % MnO _x /SiO ₂ and 10 wt % MnO _x /SiO ₂ samples	59
Table 3-3	EXAFS curve fitting results of the first shell Mn-O bond for the 3 wt % MnO _x /Al ₂ O ₃ and 10 wt % MnO _x /Al ₂ O ₃ samples	59
Table 3-4	Calculated absorption edge (E ₀) position and white line area results for the 3 wt % MnO _x /SiO ₂ and 10 wt % MnO _x /SiO ₂ samples	66
Table 3-5	Calculated absorption edge (E ₀) position and white line area results for the 3 wt % MnO _x /Al ₂ O ₃ and 10 wt % MnO _x /Al ₂ O ₃ samples	67

List of Figures

Figure 1-1	Resonance structure of ozone	1
Figure 2-1	Schematic of acetone oxidation reaction system	18
Figure 2-2	Schematic of <i>In situ</i> Laser Raman spectroscopy system	20
Figure 2-3	XRD traces: a) 10 wt % MnO _x /SiO ₂ , b) Si coated foam, c) 10 wt % MnO _x /Al ₂ O ₃ , d) Al coated foam, e) γ -Al ₂ O ₃ , f) blank foam, g) α -Al ₂ O ₃ (PDF 10-173), h) ZrO ₂	

(PDF 24-1165), i) Mn_3O_4 (PDF 800382), and j) $\beta\text{-MnO}_2$ (PDF 24-0735)

22

Figure 2-4 a) Fourier transforms of the Mn K-edge EXAFS spectra and b) corresponding Mn K-edge XANES spectra: a) 10 wt % $\text{MnO}_x/\text{SiO}_2$, b) 10 wt % $\text{MnO}_x/\text{Al}_2\text{O}_3$, c) Mn_3O_4 , d) Mn_2O_3 , and e) MnO_2

23

Figure 2-5 TPR traces ($m/e = 18$) for a) 10 wt % $\text{MnO}_x/\text{SiO}_2$ and b) 10 wt % $\text{MnO}_x/\text{Al}_2\text{O}_3$

24

Figure 2-6 a) Acetone conversion versus temperature, and b) TOFs versus temperature for the 10 wt % $\text{MnO}_x/\text{SiO}_2$, 10 wt % $\text{MnO}_x/\text{Al}_2\text{O}_3$ catalysts, and blank foam in the presence and absence of ozone

27

Figure 2-7 a) Ozone conversion versus temperature, and b) TOFs versus temperature for the 10 wt % $\text{MnO}_x/\text{SiO}_2$, 10 wt % $\text{MnO}_x/\text{Al}_2\text{O}_3$ catalysts, and blank foam in the presence and absence of acetone

29

Figure 2-8 Acetone conversion versus temperature for 10 wt % $\text{MnO}_x/\text{SiO}_2$ and 10 wt % $\text{MnO}_x/\text{Al}_2\text{O}_3$ catalysts with various ozone concentrations: a) 10 wt % $\text{MnO}_x/\text{SiO}_2$; b) 10 wt % $\text{MnO}_x/\text{Al}_2\text{O}_3$

30

Figure 2-9 a) Acetone and ozone conversion versus space velocity over 10 wt % $\text{MnO}_x/\text{SiO}_2$ at temperature 325 K; b) Pressure drop versus space velocity over 10 wt % $\text{MnO}_x/\text{SiO}_2$ at temperature 325 K

32

Figure 2-10 Raman spectra of the 10 wt % $\text{MnO}_x/\text{SiO}_2\text{-H}$ exposed to different gas mixtures: a) O_2/He , b) acetone/ O_2/He , c) $\text{O}_3/\text{O}_2/\text{He}$, and d) acetone/ $\text{O}_3/\text{O}_2/\text{He}$

34

Figure 2-11 Effect of temperature on the 10 wt % $\text{MnO}_x/\text{SiO}_2\text{-H}$ catalyst in acetone/ O_2/He

35

Figure 2-12	Effect of temperature on the 10 wt % MnO _x /SiO ₂ -H catalyst in acetone/O ₃ /O ₂ /He	36
Figure 3-1	Schematic diagram of <i>In situ</i> X-ray absorption cell	51
Figure 3-2	TPR traces (m/e = 18) for a) 3 wt % MnO _x /SiO ₂ , b) 10 wt % MnO _x /SiO ₂ , c) 3 wt % MnO _x /Al ₂ O ₃ , and d) 10 wt % MnO _x /Al ₂ O ₃	53
Figure 3-3	Fourier transforms of the Mn K-edge EXAFS spectra for 3 wt % MnO _x /SiO ₂ catalyst at 323 K, 373 K, and 473 K with and without the presence of ozone	55
Figure 3-4	Fourier transforms of the Mn K-edge EXAFS spectra for 10 wt % MnO _x /SiO ₂ catalyst at 323 K, 373 K, and 473 K with and without the presence of ozone	55
Figure 3-5	Fourier transforms of the Mn K-edge EXAFS spectra for 3 wt % MnO _x /Al ₂ O ₃ catalyst at 323 K, 373 K, and 473 K with and without the presence of ozone	56
Figure 3-6	Fourier transforms of the Mn K-edge EXAFS spectra for 10 wt % MnO _x /Al ₂ O ₃ catalyst at 323 K, 373 K, and 473 K with and without the presence of ozone	57
Figure 3-7	Manganese center structure change for 3 wt % MnO _x /SiO ₂ sample with exposure to ozone	60
Figure 3-8	Manganese center structure change for 10 wt % MnO _x /SiO ₂ sample with exposure to ozone	60
Figure 3-9	Manganese center structure for 3 wt % MnO _x /Al ₂ O ₃ and 10 wt % MnO _x /Al ₂ O ₃ with and without exposure to ozone	61

- Figure 3-10** a) Mn K-edge XANES spectra for 3 wt % MnO_x/SiO₂ catalyst at 323 K, 373 K, and 473 K with and without the presence of ozone and b) white line area calculation fitting for the corresponding spectra 62
- Figure 3-11** a) Mn K-edge XANES spectra for 10 wt % MnO_x/SiO₂ catalyst at 323 K, 373 K, and 473 K with and without the presence of ozone and b) white line area calculation fitting for the corresponding spectra 63
- Figure 3-12** a) Mn K-edge XANES spectra for 3 wt % MnO_x/ Al₂O₃ catalyst at 323 K, 373 K, and 473 K with and without the presence of ozone and b) white line area calculation fitting for the corresponding spectra 64
- Figure 3-13** a) Mn K-edge XANES spectra for 10 wt % MnO_x/ Al₂O₃ catalyst at 323 K, 373 K, and 473 K with and without the presence of ozone and b) white line area calculation fitting for the corresponding spectra 65
- Figure 3-14** a) Ozone decomposition conversion and b) TOFs versus temperature for 3 and 10 wt % MnO_x/SiO₂ and 3 and 10 wt % MnO_x/Al₂O₃ catalysts 68

List of Abbreviations

- BET - Brunauer-Emmett-Teller
- EXAFS – extended X-ray absorption fine structure
- TPR – temperature-programmed reduction
- XANES – X-ray absorption near-edge structure
- XAS – X-ray absorption spectroscopy
- XRD – X-ray diffraction