

Contents

1. Introduction	1
2. Wind Tunnel Configuration.....	4
3. Time Averaged Simulation Parameters under Different Configurations	11
3.1 Mean Flow Reynolds Number	11
3.2 Turbulence Parameters.....	13
3.3 Turbulence Characteristics --- Fourier Domain	16
3.4 Small Scale.....	19
4. Wavelet Analysis of velocity component	30
5. Pressure Characteristics under Different Configurations	69
5.1 Pressure Peak coefficients	71
6. Conclusions	79

List of Figures

2.1	Plan and Side views of the Clemson tunnel in Configuration #2	6
2.2	Cross-Section of big spires placed at tunnel entrance in Configuration #2	6
2.3	Trip and spires locations in Configuration #3.....	7
2.4	Placement locations of the six small spires in Configuration #3.....	7
2.5	Shape and dimension of small spires used in Configuration #3.....	7
2.6	Dimensions, placement locations and characteristics of roughness elements used in Configuration #4	8
2.7	Dimensions and placement locations of large spires used in Configuration #6	8
2.8	Trip dimensions, and roughness locations used in Configuration #6	9
2.9	Placement of spires in Configuration #7.....	9
2.10	Trip dimensions and spires locations used in Configuration #8.....	10
2.11	Dimensions, placement locations of small spires used in Configuration #8	10
3.1	Power spectra of velocity components of Configuration #1* and the blunt model --- — (a) u- component (b) v- component.....	22

3.2	Power spectra of velocity components of Configuration #2 --- * and the blunt model --- — (a) u- component (b) v- component.....	23
3.3	Power spectra of velocity components of Configuration #3 --- * and the blunt model --- — (a) u- component (b) v- component.....	24
3.4	Power spectra of velocity components of Configuration #4 --- * and the blunt model --- — (a) u- component (b) v- component.....	25
3.5	Power spectra of velocity components of Configuration #5 --- * and the blunt model --- — (a) u- component (b) v- component.....	26
3.6	Power spectra of velocity components of Configuration #6 --- * and the blunt model --- — (a) u- component (b) v- component.....	27
3.7	Power spectra of velocity components of Configuration #7 --- * and the blunt model -- — (a) u- component (b) v- component.....	28
3.8	Power spectra of velocity components of Configuration #8 --- * and the blunt model --- — (a) u- component (b) v- component.....	29
4.1	Time series and wavelet coefficients of u- and v- component of configuration #1.....	45,46
4.2	Time series and wavelet coefficients of u- and v- component of configuration #2.....	47,48
4.3	Time series and wavelet coefficients of u- and v- component of configuration #3.....	49,50
4.4	Time series and wavelet coefficients of u- and v- component of configuration #4.....	51,52

4.5	Time series and wavelet coefficients of u- and v- component of configuration #5.....	53,54
4.6	Time series and wavelet coefficients of u- and v- component of configuration #6.....	55,56
4.7	Time series and wavelet coefficients of u- and v- component of configuration #7.....	57,58
4.8	Time series and wavelet coefficients of u- and v- component of configuration #8.....	59,60
4.9	Intermittency parameters of u- component of configurations # 1, 2, 3: (a) Scale energy (b) Intermittency factor (c) Intermittency energy	61
4.10	Intermittency parameters of v- component of configurations # 1, 2, 3: (a) Scale energy (b) Intermittency factor (c) Intermittency energy	62
4.11	Intermittency parameters of u- component of configurations # 4, 5: (a) Scale energy (b) Intermittency factor (c) Intermittency energy	63
4.12	Intermittency parameters of v- component of configurations # 4, 5: (a) Scale energy (b) Intermittency factor (c) Intermittency energy	64
4.13	Intermittency parameters of u- component of configurations # 6, 7: (a) Scale energy (b) Intermittency factor (c) Intermittency energy	65
4.14	Intermittency parameters of v- component of configurations # 6, 7: (a) Scale energy (b) Intermittency factor (c) Intermittency energy	66

4.15	Intermittency parameters of u- component of configurations # 3, 8: (a) Scale energy (b) Intermittency factor (c) Intermittency energy	67
4.16	Intermittency parameters of v- component of configurations # 3, 8: (a) Scale energy (b) Intermittency factor (c) Intermittency energy	68
5.1	Tap position on the roof	70
5.2	$C_{p_{min}}$ against distance to the leading edge of Configuration #4 over 12 repeats	74
5.3	$C_{p_{min}}$ against distance to the leading edge of Configuration #6 over 16 repeats	75
5.4	$C_{p_{min}}$ against distance to the leading edge of Configuration #7 over 16 repeats	76
5.5	$C_{p_{min}}$ against distance to the leading edge of Configuration #8 over 16 repeats	77
5.6	Pressure peak coefficients of configurations #4 --- □, #6 --- ▷, #7 --- o and #8 --- *: (a) Minimum of $C_{p_{min}}$ (b) Range of $C_{p_{min}}$ over 16 repeats (c) Minimum of $C_{p_{mean}}$ over 16 repeats	78

List of Tables

3.1	Statistic quantities for eight configurations: $Z=7.92\text{cm}$, fan-speed=800, Var.---variance, Int.---turbulence intensity, I-length---integral length scale, S-scale---small scales $\times 10^6$	12
4.1	Scale index and corresponding scale duration and frequency range.....	32