

Literature Cited

- Agricultural Research Council. 1980. The Nutrient Requirements of Ruminant Livestock. Commonwealth Agricultural Bureaux, Slough, England.
- Al Jassim, R.A.M., S.A. Hassan, A.N. Al-Ani, and T.K. Dana. 1991. Effects of rumen undegradable protein supplementation on digestion and nitrogen balance in sheep and goats. *Small Ruminant Res.* 5:57-63.
- Anderson, S.J., T.J. Klopfenstein, and V.A. Wilkerson. 1988. Escape protein supplementation of yearling steers grazing smooth brome pastures. *J. Anim. Sci.* 66:237-242.
- AOAC. 1990. Official Methods of Analysis (15th Ed.). Association of Official Analytical Chemists, Arlington, VA.
- ApSimon, H.M., M. Kruse, and J.N.B. Bell. 1987. Ammonia emissions and their role in acid deposition. *Atmosph. Environ.* 21:1939-1946.
- Batajoo, K.K. and R.K. Shaver. 1998. *In situ* dry matter, crude protein, and starch degradabilities of selected grains and by-product feeds. *Anim. Feed Sci. Tech.* 17:165-176.
- Beaty, J.L., R.C. Cochran, B.A. Lintzenich, E.S. Vanzant, J.L. Morrill, R.T. Brandt, Jr., and D.E. Johnson. 1994. Effect of frequency of supplementation and protein concentration in supplements on performance and digestion characteristics of beef cattle consuming low-quality forages. *J. Anim. Sci.* 72:2475-2486.
- Beecher, G.P. and B.K. Whitten. 1970. Ammonia determination: Reagent modification and interfering compounds. *Anal. Biochem.* 36:243-251.
- Blasi, D.A., J.K. Ward, T.J. Klopfenstein, and R.A. Britton. 1991. Escape protein for beef cows: III. performance of lactating beef cows grazing smooth brome or big bluestem. *J. Anim. Sci.* 69:2294-2302.
- Briggs, H.M. and W.D. Gallup. 1949. Metabolism stalls for wethers and steers. *J. Anim. Sci.* 8:479-482.
- Broderick, G.A. 1992. Relative value of fish meal *versus* solvent soybean meal for lactating dairy cows fed alfalfa silage as sole forage. *J. Dairy Sci.* 75:174-183.
- Broderick, G.A., R.J. Wallace, E.R. Orskov, and L. Hansen. 1988. Comparison of estimates of ruminal protein degradation by *in vitro* and *in situ* methods. *J. Anim. Sci.* 66:1739-1745.
- Brown, D.R., F.C. Hinds, and R.M. Collins. 1995. Effect of supplementation frequency on diet digestion and nitrogen metabolism of growing lambs fed low-quality forage. *Prof. Anim. Sci.* 12:24-27.

- Bunting, L.D., M.D. Howard, R.B. Muntifering, K.A. Dawson, and J.A. Boling. 1987. Effect of feeding frequency on forage fiber and nitrogen utilization in sheep. *J. Anim. Sci.* 64:1170-1177.
- Cole, N.A. 1999. Nitrogen retention by lambs fed oscillating dietary protein concentrations. *J. Anim. Sci.* 77:215-222.
- Coleman, S.W. and R.D. Wyatt. 1982. Cottonseed meal or small grains forages as protein supplements fed at different intervals. *J. Anim. Sci.* 55:11-17.
- Collins, R.M. and R.H. Pritchard. 1992. Alternate day supplementation of corn stalk diets with soybean meal or corn gluten meal fed to ruminants. *J. Anim. Sci.* 70:3899-3908.
- Crutzen, P.J. 1981. Atmospheric chemical processes of the oxides of nitrogen, including nitrous oxide. In: C.C. Delwiche, (ed.) Denitrification, Nitrification, and Atmospheric Nitrous Oxide. p.17. John Wiley & Sons, Inc., New York, NY.
- Dawson, J.M., C.I. Bruce, P.J. Buttery, M. Gill, and D.E. Beever. 1988. Protein metabolism in the rumen of silage-fed steers: effect of fish meal supplementation. *Br. J. Nutr.* 60:339-353.
- DePeters, E.J. and S.J. Taylor. 1985. Effects of feeding corn or barley on composition of milk and diet digestibility. *J. Dairy Sci.* 68:2027-2032.
- Erasmus, L.J., J. Prinsloo, and H.H. Meissner. 1988. The establishment of a protein degradability data base for dairy cattle using the nylon bag technique. 1. Protein sources. *S. Afr. J. Anim. Sci.* 18:23-29.
- Fiske, C.H. and Y. Subbarow. 1925. The colorimetric determination of phosphorus. *J. Biol. Chem.* 66:375-380.
- Flessa, H., F. Dorsch, F. Beese, H. Konig, and A.F. Bouwman. 1996. Atmospheric pollutants and trace gases: influence of cattle wastes on nitrous oxide and methane fluxes in pasture land. *J. Environ. Qual.* 25:1366-1370.
- Gill, M. and P. England. 1984. Effect of degradability of protein supplements on voluntary intake and nitrogen retention in young cattle fed grass silage. *Anim. Prod.* 39:31-36.
- Gill, M., D.E. Beever, P.J. Buttery, P. England, M.J. Gibb, and R.D. Baker. 1987. The effect of oestradiol-17 α implantation on the response in voluntary intake, live-weight gain and body composition, to fishmeal supplementation of silage offered to growing calves. *J. Agric. Sci. (Camb).* 108:9-16.

- Giraldez, F.J., C. Valdes, R. Pelaez, P. Frutos, and A.R. Mantecon. 1997. The influence of digestible organic matter and nitrogen intake on faecal and urinary nitrogen losses in sheep. *Livestock Prod. Sci.* 51:183-190.
- Goering, H.K. and P.J. Van Soest. 1970. Forage fiber analyses (apparatus, reagent, procedures, and some applications). *Agric. Handbook No. 379.* ARS, USDA, Washington, D.C.
- Gutierrez-Ornelas, E. and T.J. Klopfenstein. 1991. Diet composition and gains of escape protein-supplemented growing cattle grazing corn residues. *J. Anim. Sci.* 69:2187-2195.
- Hafley, J.L., B.E. Anderson, and T.J. Klopfenstein. 1993. Supplementation of growing cattle grazing warm-season grass with proteins of various ruminal degradabilities. *J. Anim. Sci.* 71:522-529.
- Hassan, S.A. and M.J. Bryant. 1986a. The response of store lambs to dietary supplements of fish meal. 1. Effects of forage-to-concentrate ratio. *Anim. Prod.* 42:223-232.
- Hassan, S.A. and M.J. Bryant. 1986b. The response of store lambs to dietary supplements of fish meal. 2. Effects of level of feeding. *Anim. Prod.* 42:233-240.
- Herrera-Saldana, R. and J.T. Huber. 1989. Influence of varying protein and starch degradabilities on performance of lactating cows. *J. Dairy Sci.* 72:1477-1483.
- Herrera-Saldana, R., R. Gomez-Alarcon, M. Torabi, and J.T. Huber. 1990. Influence of synchronizing protein and starch degradation in the rumen on nutrient utilization and microbial protein synthesis. *J. Dairy Sci.* 73:142-148.
- Hristov, A. and G.A. Broderick. 1994. *In vitro* determination of ruminal protein degradability using [¹⁵N]ammonia to correct for microbial nitrogen uptake. *J. Anim. Sci.* 72:1344-1354.
- Hunt, C.W., J.F. Parkinson, R.A. Roeder, and D.G. Falk. 1989. The delivery of cottonseed meal at three different time intervals to steers fed low-quality grass hay: effects on digestion and performance. *J. Anim. Sci.* 67:1360-1366.
- Huntington, G.B. 1989. Hepatic urea synthesis and site and rate of urea removal from blood of beef steers fed alfalfa hay or a high concentrate diet. *Can. J. Anim. Sci.* 69:215-223.
- Hussein, H.S., R.M. Jordan, and M.D. Stern. 1991. Ruminal protein metabolism and intestinal amino acid utilization as affected by dietary protein and carbohydrate sources in sheep. *J. Anim. Sci.* 69:2134-2146.
- Jarvis, S.C., D.J. Hatch, and D.H. Roberts. 1989. The effects of grassland management on nitrogen losses from grazed swards through ammonia volatilization; the relationship to excretal N returns from cattle. *J. Agric. Sci. (Camb).* 112:205-216.

- JMP. 1996. JMP Start Statistics: A guide to statistics and data analysis. SAS Institute, Inc., Cary, NC.
- Karges, K.K., T.J. Klopfenstein, V.A. Wilkerson, and D.C. Clanton. 1992. Effects of ruminally degradable and escape protein supplements on steers grazing summer native range. *J. Anim. Sci.* 70:1957-1964.
- Kennedy, P.M., G.P. Hazelwood, and L.P. Milligan. 1984. A comparison of methods for the estimation of the proportion of microbial nitrogen in duodenal digesta, and of correction for microbial contamination in nylon bags incubated in the rumen of sheep. *Br. J. Nutr.* 52:403-417.
- Krehbiel, C.R., C.L. Ferrell, and H.C. Freetly. 1998. Effects of frequency of supplementation on dry matter intake and net portal and hepatic flux of nutrients in mature ewes that consume low-quality forage. *J. Anim. Sci.* 76:2464-2473.
- Lee, N., J.A. Rooke, and D.G. Armstrong. 1986. The digestion by sheep of barley and maize-based diets containing either meat and bone meal or soya bean meal. *Anim. Feed Sci. Tech.* 15:301-310.
- Little, C.O., W. Burroughs, and W. Woods. 1963. Nutritional significance of soluble nitrogen in dietary proteins for ruminants. *J. Anim. Sci.* 22:358-363.
- McCarthy, R.D., Jr., T.H. Klusmeyer, J.F. Vicini, J.H. Clark, and D.R. Nelson. 1989. Effects of source of protein and carbohydrate on ruminal fermentation and passage of nutrients to the small intestine of lactating cows. *J. Dairy Sci.* 72:2002-2016.
- McIlvain, E.H. and M.C. Shoop. 1962. Daily versus every-third-day versus weekly feeding of cottonseed cake to beef steers on winter range. *J. Range Manage.* 15:143-146.
- Mehrez, A.Z. and E.R. Orskov. 1977. A study of the artificial fibre bag technique for determining the digestibility of feeds in the rumen. *J. Agric. Sci. (Camb).* 88:645-650.
- Merchen, N.R. 1988. 1988. Digestion, absorption, and excretion in ruminants. In: D.C. Church, (ed.) *The Ruminant Animal: Digestive Physiology and Nutrition*, p.172. Waveland Press, Inc., Prospect Heights, Ill.
- Michalowski, T. 1979. Effect of feeding frequency on the diurnal changes in microbial protein, volatile fatty acids and ammonia contents of the rumen of sheep. *J. Agric. Sci. (Camb.)* 93:67-70.
- Muchovej, R.M.C., V.G. Allen, D.C. Martens, L.W. Zelazny, and D.R. Notter. 1986. Aluminum, citric acid, nitrilotriacetic acid, and soil moisture effects on aluminum and iron concentrations in ryegrass. *Agron. J.* 78:138-145.

- NRC. 1985. Nutrient Requirements of Sheep (6th Ed.) National Academy Press, Washington, D.C.
- NRC. 1996. Nutrient Requirements of Beef Cattle (7th Ed.) National Academy Press, Washington, D.C.
- Owens, F.N. and A.L. Goetsch. 1988. Ruminant fermentation. In: D.C. Church, (ed.) The Ruminant Animal: Digestive Physiology and Nutrition, p.145. Waveland Press, Inc., Prospect Heights, Ill.
- Owens, F. and R. Zinn. 1988. Ruminant nitrogen metabolism. In: D.C. Church, (ed.) The Ruminant Animal: Digestive Physiology and Nutrition, p.227. Waveland Press, Inc., Prospect Heights, Ill.
- Petersen, M.K., D.C. Clanton, and R. Britton. 1985. Influence of protein degradability in range supplements on abomasal nitrogen flow, nitrogen balance, and nutrient digestibility. J. Anim. Sci. 60:1324-1329.
- Pfander, W.H., S.E. Grebing, C.M. Price, O. Lewis, J.M. Asplund, and C.V. Ross. 1975. Use of plasma urea nitrogen to vary protein allowances of lambs. J. Anim. Sci. 41:647-653.
- Rodhe, H. 1990. A comparison of the contribution of various gases to the greenhouse effect. Science 248: 1217-1219.
- Roe, M.B., L.E. Chase, and C.J. Sniffen. 1991. Comparison of *in vitro* techniques to the *in situ* technique for estimation of ruminal degradation of protein. J. Dairy Sci. 74:1632-1640.
- Ruiz, A. and D.N. Mowat. 1987. Effect of feeding frequency on the utilization of high-forage diets by cattle. Can. J. Anim. Sci. 67:1067-1074.
- Sherlock, R.R. and K.M. Goh. 1983. Initial emission of nitrous oxide from sheep urine applied to pasture soil. Soil. Biol. Biochem. 15:615-617.
- Smith, R.H. 1989. Nitrogen metabolism in the ruminant stomach. In: H.D. Block, B.O. Eggum, A.G. Low, O. Simon, and T. Zebrowska (ed.) Protein Metabolism in Farm Animals: Evaluation, Digestion, Absorption, and Metabolism. p.165. Oxford University Press, New York, NY.
- Stock, R., N. Merchen, T. Klopfenstein, and M. Poos. 1981. Feeding value of slowly degraded proteins. J. Anim. Sci. 53:1109-1119.
- Stokes, S.R., W.H. Hoover, T.K. Miller, and R. Blauweikel. 1991. Ruminant digestion and microbial utilization of diets varying in type of carbohydrate and protein. J. Dairy Sci. 74:871-881.

- Sultan, J.I. and S.C. Loerch. 1992. Effects of protein and energy supplementation of wheat straw-based diets on site of nutrient digestion and nitrogen metabolism of lambs. *J. Anim. Sci.* 70:2228-2234.
- Susmel, P., C.R. Mills, M. Colitti, and B. Stefanon. 1993. *In vitro* solubility and degradability of nitrogen in concentrate ruminant feeds. *Anim. Feed Sci. Tech.* 42:1-13.
- Titgemeyer, E.C., N.R., Merchen, and L.L. Berger. 1989. Evaluation of soybean meal, corn gluten meal, blood meal and fish meal as sources of nitrogen and amino acids disappearing from the small intestine of steers. *J. Anim. Sci.* 67:262-275.
- Tomlinson, A.P., W.J. Powers, H.H. Van Horn, R.A. Nordstedt, and C.J. Wilcox. 1996. Dietary protein effects on nitrogen excretion and manure characteristics of lactating cows. *Trans. Am. Soc. Ag. Engin.* 39:1441-1448.
- Van Soest, P.J. 1963. Use of detergents in the analysis of fibrous feeds. II. A rapid method for the determination of fiber and lignin. *J. Assoc. Off. Agri. Chem.* 46:829-835.
- Van Soest, P.J. and R.H. Wine. 1967. Use of detergents in the analysis of fibrous feeds. IV. The determination of plant cell wall constituents. *J. Assoc. Off. Anal. Chem.* 50:50-55.
- Van Soest, P.J. and R.H. Wine. 1968. Determination of lignin and cellulose in acid detergent fiber with permanganate. *J. Assoc. Off. Anal. Chem.* 51:780-785.
- Veen, W.A.G. 1986. The influence of slowly and rapidly degradable concentrate protein on a number of rumen parameters in dairy cattle. *Neth. J. Agric. Sci.* 34:199-216.
- Volden, H. 1999. Effects of level of feeding and ruminally undegraded protein on ruminal bacterial protein synthesis, escape of dietary protein, intestinal amino acid profile, and performance of dairy cows. *J. Anim. Sci.* 77:1905-1918.
- Zerbini, E., C. E. Polan, and J.H. Herbein. 1988. Effect of dietary soybean meal and fish meal on protein digesta flow in holstein cows during early and midlactation. *J. Dairy Sci.* 71:1248-1258.