

## References

- Armstrong, J. M. and Kureth, C. L. (1979). "Some observations on the Longard tube as a coastal erosion protection structure." *Coastal Structures '79*, 1, ASCE, New York, 250-269.
- Bogossian, F., Smith, R. T., Vertematti, J. C., and Yazbek, O. (1982). "Continuous retaining dikes by means of geotextiles." *Proceedings, 2<sup>nd</sup> International Conference on Geotextiles*, Las Vegas, Nevada, 211-216.
- Breteler, M. K. and van Wijhe, H. J. (1994). "Stability of geotubes and geocontainers." *Report, Delft Hydraulics H2029*, August.
- Carroll, R. P. (1994). "Submerged geotextile flexible forms using noncircular cylindrical shapes." *Geotechnical Fabrics Report*, 12(8), 4-15.
- Das, B. M. (1990). *Principles of Foundation Engineering*. PWS-KENT Publishing Company, Boston, Massachusetts.
- de Bruin, P. and Loos, C. (1995). "The use of Geotubes as an essential part of an 8.8 m high North Sea dike and embankment, Leybucht, Germany." *Geosynthetics World*, 5(3), 7-10.
- Delft Hydraulics Laboratory (1973). "Breakwater of concrete filled hoses." *Report, M 1085*, April.
- Delft Hydraulics Laboratory (1975). "Artificial islands in the Beaufort-sea: comparison of stability of shore protection with gabions and sand sausages." *Report, M 1271 part III*, February.
- den Adel, H., Hendrikse, C. S. H., and Pilarczyk, K. (1996). "Design and application of geotubes and geocontainers." *1<sup>st</sup> European Conferences on Geosynthetics, EuroGeo 1996*, Maastricht, The Netherlands.
- Erchinger, H. F. (1993). "Geotextile tubes filled with sand for beach erosion control, North Sea Coast, Germany." *Geosynthetics Case Histories*, G. P. Raymond and J.-P. Giroud, eds., BiTech Publishers, Richmond, BC, Canada, 102-103.
- Fowler, J. (1997). "Geotextile tubes and flood control." *Geotechnical Fabrics Report*, June-15(5), 28-37.
- Gadd, P. E. (1988). "Sand bag slope protection: design, construction and performance." *Arctic Coastal Processes and Slope Protection Design*, A. T. Chen and C. B. Leidersdorf, eds., ASCE, New York, 145-165.

- Gutman, A. L. (1979). "Low-cost shoreline protection in Massachusetts." *Coastal Structures* '79, 1, ASCE, New York, 373-387.
- John, N. W. M. (1987). *Geotextiles*. Blackie and Son, Glasgow.
- Kazimierowicz, K. (1994). "Simple analysis of deformation of sand-sausages." *5<sup>th</sup> International Conference on Geotextiles, Geomembranes, and Related Products*, Singapore, 775-778.
- Kobayashi, N., and Jacobs, B.K. (1985). "Experimental study on sandbag stability and runup." *Coastal Zone '85*, vol. 2, O. T. Magoon, et al., eds., ASCE, New York, 1612-1626.
- Koerner, R. M., and Koerner, G. R. (1996). "Geotextiles used as flexible forms." *Geotextiles and Geomembranes*, 14(6), 301-311.
- Koerner, R. M., and Soong, T. Y. (1997). "The evolution of geosynthetics." *Civil Engineering*, ASCE, 67(7), 62-64.
- Koerner, R. M., and Welsh, J. P. (1980). "Fabric forms conform to any shape." *Concrete Construction*, 25(5), 401-409.
- Lamberton, B. A. (1989). "Fabric forms for concrete." *Concrete International: Design and Construction*, 11(12), 58-67.
- Leidersdorf, C. B., Potter, R. E., and Goff, R. D. (1981). "Slope protection for artificial exploration islands off Prudhoe Bay." *Proceedings, Offshore Technology Conference*, Houston, Texas, vol. III, 437-447.
- Leshchinsky, D. (1992). *Earth Reinforcement Practice*. A. A. Balkema, Rotterdam, 871-897.
- Leshchinsky, D. and Leshchinsky, O. (1996a). "Geosynthetic Confined Pressurized Slurry (GeoCoPS): Supplemental Notes for Version 1.0." *Technical Report, CPAR-GC-96-1*, U.S. Army Corps of Engineers Waterways Experiment Station, Vicksburg, MS.
- Leshchinsky, D., Leshchinsky, O., Ling, H. I., and Gilbert, P. A. (1996b). "Geosynthetic tubes for confining pressurized slurry: Some design aspects." *Journal of Geotechnical Engineering*, 122(8), 682-690.
- Liu, G. S. (1981). "Design criteria of sand-sausages for beach defenses." *International Association for Hydraulic Research: Summaries of Papers Proceedings*, New Delhi, India, 123-131.
- Liu, G. S., and Silvester, R. (1977). "Sand sausages for beach defense work." *Proceedings, 6<sup>th</sup> Australian Hydraulics and Fluid Mechanics Conference*, Adelaide, Australia, 340-343.

- Munday, J. P. and Bricker, W. F. (1987). "Endicott slope protection design and construction." *Proceedings, 6<sup>th</sup> International OMAE Symposium*, V. J. Lunardini et al., eds., ASME, New York, vol. IV, 47-54.
- Namias, V. (1985). "Load-Supporting Fluid-Filled Cylindrical Membranes." *Journal of Applied Mechanics*, 52(4), 913-918.
- Nicolon GeoProducts Division (1994). *Nicolon GeoProducts*. Nicolon BV, Almelo, Holland, 1-8.
- Ockels, N. (1991). "Innovative Hydraulic Engineering with Geosynthetics." *Geosynthetics World*, 2(4), 26-27.
- Perrier, H. (1986). "Use of soil-filled synthetic pillow for erosion protection." *Proceedings 3<sup>rd</sup> International Conference on Geotextiles*, Vienna, 1115-1119.
- Perry, E. B., and Myers, M. (1993). "Innovative methods for levee repair." *The REMR Bulletin*, US Army Corps of Engineers, 10(3), 1-6.
- Pilarczyk, K. W. (1995). "Geotextile systems for coastal protection." *Proceedings, 4<sup>th</sup> International Conference on Coastal and Port Engineering in Developing Countries*, Rio de Janeiro, Brazil.
- Pilarczyk, K. W. and Zeidler, R. B. (1996). *Offshore Breakwaters and Shore Evolution Control*. A. A. Balkema, Rotterdam.
- Plaut, R. H., Liapis, S. I., and Telionis, D.P. (1998). "When the levee inflates." *Civil Engineering*, ASCE, 68(1), 62-64.
- Plaut, R. H., and Suherman, S. (1998). "Two-dimensional analysis of geosynthetic tubes." *Acta Mechanica*, 129(1-4), 207-218.
- Porraz, M. (1976). "Textile forms slash cost of coastal zone structures." *Ocean Industry*, 11(10), 61-64.
- Porraz, M., Maza J. A., and Medina, R. (1979). "Mortar-filled containers, lab and ocean experiments." *Coastal Structures '79*, 1, ASCE, New York, 601-609.
- Scott, R. F. (1981). *Foundation Analysis*. Prentice-Hall, Englewood Cliffs, NJ.
- Silvester, R. (1986). "Use of grout-filled sausages in coastal structures." *Journal of Waterway, Port, Coastal, and Ocean Engineering*, 112(1), 95-114.
- Silvester, R. (1990). "Flexible membrane units for breakwaters." *Handbook of Coastal and Ocean Engineering*, Vol. 1, J. B. Herbich, ed., Gulf, Houston, 921-938.

- Silvester, R. and Hsu, J. R. C. (1993). *Coastal Stabilization: Innovative Concepts*. Prentice-Hall, Inc., Englewood Cliffs, New Jersey.
- Sprague, C. J., and Fowler, J. (1994). “Dredged material-filled geotextile containers: case histories, research, and upcoming workshop.” *Geotechnical Fabrics Report*, 12(8), 42-54.
- Sprague, C. J. and Koutsourais, M. M. (1992). “Fabric formed concrete revetment systems.” *Geosynthetics in Filtration, Drainage, and Erosion Control*, R. M. Koerner, ed., Elsevier, London, 251-273.
- Szyszkowski, W. and Glockner, P.G. (1987). “On the statics of large-scale cylindrical floating membrane containers.” *International Journal of Non-Linear Mechanics*, 22(4), 275-282.
- Wolfram, S. (1996). *The Mathematica Book*, 3<sup>rd</sup> ed. Wolfram Media / Cambridge University Press, Cambridge, UK.