

REFERENCES

- Alberts, B., Bray, D., Lewis, J., Raff, M., Roberts, K., Watson, J. D. (1994) Molecular biology of the cell (3rd edition). New York: Garland Publishing, Inc.
- Angelloz-Nicoud, P., Binoux, M. (1995) Autocrine regulation of cell proliferation by the insulin-like growth factor (IGF) and IGF binding protein-3 protease system in a human prostate carcinoma cell line (PC-3). *Endocrinology* 136: 5485-5492.
- Arai, T., Parker, A., Busby, Jr., W., Clemmons, D. R. (1994) Heparin, heparan sulfate, and dermatan sulfate regulate formation of the insulin-like growth factor-I and insulin-like growth factor-binding protein complexes. *J. Biol. Chem.* 269: 20388-20393.
- Baselga, J., Mendelsohn, J. (1997) Type I receptor tyrosine kinases as targets for therapy in breast cancer. *Journal of Mammary Gland Biology and Neoplasia* 2: 165-174.
- Baxter, R. C., Binoux, M. A., Clemmons, D. R., Conover, C. A., Drop, S. L. S., Holly, J. M. P., Mohan, S., Oh, H., Rosenfeld, R. G. (1998) Recommendations for nomenclature of the insulin-like growth factor binding protein superfamily. *Endocrinology* 139:4036.
- Baxter, G. T., Young, M-L., Miller, D. L., Owicki, J. C. (1994) Using microphysiometry to study the pharmacology of exogenously expressed m₁ and m₃ muscarinic receptors. *Life Sciences* 55:573-583.
- Berg, J. W. and, Hutter, R. V. P. (1995) Breast cancer. *Cancer* 75:257-69
- Berg, M. M., Sternberg, D. W., Parada, L. F., Chao, M. V. (1992) K252a inhibits nerve growth factor-induced trk proto-oncogene tyrosine kinase phosphorylation and kinase activity. *J. Biol. Chem.* 267: 13-16.

Berkow, R., ed. The Merck manual of diagnosis and therapy (15th edition). Rahway, N.J: Merck Sharp & Dohme Research Laboratories, 1987.

Blakesley, V. A., Scrimgeour, A., Esposito, D., LeRoith, D. (1996) Signaling via the insulin-like growth factor-I receptor: does it differ from insulin receptor signaling? *Cytokine & Growth Factor Reviews* 7: 153-159.

Chan, S. D. H., Antoniucci, D. M., Fok, K. S., Alajoki, M. L., Harkins, R. N., Thompson, S. A., Wada, H. G. (1995) Heregulin activation of extracellular acidification in mammary carcinoma cells is associated with expression of HER2 and HER3. *J. Biol. Chem.* 270: 22608-22613.

Clemmons, D. R., Camacho-Hubner, C., Coronado, E., Osborne, C. K. (1990) Insulin-like growth factor binding protein secretion by breast carcinoma cell lines: correlation with estrogen receptor status. *Endocrinology* 127: 2679-2686.

Cohick, W. S., and Turner, J. D. (1998) Regulation of IGF binding protein synthesis by a bovine mammary epithelial cell line. *J. Endocrinology* 156:000-000

Cullen, K. J., Lippman, M. E., Chow, D., Hill, S., Rosen, N., Zwiebel, J. A. (1992) Insulin-like growth factor-II overexpression in MCF-7 cells induces phenotypic changes associated with malignant progression. *Mol Endocrinol.* 6: 91-100.

Cullen, K. J., Smith, H. S., Hill, S., Rosen, N., Lippman, M. E. (1991) Growth factor messenger RNA expression by human breast fibroblasts from benign and malignant lesions. *Cancer Res.* 51: 4978-4985.

Dai, Z., Stiles, A. D., Moats-Staats, B., Van Wyk, J. J., D'Ercole, A. J. (1992) Interaction of secreted insulin-like growth factor-I (IGF-I) with cell surface receptors is the dominant mechanism of IGF's autocrine actions. *J. Biol. Chem.* 267: 19565-19571.

Daly, R. J., Harris, W. H., Wang, D. Y., Darbre, P. D. (1991) Autocrine production of insulin-like growth factor II using an inducible expression system results in reduced estrogen sensitivity of MCF-7 human breast cancer cells. *Cell Growth and Differentiation* 2:457-464.

Delhanty, P. J. D., Baxter, R. C. (1998) The regulation of acid-labile subunit gene expression and secretion by cyclic adenosine 3', 5'-monophosphate. *Endocrinology* 139: 260-265.

Evered, D., Whelan, J., eds. (1986) Functions of proteoglycans. New York: John Wiley & Sons.

Farndale, R. W., Buttle, D. J., Barrett, A., J. (1986) Improved quantitation and discrimination of sulphated glycosaminoglycans by use of dimethylmethylene blue. *Biochim. Biophys. Acta* 883: 173-177.

Figueroa, J. A., Yee, D. (1992) The insulin-like growth factor binding proteins (IGFBPs) in human breast cancer. *Breast Cancer Res. Treat.* 22: 81-90.

Firth, S. M., Ganeshprasad, U., Baxter, R. C. (1998) Structural determinants of ligand and cell surface binding of insulin-like growth factor-binding protein-3. *J. Biol. Chem.* 273: 2631-2638.

Huff, K. K., Kaufman, D., Gabbay, K. H., Spencer, E. M., Lippman, M. E., Dickson, R. B. (1986) Secretion of an insulin-like growth factor-1-related protein by human breast cancer cells. *Cancer Res.* 46:4613-4619.

Huynh, H. T., Robitaille, G., Turner, J. D. (1991) Establishment of bovine mammary epithelial cells (MAC-T): an *in vitro* model for bovine lactation. *Exp Cell Res.* 197: 191-199.

- Jones, J. I., Clemmons, D. R., (1995) Insulin-like growth factors and their binding proteins: biological actions. *Endocrine Reviews* 16: 3-34.
- June, C. H., Fletcher, M.C., Ledbetter, J. A., Schieven, G. L., Siegel, J. N., Phillips, A. F., Samelson, L. E. (1990) Inhibition of tyrosine phosphorylation prevents T-cell receptor-mediated signal transduction. *PNAS (USA)* 87:7722-7726.
- Karey, K. P., Sirbasku, D. A. (1988) Differential responsiveness of human breast cancer cell lines MCF-7 and T47D to growth factors and 17 β -estradiol. *Cancer Res.* 48: 4083-4092.
- Lauffenburger, D. A., Chu, L., French, A., Oehrtman, G., Reddy, C., Wells, A., Niyogi, S., Wiley, H. S. (1996) Engineering dynamics of growth factors and other therapeutic ligands. *Biotechnology and Bioengineering* 52: 61-80.
- Lauffenburger, D. A., Linderman, J. J., (1993) Receptors: models for binding, trafficking, and signaling. Oxford University Press.
- Lee, A. V., Darbre, P., King, R. J. B. (1994) Processing of insulin-like growth factor-II (IGF-II) by human breast cancer cells. *Mol. Cell. Endocrin.* 99: 211-220.
- LeRoith, D., Werner, H., Beitner-Johnson, D., Roberts, Jr., C. T. (1995) Molecular and cellular aspects of the insulin-like growth factor I receptor. *Endocrine Reviews* 16:143-163.
- Lodish, H., Baltimore, D., Berk, A., Zipursky, S. L., Matsudaira, P., Darnell, J. (1995) Molecular cell biology (3rd edition). New York: Scientific American Books, Inc.
- McConnell, H. M., Owicki, J. C., Parce, J. W., Miller, D. L., Baxter, G. T., Wada, H. G., Pitchford, S. (1992) The cytosensor microphysiometer: biological applications of silicon technology. *Science* 257: 1906-1912.

McCusker, R. H., Camacho-Hubner, C., Bayne, M. L., Cascieri, M. A., Clemmons, D. R. (1990) Insulin-like growth factor (IGF) binding to human fibroblast and glioblastoma cells: modulating effects of cell released IGF binding protein. *J. Cell Physiol.* 144: 244-251.

Molecular Devices Corp. (1995) Cytosensor® microphysiometer system user's manual. Sunnyvale CA: Molecular Devices Corp.

Molecular Devices Corp. (1996) Application Note Binder (1st edition). Sunnyvale CA: Molecular Devices Corp.

Neuenschwander, S., Roberts, JR., C. T. , LeRoith, D. (1995) Growth inhibition of MCF-7 breast cancer cells by stable expression of an insulin-like growth factor I receptor antisense ribonucleic acid. *Endocrinology* 136: 4298-4303.

Neylon, et al. (1989) Influence of atrial natriuretic factor on 5(n-ethyl-n-isopropyl) amiloride-sensitive ²²Na⁺ uptake in rabbit aorta. *J. Pharmacol. Exp. Ther.* 248: 991.

Oh, Y., Müller, H., Lamson, G., Rosenfeld, R. (1993) Insulin-like growth factor (IGF)-independent action of IGF-binding protein-3 in Hs578T human breast cancer cells. *J. Biol Chem.* 268: 14964-14971.

Osborne, C. K., Clemmons, D. R., Arteaga, C. L. (1990) Regulation of breast cancer growth by insulin-like growth factors. *J. Steroid Biochem. Molec. Biol.* 37: 805-809.

Osborne, C. K., Coronado, E. B., Kitten, L. J., Arteaga, C. I., Fuqua, S. A. W., Ramasharma, K., Marshall, M., Li, C. H. (1989) Insulin-like growth factor-II (IGF-II): a potential autocrine/paracrine growth factor for human breast cancer acting via the IGF-I receptor. *Mol Endocrinol.* 3: 1701-1709.

Papa, V., Gliozzo, B., Clark, G. M., McGuire, W. L., Moore, D., Fujita-Yamaguchi, Y., Vigneri, R., Goldfine, I. D., Pezzino, V. (1993) Insulin-like growth factor-I receptors are overexpressed and predict a low risk in human breast cancer. *Cancer Res.* 53: 3736-3740.

Pekonen, F., Nyman, T., Ilvesmäki, V., Partanen, S. (1992) Insulin-like growth factor binding proteins in human breast cancer tissue. *Cancer Res.* 52: 5204-5207.

Pitchford, S., De Moor, K., Glaeser, B. S. (1995) nerve growth factor stimulates rapid metabolic responses in PC12 cells. *Am J. Physiol.* 268:C936-C943.

Quinn, K. A., Treston, A. M., Unsworth, E. J., Miller, M., Vos, M., Grimley, C., Battey, J., Mulshine, J. L., Cuttitta, F. (1996) Insulin-like growth factor expression in human cancer cell lines. *J. Biol. Chem.* 271: 11477-11483.

Reeve, J. G., Guadaño, A., Xiong, J., Morgan, J., Bleeher, N.M. (1995) Diminished expression of insulin-like growth factor (IGF) binding protein-5 and activation of IGF-I mediated autocrine growth in simian virus 40-transformed human fibroblasts. *J. Biol. Chem.* 270: 135-142.

Romagnolo, D., Akers, R. M., Byatt, J. C., Wong, E. A., Turner, J. D. (1994) IGF-I induced IGFBP-3 potentiates the mitogenic actions of IGF-I in mammary epithelial MD-IGF-I cells. *Mol. Cell. Endocrinol.* 102: 131-139.

Romagnolo, D., Akers, R. M., Byatt, J. C., Wong, E. A., Turner, J. D. (1994) Regulation of expression of IGF-I-induced IGFBP-3 and IGF-I receptor by constitutive vs regulated expression of recombinant IGF-I in transfected mammary epithelial cells. *Endocrine J.* 2: 375-384.

Schofield, P. N., ed. (1992) The insulin-like growth factors: structure and biological functions. New York: Oxford University Press.

Singer, C., Rasmussen, A., Smith, H. S., Lippman, M. E., Lynch, H. T., Cullen, K. J. (1995) Malignant breast epithelium selects for insulin-like growth factor II expression in breast stroma: evidence for paracrine function. *Cancer Res.* 55: 2448-2454.

Sporn, M. B., Roberts, A. B. (1992) Autocrine secretion-10 years later. *Annals of Int. Med.* 117:408-414.

Taylor, J. E., Nelson, R., Woon, C-W (1996) Real-time evaluation of somatostatin subtype 2 receptor activity employing the technique of cytosensor microphysiometry. *Peptides* 17:1257-1259.

Toropainen, E., Lipponen, P., Syrjänen, K. (1995) Expression of insulin-like growth factor I (IGF-I) in female breast cancer as related to established prognostic factors and long-term prognosis. *Eur. J. Cancer* 31A:1443-1448.

van der Berg, B., Isbrücker, L., van Selm-Miltenburg, A. J. P., de Laat, S. W., van Zoelen, E. J. J. (1990) Role of estrogen-induced insulin-like growth factors in the proliferation of human breast cancer cells. *Cancer Res.* 50: 7770-7774.

Warnock, D. G., Yang, W. C., Huang, Z. Q., Cragoe, Jr., E. J. (1988) Interactions of chloride and amiloride with renal Na⁺/H⁺ antiporter. *J. Biol. Chem.* 263: 7216.

Wellstein, A. (1994) Growth factor targeted and conventional therapy of breast cancer. *Breast Cancer Res. Treat.* 31: 141-152.

Yee, D., Favoni, R. E., Lippman, M. E., Powell, D. R. (1991) Identification of insulin-like growth factor binding proteins in breast cancer cells. *Breast Cancer Res. Treat.* 18: 3-10.

Yu, H., Levesque, M. A., Khosravi, M. J., Papanastasiou-Diamandi, A., Clark, G. M., Diamandis, E. P. (1996) Associations between insulin-like growth factors and their

binding proteins and other prognostic indicators in breast cancer. *Endocrinology* 127:
2679-2686.