

Table of Contents

List of Figures	xi
List of Tables	xiii
Chapter I. Introduction	1
1.1 General Introduction	1
1.2 Background and Literature Review	6
1.2-1 Cell Lines	6
1.2-2 IGF-I/IGF-II	7
1.2-3 IGF-I Receptor	10
1.2-4 IGFBP-3	12
1.2-5 Proteoglycan	14
1.2-6 Microphysiometry	14
Chapter II. Materials and Methods	21
2.1 Cell Cultures	21
2.1-1 Reagents Used to Start and Maintain the Cell Cultures	21
2.1-2 Procedure: Initiation of Cell Cultures from Frozen Cells	22
2.1-3 Procedure: Maintenance of the Cell Cultures	23
2.2 Cell Counts	27
2.2-1 Hemacytometer Cell Counts	27
2.2-2 Coulter [®] Counter Cell Counts	28
2.3 DNA Assays	29
2.3-1 Solutions Used for DNA Assays	29
2.3-2 Calibration of Fluorometers for DNA Analysis	30
2.3-3 Preparation of Samples for DNA Assay from Cell Monolayers Growing in the Wells of 24 Well Culture Dishes	31
2.3-4 Preparation of Samples for DNA Assay from Cell Monolayers Growing on Capsule Cup Membranes	32
2.4 Cytosensor Microphysiometer System Studies	32
2.4-1 Seeding of Capsule Cups for Use on the Microphysiometer	33
2.4-2 Preparation of Running Media Used on the	

Microphysiometer	34
2.4-3 Preparation of Capsule Cups in Sensor Chambers for Experimental Runs	34
2.4-4 Preparation of Solutions to Use on the Microphysiometer	36
2.4-5 Cytosensor Microphysiometer Experimental Runs	36
2.4-6 Staining of Capsule Cup Membranes Used in the Cytosensor Microphysiometer Experiments	37
2.4-6.a Reagents	38
2.4-6.b Procedure	38
2.5 Harvesting of Proteoglycan from Cultured Cells	39
2.6 Purification of the Proteoglycan Fraction of Conditioned Media Using Anion Exchange Chromatography	39
2.6-1 Reagents	39
2.6-2 Preparation of Column	39
2.7 Detection of Glycosaminoglycan Fraction Using DMB (Dimethylmethylene Blue) Dye Binding Assay for Proteoglycan	42
2.7-1 Reagents	42
2.7-2 Procedure	42
2.7-3 Standard Curve for Computing Amount of Proteoglycan (Glycosaminoglycan Concentration) via DMB Assay	43
2.8 Detection of Core Protein Fraction Using Bio-Rad Protein Assay	45
2.8-1 Standard Curve for Calculating the Amount of Core Protein on the Proteoglycan Using Bovine Serum Albumin	45
2.9 Dialysis of Proteoglycan Sample	47
2.10 Characterization of the Proteoglycan Fraction Using Gel Filtration Chromatography	48
2.10-1 Procedure: Preparation of the Gel Column	48
2.10-2 Experimental Run Using Gel Filtration Chromatography	49
2.10-3 Calibration of the Gel Filtration Column	49
2.11 Binding Assays	50
2.11-1 Reagents	51
2.11-2 Procedure	51
2.12 Statistical Analyses of Data	53

Chapter III Cytosensor [®] Microphysiometer System Optimization	54
3.1 Optimization of the Cytosensor [®] Microphysiometer System	54
3.1.1 Optimization of the Seeding Densities of SV40-IGF-I and MAC-T cells for the Microphysiometer Studies	54
3.1.1-1 Experimental Results for Optimal Initial Seeding Density for the SV40-IGF-I Cell Line	55
3.1.1-2 Experimental Results for Optimal Initial Seeding Density for the MAC-T Cell Line	59
3.1.1-3 Quantifying the Number of Cells on the Capsule Cup Membrane	61
3.1.2 Optimization of the IGF-I Challenge Concentration	66
3.1.3 Optimization of IGF-I Challenge Times	68
3.1.4 Number of Repetitions Tolerated by Cells	69
3.1.5 Staining of Capsule Cup Membranes to Verify Cell Confluency	71
3.1.6 Summary	71
 Chapter IV Results of Experiments Using the Cytosensor [®] Microphysiometer System	72
4.1 Experiments Using the Cytosensor [®] Microphysiometer System	72
4.1.1 Responses in % ECAR of SV40-IGF-I and MAC-T Cells to IGF-I	73
4.1.2 Responses in % ECAR of SV40-IGF-I Cells to R ³ -IGF-I	76
4.1.3 Responses in % ECAR of SV40-IGF-I Cells to IGFBP-3 Alone	78
4.1.4 Responses in % ECAR of SV40-IGF-I Cells to IGF-I Alone after Preincubation with IGFBP-3 Alone	79
4.2 Preliminary Experiments Using the Cytosensor [®] Microphysiometer System	80
4.2.1 SV40-IGF-I Dose Response to Exogenous IGFBP-3 Co-incubated with 3 ng/ml IGF-I	80
4.2.2 Effect of SV40-IGF-I Proteoglycan on IGF-I Response by SV40-IGF-I Cells	81
4.2.3 Amiloride Inhibition of the Na ⁺ /H ⁺ Exchanger	83

Chapter V Results and Discussion of Binding Experiments	86
5.1 Binding Study of SV40-IGF-I Cells with ¹²⁵ I Radiolabeled IGF-I and IGFBP-3	88
5.2 Binding Study of SV40-IGF-I Cells with ¹²⁵ I Radiolabeled IGF-I Pre-incubated with 50 ng/ml Unlabeled IGF-I	92
Chapter VI Conclusions and Future Work	95
6.1 Conclusions	95
6.2 Future Work	97
References	100
Appendix A	108
Vita	109

List of Figures

Chapter I Introduction	1
Figure 1.1 Schematic of pathways for ligand delivery	3
Figure 1.2 The IGF receptors	10
Figure 1.3 Illustration of intracellular signaling	12
Figure 1.4 The Cytosensor [®] Microphysiometer System	15
Figure 1.5 Schematic of principle of microphysiometry	17
Figure 1.6 Schematic of the Cytosensor [®] Microphysiometer System	18
Figure 1.7 Example raw data	19
Figure 1.8 Example rate data	19
 Chapter II Materials and Methods	 21
Figure 2.1 SV40-IGF-I cells 50% confluent	24
Figure 2.2 SV40-IGF-I cells 100% confluent	25
Figure 2.3 MAC-T cells 100% confluent	26
Figure 2.4 Hemacytometer counting grid	28
Figure 2.5 DNA standard curve	31
Figure 2.6 Capsule cup assemblage	35
Figure 2.7 Effect of bubbles shown in rate data	37
Figure 2.8 Proteoglycan fraction identified by DMB assay	43
Figure 2.9 Heparan sulfate standard curve for DMB assay	44
Figure 2.10 Bovine serum albumin standard curve for Bio-Rad assay	46
 Chapter III Cytosensor [®] Microphysiometer System Optimization	 54
Figure 3.1 SV40-IGF-I cell response to 50 ng/ml IGF-I	56
Figure 3.2 SV40-IGF-I cell response to IGF-I at two seeding densities	57
Figure 3.3 SV40-IGF-I cell response to IGF-I at several seeding densities	58
Figure 3.4 MAC-T cell response to IGF-I at several seeding densities	60
Figure 3.5 MAC-T cell response to 5 ng/ml IGF-I	62
Figure 3.6 Comparison of hemacytometer and Coulter [®] Counter cell counts	63
Figure 3.7 SV40-IGF-I cell count <i>vs</i> DNA absorbance	64
Figure 3.8 MAC-T cell count <i>vs</i> DNA absorbance	65
Figure 3.9 SV40-IGF-I cell dose response to IGF-I	67

Figure 3.10 SV40-IGF-I cell response to IGF-I	68
Figure 3.11 SV40-IGF-I cell response to multiple challenges of IGF-I	70
Chapter IV Results of Experiments Using the	
Cytosensor® Microphysiometer System	72
Figure 4.1 SV40-IGF-I cell dose response to IGF-I-log plot	75
Figure 4.2 SV40-IGF-I cell response to IGF-I vs R ³ IGF-I	77
Figure 4.3 SV40-IGF-I cell response to IGFBP-3 followed by IGF-I	79
Figure 4.4 SV40-IGF-I cell response to IGF-I with proteoglycan	82
Figure 4.5 SV40-IGF-I cell response to IGF-I with amiloride	84
Figure 4.6 MAC-T cell response to IGF-I with amiloride	85
Chapter V Results and Discussion of Binding Experiments	
Figure 5.1 IGF-I total binding by SV40-IGF-I cells	89
Figure 5.2 IGF-I binding by SV40-IGF-I cells	90
Figure 5.3 IGFBP-3 total binding by SV40-IGF-I cells	91
Figure 5.4 IGFBP-3 binding by SV40-IGF-I cells	92
Figure 5.5 IGF-I binding by SV40-IGF-I cells re-incubated with 50 ng/ml IGF-I	93

List of Tables

Chapter I Introduction	1
Table 1.1 Comparison of MAC-T and SV40-IGF-I parameters	7
Chapter II Materials and Methods	21
Table 2.1 DNA concentrations for standard curve	30
Table 2.2 Heparan sulfate concentrations for standard curve	44
Table 2.3 BSA concentrations for standard curve	46
Table 2.4 Calculated K_{av} for peaks	50
Table 2.5 Buffer concentrations for binding studies	52
Chapter III Cytosensor [®] Microphysiometer System Optimization	54
Table 3.1 Tabulated peak % ECAR for SV40-IGF-I at different seeding densities	58
Table 3.2 Diminishing % ECAR peaks with subsequent challenges	70
Chapter IV Results of Experiments Using the Cytosensor [®] Microphysiometer System	72
Table 4.1 Responses of cells to IGF-I	74
Table 4.2 Responses of cells to IGF-I and R ³ IGF-I	76
Table 4.3 Responses of cells to IGF-I and IGFBP-3	78
Table 4.4 Dose Responses of cells to IGF-I and IGFBP-3	81
Table 4.5 Responses of cells to IGF-I and amiloride	83
Chapter V Results and Discussion of Binding Experiments	86
Table 5.1 SV40-IGF-I calculated binding parameters	89
Table 5.2 SV40-IGF-I with IGF-I pre-incubation calculated binding parameters	94