

REFERENCES

- Ansari, K.A. (1980). "Mooring with multicomponent cable systems." *Journal of Energy Resources Technology*, Vol. 102, pp. 62-69.
- Ansari, K.A. and Khan, N.U. (1986). "The effect of cable dynamics on the station-keeping response of a moored offshore vessel." *Proc. 5th International OMAE Symposium*, ASME, Vol. III, J.S. Chung et al., eds., pp. 514-521.
- Atzeni, A. and Montaldo, N. (1996). "Floating breakwater with air chamber and devices of energy dissipation." *Offshore Mechanics and Arctic Engineering 1996*, ASME, New York, Vol. I, Part B, S. Chakrabarti et al., eds., pp. 279-286.
- Bernitsas, M. and Garza-Rios, L.O. (1996). "Effect of mooring line arrangement on the dynamics of spread mooring systems." *Journal of Offshore Mechanics and Arctic Engineering*, Vol. 118, pp. 7-20.
- Berteaux, H.O. (1976). *Buoy Engineering*, Wiley, New York.
- Chakrabarti, S.K. (1990). "Nonlinear methods in offshore engineering." *Developments in Marine Technology*, Elsevier, Vol. 5, pp. 214-224.
- Chaplin, C.R. and Del Vecchio, C.J.M. (1992). "Appraisal of lightweight moorings for deep water." *Proc. 24th Annual Offshore Technology Conference*, OTC 6965, Vol. 3, pp. 189-198.
- Chen, M.-C. and Chou, F. (1986). "Dynamic mooring system comparison for a deepwater semisubmersible." *Proc. 5th International OMAE Symposium*, ASME, New York, Vol. III, J.S. Chung et al., eds., pp. 479-486.
- Choo, Y.-I. and Casarella, M.J. (1973). "A survey of analytical methods for dynamic simulation of cable-body systems." *Journal of Hydraulics*, Vol. 7, pp. 137-144.
- Chung, J.-S. (1997). "Stability based design of two-point mooring systems with hydrodynamic memory." *Journal of Offshore Mechanics and Arctic Engineering*, Vol. 119, pp. 61-69.
- Clayton, B.R. and Bishop R.E.D. (1982). *Mechanics of Marine Vehicles*, Gulf, New York.

- Dean, R.G. and Dalrymple, R.A. (1991). *Water Wave Mechanics for Engineers and Scientists*, World Scientific, Singapore.
- Dercksen, A. and Hoppe, L.F.E. (1994). "On the analysis of mooring systems using synthetic ropes." *Proc. 26th Annual Offshore Technology Conference*, Vol. 3, pp. 255-263.
- Dewi, F. (1997). *Three-Dimensional Analysis of Wave Attenuation by Anchored Hemicylindrical Shell*. M.S. Thesis, Virginia Polytechnic Institute and State University, Blacksburg, Virginia.
- Driscoll, R. and Nahon, M. (1996). "Mathematical modeling and simulation of a moored buoy system." *Proc. Oceans '96 MTS/IEEE Conference*, Vol. 1, pp. 517-523.
- Ergin, A., Price, W.G., Randall, R. and Temarel, P. (1992). "Dynamic characteristics of a submerged, flexible cylinder in finite water depths." *Journal of Ship Research*, Vol. 36, pp. 154-167.
- Evans, D.V., Jeffrey, D.C., Salter, S.H. and Taylor, J.R.M. (1979). "Submerged cylinder wave energy device: theory and experiment." *Applied Ocean Research*, Vol. 1, pp. 3-12.
- Frederiksen, H.D. (1971). "Wave attenuation by fluid filled bags." *Journal of the Waterways and Coastal Engineering Division*, ASCE, Vol. 97, pp. 73-90.
- Gottlieb, O. and Yim, S.C.S. (1992). "Nonlinear oscillations, bifurcations and chaos in a multi-point mooring system with a geometric nonlinearity." *Applied Ocean Research*, Vol. 14, pp. 241-257.
- Gottlieb, O. and Yim, S.C.S. (1993). "Drag-induced instabilities and chaos in mooring Systems." *Ocean Engineering*, Vol. 20, pp. 569-599.
- Gottlieb, O. and Yim, S.C.S. (1997). "Nonlinear dynamics of a coupled surge-heave small-body ocean mooring system." *Ocean Engineering*, Vol. 24, pp. 479-495.
- Hales, L.Z. (1981). "Floating breakwaters: state of the art literature review." Technical Report No. 81-1, Coastal Engineering Research Center, U.S. Army Corps of Engineers, Fort Belvoir, Virginia, October.
- Harms, V.W. (1979). "Design criteria for floating tire breakwaters." *Journal of the Waterway, Port, Coastal and Ocean Engineering Division*, ASCE, Vol. 105,

- pp. 149-170.
- Headland, J.R. and Vallianos, L. (1991). "Dynamic analysis of floating breakwater mooring systems," *Proc. 22nd International Conference on Coastal Engineering*, Vol. 2, pp. 1320-1333.
- Huang, S. (1994). "Dynamic analysis of three-dimensional marine cables." *Ocean Engineering*, Vol. 21, pp. 587-605.
- Idris, K., Leonard, J.W. and Yim, S.C.S. (1996). "Nonlinear response of floating buoys with hydro-elastic moors." *Offshore Mechanics and Arctic Engineering*, Vol. I, Part A, S. Chakrabarti et al., eds., ASME, New York, pp. 437-444.
- Inoue, Y., Nakamura, T. and Miyabe, H. (1991). "On the dynamic tension of towline in ocean towing." *Offshore Mechanics and Arctic Engineering*, Vol. I, Part B, S. Chakrabarti et al., eds., ASME, New York, pp. 547-553.
- Isaacson, M. and Baldwin, J. (1996). "Moored structures in waves and currents." *Canadian Journal of Civil Engineering*, Vol. 23, pp. 418-430.
- Kato, N., Koda, S. and Takahashi, T. (1986). "Motions of underwater towed system." *Proc. 5th International OMAE Symposium*, Vol. III, J.S. Chung et al., eds., ASME, New York, pp. 426-433.
- Kato, J., Noma, T., Uekita, Y. and Hagino, S. (1969). "Damping effect of floating breakwaters." *Journal of the Waterways and Harbors Division*, ASCE, Vol. 95, pp. 337-344.
- Kee, S.T., Cho, I.H. and Kim, M.H. (1997). "Wave blocking efficiency of flexible membrane breakwaters in oblique seas." *Proc. Seventh International Offshore and Polar Engineering Conference*, Vol. III, pp. 869-876
- Kee, S.T. and Kim, M.H. (1997). "Flexible membrane wave barrier. II: floating/submerged buoy-membrane system." *Journal of Waterway, Port, Coastal, and Ocean Engineering*, Vol. 123, pp. 82-90.
- Lau, S.L. and Ng, C.O. (1990). "Dynamics of an elastically moored floating body by the three-dimensional infinite element method." *Ocean Engineering*, Vol. 17, pp. 499-516.
- Leonard, J.W. and Nath, J.H. (1981). "Comparison of finite element and lumped

- parameter methods for oceanic cables.” *Engineering Structures*, Vol. 3, pp. 153-167.
- Liapis, S.I., Constantine, L.S. and Trowbridge, J.D. (1996). “On the use of a flexible structure as a breakwater.” *Offshore Mechanics and Arctic Engineering 1996*, ASME, New York, Vol. I, Part B, S. Chakrabarti et al., eds., pp. 41-47.
- Lipsett, A.W. and Williamson, I.D. (1991). “Modelling the response of flexibly mounted cylinders in oscillatory flow.” *Proc. First International Offshore and Polar Engineering Conference*, Vol. III, pp. 370-377.
- Lo, A. (1981). *Nonlinear Dynamic Analysis of Cable and Membrane Structures*. Ph.D. Dissertation, Oregon State University, December.
- Masuda, K. and Osawa, H. (1995). “Prediction of motions and tension in mooring lines on slack-moored floating oceanic architectural building in coastal zones.” *Offshore Mechanics and Arctic Engineering*, Vol. I, Part A, S.K. Chakrabarti et al., eds., ASME, NY, pp. 483-489.
- McCartney, B. (1985). “Floating breakwater design.” *Journal of Waterway, Port, Coastal, and Ocean Engineering*, Vol. 111, pp. 304-318.
- McLauchlan, R.A., Sanders, D.R., Taylor, R.D. and Collier, M.L. (1973). “A dynamic analysis of moored and free-floating cable systems.” *Proc. 5th Annual Offshore Technology Conference*, OTC 1742, Vol. I, pp. I185-I198.
- Meirovitch, L. (1986). *Elements of Vibration Analysis*, McGraw-Hill, New York.
- Migliore, H.J. and Webster, R.L. (1979). “Current methods for analyzing dynamic cable response.” *Shock and Vibration Digest*, Vol. 11, No. 6, pp. 3-16.
- Murakami, N., Iwata, K. and Kim, D. (1996). “Topographical change around submerged moored-floating structure under wave action.” *Proc. Sixth International Offshore and Polar Engineering Conference*, Vol. III, pp. 554-559.
- Murali, K. and Mani, J.S. (1997). “Performance of cage floating breakwater.” *Journal of Waterway, Port, Coastal, and Ocean Engineering*, Vol. 123, pp. 172-179.
- Nagata, S. and Ijima, T. (1983). “Numerical analysis of transient, finite amplitude

- motion of a moored, submerged cylinder.” *Boundary Elements*, C.A. Brebbia et al., eds., Springer-Verlag, Berlin, pp. 239-248.
- Nakajima, T. (1986). “A new three-dimensional quasi-static solution for the multi-component mooring systems.” *Proc. 5th International OMAE Symposium*, Vol. III, J.S. Chung et al., eds., ASME, New York, pp. 487-491.
- Nakajima, T., Matora, S. and Fujino, M. (1982). “On the dynamic analysis of multi-component mooring lines.” *Proc. 14th Annual Offshore Technology Conference*, OTC 4309, pp. 105-121.
- Nath, J.H. and Thresher, R.W. (1975). “Anchor-last deployment for buoy moorings.” *Proc. 7th Annual Offshore Technology Conference*, OTC 2364, pp. 274-285.
- Nuckolls, C.E. and Dominguez, R.F. (1977). “Large displacement mooring dynamics.” *Proc. 9th Annual Offshore Technology Conference*, OTC 2880, Vo. III, pp. 19-30.
- Ren, X. and Wang, K. H. (1994). “Mooring lines connected to floating porous breakwaters.” *International Journal of Engineering Science*, Vol. 32, pp. 1511-1530.
- Saito, K. and Kubo, M. (1996). “Motions of floating pier for marina in waves.” *Proc. Sixth International Offshore and Polar Engineering Conference*, Vol. III, J.S. Chung et al., eds., pp.364-370.
- Sawaragi, T. (1995). *Coastal Engineering - Waves, Beaches, Wave-Structure Interactions*. Elsevier, Amsterdam.
- Shaw, T.L., Davis, J., Evans, D., Thomas, G. T. and Askew, W. (1981). “Some hydrodynamic characteristics of the Bristol cylinder.” *Proc. Second International Symposium on Wave and Tidal Energy*, Paper J1, pp. 249-259.
- Skop, R.A (1988). “Mooring systems: a state-of-the-art review.” *Journal of Offshore Mechanics and Arctic Engineering*, Vol. 110, pp. 365-372.
- Szlangiewicz, T. (1991). “Effect of mooring system on low frequency motions of a drilling ship.” *Proc. First International Offshore and Polar Engineering Conference*, Vol. II, M.S. Triantafyllou et al., eds., pp. 115-122.
- Szlangiewicz, T. (1996). “Loads in mooring lines of the mooring positioning system of a vessel.” *Proc. Sixth International Offshore and Polar Engineering*

- Conference*, Vol. II, J.S. Chung et al., eds., pp. 233-240.
- Takikawa, K., Yamada, F., Sato, K. and Furuta, H. (1995). "Numerical analysis of finite amplitude motion of waves and a moored floating body under severe storm condition." *International Journal for Numerical Methods in Fluids*, Vol. 21, pp. 295-310.
- Thomas, D.O. and Hearn, G.E. (1994). "Deepwater mooring line dynamics with emphasis on seabed interference effects." *Proc. 26th Annual Offshore Technology Conference*, OTC 7488, Vol. 3, pp. 203-214.
- Thompson, G.O., Sollitt, C.K., McDougal, W.G. and Bender, Jr., W.R. (1992). "Flexible membrane wave barrier." *Civil Engineering in the Oceans*, R.T. Hudspeth, ed., ASCE, New York, pp. 129-148.
- Thresher, R.W. and Nath, J.H. (1975). "Anchor-last deployment simulation by lumped masses." *Journal of the Waterways, Harbors and Coastal Engineering Division*, ASCE, Vol. 101, pp. 419-433.
- Transportable Breakwaters - A Survey of Concepts* (1971). Naval Facilities Engineering Command, Port Hueneme, California.
- Triantafyllou, M.S., Yue, D.K.P. and Tein, D.Y.S. (1994). "Damping of moored floating structures." *Proc. 26th Annual Offshore Technology Conference*, OTC 7489, Vol. 3, pp. 215-224.
- Tsinker, G.P. (1995). *Marine Structures Engineering*, Chapman and Hall, New York.
- Valioulis, I. (1990). "Motion response and wave attenuation of linked floating breakwaters." *Journal of Waterway, Port, Coastal, and Ocean Engineering*, Vol. 116, pp. 558-574.
- Van Den Boom, H.J. (1985). "Dynamic behavior of mooring lines." *Behaviour of Offshore Structures*, Elsevier, Amsterdam, pp. 359-368.
- Van Den Boom, H.J.J., Dekker, J.N. and Van Elsacker, A.W. (1987). "Dynamic aspects of offshore riser and mooring concepts." *Proc. 19th Annual Offshore Technology Conference*, OTC 5531, Vol. 3, pp. 405-416.
- Vethamony, P. (1995). "Wave attenuation characteristics of a tethered float system." *Ocean Engineering*, Vol. 22, pp. 111-129.

- Williams, A.N. (1996). "Floating membrane breakwater." *Journal of Offshore Mechanics and Ocean Engineering*, Vol. 118, pp. 46-52.
- Williams, A.N. and Abul-Azm, A.G. (1997). "Dual pontoon floating breakwater." *Ocean Engineering*, Vol. 24, pp. 465-478.
- Williams, A. N. and McDougal, W. G. (1996). "A dynamic submerged breakwater." *Journal of Waterway, Port, Coastal, and Ocean Engineering*, Vol. 122, pp. 288-296.
- Wilson, J.F. and Awadalla, N.G. (1971). "Subharmonic response in the nonlinear oscillations of moored ships." *Proc. 3rd Annual Offshore Technology Conference*, OTC 1420, Vol. 2, pp. 65-80.
- Yamamoto, T. and Yoshida, A. (1979). "Large wave tank tests on taut-moored breakwaters." *Coastal Structures '79*, Vol. II, ASCE, New York, pp. 1087-1105.

VITA

Timothy Wayne Mays was born on April 30, 1974 in Nuremberg, Germany. In May 1996, he received a Bachelor of Science Degree, *Summa Cum Laude*, in Civil Engineering from the University of Memphis in Memphis, Tennessee. In December of 1997 he received a Master of Science Degree in Civil Engineering from Virginia Polytechnic Institute and State University. After being selected by the National Science Foundation as an NSF Graduate Research Fellow, he chose to remain at Virginia Polytechnic Institute and State University to obtain a Ph.D. After completion of his Ph.D., Timothy Mays plans on working in industry for a few years before returning to academia.