

List Of Figures

Figure 2.1 3' x 2' Subsonic wind tunnel profile sketch	49
(reproduced from Engel & Devenport, 1996)	
Figure 2.2 Fillet shape and location	50
Figure 2.3 Streamwise pressure distribution and single point measurement locations	51
Figure 2.4 Sketch of ring model mount set up	52
Figure 2.5 Upstream view of the ring model installed in the wind tunnel	53
Figure 2.6 Schematic diagram of hot wire and measurement volume (Courtesy of Chittiappa Muthanna)	54
Figure 2.7 Frequency response for each of the sensor wires of the hot-wire probe (magnitude is arbitrary)	55
Figure 2.8 Downstream view of the ring and traversing equipment. Traverse axis inclined 60° from the vertical axis	56
Figure 2.9 Two-axis traverse system (Courtesy of Chittiappa Muthanna)	57
Figure 2.10 Grid points for two point measurement for (a) plane wake and (b) ring wake	58
Figure 3.1 Coordinate system for (a) Cylinder and (b) ring model	59
Figure 3.2 Mean-velocity deficit profiles for the plane (a) and ring (b) wakes at $x/d = 126$	60
Figure 3.3 Mean-velocity deficit profiles for the plane (a) and ring (b) wakes at $x/d = 126$	61
Figure 3.4 Reynolds shear stress profiles for (a) plane and (b) ring wake at $x/d = 126$	62
Figure 3.5 Mean streamwise velocity for the plane wake at (a) $x/d = 126$ and (b) $x/d = 450$	63
Figure 3.6 Mean streamwise velocity for the ring wake at (a) $x/d = 126$ and (b) $x/d = 450$	64
Figure 3.7 Profiles of (a) mean velocity deficit and (b) and (c) Reynolds stresses for $\alpha = 0^\circ, 90^\circ, 180^\circ,$ and 270° for the ring wake at $x/d = 126$	65

Figure 3.8 Axial mean velocity deficit profiles for (a) plane and (b) ring wake	66
Figure 3.9 Lateral mean velocity, V profiles for (a) plane and (b) ring wake	67
Figure 3.10 Spanwise mean velocity, W profiles for (a) plane and (b) ring wake	68
Figure 3.11 Streamwise variation of velocity and length scales for both wakes in (a) and (b)	69
Figure 3.12 Variation of (a) momentum thickness and (b) θ / L_o with U_o / U_e for both wakes	70
Figure 3.13 The distributions of g_{11} for the (a) plane wake (b) ring wake and (c) variation of $\left(\overline{u_{\max}^2}\right)^{1/2} / U_o$ for $50 \leq x/d < 500$	71
Figure 3.14 The distributions of g_{22} for the (a) plane wake (b) ring wake and (c) variation of $\left(\overline{v_{\max}^2}\right)^{1/2} / U_o$ for $50 \leq x/d < 500$	72
Figure 3.15 The distributions of g_{33} for the (a) plane wake (b) ring wake and (c) variation of $\left(\overline{w_{\max}^2}\right)^{1/2} / U_o$ for $50 \leq x/d < 500$	73
Figure 3.16 The distributions of g_{12} for the (a) plane wake (b) ring wake and (c) variation of $\left(\overline{uv_{\max}}\right)^{1/2} / U_o$ for $50 \leq x/d < 500$	74
Figure 3.17 The distributions of g_{23} for the (a) plane wake (b) ring wake and (c) variation of $\left(\overline{vw_{\max}}\right)^{1/2} / U_o$ for $50 \leq x/d < 500$	75
Figure 3.18 The distributions of g_{13} for the (a) plane wake (b) ring wake and (c) variation of $\left(\overline{uw_{\max}}\right)^{1/2} / U_o$ for $50 \leq x/d < 500$	76
Figure 3.19 Reynolds normal stress profiles for the plane wake (a), (b), & (c) and for the ring wake (d), (e), & (f)	77
Figure 3.20 Reynolds shear stress profiles for the plane wake (a), (b), & (c) and for the ring wake (d), (e), & (f)	78
Figure 3.21 Variations of $\sqrt{\overline{u^2}_{CL} / \overline{u^2}_{\max}}$, $\sqrt{\overline{v^2}_{CL} / \overline{u^2}_{\max}}$, $\sqrt{\overline{w^2}_{CL} / \overline{u^2}_{\max}}$, $\sqrt{+\overline{uv}_{\max} / \overline{u^2}_{\max}}$, $\sqrt{\overline{vw}_{CL} / \overline{u^2}_{\max}}$, and $\sqrt{\overline{uw}_{CL} / \overline{u^2}_{\max}}$ for the plane and ring wake	79
Figure 3.22 The downstream variation of (a) length scales (b) velocity scales and (c) $(g_{11,\max})^{1/2}$ function	80

Figure 3.23 Contour plots of the Reynolds stresses for the plane wake at $x/d = 126$	81
Figure 3.24 Contour plots of the Reynolds stresses for the plane wake at $x/d = 450$	82
Figure 3.25 Contour plots of the Reynolds normal and shear stresses in polar form for the ring wake at $x/d = 126$ in (a) & (b) and at $x/d = 450$ in (c) & (d) respectively	83
Figure 3.26 The distributions of $\overline{u^3} / U_o^3$ for the (a) plane and (b) ring wakes for $50 \leq x/d < 500$	84
Figure 3.27 The distributions of $\overline{v^2 u} / U_o^3$ for the (a) plane and (b) ring wakes for $50 \leq x/d < 500$	85
Figure 3.28 The distributions of $\overline{w^2 u} / U_o^3$ for the (a) plane and (b) ring wakes for $50 \leq x/d < 500$	86
Figure 3.29 The distributions of $\overline{v^2} / U_o^3$ for the (a) plane and (b) ring wakes for $50 \leq x/d < 500$	87
Figure 3.30 The distributions of $\overline{u^2 v} / U_o^3$ for the (a) plane and (b) ring wakes for $50 \leq x/d < 500$	88
Figure 3.31 The distributions of $\overline{w^2 v} / U_o^3$ for the (a) plane and (b) ring wakes for $50 \leq x/d < 500$	89
Figure 3.32 The distributions of $\overline{w^2} / U_o^3$ for the (a) plane and (b) ring wakes for $50 \leq x/d < 500$	90
Figure 3.33 The distributions of $\overline{u^2 w} / U_o^3$ for the (a) plane and (b) ring wakes for $50 \leq x/d < 500$	91
Figure 3.34 The distributions of $\overline{v^2 w} / U_o^3$ for the (a) plane and (b) ring wakes for $50 \leq x/d < 500$	92

Figure 3.35	The distributions of $\overline{u^3}/(\overline{u^2}_{\max})^{3/2}$, $\overline{v^2u}/(\overline{u^2}_{\max})^{3/2}$, and $\overline{w^2u}/(\overline{u^2}_{\max})^{3/2}$ for the plane wake in (a), (b), & (c) and for the ring wake in (d), (e), & (f)	93
Figure 3.36	The distributions of $\overline{v^3}/(\overline{u^2}_{\max})^{3/2}$, $\overline{u^2v}/(\overline{u^2}_{\max})^{3/2}$, and $\overline{w^2v}/(\overline{u^2}_{\max})^{3/2}$ for the plane wake (a), (b), & (c) and for the ring wake (d), (e), & (f)	94
Figure 3.37	The distributions of $\overline{w^3}/(\overline{u^2}_{\max})^{3/2}$, $\overline{u^2w}/(\overline{u^2}_{\max})^{3/2}$, and $\overline{v^2w}/(\overline{u^2}_{\max})^{3/2}$ for the plane wake (a), (b), & (c) and for the ring wake (d), (e), & (f)	95
Figure 3.38	Contour plots of the triple turbulent products $\overline{u^3}/U_\infty^3$, $\overline{v^2u}/U_\infty^3$, and $\overline{w^2u}/U_\infty^3$ for the plane wake at $x/d = 126$ in (a), (b), & (c) and at $x/d = 450$ in (d), (e), & (f)	96
Figure 3.39	Contour plots of the triple turbulent products $\overline{v^3}/U_\infty^3$, $\overline{u^2v}/U_\infty^3$, and $\overline{w^2v}/U_\infty^3$ for the plane wake at $x/d = 126$ in (a), (b), & (c) and at $x/d = 450$ in (d), (e), & (f)	97
Figure 3.40	Contour plots of the triple turbulent products $\overline{w^3}/U_\infty^3$, $\overline{u^2w}/U_\infty^3$, and $\overline{v^2w}/U_\infty^3$ for the plane wake at $x/d = 126$ in (a), (b), & (c) and at $x/d = 450$ in (d), (e), & (f)	98
Figure 3.41	Contour plots of triple turbulent products $\overline{u^3}/U_\infty^3$, $\overline{v_r^2u}/U_\infty^3$, and $\overline{v_\theta^2u}/U_\infty^3$ for the ring wake at $x/d = 126$ in (a), (b), & (c) and at $x/d = 450$ in (d), (e), & (f)	99
Figure 3.42	Contour plots of triple turbulent products $\overline{v_r^3}/U_\infty^3$, $\overline{u^2v_r}/U_\infty^3$, and $\overline{v_\theta^2v_r}/U_\infty^3$ for the ring wake at $x/d = 126$ in (a), (b), & (c) and at $x/d = 450$ in (d), (e), & (f)	100

Figure 3.43	Contour plots of triple turbulent products $\overline{v_\theta^3}/U_\infty^3$, $\overline{u^2v_\theta}/U_\infty^3$, and $\overline{v_r^2v_\theta}/U_\infty^3$ for the ring wake at $x/d = 126$ in (a), (b), & (c) and at $x/d = 450$ in (d), (e), & (f)	101
Figure 3.44	Turbulent kinetic energy K/U_o^2 across (a) the plane and (b) the ring wake for $50 \leq x/d < 500$	102
Figure 3.45	Contour plot of turbulent kinetic energy K/U_∞^2 for the plane wake at (a) $x/d = 126$ & (b) $x/d = 450$ and for the ring wake at (c) $x/d = 126$ & (d) $x/d = 450$	103
Figure 3.46	Contour plot of turbulent kinetic energy production for the plane wake at (a) & (b) and for the ring wake at (c) & (d)	104
Figure 3.47	Turbulent energy budget for the plane wake at $x/d = 50 - 117.5$. Values normalized by L_o/U_o^3	105
Figure 3.48	Turbulent energy budget for the plane wake at $x/d = 140 - 207.5$. Values normalized by L_o/U_o^3	106
Figure 3.49	Turbulent energy budget for the plane wake at $x/d = 230 - 295.5$. Values normalized by L_o/U_o^3	107
Figure 3.50	Turbulent energy budget for the plane wake at $x/d = 320 - 387.5$. Values normalized by L_o/U_o^3	108
Figure 3.51	Turbulent energy budget for the plane wake at $x/d = 410 - 477.5$. Values normalized by L_o/U_o^3	109
Figure 3.52	Turbulent energy budget for the ring wake at $x/d = 50 - 117.5$. Values normalized by L_o/U_o^3	110
Figure 3.53	Turbulent energy budget for the ring wake at $x/d = 140 - 207.5$. Values normalized by L_o/U_o^3	111
Figure 3.54	Turbulent energy budget for the ring wake at $x/d = 230 - 295.5$. Values normalized by L_o/U_o^3	112

Figure 3.55	Turbulent energy budget for the ring wake at $x/d = 320 - 387.5$. Values normalized by L_o/U_o^3	113
Figure 3.56	Turbulent energy budget for the ring wake at $x/d = 410 - 477.5$. Values normalized by L_o/U_o^3	114
Figure 3.57	Turbulent kinetic energy balance: (a) & (b) convection term for plane and ring wake respectively, (c) & (d) production term for plane and ring wake respectively	115
Figure 3.58	Turbulent kinetic energy balance: (a) & (b) turbulent diffusion term for plane and ring wake respectively, (c) & (d) dissipation term for plane and ring wake respectively	116
Figure 3.59	Autospectra of u , v , and w fluctuations of the plane wake at $\eta = 0$ in (a) - (c); at $\eta = 1$ in (d) - (f); and at $\eta = 2$ in (g) - (i) respectively	117
Figure 3.60	Cross-spectra of $u&v$, $v&w$, and $u&w$ fluctuations of the plane wake at $\eta = 0$ in (a) - (c); at $\eta = 1$ in (d) - (f); and at $\eta = 2$ in (g) - (i) respectively	118
Figure 3.61	Coherency of uv , vw , and uw of the plane wake at $\eta = 0$ in (a) - (c); at $\eta = 1$ in (d) - (f); and at $\eta = 2$ in (g) - (i) respectively	119
Figure 3.62	Spectral phase angles of uv for the plane wake at (a) $\eta = 0$, (b) $\eta = 1$, and (c) $\eta = 2$	120
Figure 3.63	Autospectra of u , v , and w fluctuations of the ring wake at $\eta = 0$ in (a) - (c); at $\eta = 1$ in (d) - (f); and at $\eta = 2$ in (g) - (i) respectively	121
Figure 3.64	Cross-spectra of $u&v$, $v&w$, and $u&w$ fluctuations of the ring wake at $\eta = 0$ in (a) - (c); at $\eta = 1$ in (d) - (f); and at $\eta = 2$ in (g) - (i) respectively	122
Figure 3.65	Coherency of uv , vw , and uw of the ring wake at $\eta = 0$ in (a) - (c); at $\eta = 1$ in (d) - (f); and at $\eta = 2$ in (g) - (i) respectively	123

Figure 3.66 Spectral phase angles of uv for the ring wake at (a) $\eta = 0$, (b) $\eta = 1$, and (c) $\eta = 2$	124
Figure 3.67 Zero time delay correlation components for the plane wake at $x/d = 126$ in (a), (b) and (c) and at $x/d = 450$ in (d), (e) and (f)	125
Figure 3.68 Zero Δy separation correlation components for the plane wake at $x/d = 126$ in (a), (b) and (c) and at $x/d = 450$ in (d), (e) and (f)	126
Figure 3.69 Zero Δz separation correlation components for the plane wake at $x/d = 126$ in (a), (b) and (c) and at $x/d = 450$ in (d), (e) and (f)	127
Figure 3.70 Zero time delay correlation components for the ring wake at $x/d = 126$ in (a), (b) and (c) and at $x/d = 450$ in (d), (e) and (f)	128
Figure 3.71 Zero Δy separation correlation components for the ring wake at $x/d = 126$ in (a), (b) and (c) and at $x/d = 450$ in (d), (e) and (f)	129
Figure 3.72 Zero Δz separation correlation components for the ring wake at $x/d = 126$ in (a), (b) and (c) and at $x/d = 450$ in (d), (e) and (f)	130
Figure 3.73 I-plane view of the velocity field associated with u -fluctuation from LSE at $x = 0$ and $x = \pm 2.9$ in. for the plane wake at $x/d = 126$	131
Figure 3.74 K-plane view of the velocity field associated with u -fluctuation from LSE at $z = 0, 0.8,$ and 1.6 in. for the plane wake at $x/d = 126$	132
Figure 3.75 J-plane view of the velocity field associated with v -fluctuation from LSE at $y = 0.1$ for the plane wake at $x/d = 126$	133
Figure 3.76 K-plane view of the velocity field associated with v -fluctuation from LSE at $z = 0$ for the plane wake at $x/d = 126$	134
Figure 3.77 K-plane view of the velocity field associated with w -fluctuation from LSE at $z = 0.1$ in. for the plane wake at $x/d = 126$	135
Figure 3.78 I-plane view of the velocity field associated with u -fluctuation from LSE at $x = 0$ and $x = \pm 2.9$ in. for the plane wake at $x/d = 450$	136
Figure 3.79 K-plane view of the velocity field associated with u -fluctuation from LSE at $z = 0.5, 0.8, 1.2$ in. for the plane wake at $x/d = 450$	137
Figure 3.80 J-plane view of the velocity field associated with v -fluctuation from LSE at $y = -0.8, 0.1,$ and 1 in. for the plane wake at $x/d = 450$	138

Figure 3.81	K-plane view of the velocity field associated with v -fluctuation from LSE at $y = 0.5, 0.8, \text{ and } 1.2$ in. for the plane wake at $x/d = 450$	139
Figure 3.82	K-plane view of the velocity field associated with w -fluctuation from LSE at $z = 0$ for the ring wake at $x/d = 126$	140
Figure 3.83	K-plane view of the velocity field associated with w -fluctuation from LSE at $z = 0.8$ in. for the ring wake at $x/d = 450$	141