

REFERENCES

- Allen, M. J. (1964). Misuse of red lights on automobiles. American Journal of Optomology and Arch. American Academy of Optomology, 41, 695-699.
- Bartley, S. H. (1961). A clarification of some of the procedures and concepts involved in dealing with the optic pathway. In R. Jung and H. Kornhuber (Eds.), The visual system: neurophysiology and psychophysics. Berlin: Springer-Verlag.
- Birren, J., Woods, A., and Williams, M. (1980). Behavioral slowing with age: Causes, organization, and consequences. In Ploon (Ed) Aging in the 1980s (pp. 293-308). Washington, D.C.: American Psychological Association.
- Broadbent, D. E. (1958). Perception and communication. London: Pergamon Press.
- Browne, A. L and Chin, Y. K. (May 21, 1991). Panic Braking Indicator Triggered by ABS operation. (U.S. Patent 5, 017,904.) Washington, DC:USPTO
- Carney, C. (1996). The effects of sensor range and timing on driver's ability to use collision warning systems. Unpublished master's thesis, University of Iowa.
- Cavallo, V. and Laurent, M. (1988). Visual information and skill level in time-to-collision estimation. Perception, 17, 623-632.
- Cerella, J., Poon, L., and Williams, D., (1981) Age and the complexity hypothesis. In L. Poon (Ed), Aging in the 1980s (pp. 332-345). Washington, D.C.: American Psychological Association.
- Craik, F. and Simon, E. (1980) The roles of attention and depth of processing in understanding age differences in memory. In L. Poon, J. Fossard, L. Thompson, (Eds), New directions in memory and aging: Proceedings of the George A. Talland memorial conference (pp. 95-112). Hillsdale NJ: Lawrence Erlbaum.
- Crawford, A. (1963). The Perception of light signals: The effect of mixing flashing and steady irrelevant lights. Ergonomics, 6(3), 287-294.
- Cunningham, W. (1980) Speed, age, and qualitative differences in cognitive functioning. In L.Poon (Ed) Aging in the 1980s (pp. 327-331). Washington, D.C.: American Psychological Association.
- Dawson, N.E., Jonah, B.A. (1987) Youth and risk: Age differences in risky driving, risk perception, and risk utility. Alcohol, Drugs and Driving, 3(3-4), 13-29.
- Digges, K., Nicholson, R., and Rouse, E. (1985). The technical basis for the center high mounted stoplamp. (SAE Report 851240). Warrandale, PA: SAE.

- Dingus, T. A., Jahns, S. K., Harowitz, A. D., and Knipling, R. (1998). Human factors design issues for crash avoidance systems. In T. A. Dingus & W. Barfield (Eds.), Human factors in intelligent transportation systems (pp. 55-94). New Jersey: Lawrence Erlbaum Associates.
- Dingus, T. A., McGeehee, D. V., Manakkal, N., Jahns, S. K., Carney, C., and Hankey, J. M. (1997). Human factors field evaluation of automotive headway maintenance/collision warning devices. Human Factors, 39 (2), 216-229.
- Douglas, C. A. (1971). A survey of the use of flashing lights in aviation. In Symposium at Imperial College (London), The perception and application of flashing lights (pp.77-94). London: Adam Hilger Ltd.
- Edgerton, H. E. (1970). Electronic flash strobe. New York: McGraw-Hill Book Company.
- Eisdorfer, C. (1968). Arousal and performance: Experiments in verbal rote learning and a tentative memory. In Talland, G.A. (Ed), Human Aging and Behavior: Recent Advances in Research and Theory (pp. 189-216). New York, Academic Press.
- Evans (1991). Traffic safety and the driver. New York: Van Norstrand Reinhold.
- Fambro, D. B., Koppa, R. J., Picha, D. L., and Fitzpatrick, K. (1998). Driver perception-brake response in stopping sight distance situations. Transportation Research Record, 1628.
- Fancher, P., Ervin, R., Sayer, J., Hagan, M., Bogard, S., Bareket, Z., Mefford, M., and Haugen, J. (1998). Intelligent cruise control field operation test (Report no. DOT HS 808 849) Springfield, VA: National Technical Information Service.
- Farmer, E. (1989). There's more to safety than just bus seat belts. School Bus Fleet, 35(5), 74-75.
- Geranthewol, S. J. (1953). Conspicuity of steady and flashing light signals: Variation in contrast. Journal of the Optical Society of America, 43, (7), 567-571.
- Geranthewol, S. J. (1954). Conspicuity of flashing light signals of different frequency and duration. Journal of Experimental Psychology, 48(4), 247-251.
- Geranthewol, S. J. (1957). Conspicuity of flashing light signals: Effects of variation among frequency, duration and contrast of the signals. Journal of the Optical Society of America, 47(1) 27-29.
- Golden, J. G. (1971). Strobe lighting – a strengthening factor for the “see and be seen” backbone of collision avoidance. In Symposium at Imperial College (London), The perception and application of flashing lights (pp. 303-310). London: Adam Hilger Ltd.

- Hankey, J. M. (1996). Unalerted emergency avoidance at an intersection and possible implications for ABS implementation. Unpublished doctoral dissertation, University of Iowa.
- Hirst, S. and Graham, R. (1996). The format and presentation of collision warnings. In Y. I. Noy (Ed.), Ergonomics and Safety of Intelligent Driver Interfaces (pp. 203-221). New Jersey: Lawrence Erlbaum Associates.
- Holmes, J. G. (1971). The Language of Flashing Lights. In Symposium at Imperial College (London), The Perception and Application of Flashing Lights (pp.77-94) London: Adam Hilfiger Ltd.
- Hopkins, A., Shorvon, S., and Cascino, G. (Ed.) (1995). Epilepsy: The second edition. New York: Chapman and Hall Medical.
- Horowitz, A. D. (1994). Human factors in advanced rear signaling systems. In Proceedings of the Fourteenth International Technical Conference on Enhanced Safety of Vehicles (pp. 1511-1516). Washington D.C.: U.S. Department of Transportation.
- Horowitz, A. D. and Dingus, T. A. (1992). Warning signal design: A key human factors issue in an in-vehicle front-to-end collision warning system. In Proceedings of the Human Factors Society 36th Annual Meeting, 1011-1013. Santa Monica, CA: Human Factors Society.
- Horst, A. R. A. van der (1991). Time-to-collision as a cue for decision making in braking. In A. G. Gale et al. (Eds.). Vision in Vehicles (pp.19-26). Amsterdam: Elsevier Science.
- Horst, A. R. A. van der (1984). The ICTCT calibration study at Malmo: A qualitative analysis of video recordings (Report no. IZF-37). Soesterberg, Netherlands: TNO Institute for Perception.
- Howell, D.C. (1992) Statistical Methods for Psychology. Belmont, California: Duxbury Press
- Howett, G. L., Kelly, K. L., and Pierce, T. E. (1978). Emergency-vehicle warning lights: State of the art., Special publication 480-16. Washington D.C.: National Bureau of Standards.
- Howett, G. L. (1979). Some psychophysical tests of the conspicuities of emergency vehicle warning lights. Washington D.C.: National Bureau of Standards.
- Hoyer, W., and Plude, D. (1980) Attentional and perceptual processes in the study of cognitive aging. In L.Poon (Ed), Aging in the 1980s (pp. 227-238). Washington, D.C.: American Psychological Association.
- Illuminating Engineering Society, Committee on Motor Vehicle (Exterior) Lighting (1964). Lighting study project report on motor vehicle (exterior) lighting. Illuminating Engineering, 59, 660-662.

- Janssen, W. H., Michon, J. A., and Harvey, L. O. (1976). The perception of lead vehicle movement in darkness. Accident Analysis and Prevention, 8, 151-166.
- Johanssen, G. and Rumar, K., (1971). Driver's Brake Reaction Time. Human Factors, 13(1), 23-27.
- Kahane C. J. and Hertz E. (1998). The long term effectiveness of center high mounted stop lamps in passenger cars and trucks (Tech. Report DOT HS 808 696). Washington D.C.:NHTSA.
- Knipling, R. R., Hendricks, D. L., Koziol, J. S., Allen, J. C., Tijerina, L., and Wilson, C. (1992). A front-end analysis of rear-end crashes. In Proceedings of the IVHS America 1992 Annual Meeting, Vol. 2 (pp. 733-745). Washington, D.C.: IVHS America.
- Knipling, R. R., Mironer, M. Hendricks, D. L., Tijerina, L., Everson, J., Allen, J. C., and Wilson, C. (1993). Assessments of IVHS countermeasures for collision avoidance: Rear-end crashes. (Report No. HS 807 995). Washington D.C.: NHTSA.
- Lechner, D. and Malaterre, G. (1991). Emergency maneuver experimentation using a driving simulator. Presented at Autotechnologies 5th Conference and Exposition (Report No. SAE 910016). Monte Carlo, Monaco.
- Lee, D. N. (1976). A theory of visual control of braking based on information about time-to-collision. Perception, 5, 437-459.
- Lerner, N. (1993). Brake perception-reaction times of older and younger drivers. In Proceedings of the Human Factors and Ergonomics Society 37th Annual Meeting. (pp. 206-210). Santa Monica, CA: Human Factors and Ergonomics Society.
- Lerner, N, Huey, R.W., McGee, H.W., Sullivan, A. (1995) Older driver perception-reaction time for intercession sight distance and object detection – Final report, Volume 1. (Report No. FHWA-RD-93-168) Washington, D.C: U.S. Department of Transportation, Federal Highway Administration.
- Liebermann, D. G., Ben-David, G., Schweitzer, N., Apter, Y. and Parush, A. (1995). A field study on braking responses during driving. I. Triggering and modulation. Ergonomics, 38(9), 1894-1902.
- Malone, T., Kirkpatrick, M., Kohl, K., and Baker, C. (1978). Field test evaluation of rear lighting systems. (Report No. HS-803-467). Washington DC: U.S. Department of Transportation.
- Maretzke, J. and Jacob, U. (1992). Distance warning and control as a means of increasing road safety. In FISITA '92, Safety, the vehicle and the road: Technical papers : XXIV

- FISITA Congress. (pp. 105-114). London: Mechanical Engineering Publications Limited.
- McKnight, A.J., and McKnight, A.S. (1993) The Effect of Cellular Phone Use Upon Driver Attention. Accident Analysis and Prevention, 25(3), 259-265.
- McKnight, J. and Shinar, D. (1992). Brake reaction time to center high-mounted stop lamps on vans and trucks. Human Factors, 34(2), 205-213.
- Meatyard, A. G., Fowkes, M., and Wall, J.G. (1988). An investigation into rear lighting arrangement for cars. International Journal of Vehicle Design, 9(4/5), 471-479.
- Moore, D. W. and Rumar, K. (1999). Historical development and current effectiveness of rear lighting systems. (Tech Report UMTRI-99-31). Ann Arbor: The University of Michigan, Transportation Research Institute.
- Morgan, C. T., Cook, J. S., Chapanis, C. T., and Lund, M. W. (Ed.) (1963). Human engineering guide to equipment design. New York: McGraw-Hill Book Company, Inc.
- Mortimer, R.G. (1997). Vehicle-driver communications to reduce rear-end collisions: What makes sense and why? In Proceedings of the Human Factors and Ergonomics Society 41st Annual Meeting (pp.849-853). Santa Monica, CA: Human Factors and Ergonomics Society.
- Mortimer, R. G. (1990). Perceptual factors in rear end crashes. In Proceedings of the Human Factors Society 34th Annual Meeting (pp.591-594). Santa Monica, CA: Human Factors and Ergonomics Society.
- Mortimer, R. G. (1981) Field test evaluation of rear lighting deceleration signals (Safety research report 81-1). Champaign, IL: University of Illinois.
- Mortimer, R. G. and Sturgis, S.P. (1976). Evaluation of an accelerator position signal. Presented at TRB annual meeting. Washington, D.C.
- NHTSA (National Highway Traffic Safety Administration) (1998). Traffic safety facts 1997: A compilation of motor vehicle crash data from the fatality analysis reporting system and the general estimates system. Washington DC: Author.
- NHTSA (National Highway Traffic Safety Administration) (1993). Traffic safety facts 1992: A compilation of motor vehicle crash data from the fatality analysis reporting system and the general estimates system. Washington DC: Author.
- Nickerson, R. S., Baron, S., Collins, A. M., and Crothers, C. G. (1968). Investigation of some of the problems of vehicle rear lighting. (Tech. Report FH-11-6558). New York: Bolt, Barenek and Newman Inc.

- Nilsson, L., Alm, H., and Janssen, W. J. (1992). Collision Avoidance Systems: Effects of different levels of task allocation on driver behaviour. In DRIVE Project V1041. Generic Intelligent Driver Support Systems (pp.1-22). Haren, The Netherlands: Statens väg-och Trafikinstitut.
- Noyce, D. A. and Fambro, D. B. (1998). Enhanced traffic control devices at passive highway-railroad grade crossings. Transportation Research Record, 1648, 19-27.
- Office of the Federal Register (1985). FMVSS (Federal Motor Vehicle Safety Standard) 108 (Lamps, Reflective Devices, and associated equipment). In 49 Code of Federal Regulations (Part 571.108). Washington, D.C: U.S. Government Printing Office.
- Olson, P. L. (1989). An evaluation of the advanced brake lights device. (SAE technical paper series No. 890190). Warrendale, PA: Society of Automotive Engineers.
- Olson, P.L. and Sivak, M. (1986). Perception-response time to unexpected roadway hazards. Human Factors,28 (1), 91-96.
- Ponds, R. W. H. M., and Van Wolffeelaar, P.C. (1988). Age differences in divided attention in a simulated driving task. Journal of Gerontology: Psychological Sciences, 46, 151-156.
- Proctor, R.W. and Zandt, T.V. (1994). Human factors in simple and complex systems. Boston: Allyn and Bacon.
- Reilly, R., Kurke, D., and Buckenmaier, C. (1980). Validation of the reduction of rear end collisions by a high mounted auxiliary stop lamp (US-DOT report HS-805-360). Washington D.C.: NHTSA
- Regan, D. and Beverley, K. I. (1983). Texture changes versus size changes as stimuli for motion in depth. Vision Research, 23, 673-676.
- Regan, D., Hamstra, S. and Kaushal, S. (1992). Visual factors in the avoidance of front-to-end highway collisions. In Proceedings of the Human Factors Society 36th Annual Meeting (1006-1010). Santa Monica, CA: Human Factors Society.
- Saad, F. (1996). Driver strategies in car-following situations. In A. G. Gale, I. D. Brown, C. M. Haslegrave, and S. P. Taylor, (Eds.) Vision in vehicles (pp. 61-70). New York: Elsevier.
- Sanders, M. S. and McCormick, E. J. (1993). Human factors in engineering and design, 7th edition. New York: McGraw Hill, Inc.
- Shinar, D., Rotenberg, E., and Cohen, T. (1997). Crash reduction with an advanced brake warning system: a digital simulation. Human Factors, 39(2), 296-302.
- Sivak, M., Conn, L. S., and Olson, P. L. (1986). Driver eye fixations and the optimal locations for automobile brake lights. Journal of Safety Research, 17, 13-22.

- Sivak, M. and Flannagan, M (1993). Human factors considerations in the design of vehicle headlamps and signal lamps. In B. Peacock and W. Karowski (Eds.) Automotive Ergonomics (pp.185-204). Washington DC.: Taylor and Francis.
- Sivak, M., Flannagan, M. J., and Olson, P. L. (1987). Brake lamps photometrics and automobile rear signaling. Human Factors, 29(5), 533-540.
- Sivak, M., Flannagan, M. J., Takashi S., Traube, E. C., and Masami, A. (1994). Reaction times to neon, LED, and fast incandescent brake lamps. Ergonomics 37(6), 989-994.
- Sivak, M., Flannagan, M. J., Miyokawa, T., and Traube, E. C. (1999). Color identification in the visual periphery: consequences for color coding of vehicle signals (Report UMTRI-99-20). AnnArbor, MI: University of Michigan Transportation Research Institute.
- Sivak, M., Olson, P. L. and Farmer, K. M (1982). Radar measured reaction times of unalerted drivers to brake signals. Perceptual and Motor Skills,55, 594.
- Stern, J.A., Oster, P.J., and Newport, k. (1980) Reaction time measures, hemispheric specialization, and age. In L.Poon (Ed), Aging in the 1980s (pp. 309-326). Washington, D.C.: American Psychological Association.
- Stokes, A., Wickens, C., and Kite, K. (1990). Display technology: Human factors concepts. Warrendale, Pa: SAE International.
- Summala, H., Lamble, D., and Laasko, M. (1998). Driving experience and perception of the lead car's braking when looking at in-car targets. Accident Analysis and Prevention, 30(4), 401-407.
- Taoka, G. T. (1989). Brake reaction times of unalerted drivers. ITE Journal, (19-21).
- Theeuwes, J. and Alferdinck, J. (1995). Rear light arrangements for cars equipped with a center high-mounted stop lamp. Human Factors, 37(2), 371-380.
- Tijerina, L. (1995) Key human factors research needs in IVHS crash avoidance. Presented at the Transportation Research Board 74th Annual Meeting, Washington DC.
- Treat, J. R., Trumbas, N. S., Donald, S. T., Shinar, D., Hume, R. D., Mayer, R. E., Stansifer, R. L., and Catellan, N. J. (1979). The study of the causes of traffic accidents final report volume 1: Causal factor tabulations and assessments. (Tech. Report DOT HS-034-3-535). Washington DC: United States Department of Department of Transportation, National Traffic Safety Administration.
- Van Cott, H. P and Kinkade, R. G. (1972). Human engineering guide to equipment design. Washington, D.C: McGraw-Hill.

- Voevodsky, J. (1974). Evaluation of a deceleration warning light for reducing rear end automobile collisions. Applied Psychology, 59, 270-273.
- Wang, J. S., Knipling, R. R. and Blincoe, L. J. (1996). Motor vehicle crash involvements: A multidimensional problem size assessment. Paper presented at ITS 6th Annual Meeting, Houston, TX.
- Wasielewski, P. (1979). Car-following headways on freeways interpreted by the semi-poisson headway distribution model. Transportation Science, 13, 36-55.
- Wiacek, C. J. & Najm, W. G. (1999). Driver/vehicle characteristics in rear-end pre-crash scenarios based on the General Estimates System (GES). (SAE Technical Paper 1999-01-0817). Warrendale, PA: Society of Automotive Engineers.
- Winters, J. J. (1998). An investigation of auditory icons and brake response times in a commercial truck-cab environment. Unpublished thesis, Virginia Polytechnic and State University, Blacksburg, VA.