

Acknowledgment

I would like to express my deepest gratitude to my advisor, Dr. George J. Flick, for his support and guidance throughout the research. His continued support led me to the right way.

I would also like to extend my appreciation to my committee members: Dr. Joseph E. Marcy; and Dr. William N. Eigel for their advice during my research.

My sincere appreciation is extended to Dr. Gene H. Haugh for his invaluable support and advise on the physical properties evaluation, Dr. Daniel Kauffman at the L.D. Amory Seafood Company, and Neptune Fisheries Seafood Company who initiated this project.

Special thanks to Joe Boling, Harriet Williams, and Mark Tolbert for their assistance in the laboratory experiment.

I would also like to extend my deepest gratitude to my family. Without their encouragement, I would not have a chance to be at Virginia Tech. Also my best friend, Mr. Yuthasak Urathamakul, who was always with me during the project.

Table of contents

Abstract	ii
Acknowledgment	iv
List of figures	vii
List of tables	ix
Section I: Literature Review	1
1. Squid.....	1
1.1 North Atlantic long-finned squid (<i>Loligo pealei</i>)	1
1.2 North Atlantic short-finned squid (<i>Illex illecebrosus</i>)	3
1.3 The structure of squid.....	3
1.4 The chemical composition of squid.....	4
2. Engineered foods.....	9
2.1 Definition of engineered foods	9
2.2 History/Background	10
3. Hydrocolloids and gums	12
3.1 Starch	12
3.1.1 The structure of starch	12
3.1.2 Functional properties of starch.....	15
3.1.3 Modification of starch.....	15
3.1.4 Applications.....	17
3.2 Seaweed extracts: alginates	18
3.2.1 Chemistry of alginates	18
3.2.2 Functional properties of alginates.....	21
3.2.3 The setting of algin/calcium gel.....	24
3.2.4 Applications.....	26
4. Proteins	27
4.1 Egg white albumin	28
4.1.1 Composition of egg white.....	28
4.1.2 Gelation	29
4.1.3 Applications.....	29
4.2 Fish protein	30
4.2.1 Chemistry of fish protein	30
4.2.2 Applications.....	31
5. Transglutaminase	32
5.1 Characteristics of transglutaminase	32
5.2 Sources of transglutaminase	33
5.3 Measuring transglutaminase activity	36
5.4 Substrate specificity	37
5.5 Applications	39
References	41

Section II: Effect of starch, egg white albumin, and fish sarcoplasmic protein on the textural and cooking properties of deep-fat fried restructured squid.....	45
Abstract.....	45
Introduction.....	46
Materials and methods	49
Materials	49
Squid meat preparation.....	49
Fish sarcoplasmic protein preparation	51
Restructured squid patty preparation	52
Cooking procedures.....	54
Cooking loss.....	55
Instron measurement of Texture Profile Analysis (TPA) parameters	55
Statistical analysis	56
Results and discussions.....	57
Conclusions.....	65
References.....	73
Section III: The effect of cold-set binders: alginate and microbial transglutaminase on the physical properties of restructured scallops.....	75
Abstract.....	75
Introduction	76
Materials and methods	78
Materials	78
Restructured scallops preparation.....	78
Evaluation of physical properties	79
Statistical analysis	80
Results and discussions.....	81
Conclusions	86
References.....	89
Appendix I.....	91
Appendix II	101
Vitae.....	105

List of figures

Figure 1: The structure and internal organ of squid (<i>Loligo sp. and Illex sp.</i>).....	2
Figure 2: The tissue structure of fish (<i>T. japonica</i>)	5
Figure 3: The tissue composition in the squid mantle (<i>Loligo paelei</i>).....	6
Figure 4: The tissue structure of squid mantle (<i>T. pacificus</i>).....	7
Figure 5: The structure of starch	14
Figure 6: The gel formation of starch.....	16
Figure 7: The monomer of alginic acid	19
Figure 8: The configuration of alginate block types.....	20
Figure 9: The production of commercial alginates by incorporating different salts into alginic acids	22
Figure 10: The “egg-box” structure	23
Figure 11: The transglutaminase- catalyzed reactions.....	34
Figure 12: The process for squid meat preparation	50
Figure 13: The flowchart of restructure squid patty preparation	53
Figure 14: The schematic of typical Texture Profile Analysis curves using an Instron Universal Testing Machine	92
Figure 15: The effect of 2, 4, 6, 8, and 10% starch on hardness, cohesiveness, and springiness of deep-fat fried restructured squid.....	94
Figure 16: The effect of 2, 4, 6, 8, and 10% egg white albumin on hardness, cohesiveness, and springiness of deep-fat fried restructured squid.....	95

Figure 17: The effect of 2, 4, 6, 8, and 10% fish sarcoplasmic protein on hardness, cohesiveness, and springiness of deep-fat fried restructured squid..... 96

Figure 18: The effect of starch : egg white albumin (%) at 0:10, 2:8, 4:6, 5:5, 6:4, 8:2, and 10:0 level combination on hardness, cohesiveness, and springiness of deep-fat fried restructured squid..... 97

Figure 19: The effect of starch : fish sarcoplasmic protein (%) at 0:10, 2:8, 4:6, 5:5, 6:4, 8:2, and 10:0 level on hardness, cohesiveness, and springiness of deep-fat fried restructured squid 98

Figure 20: The effect of 2, 4, 6, 8, and 10% starch, egg white albumin, and fish sarcoplasmic protein on the cooking losses of deep-fat fried restructured squid 99

Figure 21: The effect of combination between starch and egg white albumin and starch and fish sarcoplasmic protein at the combined level of 10% (0:10, 2:8, 4:6, 5:5, 6:4, 8:2, and 10:0) on the cooking losses of deep-fat fried restructured squid.....100

Figure 22: The stress-strain curve of restructured scallops with 1% alginate set at 5 °C for 2 hr derived from compression test using MTS Universal Testing Machine at the crosshead speed of 100 mm/min102

Figure 23: The apparent modulus of elasticity (kPa) of restructured scallops bound with 1% alginate and 1% microbial transglutaminase (MTGase) at various setting times at 5 °C.....104

List of tables

Table 1: The protein and non-protein nitrogen in squid meat.....	8
Table 2: The classification of common edible hydrocolloids	13
Table 3: Ca ²⁺ -dependency of microorganism transglutaminase and guinea pig liver Transglutaminase	35
Table 4: Reactivity of microorganism transglutaminase for various proteins	38
Table 5: The effect of 2, 4, 6, 8, and 10% starch on the hardness, cohesiveness, and springiness of deep-fat frying restructured squid.....	66
Table 6: The effect of 2, 4, 6, 8, and 10% egg white albumin on the hardness, cohesiveness, and springiness of deep-fat frying restructured squid	67
Table 7: The effect of 2, 4, 6, 8, and 10% fish sarcoplasmic protein on the hardness, cohesiveness, and springiness of deep-fat frying restructured squid	68
Table 8: The effect of starch : egg white (%) at 0:10, 2:8, 4:6, 5:5, 6:4, 8:2, and 10:0 level on the hardness, cohesiveness, and springiness of deep-fat frying restructured squid.....	69
Table 9: The effect of starch : fish sarcoplasmic protein (%) at 0:10, 2:8, 4:6, 5:5, 6:4, 8:2, and 10:0 level on the hardness, cohesiveness, and springiness of deep-fat frying restructured squid	70
Table 10: The cooking losses of deep-fat frying restructured squid with starch, egg white albumin, and fish sarcoplasmic protein.....	71

Table 11: The cooking losses of deep-fat frying restructured squid with the combination of starch and egg white albumin and starch and fish sarcoplasmic protein.....	72
Table 12: The effect of setting times at 5 °C on the physical properties: apparent modulus of elasticity, 5% secant modulus, 10% secant modulus, and 20% secant modulus of restructured scallops made from 1% (w/w) alginate	87
Table 13: The effect of setting times at 5 °C on the physical properties: apparent modulus of elasticity, 5% secant modulus, 10% secant modulus, and 20% secant modulus of restructured scallops made from 1% (w/w) microbial transglutaminase (MTGase).....	88