

Erratum: Influence of molecular weight distribution on the melt extrusion of high density polyethylene (HDPE): Effects of melt relaxation behavior on morphology and orientation in HDPE extruded tubular films [J. Rheol. 40, 1079 (1996)]

Ta-hua Yu and G. L. Wilkes

Citation: *Journal of Rheology* (1978-present) **41**, 467 (1997); doi: 10.1122/1.550810

View online: <http://dx.doi.org/10.1122/1.550810>


View Table of Contents: <http://scitation.aip.org/content/sor/journal/jor2/41/2?ver=pdfcov>

Published by the [The Society of Rheology](#)



Re-register for Table of Content Alerts

Create a profile.



Sign up today!



Erratum: Influence of molecular weight distribution on the melt extrusion of high density polyethylene (HDPE): Effects of melt relaxation behavior on morphology and orientation in HDPE extruded tubular films [J. Rheol. 40, 1079 (1996)]

Ta-hua Yu and G. L. Wilkes

*Department of Chemical Engineering and Polymer Materials
and Interfaces Laboratory, Virginia Polytechnic Institute
and State University, Blacksburg, Virginia 24061-0211*

[S0148-6055(97)01702-1]

Equation (3) of our earlier article was stated incorrectly in the published form. The correct form of the Carreau–Yasuda equation *that was utilized in generating the data given in Fig. 3 of our paper* is given below in its correct form.

$$|\eta^*(\omega)| = \frac{\eta_0}{[1 + (\omega \cdot \tau)^a]^{(1-n)/a}} \quad (3)$$