
Bringing carbon back into nutrient management

Johannes Lehmann

Department of Crop and Soil Sciences

Cornell University

Soil Knowledge is Available to Develop Nutrient Recommendations


1. Site-specific recommendations



2. Constraints may lie outside soil knowledge (fertilizer availability, costs etc.)




Conservation Agriculture



(typically a combination of residue retention, minimum tillage, crop rotation)

Multiple Uses of Biomass



- 1. Generate synergy between biomass uses**
- 2. Adopt a watershed view of resource management**



Example: Integration of Household Energy and Soil Improvement through Biochar



Biochar Stoves

©Dorisel Torres



Cornell University

Example: Integration of Household Energy and Soil Improvement through Biochar



25,000 families



10,000 families
in the next 3 years




1,000 families




Cornell University

Biochar “Transformation”

Complete chemical changes during heating in absence of air (pyrolysis)




Knicker, 2007, *Biogeochem* 85, 91-118



Biochar Approaches to Nutrient Management

1. Nutrient retention




Liang et al., 2006,
SSSAJ 70: 1719-1730

2. Acidity management (alternative to lime)

3. Inoculant carrier

4. Lasts about 2 orders of magnitude longer in soil



Cornell University


Soil Management Does Not Come in a Box



...but



COMACO



USAID
FROM THE AMERICAN PEOPLE

