

Table of Contents

Introduction	1
Genetically modified plants	1
Producing genetically modified plants	2
<i>Non-targeted methods</i>	2
<i>Targeted methods</i>	4
Goals of this project	5
Biology of adeno-associated virus	5
<i>Viral vectors foe gene therapy</i>	5
<i>AAV-2 structure and genome organization</i>	5
AAV-2 life cycle	8
Rep78/68	9
AAV-2 applications	12
AAV-2 gene therapy technology to transform plants	13
Materials and Methods	14
Reagents	14
DNA fractionation	14
<i>rep78</i> plant vector construction	14
Competent bacteria preparation	18
Bacterial transformation	18
Bacterial clone analysis	18
Sequence analysis	20
Infiltration medium	21
<i>A. thaliana</i> vacuum infiltration	21
Plant selection/Genomic DNA extraction	22
HeLa cell infection	24
SDS-PAGE and Western blotting	25
PCR analysis of transformed plants	27
RT-PCR analysis of transformed plants	28
Results and Discussion	30
<i>rep78</i> plant vector construction	30
<i>rep78</i> in <i>A. thaliana</i>	35
<i>rep78</i> sequence in <i>A. thaliana</i>	40
Rep78 expression in <i>A. thaliana</i>	40
<i>rep</i> transcription	40
Rep translation	45
Rep78 expression <i>in vitro</i>	47
Conclusions	49
Future directions	52

References	54
Resume	62

List of Tables

Table I. Cycling conditions for amplification of <i>rep78</i>	15
Table II. Cycling conditions for amplification of ~300 bp <i>rep78</i> fragment	19
Table III. Cycling conditions for amplification of ~1900 bp <i>rep78/GFP</i> fragment	20
Table IV. Cycling conditions for sequencing of <i>rep78</i> from pSdDan and transgenic plants	21
Table V. Primer annealing temperatures	24
Table VI. Cycling conditions for amplification of <i>rep78</i> fragments and <i>GFP</i> from transformed plants	28
Table VII. Cycling conditions for RT-PCR amplification of <i>rep</i> fragments and <i>GFP</i> from transformed plants	29

List of Figures

Figure 1. AAV-2 transcription map (adapted from Redmann et al., 1989)	7
Figure 2. Integration of AAV-2 into AAVS1 (taken from Yoon et al., 2001)	10
Figure 3. Rep78/68 functional domain map (adapted from Gavin et al., 1999).	11
Figure 4. pSdDan	17
Figure 5. Locations of Rep and GFP primers within pSdDan	23
Figure 6. Amplification of <i>rep78</i> from pSUB-201	32
Figure 7. Amplification of <i>rep78</i> (lanes 2-4) and <i>rep78-GFP</i> (lanes 5-6) fragments	34
Figure 8. Amplification of <i>rep78</i> fragments from transgenic plant #2	36
Figure 9. Amplification of <i>GFP</i> fragment from transformed plant #2	38
Figure 10. Chlorotic lesions as observed in the older leaves of the transformed plant #2 T1 generation	39
Figure 11. Alignment of <i>rep78</i> (930 to 973 bp shown) and plant #2 sequence data	40
Figure 12. <i>rep</i> RT-PCR from transgenic plant #11	42
Figure 13. <i>GFP</i> RT-PCR from transgenic plant #11	43
Figure 14. <i>rep</i> and <i>GFP</i> PCR from transgenic plant RNA and positive templates	44
Figure 15. Western blot of <i>rep/GFP</i> transformed plants	46
Figure 16. Western blot of AAV-2 and Ad-5 infected HeLa cell lysate	48