

## LITERATURE CITED

- Ambach, R.M and R. Ashford. 1982. Effects of variation in drop make-up on the phytotoxicity of glyphosate. *Weed Sci.* 30:221-224.
- Anderson, N.H. and D.J. Hall. 1989. The role of dynamic surface tension in the retention of surfactant sprays on pea plants. In: Adjuvants and agrochemicals. Eds.P.N.P. Chow, C.A. Grant, A.M. Hinshalwood and E. Simundson. CRC Press, Boca Raton, 2:2-61.
- Anderson, N.H.; D.J. Hall and D. Seaman. 1987. Spray retention: effects of surfactants and plant species. *Aspects of Applied Biology* 14:233-243.
- Ayres, P.; W.A. Taylor and E.G. Cottrell. 1982. The influence of cereal canopy and application method in spray deposition and biological activity of a herbicide for broad-leaved weed control. *Crop Prot.* 3:24-25.
- Bacon, C.G. and S.M. Zedaker. 1987. Third-year growth response of loblolly pine to eight levels of competition control. *South. J. Appl. For.* 11:91-95.
- Bode, L.E., 1984. Downwind drift and deposits by ground applications. *Proc. Pestic. Drift Manage. Symp.*, S. Dak. Univ. 1:49-52.
- Boerboom, C.M. and D.L. Wyse. 1988. Influence of Glyphosate Concentration on Glyphosate Absorption and Translocation in Canada Thistle ( Cirsium arvense ). *Weed Sci.* 36:291-295
- Boyer, J.N. and D.B. South. 1984. Forest nursery practices in the South. *South. J. Appl. For.* 8:67-75.
- Brady, H.A. 1972. Drop Size Affects Absorption of 2,4,5-T By Six Hardwood Species. *Proc. South Weed Sci. Soc.* 25:282-286
- Brakke, T.W.; W.P. Wergin, E.F. Erbe and J.M. Harnden. 1993. Seasonal variation in the structure and red reflectance of leaves from yellow poplar, red oak, and red maple. *Remote Sens. Environ.* 43:115-130.
- Braze, R.D.; D.L. Reichard, M.J. Bukovac and R.D. Fox. 1991. A partitioned energy transfer model for spray impaction on plants. *J. Agric. Eng. Res.*, 50:11-24.
- Buehler, D.D. and O.C. Burnside. 1983. Effect of Spray Components on Glyphosate Toxicity to Annual Grasses. *Weed Sci.* 31:124-130
- Buehler, D.D. and O.C. Burnside. 1987. Effects of Application Factors on Postemergence Phytotoxicity of Fluazifop-butyl, Haloxyfop-methyl, and Sethoxydim. *Weed Sci.* 32:574-583

- Cain, M.D. 1991. The influence of woody and herbaceous competition on early growth of naturally regenerated loblolly and shortleaf pines. *South J. Appl. For.* 15:179-184.
- Cazell, J.T; S.M. Zedaker and J.R. Seiler. 1990. Droplet size-concentration interactions in forest vegetation control. *Proc. South. Weed Sci. Soc.* 43:215-219.
- D'Anieri, P.; S.M. Zedaker and A.B. Hairston. 1986. Understory hardwood control in Virginia coastal plain loblolly pine stands. *Proc. South. Weed Sci. Soc.* 39: 253.
- De Ruiter, H.; A.J.M. Uffing, E. Meinen and A. Prins. 1990. Influence of surfactants and plant species on leaf retention of spray solutions. *Weed Science* 38:567-572.
- Douglas, G. 1968. The influence of size of spray droplets on the herbicidal activity of diquat and paraquat. *Weed Res.* 8:205-212.
- Ennis, W.B and R.E. Williamson. 1963. The influence of droplet size on effectiveness of low-volume herbicide sprays. *Weeds* 11:67-72.
- Farm Chemicals Handbook. 1992. Meister Publishing Company.
- Ford, R.E. and C.G.L. Furnidge. 1967. Impact and spreading of spray drops on foliar surfaces. In: Wetting SCI (ed) Monograph no 25. Society of Chemical Industry, London, 417-432
- Forster, W.A.; J.A. Zabkiewicz; R.S. Murray and S.M. Zedaker. 1997. Contact phytotoxicity of triclopyr formulations on three plant species in relation to their uptake and translocation. *Proc. 50th Plant Protection Soc. Conf.* 125-128
- Forster, W.A. and J.A. Zabkiewicz. 1994. Effect of an organosilicone surfactant on spray drop adhesion and retention by pea (Pisum sativum) leaf surfaces. *Proc. NZ Plant Protection Society Conf.* 47: 387-391.
- Forster, W.A. and J.A. Zabkiewicz. 1998. Spray retention of triclopyr-organosilicone mixes by plant species under field and track-sprayer conditions. NZ FRI project record No. 6031.
- Fortson, J.C.; B.D. Shiver and L. Shackelford. 1996. Removal of competing vegetation from established loblolly pine plantations increases growth on piedmont and upper coastal sites. *South J. Appl. For.* 20:188-192.
- Furnidge, C.G.L. 1962. Physico-chemical studies on agricultural sprays. IV. - The Retention of Spray Liquids on Leaf Surfaces. *J. Sci. Food. Agric*13:127-140.
- Gangstad, E.O. and G.N. Montz. 1989. Technical review of the factors affecting rangeland, permanent pastures, and the rights-of-way use of Triclopyr. In: Woody Brush Control. Ed. Gangstad, E.O., Boca Raton, Fla.: CRC Press, Chpt. 13:145-151.

Gaskin, R.E. and P.J.G. Stevens. 1993. Antagonism of the foliar uptake of glyphosate into grasses by organosilicone surfactants. Part 2: Effects of surfactant structure and glycerol addition. *Pestic. Sci.* 38:193-200.

Gaskin, R.E. and J.A. Zabkiewicz. 1983. Droplets not drumlots. *What's New in Forest Research* 120.

Gaskin, R.E. and J.A. Zabkiewicz. 1989. *Proc. 42nd NZ Weed and Pest Control Conf.* 128-31.

Gebhardt, M.R.; C.L. Webber and L.F. Bouse. 1986. Comparison of a rotary atomizer to a fan nozzle for a herbicide application. *Trans. Am. Soc. Agric. Eng.* 28:382-385.

Geiger, D.R. and H.D. Bestman. 1990. Self-limitation of herbicide mobility by phytotoxic action. *Weed Sci.* 38: 324-329.

Gjerstad, D.H. and B.L. Barber. 1987. Forest Vegetation Problems in the South. In: Forest Vegetation Management For Conifer Production. Ed. J.D. Walstad and P.J. Kuch. Chpt3:55-75.

Glover, G.R. and B.R. Zutter. 1993. Loblolly pine and mixed hardwood stand dynamics for 27 years following chemical, mechanical, and manual site preparation. *Can. J. For. Res.* 23:2126-2132.

Glover, G.R.; B.R. Zutter; P.J. Minogue and D.H. Gjerstad. 1991. Effect of hexazinone rate and formulation on loblolly pine in broadcast release applications. *South J. Appl. For.* 15:54-61.

Goddard, E.D. and K.P.A. Ananthapadmanabhan. 1992. A mechanistic study of the wetting, spreading, and solution properties of organosilicone surfactants. In: Adjuvants for Agrichemicals, (C.L. Foy Ed.), CRC Press, Boca Raton. 373-383.

Hartley, G.S. and R. Howes. 1961. *Proc. 1st British Insecticides and Fungicides Conf.* 533-42

Hartley, G.S. 1966. Physics of foliar application in relation to formulation. *Proc. 8th British Weed Control Conf.* 794-803.

Hartley, G.S. and R.T. Brunskill. 1958. Reflection of water droplets from surfaces. In: Surface Phenomena in Chemistry and Biology. Ed. Danielli, J.F., Parkhurst, KGA. and Riddiford, AC., Pergamon Press, Oxford: 214-226.

Haywood, J.D. and Tiarks. 1990. Eleventh-year results of fertilization, herbaceous, and woody control in a loblolly pine plantation. *South J. Appl. For.* 14:173-177.

Helena Chemical Company, 1988. In: Your Guide to Spray Adjuvants from Helena. Helena Chemical Company, Memphis, TN, 30pp.

Hess, F.D. 1987. Relationship of plant morphology to herbicide application and absorption. In: Methods of Applying Herbicides. Eds. C.G. McWhorter and M.R. Gebhardt. Chpt. 3:19-35.

Holloway, P.J. 1994. Physicochemical factors influencing the adjuvant-enhanced spray deposition and coverage of foliage-applied agrochemicals. In: Interactions Between Adjuvants, Agrochemicals and Target organisms. Ed. P.J. Holloway, R.T. Rees and D. Stock. Chpt. 4:83-106

Holloway, P.J. 1970. Surface factors affecting the wetting of leaves. *Pestic. Sci.* 1:156-163

Holly, K. 1976. Selectivity in relation to formulation and application methods. In: Herbicides Physiology, Biochemistry, Ecology. Volume 2. Ed. Audus, L.J. Academic Press. Chpt 8:249-277

Kidd, F.A. 1987. Application and use of herbicides in forest and industrial right-of-way sites. Methods of Applying Herbicides. Ed. McWhorter, CG. and Gebhardt, MR. Weed Science Society of America. Monograph 4. 297-312.

Knoche, M. 1994. Organosilicone surfactant performance in agricultural spray application: a review. *Weed Research* 34:221-239.

Knowe, S.A.; B.D. Shiver and W.N. Kline. 1992. Fourth-year response of loblolly pine following chemical and mechanical site preparation in the Georgia Piedmont. *South. J. Appl. For.* 16:99-105.

Knowe, S.A. 1991. Simultaneous prediction of the development of loblolly pine and woody competitors in young plantations. *New Forests* 5:175-193.

Lake J.R. 1977. The effect of drop size and velocity on the performance of agricultural sprays. *Pestic Sci* 8:515-520.

Lanner, R.M. 1985. On the insensitivity of height growth to spacing. *For. Ecol. Manage.* 13:143-148.

Liu, J. and H.E. Burkhart. 1994. Modelling inter- and intra-specific competition in loblolly pine (*Pinus taeda* L.) plantations on cutover, site-prepared lands. *Ann. Bot.* 73:429-435.

Maybank, J. 1981. An assessment of the efficiency and effectiveness of herbicidal applications. *Sask. Res. Council Publ.*, p. 799-2-D. *Proc. Austr. Weed Conf. Queensland*: 1-10.

McKinlay, K.S.; R. Ashford and R.J. Ford. 1974. Effects of drop size, spray volume and dosage on paraquat toxicity. *Weed Sci.* 22:31-34.

McKinlay, K.S.; S.A. Brandt, P. Morse and R. Ashford. 1972. Droplet size and phytotoxicity of herbicides. *Weed Sci.* 20:450-452.

Merritt, C.R. 1982. The influence of form of deposit on the phytotoxicity of difenzoquat applied as individual drops to *Avena fatua*. *Ann. Appl. Biol.* 101:517-525.

Merritt, C.R. and R. Taylor. 1977. Glasshouse trials with controlled drop application of some foliage-applied herbicides. *Weed Res.* 17:241-245.

Merritt, C.R., 1980. The influence of application of variables on the biological performance of foliage-applied herbicides. *In: Spraying Systems for the 1980's*, Ed J.O. Walker, BCPC Monograph. No. 24, Croydon. Chpt 2:35-43.

Miller, J.H. 1990. Directed foliar sprays of forestry herbicides for loblolly pine release. *South. J. Appl. For.* 14:199-206.

Miller, J.H. 1988. Hardwood control with directed sprays and thinline. *Proceedings South. Weed Sci. Soc.* 41:143.

Miller, J.H. 1991. Application methods for forest herbicide research. *In: Standard Methods for Forest Herbicide Research*. Ed.. Miller, JH. and Glover, GR. Chpt. 6:45-60.

Miller, J.H.; B.R. Zutter, S.M. Zedaker, M.B. Edwards, J.D. Haywood and R.A. Newbold. 1991. A regional study on the influence of woody and herbaceous competition on early loblolly pine growth. *South J. Appl. For.* 15:169-179.

Mullison, W.R., 1953. The effect of droplet size upon herbicidal effectiveness of plant growth regulators. *Down Earth* 9:11-13.

Murphy, G.J.; G.A. Policello and R.E. Ruckle. 1991. Formulation Considerations for Trisiloxane Based Organosilicone Adjuvants. *Brighton Crop Protection Conference- Weeds.* 355-362.

Neumann, P.M. and R. Prinz. 1974a. Evaluation of surfactants for use in the spray treatment of iron chlorosis in citrus trees. *J. Sci. Fd Agric.* 25:221-226.

Neumann, P.M. and R. Prinz. 1974b. The effect of organosilicone surfactants on foliar nutrient sprays on increased adsorption of phosphate and iron salts through stomatal infiltration. *Israel J. Agric. Res.* 23:123-128.

Newton, M. and F.B. Knight. 1981. Handbook of weed and insect control chemicals for forest resource managers. Timber Press, Beaverton, Oregon.

Picot, J.J.C. and D.D. Kristmanson. 1997. Forestry Pesticide Aerial Spraying. Kluwer Academic Publishers, The Netherlands.

Policello, G.A.; G.J. Murphy, P.J.G. Stevens. and W.A. Forster. 1993. Dynamic surface tension effects on spray droplet adhesion of organosilicones. *Proc. Brighton Crop Protection Conf.- Weeds:* 1325-1330.

Prasad, R. 1985. Droplet size and efficacy of some forest herbicides. in: Res. Rep. Expert Committee on Weeds, Eastern Canada: 616.

Prasad, R. and B.L. Cadogan. 1992. Influence of droplet size and density on phytotoxicity of three herbicides. *Weed Technology*. 6:415-423.

Quicke, H.E.; D.K. Lauer, and G.R. Glover. 1996. Growth response following herbicide release of Loblolly pine from competing hardwoods in the Virginia Piedmont. *South J. Appl. For* 20:177-181.

Reeves, B.G. 1989. The rationale for adjuvant use with agrichemicals. In: Adjuvants for Agrichemicals. Ed. Foy, CL. Chpt. 46:487-488.

Reynolds, P.E.; R.J. Hendler, W.D. Betsch and W. Ollice. 1983. Preliminary evaluation of triclopyr ester efficacy on a West Virginia pipeline row. *Northern Weed Science Society Proceedings*. 37:286-290.

Shiver, B.D. and G.H. Brister. 1996. Effect of hardwoods and pine density on natural loblolly pine yields and product distribution. *South J. Appl. For*. 20:99-102.

Shiver, B.D.; S.A. Knowe and W.N. Kline. Comparison of chemical site preparation treatments in the Georgia Piedmont. *South J. Appl. For*. 14:24-32.

Shiver, B.D.; J.W. Rheney and M.J. Oppenheimer. 1990. Site-preparation method and early cultural treatments affect growth of flatwoods slash pine plantations. *South J. Appl. For*. 14:183-188.

Smith, M.H., 1946. Quantitative aspects of aqueous spray applications of 2,4-D acid for herbicidal purposes. *Bot. Gaz*. 107:546-551.

Spillman J.J. 1984. Spray impaction, retention and adhesion: an introduction to basic characteristics. *Pestic. Sci*. 15:97-106.

Stevens P.J.G. 1993. Organosilicone surfactants as adjuvants for agrochemicals. *Pestic. Sci*. 38:103-122.

Stevens, P.J.G.; M.O. Kimberley, D.S. Murphy, and G.A. Policello. 1993. Adhesion of spray droplets to foliage: the role of dynamic surface tension and advantages of organosilicone surfactants. *Pestic. Sci*. 38:237-245.

Stevens, P.J.G.; W.A. Forster, D.S. Murphy, G.A. Policello and G.J. Murphy. 1992. Surfactants and physical factors affecting adhesion of spray droplets on leaf surfaces. *Proc. Southern Weed Science Society*. 45:354-358.

Stevens P.J.G.; R.E. Gaskin, S.O. Hong and J.A. Zabkiewicz. 1991. Contributions of stomatal and cuticular penetration to enhancement of foliar uptake by surfactants. *Pestic. Sci*. 33:371-382.

- Stevens, P.J.G. and J.A. Zabkiewicz. 1990. New formulation technology- Silwet organosilicone surfactants have physical and physiological properties which enhance the performance of sprays. Proc. 9th Australian Weeds Conf., 327-31.
- Stevens, P.J.G.; E.A. Baker and N.H. Anderson. 1987. Factors affecting the foliar absorption and redistribution of pesticides. 2. Physicochemical properties of the active ingredient and the role of surfactant. Pestic Sci., 24:31-53.
- Tadros T.F. 1987. Interactions at interfaces and effects on transfer and performance. Aspects Appl Biol 14:1-22.
- USDA Forest Service. 1982. Projected trends in domestic timber resources. *In: An analysis of the timber situation in the United States, 1952-2030*. USDA Forest Service, Washington, DC. Forest Resour. Rep. 23. 147-199.
- Venzmer, J. and S.P. Wilkowski. 1998. Trisiloxane surfactants - Mechanisms of spreading and wetting. Pesticide Formulations and Application Systems; 18<sup>th</sup>. Volume, ASTM STP 1347, J.D. Nalewaja, G.R. Goss and R.S. Scott, Eds., American Society for Testing and Materials.
- Weed Science Society of America. 1983. Herbicide Handbook. Weed Science Society of America, Champaign, IL, p. 515.
- Wilson, B.J. and W.A. Taylor. 1978. Field trials with controlled drop application of barban and difenzoquat for the control of wild oats (*Avena fatua* L.) in spring barley. Weed Res. 18:215-221.
- Wirth, W.; S. Storp and W. Jacobsen. 1991. Mechanisms controlling leaf retention of agricultural spray solutions. Pestic. Sci. 33:411-420.
- Wright, H.A. and A.W. Bailey. 1982. Southeastern forests. *In: Fire Ecology: United States and Southern Canada*. John Wiley and Sons, Inc., New York, NY. 363-387.
- Yates, W.B.; N.B. Akesson and D. Bayer. 1976. Effects of spray adjuvants on drift hazards. Transactions of the ASAE 19 No. 1:41-46.
- Yates, W.B.; N.B. Akesson and D. Bayer. 1976. Effects of spray adjuvants on drift hazards. Transactions of the ASAE 19 No. 1:41-46.
- Yeiser, J.L. 1997. Backpack low-volume sprays for rights-of-way cleanup. Proc. Southern Weed Science Society. 50:85-87.
- Young, B.W. 1980. The use of high speed cinephotography in pesticide spray application research. Proceedings 5th International Conference on mechanization of field experiments. Wageningen, Netherlands. 116-123.

Young, B.W. 1986. A device for the controlled production and placement of individual droplets. In: Pesticide Formulations and Application Systems, ASTM STP 915, ED. Spicer LD and Kaneko TM.: 13-22.

Zabkiewicz, J.A.; D. Coupland and F. Ede. 1988. Pesticide Formulations: Innovations and Developments, ACS Symp. Series 371, Ed. Cross, B. and Scher, HB. Amer. Chem. Soc., Washington DC, 77-89.

Zedaker, S.M.; J.J. Bollig, J.R. Seiler and M.L. Jackson. 1995. Adjuvants alter triclopyr uptake in North American tree species. In: Second International Conference on Forest Vegetation Management, Rotorua, New Zealand, 20-24 March 1995 (FRI Bulletin No. 192).

Zutter, B.R.; D.H. Gjerstad, A.L. Webb and G.R. Glover. 1988. Response of a young loblolly pine (*Pinus taeda*) plantation to herbicide release treatments using hexazinone. For. Ecol. Manage. 25:91-104.

Zutter, B.R.; G.R. Glover and D.H. Gjerstad. 1986. Effects of herbaceous weed control using herbicides in a young loblolly pine plantation. For. Sci. 32:882-899.