

References

- [1] Applied Technology Council, 1995. *Cyclic Testing of Narrow Plywood Shear Walls - ATC-R-1*, University of California at Irvine.
- [2] Arima, T., Okabe, M., Maruyama, N. And Hayamura, S., 1990. "Dynamic Behavior and Stiffness of Full-Scale Houses During Progressive Stages of Construction," *Proceedings of the International Timber Engineering Conference*. Tokyo, Japan, pp. 778-785.
- [3] Boughton, G.N., and Reardon, G.F., 1984. "Simulated Cyclone Wind Test on a Timber Frame House," *Proceedings of the Pacific Timber Engineering Conference, Volume II -Timber Design Theory*. Auckland, New Zealand, pp.527-534.
- [4] Buchanan, A., Dean, J, and Deam, B., 1990. "Seismic Design of Wood Structures," *Wood Design Focus*, Vol. 1, No. 4, pp 10-13.
- [5] Bulleit, W.M., 1987. "Markov Model for Wood Structural Systems," *Journal of Structural Engineering*, Vol. 113, No. 9, pp 2023-2031.
- [6] Dean, J.A., Moss, P.J., and Stewart, W.G., 1984. "A Design Procedure for Rectangular Openings In Shearwalls and Diaphragms," *Proceedings of the Pacific Timber Engineering Conference, Volume II - Timber Construction*. Auckland, New Zealand, pp. 513-518.
- [7] Dean, J.A., Stewart, W.G., and Carr, A.J., 1986. "The Seismic Behavior Plywood Sheathed Shearwalls," *The Bulletin of the New Zealand Society for Earthquake Engineering*, Vol. 19, No. 1, pp 48-63.
- [8] Diekmann, E.F., 1989. "Wood Shearwalls for Engineers," *Proceedings of the Second Pacific Timber Engineering Conference 1989, Volume 2*. Seattle, Washington, pp. 273-281.
- [9] Dolan, J.D., 1989. *The Dynamic Response of Timber Shear Walls*, thesis submitted in partial fulfillment of the Doctor of Philosophy Degree at the University of British Columbia, Vancouver, British Columbia.
- [10] Dolan, J.D. and Foschi, R.O., 1991. "Structural Analysis Model for Static Loads on Timber Shear Walls," *Journal of Structural Engineering*, Vol. 117, No. 3, pp. 851-861.
- [11] Dolan, J.D. and Gutshall, S.T., 1994. "Monotonic and Cyclic Tests to Determine Short-Term Duration-of-Load Performance of Nail and Bolt

Connections: Volume I: Summary Report,” Virginia Polytechnic Institute and State University Timber Engineering Report No. TE-1994-001.

- [12] Dolan, J.D. and White, M.W., 1992. “Design Considerations for Using Adhesives in Shear Walls,” *Journal of Structural Engineering*, Vol. 118, No.12, pp.3473-3479.
- [13] Douglas, B.K., 1994. “Perforated Shearwall Design Approach,” *Written for Presentation at the 1994 ASAE International Winter Meeting*. Paper No. 944548.
- [14] Dorwick, D.J. and Smith, P.C., 1986. “Timber Shear Walls for Wind and Earthquake Resistance,” *Bulletin of the New Zealand National Society for Earthquake Resistance*, Vol. 19, No. 2, pp. 123-134.
- [15] Easley, J.T., Foomani, M., and Dodds, R.H., 1982. “Formulas for Wood Shear Walls,” *Journal of the Structural Division, Proceedings of the American Society of Civil Engineers*, Vol. 108, No. ST11, pp. 2460-2478.
- [16] Falk, R.H. and Itani, R.Y., 1987. “Dynamic Characteristics of Wood and Gypsum Diaphragms,” *Journal of Structural Engineering*, Vol. 113, No. 6, pp 1357-1370.
- [17] Filiatrault, A. 1990. “Seismic Response of Friction Damped Shear Walls,” *Earthquake Engineering and Structural Dynamics*, Vol. 19, No. 2, pp.259-273.
- [18] Filiatrault, A. and Foschi, R.O., 1991. “Static and Dynamic Tests of Timber Shear Walls Fastened with Nails and Wood Adhesive,” *Canadian Journal of Civil Engineering*, Vol. 18, pp 749-755.
- [19] Foliente, G.C., McLain, T.E., and Singh, M.P., 1993. “A General Hysteresis Model for Wood Structures.” *Paper Presented at the 1993 ASCE Structures Conference*, Irvine, CA.
- [20] Foliente, G.C., 1995. “Hysteresis Modeling of Wood Joints and Structural Systems,” *Journal of Structural Engineering*, Vol. 121, No. 6, pp 1013-1022.
- [21] Foschi, R.O., 1977. “Analysis of Wood Diaphragms and Trusses: Part I: Diaphragms,” *Canadian Journal of Civil Engineering*, Vol.4, No.3, pp.345-352.
- [22] Foschi, R.O. and Filiatrault, A., 1990. “Performance Evaluation of the 3M Scotch Grip Wood Adhesive 5230 for the Static and Dynamic Design of Timber Shear Walls and Diaphragms.” *Final Report Prepared for 3M Corporation*, 43 pp.

- [23] Freeman, S.A., 1977. "Racking Tests of High-Rise Building Partitions," *Journal of the Structural Division, Proceedings of the American Society of Civil Engineers*, Vol. 103, No. ST8, pp. 1673-1685.
- [24] Ge, Y.Z., 1991. *Response of Wood-Frame Houses to Lateral Loads*, thesis submitted in partial fulfillment of the Masters of Science Degree at the University of Missouri-Columbia.
- [25] Ge, Y.Z., Gopalaratam, V.S., and Lui, H., 1991. "Effect of Openings on the Stiffness Wood-Frame Walls," *Forest Products Journal*, Vol. 41, No. 1, pp 65-70.
- [26] Gebremedhin, K.G., 1992. *Predictions of End-Wall Stiffness and Deflection of a Full-Scale Post-Frame Building*, Written for presentation at the 1992 International Winter Meeting sponsored by the American Society of Agricultural Engineers, Paper No. 92-4542.
- [27] Gebremedhin, K.G., 1994. "Design of Bracing Systems for End Walls with Doors," *Framing Building News*, Vol. 6, No. 4, pp. 64-70.
- [28] Girhammar, U.A., and Andersson, H., 1988. "Effect of Loading Rate on Nailed Timber Joint Capacity," *Journal of Structural Engineering*, Vol. 114, No. 11, pp. 2439-2456.
- [29] Griffiths, D.R., 1984. "Determining the Racking Resistance of Timber Framed Walls," *Proceedings of the Pacific Timber Engineering Conference, Auckland, New Zealand, Vol. I, Timber Construction*. Institution of Professional Engineers, Wellington, New Zealand, pp. 504-512.
- [30] Gupto, A.K. and Kuo, G.P., 1985. "Behavior of Wood-Frame Shear Walls," *Journal of Structural Engineering*, Vol. 111, No. 8, pp. 1722-1733.
- [31] Gupto, A.K. and Kuo, G.P., 1987. "Modeling of a Wood-Framed House," *Journal of Structural Engineering*, Vol. 113, No. 2, pp. 260-278.
- [32] Gutkowski, R.M., and Castillo, A.L., 1988. "Single- and Double-Sheathed Wood Shear Wall Study," *Journal of Structural Engineering*, Vol. 114, No. 6, pp 1268-1284.
- [33] Heine, C., 1997. "The Effect of Tie-Down Anchorage on Long Shear Walls with Openings," thesis submitted in partial fulfillment of the Masters of Science Degree at Virginia Polytechnic Institute and State University, Blacksburg, Virginia.

- [34] Hirashima, Y., and Suzuki, S., 1996. "Full Scale Horizontal Loading Test on Two Storied Wooden Dwelling House," *Proceedings of the 1996 International Wood Engineering Conference -Volume 1*, New Orleans, pp. 331-338.
- [35] Itani, R.Y., and Cheung, C.K., 1984. "Nonlinear Analysis of Sheathed Wood Diaphragms," *Journal of Structural Engineering*, Vol. 110, No. 9, pp. 2137-2147.
- [36] Itani, R.Y., Tuomi, R.L., and McCutcheon, W.J., 1982, "Methodology to Evaluate Racking Resistance of Nailed Walls," *Forest Products Journal*, Vol. 32, No. 1, pp. 30-36.
- [37] Jenkins, J.L., Polensek, A., and Bastendorff, K.M., 1979, "Stiffness of Nailed Wall Joints Under Short and Long Term Lateral Loads," *Wood Science*, Vol. 11, No. 3, pp. 145-154
- [38] Kamiya, F., 1988, "Buckling Theory of Sheathed Walls: Linear Analysis," *Journal of Structural Engineering*, Vol. 113, No. 9, pp. 2009-2022.
- [39] Kamiya, F. 1990. "Horizontal Plywood Sheathed Diaphragms With Openings - Static Loading Tests and Analysis," *Proceedings of the 1990 International Timber Engineering Conference*. Tokyo, Japan, pp 502-509.
- [40] Kamiya, F., Sugimoto, K., and Mii, N., 1996. "Pseudo Dynamic Test of Sheathed Wood Walls," *Proceedings of the 1996 International Wood Engineering Conference - Volume 2*, New Orleans, pp. 187-194.
- [41] Karacabeyli, E. and Ceccotti, A., 1996. "Test Results on the Lateral Resistance of Nailed Shear Walls," *Proceedings of the 1996 International Wood Engineering Conference - Volume 2*, New Orleans, pp. 179-186.
- [42] Kawai, N., Sugiyama, H., and Matsumoto, T., 1990. "The Hand Calculation Method Calculating the Distribution of Horizontal Force to Shear Walls by Considering the Effect of Shear Rigidity of Floor," *Proceedings of the 1990 International Timber Engineering Conference*. Tokyo, Japan, pp. 510-517.
- [43] Leichti, R. And Kasal, B., 1992. "Nonlinear Analysis of Load Sharing Among the Components of a Light-Frame Wood Building," *Presentation at the 1992 Forest Products Research Society Annual Meeting*. Charleston, SC.
- [44] Leiva-Aravena, L., 1996. "Behavior of Timber-Framed Shear Walls Subjected to Reversed Cyclic Lateral Loading," *Proceedings of the 1996 International Wood Engineering Conference - Volume 2*, New Orleans, pp. 201-206.

- [45] McCutcheon, W.J., 1985. "Racking Deformations in Wood Shear Walls," *Journal of Structural Engineering*, Vol. 111, No. 2, pp. 257-269.
- [46] McDowall, C.G. and Halligan, A.F., 1989. "Racking Resistance of Short Lengths of Particleboard Sheathed, Timber Framed Wall Panels," *Proceedings of the Second Pacific Engineering Conference 1989, Volume 2*. Seattle, Washington, pp. 95-99.
- [47] Medearis, K. and Young, D.H., 1977. "Energy Absorption of Structures Under Cyclic Loading," *Journal of the Structural Division, Proceedings of the American Society of Civil Engineers*, Vol. 90, No. ST1, pp. 61-91.
- [48] Nail, T.R., Kaliszky, S, Soltis, L.A., 1984. "Mechanical Nonlinear Shear Wall Model," *Journal of Engineering Mechanics*, Vol. 110, No. 12, pp 1773-1778.
- [49] Nelson, E.L., Wheat, D.L., and Fowler, D.W., 1985. "Structural Behavior of Wood Shear Wall Assemblies," *Journal of Structural Engineering*, Vol. 111, No. 3, pp. 654-665.
- [50] Patton-Mallory, M., Gutkowski, R.M., and Soltis, L.A., 1984. "Racking Performance of Light-Frame Walls Sheathed on Two Sides," *Research Paper FPL 448*, U.S. Department of Agriculture, Forest Service, Forest Products Laboratory, Madison, WI, 16 p.
- [51] Patton-Mallory, M., Wolfe, R.W., Soltis, L.A., and Gutkowski, R.M., 1985. "Light Frame Shear Wall Length and Opening Effects," *Journal of Structural Engineering*, Vol. 111, No. 10, pp. 2227-2239.
- [52] Polensek, A. and Bastendorff, K.M., 1987. "Damping in Nailed Joints of Light-Frame Wood Buildings," *Wood and Fiber Science*, Vol. 19, No. 2, pp.110-125.
- [53] Porter, M.L., 1987. "Sequential Phased Displacement (SPD) Procedure for TCCMAR Testing," *Proceedings of the Third Meeting of the Joint Technical Coordinating Committee on Masonry Research, U.S. - Japan Coordinated Earthquake Research Program*, Tomamu, Japan. 15 p.
- [54] Potter, B.J., 1989. "Muto Timber - Seismic Shear Distribution to Timber Shear Panels - A Computer Program," *Proceedings of the Second Pacific Engineering Conference 1989, Volume 2*. Seattle, Washington, pp 269-272.
- [55] Price, E.W. and Gromala, D.S., 1980. "Racking Strength of Walls Sheathed With Structural Flakeboards Made From Southern Species," *Forest Products Journal*, Vol. 30, No. 12, pp 19-23.

- [56] Rose, J.D. and Keith, E.L., 1995. *APA Research Report 157: Wood Structural Panel Shear Walls with Gypsum Wallboard and Window/Door Openings*, Tacoma, Washington.
- [57] SaRibeiro, R.A. and SaRibeiro, M.G., 1991. "Load-Slip Behavior of Nailed Joints: An Improved Model," *1991 International Timber Engineering Conference*, London, pp 3.03-3.19.
- [58] Sakamoto, I., Ohashi, Y., and Fujii, Y., 1990. "Seismic Behavior of Base Isolated Two-Storied Wooden Buildings-Static Loading Tests and Earthquake Observation," *Proceedings of the 1990 International Timber Engineering Conference*. Tokyo, Japan, pp. 938-945.
- [59] Schmidt, R.J. and Moody, R.C., 1988, "Modeling Laterally Loaded Light-Frame Buildings," *Journal of Structural Engineering*, Vol. 115, No. 1, pp. 201-217.
- [60] Skaggs, T.D. and Rose, J.D., 1996. "Cyclic Load Testing of Wood Structural Panel Shear Walls," *Proceedings of the 1996 International Wood Engineering Conference - Volume 2*, New Orleans, pp. 195-200.
- [61] Soltis, L.A., 1984, "Low-Rise Timber Buildings Subjected to Seismic, Wind, and Snow Load," *Journal of Structural Engineering*, Vol. 110, No. 4, pp. 744-753.
- [62] Soltis, L.A., and Patton-Mallory, M., 198?, "Strength and Ductility of Sheathed Walls,"
- [63] Soltis, L.A., and Falk, R.H., 1992, "Seismic Performance of Low-Rise Wood Buildings," *Shock and Vibration Digest*, Vol. 24, No. 12, pp 3-6.
- [64] Soltis, L.A. and Mtenga, P.V.A., 1985, "Strength of Nailed Wood Joints Subjected to Dynamic Load," *Forest Products Journal*, Vol. 35, No. 11/12, pp. 14-18.
- [65] Stewart, W., Dean, J.A., and Carr, A.J., 1984, "The Seismic Performance of Plywood Sheathed Shearwalls," *Proceedings, Pacific Timber Engineering Conference, Auckland, New Zealand, Vol. I, Timber Construction*, Institution of Professional Engineers, Wellington, New Zealand, pp. 486-495.
- [66] Stewart, W., and Dean, J.A., 1989. "A Procedure for the Seismic Design of Timber Sheathed Shearwalls," *Proceedings of the Second Pacific Engineering Conference 1989, Volume 2*. Seattle, Washington, pp 273-281.

- [67] Sugiyama, H. and Suzuki, S., 1975a. "Experimental Study on the Effect of Racking Test Methods, Sheathing Materials and Nailing Upon the Strength Properties of the Platform Construction Wall Subjected to Lateral Force (Part 1)," *Trans. Of A.I.J.*, No. 232, pp. 11-15.
- [68] Sugiyama, H. and Suzuki, S., 1975b. "Experimental Study on the Effect of Racking Test Methods, Sheathing Materials and Nailing Upon the Strength Properties of the Platform Construction Wall Subjected to Lateral Force (Part 2)," *Trans. Of A.I.J.*, No. 233, pp. 48-50.
- [69] Sugiyama, H. and Matsumoto, T., 1993a. "A Simplified Method of Calculating the Shear Strength of a Plywood-Sheathed Shear Wall with Openings I. Evaluation of the Racking Load of Shear Walls Without Openings," *Mokuzai Gakkaishi*, Vol. 39, No. 1, pp. 75-79.
- [70] Sugiyama, H. and Matsumoto, T., 1993b. "A Simplified Method of Calculating the Shear Strength of a Plywood-Sheathed Shear Wall with Openings II. Analysis of the Shear Resistance and Deformation of a Shear Wall With Openings," *Mokuzai Gakkaishi*, Vol. 39, No. 8, pp. 924-929.
- [71] Sugiyama, H. and Matsumoto, T., 1994. "Empirical Equations for the Estimation of Racking Strength of a Plywood-Sheathed Shear Wall with Openings," *Summaries of Technical Papers of the Annual Meeting, Architectural Institute of Japan*.
- [72] Suzuki, S., 1990. "Effect of Cross-Walls on Lateral Stiffness of Light-Frame Buildings," *Proceedings of the International Timber Engineering Conference*. Tokyo, Japan, pp. 140-146.
- [73] Tembulkar, J.M., and Nau, J.M., 1987. "Inelastic Modeling and Seismic Energy Dissipation," *Journal of Structural Engineering*, Vol. 113, No. 6, pp. 1373-1377.
- [74] Thurston, S.J., 1994. *Racking Resistance of Long Sheathed Timber Framed Walls with Openings*. Building Research Association of New Zealand. Study Report SR 54., Judgeford, Wellington.
- [75] Tissel, J.R., 1990. *Research Report 154 - Structural Panel Shear Walls*. American Plywood Association, Tacoma, Washington.
- [76] Tissel, J.R. and Rose, J.D., 1994. *Research Report 156 - Wood Structural Panel Sheathing for Narrow-Width Wall Bracing*. American Plywood Association, Tacoma, Washington

- [77] Tuomi, R.L. and Gromala, D.S., 1977. "Racking Strength of Walls: Let-In Corner Bracing, Sheet Materials, and Effect of Loading Rate," *Research Paper FPL 301*, U.S. Department of Agriculture, Forest Service, Forest Products Laboratory, Madison, WI, 21 p.
- [78] Tuomi, R.L. and McCutcheon, W.J., 1977. "Predicting Racking Strength of Light-Frame Walls," Preprint for ASCE Annual Convention, San Francisco, California.
- [79] Tuomi, R.L. and McCutcheon, W.J., 1978. "Racking Strength of Light-Frame Nailed Walls," *Journal of the Structural Division, Proceedings of the American Society of Civil Engineers*, Vol. 104, No. ST7, pp. 1131-1140.
- [80] *Uniform Building Code*, 1994. International Conference of Building Officials.
- [81] Walford, G.B. and Cooper, A., 1978, "Tests of Nailed Joints For Use In Diaphragms," *Forest Products Laboratory Report No. FP/TE 58*.
- [82] White, M.W., and Dolan, J.D., 1995, "Nonlinear Shear-Wall Analysis," *Journal of Structural Engineering*, Vol. 121, No. 11, pp 1629-1635.
- [83] Wolfe, R.W., 1983. *Research Paper FPL 439 - Contribution of Gypsum Wallboard to Racking Resistance of Light-Frame Walls*, United States Department of Agriculture, Forest Products Laboratory.
- [84] Yasumura, M., and Sugiyama, H., 1984, "Shear Properties of Plywood-Sheathed Wall Panels With Opening," *Trans. Of A.I.J.*, No. 338, pp 88-96.
- [85] Yamanouchi, H., Hasegawa, T., and Murota, T., 1990. "Seismic Performance of Three-Story Wooden Houses Having A Steel or Reinforced Concrete First Story," *Proceedings of the International Timber Engineering Conference*. Tokyo, Japan, pp. 954-961.
- [86] Yasumura, M., 1986. "Racking Resistance of Wooden Frame Walls with Various Openings," *International Council for Building Research Studies and Documentation, Working Commission W18 - Timber Structures, CIB - W18, IUFRO S5.02, Volume II, Meeting Nineteen*. Florence, Italy, 25 p.
- [87] Yasumura, M., 1992. "Mechanical Properties of Wood-Framed Shear Walls Subjected to Reversed Cyclic Lateral Loading," *International Council for Building Research Studies and Documentation, Working Commission W18 - Timber Structures*. Ahus, Sweden, Italy, 13 p.