

REFERENCES

Abkowitz, M. and Cheng, P. Developing a Risk-Cost Framework for Routing Truck Movements of Hazardous Materials. *Accident Analysis and Prevention*, Vol. 20, No. 1 (1988), 39-51.

Ahuja, R. K., Magnanti, T. L., and Orlin, J. B. *Network Flows*. Prentice-Hall, Englewood Cliffs, N. J., 1993.

Al-Loughani, I. Algorithmic Approaches for Solving the Euclidean Distance Location and Location-Allocation Problems. Ph.D. Dissertation, Department of Industrial and Systems Engineering, Virginia Polytechnic Institute and State University, Blacksburg, VA, 1997.

Alperovits, E., and Shamir, U. Design of Optimal Water Distribution Systems. *Water Resources Research*, Vol. 13, (1977), pp. 885-900.

Avriel, M. A Geometric Programming Approach to the Solution of Locational Problems. *Journal of Regional Science*, Vol. 20, (1980), pp. 239-246.

Batta, R. and Chiu, S. S. Optimal Obnoxious Paths on a Network: Transportation of Hazardous Materials. *Operations Research* Vol. 36, No. 1 (1988), pp 84-92.

Bazaraa, M. S., Jarvis, J. J., and Sherali, H. D. *Linear Programming and Network Flows*, 2nd Edition. John Wiley and Sons, New York, NY, 1990.

Bazaraa, M. S., Sherali, H. D., and Shetty, C. M. *Nonlinear Programming: Theory and Algorithms*, 2nd Edition. John Wiley and Sons, Inc., New York, NY, 1993.

Bellman, R. E. On a Routing Problem. *Quarterly of Applied Mathematics*. Vol. 16 (1958), 87-90.

Berman, O., Larson, R. C., and Fouska, N. Optimal Location of Discretionary Service Facilities. *Transportation Science* Vol. 26 (1992), pp. 201-211.

Berman, O., Hodgson, M. J., and Krass, D. Flow Interception Problems. *Facility Location: A Survey of Applications and Methods*, edited by Drezner, Springer-Verlag (1995), pp. 427-452.

Bhandari, R. Shortest Pair of Physically Disjoint Paths in Telecommunication Fiber Networks. *Proceedings of the Sixth International Network Planning Symposium: Planning for a Customer Responsive Network*. Hungarian Convention Bureau, Budapest, Hungary; 1994.

Bhave, P. R., Optimization of Gravity-Fed Water Distribution Systems: Theory. *Journal of Environmental Engineering*, ASCE, Vol. 109, No. 1 (1983a), pp. 189-205.

Bhave, P. R., Optimization of Gravity-Fed Water Distribution Systems: Application. *Journal of Environmental Engineering*, ASCE, Vol. 109, No. 2 (1983b), pp. 383-395.

Boffey, T. B., and Karkazis, J. Linear Versus Nonlinear Models for Hazmat Routing. *INFOR*. Vol. 33, No. 2 (1995), pp 114-117

Bongartz, I., P. H. Calami, and A. R. Conn. A Projection Method for L_p Norm Location-Allocation Problems. *Mathematical Programming*, Vol. 66, (1994), pp. 283-312.

Brimberg, J. Properties of Distance Functions and Minisum Location Models. *Ph.D. Thesis*, McMaster University, Hamilton, Canada, 1989.

Brimberg, J., and Chen. R. A Note on Convergence in the Single Facility Minisum Location Problem. *Computers and Mathematics with Applications*, Vol. 35, No. 9 (1998), pp. 25-32.

Brimberg, J., and Love, R. F. Local Convergence in a Generalized Fermat-Weber Problem. *Annals of Operations Research*. Vol. 40 (1992a), pp 33-66.

Brimberg, J., and Love, R. F. Directional Bias of the l_p Norm. *European Journal of Operational Research*. Vol. 67 (1992b), pp 287-294.

Brimberg, J., and R. F. Love. Global Convergence of a Generalized Iterative Procedure for the Minisum Location Problem with l_p Distances. *Operations Research*, Vol. 41, No. 6, (1993), pp. 1153-1163.

Brizendine, L. D. Low Probability - High Consequence Considerations in a Multiobjective Approach to Risk Management. Master's Thesis, Department of Industrial and Systems Engineering, Virginia Polytechnic Institute and State University, Blacksburg, Virginia, 1994.

Brogan, J. and Cashwell, J. Routing Models for the Transportation of Hazardous Materials - State Level Enhancements and Modifications. *Transportation Research Record*, Vol. 1020 (1985), pp 19-22.

Cai, X., Kioks, T., and Wong, C. K. Time-Varying Shortest Path Problems with Constraints. *Networks* Vol. 29, No. 3 (1997), pp 141-149.

Calamai, P. H., and A. R. Conn. A Projected Newton Method for l_p Norm Location Problems. *Mathematical Programming*, Vol. 38, (1987), pp. 75-109.

Carter, G. M., Chaiken, J. M., and Ignall, E. Response Area for Two Emergency Units. *Operations Research*, Vol. 20 (1972), 571-594.

Cavalier T. C., and H. D. Sherali. Sequential Location-Allocation Problems in Chains and Trees with Probabilistic Demands. *Mathematical Programming*, Vol. 32, No. 3 (1985), pp. 249-277.

Cavalier, T. M., and H. D. Sherali. Euclidean Distance Location-Allocation Problems with Uniform Demands over Convex Polygons. *Transportation Science*, Vol. 20, (1986), pp. 107-116.

Chandrasekaran, R. and Tamir, A. Open Questions Concerning Wieszfeld's Algorithm for the Fermat-Weber Location Problem. *Mathematical Programming*. Vol. 44 (1989), pp 293-295.

Charnes, A. and Cooper, W. W. Programming with Linear Fractionals. *Naval Research Logistics Quarterly*. Vol. 9 (1962), pp.181-186.

Chen, R. Solution of Minisum and Mimimax Location-Allocation Problems with Euclidean Distances. *Naval Research Logistics Quarterly*. Vol. 30, (1983), pp. 449-459.

Chen, P., P. Hansen, B. Jaumard, and H. Tuy, "Solution of the Multisource Weber and Conditional Weber Problems by D.-C. Programming," *Operations Research*, Vol. 46, No. 4, [1998], pp. 548-562.

Chen, Y. L., and Tang, Kwei. Minimum Time Paths in a Network with Mixed Constraints. *Computers and Operations Research*. Vol. 25, No. 10 (1998), pp 793-805.

Church, R. and Roberts, K. L.. Generalized Coverage Models and Public Facility Location. *Regional Science Association Papers*, Vol. 53 (1983), pp. 117-135.

Chiu, S., and Cheng, P. Bicriterion Routing Scheme for Nuclear Spent Fuel Transportation. Oak Ridge National Laboratory, Oak Ridge, TN, 1985.

Collins, M., Cooper, L., Helgason, R., Kennington, J. and LeBlanc, L. Solving the Pipe Network Analysis Problem using Optimization Techniques. *Management Science*, Vol. 24, No. 7 (1978), pp. 747-760.

Cooper, L. Heuristic Methods for Location-Allocation Problems. *SIAM Review*, Vol. 6. No. 1, (1964), pp. 37-53.

Cooper, L. Solutions of Generalized Location Equilibrium Models. *Journal of Regional Science*, Vol. 7, No. 1, (1967), pp. 1-18.

Cooper, L. The Transportation-Location Problem. *Operations Research*, Vol. 20, No. 1, (1972), pp. 94-108.

Cook, K. L. and Halsey, E. The Shortest Route Through a Network With Time-Dependent Internodal Transit Times. *Journal of Mathematical Analysis and Application*. 14 (1966) 493-498.

Cox, R. G. Routing and Scheduling Approaches of Hazardous Materials Shipments: Algorithmic Approaches to Managing Spent Nuclear Fuel Transport. Ph.D. Dissertation. Cornell University, Ithaca, NY, 1984.

Dandy, G. C., Simpson, A. R., and Murphy, L. J. An Improved Genetic Algorithm for Pipe Network Optimization. *Water Resources Research*, Vol. 32, No. 2 (1996), pp. 449-458.

Daskin, M. S. A Maximum Expected Covering Location Model: Formulation, Properties, and Heuristic Solution. *Transportation Science* 17 (1983), pp 48-70.

Daskin, M. S.. Location, Dispatching, and Routing Models for Emergency Services with Stochastic Travel Times. *Spatial Analysis and Location-Allocation Models*, Ghosh, A. and Rushton, G. (Eds). Van Nostrand, New York, NY (1987), 224-265.

Daskin, M. S., and Haghani, A.. Multiple Vehicle Routing and Dispatching to an Emergency Scene. *Environment and Planning*, London, England, Vol. 16 (1984), 1349-1359.

Desrochers, M. and Laporte, G. Improvements and Extensions to the Miller-Tucker-Zemlin Subtour Elimination Constraints. *Operations Research Letters*, 10 (1991), pp. 27-36.

Dhingra, N.. Incident Response and Application of Geographical Information Systems (GIS). Masters Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA, 1996.

Dijkstra, E. W. A Note on Two Problems in Connexion with Graphs. *Journal of Numerical Mathematics*, Vol. 1 (1959), pp. 269-271.

Dreyfus, S. E An Appraisal of Some Shortest Path Algorithms. *Operations Research*. 17 (1969) pp. 395-412.

Drezner, Z. The Planar Two-Center and Two Median Problems. *Transportation Science*, Vol. 18, (1984), pp. 351-361.

Eaton, D. J., Daskin, M. S., Bulloch, B., and Jansma, G.. Determining Emergency Medical Service Vehicle Deployment in Austin, Texas. *Interfaces*, Vol. 15 (1985), 96-108.

Eiger, G., Shamir, U., and Ben-Tal, A. Optimal Design of Water Distribution Networks. *Water Resources Research*, Vol. 30, No. 9 (1994), pp. 2637-2646.

Eilon, S., C. D. Watson-Gandy, and N. Christofides. *Distribution Management: Mathematical Modeling and Practical Analysis*. Griffin, London (1971).

Erkut, E. On the Credibility of the Conditional Risk Model for Routing Hazardous Material. *Operations Research Letters*, Vol. 18 (1995), 49-52.

Erkut, E., and Ingolfsson, A. Catastrophe Avoidance Models for Hazardous Materials Route Planning. *To appear in Transportation Science*, 1998.

E. Erkut and V. Verter. Hazardous Material Logistics. in: Z. Drezner (ed.), *Facility Location: A Survey of Applications and Methods*, Springer, Berlin, 1995.

E. Erkut and V. Verter. A Framework for Hazardous Materials Transportation Risk Assessment. Report No. 94-4, Department of Finance and Management Science, University of Alberta, Edmonton, Alberta, Canada (1994).

E. Erkut and V. Verter. Modeling of Transportation Risk for Hazardous Materials. Report No. 95-1, Department of Finance and Management Science, University of Alberta, Edmonton, Alberta, Canada (1997).

Eyster, J. W., J. A. White, and W. W. Wierwille. On Solving Multifacility Location Problems Using a Hyperbolic Approximation Procedure. *AIIE Transactions*, Vol. 5, (1973), pp. 1-6.

Ford, L. R., and Fulkerson, D. R. Constructing Maximal Dynamic Flows from Static Flows. *Operations Research*. Vol. 6 (1958), pp 419-433.

Francis, R. L., McGinnis Jr., L. F, and White, J. A. *Facility Layout and Location: An Analytical Approach*, 2nd Edition. Prentice Hall, New Jersey, 1992.

Frey, J. P., Simpson, A. R., Dandy, G. C., Murphy, L. J., and Farill, T. W. Genetic Algorithm Pipe Network Optimization: The Next Generation in Distribution System Analysis. *Public Works*. Vol. 127, No. 7 (1996), p. 4.

Friesz, T. L., Bernstein, D., Smith, T. E., Tobin, R. L. and Wie, R. A Variational Inequality Formulation of the Dynamic Network User Equilibrium Problem. *Operations Research*, Vol. 41, No. 1 (1993), 179-191.

Fujiwara, O., Jenchaimahakoon, B., and Edirisinghe, N. C. P. A Modified Linear Programming Gradient Method for Optimal Design of Looped Water Distribution Networks. *Water Resources Research*, Vol. 23, No. 6 (1987), pp. 977-982.

Fujiwara, O., and Khang, D. B. A Two-Phase Decomposition Method for Optimal Design of Looped Water Distribution Networks. *Water Resources Research*, Vol. 26, No. 4, April 1990, pp. 539-549.

Gardner, M. L, Loobeek, I. S., and Cohn, S. N. Type-of-Service Routing with Load Sharing. *Proc. Globecom '87. Japan* (1987) 29.5.1 - 29.5.7.

Garey, M. R., and Johnson, D. S. *Computers and Intractability*. W.H. Freeman. San Francisco, CA (1979).

Garfinkel, R. S., and G. L. Nemhauser. *Integer Programming*. Wiley, NY, 1972.

Geoffrion, A. M. Integer Programming by Implicit Enumeration and Balas' Method. *SIAM Review*, Vol. 9, (1967), pp. 178-190.

Ghosh, A. And Rushton, G. (Eds). *Spatial Analysis and Location-Allocation Models*. Van Nostrand, NY, 1987.

Glickman, T. S. Rerouting Railroad Shipments of Hazardous Materials to Avoid Populated Areas *Accident Analysis and Prevention*, 15 (1983), pp. 329-335.

Glickman, T. S. and Sherali, H. D. Catastrophic Transportation Accidents and Hazardous Materials Routing Decisions. *Probabilistic Safety Assessment and Management Conference*, Beverly Hills, CA, 1991.

Glover, F., Klingman, D. and N. Phillips. A New Polynomially Bounded Shortest Path Algorithm. *Operations Research*. 33 No. 2 (1985), 65-73.

Goldman, A. J. Minimax Location of a Facility in a Network. *Transportation Science*. Vol. 6 (1972). pp 407-418.

Gopalan, R., Kolluri, K. S., Batta, R., and Karwan, M. H. Modeling Equity of Risk in the Transportation of Hazardous Materials. *Operations Research*. Vol. 38, No. 6 (1990), pp 961-973.

Hakimi, S. L. Optimal Locations of Switching Centers and the Absolute Centers and Medians of a Graph. *Operations Research*, Vol. 12 (1964), 450-459.

Hakimi, S. L. Optimum Distribution of Switching Centers in a Communication Network and some Related Graph Theoretic Problems. *Operations Research*, 13 (1965), 462-475.

Hakimi, S. L., Schmiechel, E. F., and Pierce, J. G. On p -Centers in Networks. *Transportation Science*. Vol. 12 (1978), pp 1-15.

Halfin, S. On Finding the Absolute and Vertex Centers of a Tree with Distances. *Transportation Science*. Vol. 8 (1974). Pp 75-77.

Hall, R. W. The Fastest Path Through a Network With Random Time-Dependent Travel Times. *Transportation Science*. Vol. 20 (1986), 182-188.

Halpern, J. L. Shortest Route With Time-Dependent Length of Edges and Limited Delay Possibilities in Nodes. *Zeitschrift fur Operations Research*. Vol. 21 (1977) 117-124.

Handler, G. Y., and Mirchandani, P. B. *Location on Networks: Theory and Algorithms*. MIT Press, MA, 1979.

Hansen, P., N. Mladenovic, and E. Taillard, "Heuristic Solution of the Multisource Weber Problem as a p -Median Problem," *Operations Research Letters*, Vol. 22, [1998], pp. 55-62.

Haquari, M, and Dejax, P. Time Dependent Shortest Path Problem: Solution and Application to Routing Problems. *Recherche Operationnelle*. Vol.31, No.2 (1997) pp.117-31.

Helander, M. E. and Melachrinoudis, E. Facility Location and Reliable Route Planning in hazardous Material Transportation. *Transportation Science*. Vol. 31, No. 3 (1997), pp 216-226.

Hendrick, T. E., D. R. Plane, C. Tomasides, D. Monarchi, and F. W. Heiss. *Denver Fire Services Project Report*. Denver Urban Observatory, Denver, 1974.

Hodgson, M. J. A Flow-Capturing Location-Allocation Model. *Geographical Analysis* 22, pp. 270-279, 1990.

Hodgson, M. J., Rosing, K. E., and Zhang, J. Locating Vehicle Inspection Stations to Protect a Transportation Network. *Geographical Analysis*. Vol. 28, No. 4 (1996), pp. 299-314.

Hodgson, M. J., Rosing, K. E., Leontien, A., and Storrier, G. Applying the Flow-Capturing Location-Allocation model to an Authentic Network. *European Journal of Operational-Research*. Vol. 90, No. 3 (1996), pp 427-443.

Horst, R. and H. Tuy. *Global Optimization: Deterministic Approaches*. second edition, Springer-Verlag, Berlin, (1993).

Hua, L. K., and Others. Applications of Mathematical Methods to Wheat Harvesting. *Chinese Mathematics*. Vol. 2 (1962), pp 77-91.

Jacoby, S. L. S. Design of Optimal Hydraulic Networks. *Journal of Hydraulics Division, ASCE*, Vol. 94, HY3 (1968), pp. 641-666.

Jarvis, J. P. Optimization in Stochastic Service Systems with Distinguishable Servers. Technical Report 19-75, Operations Research Center, Massachusetts Institute of Technology, Cambridge, MA, 1975.

Jin, H. and Batta, R. Hazmat Routing as a Probabilistic Experiment. Working Paper, Department of Industrial Engineering, State University of New York at Buffalo, Buffalo, NY, July, 1995.

Jin, H., Batta, R. and Karwan, M. H. On the Analysis of Two New Models for Transporting Hazardous Materials. *Operations Research*, Vol. 44, No. 5 (1996), pp. 710-723.

Jonnalagadda, S. Integration of a GIS and an Expert System for Freeway Incident Management. Masters Thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA, 1996.

Kariv, O., and Hakimi, S. L. An Algorithmic Approach to Network Location Problems. Part I: The p -Centers. *SIAM Journal of Applied Mathematics*. Vol. 37 (1979), pp 513-538.

Kariv, O., and Hakimi, S. L. An Algorithmic Approach to Network Location Problems. Part II: The p -Medians. *SIAM Journal of Applied Mathematics*. Vol. 37 (1979), pp 539-560.

Karlsson, P. and Haimes, Y. Risk-Based Analysis of Extreme Events. *Water Resources Research*, Vol. 24 (1988a), pp. 9-20.

Karlsson, P. and Haimes, Y. Probability Distributions and their Partitioning. *Water Resources Research*, Vol. 24 (1988b), pp. 21-29.

Katz, I. N. Local Convergence in Fermat's Problem. *Mathematical Programming*. Vol 6 (1974), pp 89-104.

Kaufman, D. E., and Smith, R. L. Fastest Paths in Time-Dependent Networks for IVHS Application. *IVHS Journal*. Vol. 1 (1993), pp. 1-11.

Kessler, A., and Shamir, U. Analysis of the Linear Programming Gradient Method for Optimal Design of Water Supply Networks. *Water Resources Research*, Vol. 27, No. 7 (1989), pp. 1469-1480.

Kessler, A., and Shamir, U. Decomposition Technique for Optimal Design of Water Supply Networks. *Engineering Optimization*, Vol. 17 (1990), pp. 1-19.

Kolesar, P. and Walker, E. W. An Algorithm for Dynamic Relocation of Fire Companies. *Operations Research*, 22 (1974), 249-274.

Kolesar, P., W. Walker, and Hausner, J. Determining the Relation between Fire Engine Travel Times and Travel Distances in New York City. *Operations Research*. Vol. 23, No. 4 (1975), pp 614-627.

Koutsopoulos, H. N., and Xu, H. An information discounting routing strategy for ATIS. *Transportation Research Part C (Emerging Technologies)*, Vol.1C, No.3 (1994), pp. 249-264.

Kruskal, J. B. "On the Shortest Spanning Tree of a Graph and the Traveling Salesman Problem," *Proceedings of the American Mathematical Society*, Vol. 7, 1956, pp. 48-50.

Kuenne, R. K., and R. M. Soland. Exact and Approximate Solutions to Multisource Weber Problems. *Mathematical Programming*, Vol. 3, (1972), pp. 193-209.

Kuhn, H. W. A Note on Fermat's Problem. *Mathematical Programming*. Vol. 4 (1973), pp 98-107.

Lansey, K., and Mays, L. A Methodology for Optimal Network Design. *Computer Applications in Water Resources*, ed. H. C. Torno (1985), pp. 732-738.

Larson, R. C. A Hypercube Queuing Model for Facility Location and Redistricting in Urban Emergency Services. *Computers and Operations Research*. Vol. 1 (1974), pp. 67-95.

Loganathan, G. V., Sherali, H. D., and Shah, M. P. A Two-Phase Network Design Heuristic for Minimum Cost Water Distribution System Under a Reliability Constraint. *Engineering Optimization*, Vol. 15(4), 1990, pp. 311-336.

Loganathan, G. V., Greene, J. J., and Ahn, T. J. Design Heuristic for Globally Minimum Cost Water-Distribution Systems. *Journal of Water Resources Planning and Management*, Vol. 121, No. 2 (1995), pp. 182-192.

List, G., Mirchandani, P., Turnquist, M. and Zografos, K. Modeling and Analysis for Hazardous Materials Transportation: Risk Analysis, Routing/Scheduling and Facility Location. *Transportation Science*. Vol. 25, No. 2 (1991), pp 100-114.

Love, R. F., and H. Juel. Properties and Solution Methods for Large Location-Allocation Problems. *Journal of the Operational Research Society*, Vol. 33, No. 5, (1982), pp. 443-452.

Love, R. F. and Morris, J. G. Modeling Intercity Road Distances by Mathematical Functions. *Operational Research Quarterly*. Vol 32 (1972), pp 61-71.

Love, R. F. and Morris, J. G. Mathematical Models of Road Travel Distances. *Management Science*. Vol. 25 (1979), pp 130-139.

Love, R. F., Morris, J. G., and Wesolowsky, G. O. *Facilities Location: Models and Methods*. North-Holland, New York, 1988.

Love, R. F., and Walker, J. H. An Empirical Comparison of Block and Round Norms. *Unknown.*, 1993.

Mahmassani, H. S., Hu, Ta-Yin, Peeta., S., and Ziliaskopoulos, A. Development and Testing of Dynamic Traffic Assignment and Simulation Procedures for ATIS/ATMS Applications. *Technical Report prepared for U.S. DOT, FHWA*. University of Texas, Austin (1994).

Malandraki, C. *The Time-Dependent Vehicle Routing Problem*. Doctoral Dissertation, Northwestern University (1989).

Manber, U. *Introduction to Algorithms: A Creative Approach*. Addison-Wesley Publishing Co., Inc. Reading, Massachusetts (1989).

Marcus, C. T, and Krechmer, D. Use of Simulation Models on the Central Artery/Third Harbor Tunnel Project. *Vehicle Navigation and Information Systems Conference (1995)*, IEEE, Piscataway, NJ. pp 280-285.

Marianov, V., and Serra, D. Probabilistic Maximal Covering Location-Allocation Models with Constrained Waiting Time or Queue Length for Congested Systems. *Unknown*.

Matula, D. W., and Kolde, R, T. Efficient Multi-Median Location in Acyclic Networks. *ORSA/TIMS Bulletin*. No. 2 (1976).

Midwest Research Institute, Present Practices of Highway Transportation of Hazardous Materials. Draft Final Report. Contract No. DTFH61-86-C-00039 (McLean, VA: Federal Highway Administration, February 28 (1989).

Miller, E. D. Optimal Routing in Time-Varying, Stochastic Networks: Algorithms and Implementation. *Doctoral Dissertation*. University of Texas, Austin (1994).

Miller, E. D., Mahmassani, H. S., and Ziliaskopoulos, A. Path search techniques for Transportation Networks with Time-Dependent, Stochastic Arc Costs. *IEEE International Conference on Systems, Man, and Cybernetics. Humans, Information and Technology*. Vol. 2 (1994), pp. 1716-1721.

Minieka, E. A Polynomial Time Algorithm for Finding the Absolute Center of a Network. *Networks*. Vol. 11 (1981), pp 351-355.

Mirchandani, P. B., and A. R. Odoni. Locations of Medians on Stochastic Networks. *Transportation Science*. Vol 13 (1979), pp 85-97.

Mirchandani, P. B., Rebello, R., and Agentis, A. The Inspection Station Location Problem in Hazardous Material Transportation: Some Heuristics and Bounds. *INFOR*. Vol. 33, No. 2 (1995), pp. 100-112.

Morgan, D. R. and Goulter, I. C. Least Cost Layout and Design of Looped Water Distribution Systems. *1983 International Symposium on Urban Hydrology, Hydraulics and Sediment Control*, Lexington, KY, p. 65.

Morgan, D. R. and Goulter, I. C. Optimal Urban Water Distribution Design. *Water Resources Research*. Vol. 21, No. 5 (1985), pp. 642-652.

Morris, J. G. Convergence of the Wieszfeld Algorithm for Weber Problems Using a Generalized 'Distance' Function. *Operations Research*. Vol. 29 (1981), pp 37-48.

Murphy, L., J., Simpson, A. R., and Dandy, G., C. Design of a Network using Genetic Algorithms. *Water Resources Research*, Vol. 20 (1993), pp. 40-42.

Murtagh, B. A., and S. R. Niwattisyawong. An Efficient Method for the Multi-Depot Location-Allocation Problem. *Journal of the Operational Research Society*, Vol. 33, No. 7, (1982), pp. 629-634.

Nathanail, T. G., and Zografos, K. G. Simulation Tool for Evaluating Effectiveness of Freeway Incident Response Operations. *Transportation Research Record* Vol. 1485 (1995), pp 105-111.

Nozick, L. K., List, G. F., and Turnquist, M. A. Integrated Routing and Scheduling in Hazardous Materials Transportation. *Transportation Science*. Vol. 31, No. 3 (1997), pp 200-215.

Nemhauser, G. L. and Wolsey, L. A. *Integer and Combinatorial Optimization*, John Wiley & Sons, Inc., New York, NY, 1988.

Ogier, R. G., Rutenburg, V. and Shacham, N. Distributed Algorithms for Computing Shortest Pairs of Disjoint Paths. *IEEE Transactions for Information Theory*. Vol. 39, No. 2 (1993), 443-455.

Orda, A., and Rom, R. Routing with Packet Duplication and Elimination in Computer Networks. *IEEE Transactions on Communications*. Vol. 36 (1988), pp. 860-866.

Orda, A., and Rom, R. Traveling Without Waiting in Time-Dependent Networks is NP-Hard. *Manuscript, Dept. of Electrical Engineering, Technion - Israel Institute of Technology*. Haifa, Israel (1989).

Orda, A., and Rom, R. Shortest-Path and Minimum-Delay Algorithms in Networks With Time-Dependent Edge-Lengths. *Journal of the Association for Computing Machinery. IVHS Journal*. Vol. 37 (1990), pp. 603-625.

Orda, A., and R. Rom. Location of Central Nodes in Time-Varying Computer Networks. *Unpublished Technical Report, Israel Institute of Technology*, Haifa (1990).

Ostresh, L. M. An Efficient Algorithm for Solving the Two Center Location-Allocation Problem. *Journal of Regional Science*, Vol. 15, No. 2, (1975), pp. 209-216.

Pal, R., and Sinha, K. (1997). A Framework for Locating Highway Incident Response Vehicles in Urban Areas. *INFORMS National Meeting*, San Diego, CA (1997).

Patel, M. H., and Horowitz, A. J. Optimal Routing of Hazardous Materials Considering Risk of Spill. *Transportation Research Part A*. Vol. 28A, No. 2 (1994), pp 119-132.

Quindry, G. E., Brill, E. D., and Liebman, J. C. Optimization of Looped Water Distribution Systems. *Journal of the ASCE Hydraulic Division*. Vol. 107, No. EE4 (1981), p. 665-679.

Quindry, G. E., Brill, E. D., and Liebman, J. C. Comments on "Design of Optimal Water Distribution Systems" by Alperovits and Shamir. *Water Resources Research*. Vol. 15, No. 6 (1979), p. 1651-1654.

Raz, T. A Survey of Models for Allocating Inspection Effort in Multistage Production Systems. *Journal of Quality Technology*. Vol. 18, No. 4 (1986), pp 239-247.

Rosing, K. E. An Optimal Method for Solving the (Generalized) Multi-Weber Problem. *European Journal of Operational Research*, Vol. 58, (1992), pp. 414-426.

Rowell, W. F. and Barnes, J. W. Obtaining Layout of Water Distribution Systems. *Journal of the ASCE Hydraulic Division*. Vol. 108, No. HY1 (1982), p. 137-148.

Saccomanno, F., Shortreed, J. and Mehta, R. Fatality Risk Curves for Transporting Chlorine and LPG by Truck and Rail. Presented at the 69th Annual Meeting of the Transportation Research Board in Washington, D.C. (1990).

Selim, S. S. Biconvex Programming and Deterministic and Stochastic Location Allocation Problems. Ph.D. Dissertation, School of Industrial and Systems Engineering, Georgia Institute of Technology, (1979).

Shamir, U. Optimal Design and Operation of Water Distribution Systems. *Water Resources Research*. Vol. 10, No. 1 (1974), p. 27-36.

Sherali, H. D., and Adams, W. P. A Hierarchy of Relaxations between the Continuous and Convex Hull Representations for 0-1 Programming Problems. *SIAM Journal of Discrete Mathematics*, Vol. 3, No. 3 (1990), pp. 411-430.

Sherali, H. D., and Adams, W. P. A Hierarchy of Relaxations and Convex Hull Characterizations for the Mixed-Integer 0-1 Programming Problems. *Discrete Applied Mathematics*, Vol. 52 (1994), pp. 83-106.

Sherali, H. D., and Al-Loughani, I. Solving Euclidean Distance Multifacility Location Problems Using Conjugate Subgradient and Line Search Methods. To appear in *Journal of Computational Optimization and Applications*.

Sherali, H. D., Brizendine, L., Glickman, T. S. and Subramanian. S. Low-Probability High Consequence Considerations in a Multiobjective Approach to Risk Management. *Transportation Science*. Vol 31, No. 3 (1997), pp 230-251.

Sherali, H. D., and Nordai, F. L. A Capacitated Balanced 2-Median Problem on a Tree Network with a Continuum on Link Demands. *Transportation Science*, Vol. 22, No. 1, (1988), 70-73.

Sherali, H. D., Ozbay, K., and Subramanian, S. The Time-dependent Shortest Pair of Disjoint Paths Problem: Complexity, Models and Algorithms. *Networks*, Vol. 31, No. 4 (1998), 259-272.

Sherali, H. D., Ramachandran, S., and Kim, S. A Localization and Reformulation Discrete Programming Approach for the Rectilinear Distance Location-Allocation Problem. *Discrete Applied Mathematics*, Vol. 49, No. 1-3, (1994), pp. 357-378.

Sherali H. D., Sivanandan, R. and Hobeika, A. G. A Linear Programming Approach for Synthesizing Origin-Destination Trip Tables from Link Traffic Volumes. *Transportation Research-B*, Vol. 28B, No. 3 (1994), pp. 213-233.

Sherali, H. D., and Smith, E. P. An Optimal Replacement-Design Model for a Reliable Water Distribution Network System. *Integrated Computer Applications in Water Supply*, Vol. 1, Research Studies Press Ltd., Somerset, England (1993), pp. 61-75.

Sherali, H. D., and Smith, E. P. A Global Optimization Approach to a Water Distribution Network Design Problem. *Journal of Global Optimization*. Vol. 11 (1997), pp. 107-132.

Sherali, H. D., Smith, E. P., and Kim, S. A Pipe Reliability and Cost Model for an Integrated Approach Toward Designing Water Distribution Systems, *Global Optimization in Engineering Design*, ed. I.E.Grossman, in the series *Nonconvex Optimization and its Applications*, Vol. 9 (1996), pp 333-354.

Sherali, H. D., and Subramanian, S. Opportunity Cost Based Models for Traffic Incident Response Problems. *To appear in Journal of Transportation Engineering*, 1999.

Sherali, H. D., Subramanian, S., and Kachroo, P. Incident Response: Crew Scheduling and Rerouting of Hazmat Carriers. *SPIE Conference on Automated Manufacturing and Intelligent Systems*, Pittsburgh, PA (1997).

Sherali, H. D., Totlani, R., Loganathan, G. V. Enhanced Lower Bounds For The Global Optimization of Water Distribution Networks. *Water Resources Research*. Vol. 34, No. 7 (1998), to appear.

Sherali, H. D., and Tuncbilek, C. H. A Squared-Euclidean Distance Location-Allocation Problem. *Naval Research Logistics Quarterly*, Vol. 39, (1992a), pp. 447-469.

Sherali, H. D., and Tuncbilek, C. H. A Global Optimization Algorithm for Polynomial Programming Problems Using a Reformulation-Linearization Technique. *Journal of Global Optimization*, Vol. 2, (1992b), pp. 101-112.

Shetty, C. M., and Sherali, H. D. Rectilinear Distance Location-Allocation Problem: A Simplex Based Algorithm. *Lecture Notes in Economics and Mathematical Systems, Extremal Methods and Systems Analysis*, Vol. 174 (1977), pp. 442-464.

Shier, D. On Algorithms for Finding the k Shortest Paths in a Network. *Networks*. Vol. 9 (1979), pp. 195-214.

Shobrys, D. A Model for the Selection of Shipping Routes and Storage Locations for a Hazardous Substance. *PhD Dissertation*, Johns Hopkins University, Baltimore, MD, 1981.

Simpson, A. R., Dandy, G., C., and Murphy, L., J. Genetic Algorithms Compared to Other Techniques for Pipe Optimization. *Journal of Water Resources Planning and Management*, Vol. 120, No. 4 (1994), pp. 423-443.

Skiscim, C. C. and Golden, B. L. Solving k -Shortest and Constrained Shortest Path Problems Efficiently. *Network Optimization and Applications*, B. Shetty (Ed.), *Annals of Operations Research*, Vol. 20 (1989), pp. 249-261.

Sivakumar, R., and Batta, R. The Variance Constrained Shortest Path Problem. *Transportation Science*. Vol. 28, No. 4. (1994), pp 309-316.

Sivakumar, R. Batta, R. and Karwan, M. A Multiple Route Conditional Risk Model for Transporting Hazardous Materials. *INFOR*. Vol. 33, No. 1 (1995), pp. 20-33.

Sivakumar, R. Batta, R. and Karwan, M. A Network-Based Model for Transporting Extremely Hazardous Materials. *Operations Research Letters*, Vol. 13 (1993), pp. 85-93.

Steuer, R. E. *Multiple Criteria Optimization: Theory, Computation, and Application*, John Wiley & Sons, Inc., New York, NY, 1986.

Subramanian, S. *Routing Algorithms for Dynamic, Intelligent Transportation Networks. Masters Thesis*, Virginia Polytechnic Institute and State University, Blacksburg, VA, 1997.

Suurballe, J. W. Disjoint Paths in a Network. *Networks*. Vol. 14 (1974), pp. 125-145.

Suurballe, J. W. The Single-Source, All-Terminals Problem for Disjoint Paths. *Unpublished Technical Memorandum, Bell Laboratories* (1982).

Suurballe, J. W., and Tarjan, R. E. A Quick Method for Finding Shortest Pairs of Disjoint Paths. *Networks*. Vol. 14 (1984), pp. 325-336.

Swamee, P. K., Kumar, V., and Khanna, P. Optimization of Dead End Water Distribution Systems. *Journal of the ASCE Environmental Engineering Division*. Vol. 99, No. EE2 (1973) p 123.

Taher, S. A., and Labadie, J. W. Optimal Design of Water Distribution Networks with GIS. *Journal of Water Resources Planning and Management*. Vol. 122, No. 4 (1996), pp 301-311.

Tarjan, R. E. *Data Structures and Network Algorithms. Society for Industrial Applications of Mathematics*. Philadelphia, PA (1983).

Talcott, F. W. Environmental Agenda: The Time is Ripe for an Analytical Approach to Policy Problems. *OR/MS Today*, June issue (1992), pp. 18-24.

Tansel, B. C., R. L. Francis, and T. J. Lowe. Location on Networks: A Survey. Part I and II. *Management Science*. Vol. 29, No. 4 (1983), pp 482-511.

Technology Aids New 9-1-1 System. *Engineering News Record*. Vol. 235, No. 18 (1995) pp. 28-38.

Torgeas, C., R. Swain, C. ReVelle, and L. Bergmann. The Location of Emergency Service Facilities. *Operations Research*. Vol. 16 (1971), pp 955-961.

U.S. Department of Transportation, Federal Highway Administration, Guidelines for Applying Criteria to Designate Routes for Transporting Hazardous Materials, FHWA-SA-94-083, September, 1994.

Van Aerde, M., Voss, J., and Blum, Y. Modelling the Burlington Skyway FTMS during Recurring and Non-Recurring Traffic Congestion. *Traffic Engineering and Control*. Vol. 30, No. 5 (1989), pp 228-240.

Walski, T. M., *Analysis of Water Distribution Systems*, Van Nostrand Reinhold Company, New York, 1984.

Watanada, T. Least Cost Design of Water Distribution Systems. *Journal of the ASCE Hydraulics Division*. Vol. 99, No. HY9 (1973), p. 1497-1514.

Wendell, R. E., and A. P. Hurter. Location Theory, Dominance and Convexity. *Operations Research*, Vol. 21, No. 31, (1973), pp. 314-320.

Wieszfeld, E. Sur Le Point Lequel La Somme des Distances de n Points Donnes est Minimum. *Tohoku Mathematical Journal* 43 (1937), pp 355-386.

Yen, J. Y. Finding the k -Shortest Loopless Paths in a Network. *Management Science*, Vol. 17, No. 11 (1971), pp. 712-716.

Yum, B, J, and Mc Dowell, E. D. Optimal Inspection Policies in a Serial Production System including Scrapwork and Repair. *International Journal of Production Research*. Vol. 25, No. 10 (1987), pp 1451-1464.

Zhang, H, and Ritchie, S. G. Real Time Decision Support System for Freeway Management and Control. *Journal of Computing in Civil Engineering*. Vol. 8, No. 1 (1994), pp 35-51.

Zhiqiang, C., Holle, A. T., Moret, M. E., Saia, J., and Boroujerdi, A. Network Routing Models applied to Aircraft Routing Problems. *1995 Winter Simulation Conference Proceedings*, New York, NY, USA (1995).

Ziliaskopoulos, A., Kotzinos, and Mahmassani, H. S. Design and Implementation of Parallel Time-Dependent Least Time Path Algorithms for Intelligent Transportation Systems Applications. *Transportation Research Part C*. Vol.5, No. 2. (1997), pp 95-107.

Ziliaskopoulos, A. and Mahmassani, H. S. Time-Dependent Shortest Path Algorithm for Real-Time Intelligent Vehicle Highway System Applications. *Transportation Research Record*. Vol. 1408 (1993), pp. 94-100.

Ziliaskopoulos, A. and Mahmassani, H. S. Note on least time path computation considering delays and prohibitions for intersection movements. *Transportation Research, Part B (Methodological)*. Vol. 30B (5), 1996, pp 359-367.

Zografos, K., and Davis, C. F. Multi-Objective Programming Approach for Routing Hazardous Materials. *Journal of Transportation Engineering* Vol. 115 (1989), pp 661-673.

Zografos, K. G., Nathanail, T., and Michalopoulos, P. Analytical Framework for Minimizing Freeway-Incident Response Time. *Journal of Transportation Engineering, ASCE*, Vol. 119 (1993), pp. 535-549.

Zografos, K. and Samara, S. A Combined Location-Routing Model for Hazardous Waste Transportation and Disposal. *Paper Presented at the 68th Annual Meeting of the Transportation Research Board*, January (1989).