



(a)




(b)

FIGURE 8-1. Locations (areas inside dark outlines) where adherence to the *AISC Seismic Provisions for Structural Steel Buildings* (1997), based on 0.2 sec. spectral accelerations, is required for Site Classes (a) A, (b) B, (c) C, (d) D, and (e) E. (From USGS-1996 Seismic Hazard Maps. [web page] Jun 1996; <http://geohazards.cr.usgs.gov/eq/html/ceusmap.shtml>. [Accessed 15 Jan 2000].)




(c)



(d)

FIGURE 8-1. Locations (areas inside dark outlines) where adherence to the *AISC Seismic Provisions for Structural Steel Buildings* (1997), based on 0.2 sec. spectral accelerations, is required for Site Classes (a) A, (b) B, (c) C, (d) D, and (e) E. (From USGS-1996 Seismic Hazard Maps. [web page] Jun 1996; <http://geohazards.cr.usgs.gov/eq/html/ceusmap.shtml>. [Accessed 15 Jan 2000].)


*Continued*




(e)

FIGURE 8-1. Locations (areas inside dark outlines) where adherence to the *AISC Seismic Provisions for Structural Steel Buildings* (1997), based on 0.2 sec. spectral accelerations, is required for Site Classes (a) A, (b) B, (c) C, (d) D, and (e) E. (From USGS-1996 Seismic Hazard Maps. [web page] Jun 1996; <http://geohazards.cr.usgs.gov/eq/html/ceusmap.shtml>. [Accessed 15 Jan 2000].)

*Continued*




(a)




(b)

FIGURE 8-2. Locations (areas inside dark outlines) where adherence to the *AISC Seismic Provisions for Structural Steel Buildings* (1997), based on 1.0 sec. spectral accelerations, is required for Site Classes (a) A, (b) B, (c) C, (d) D, and (e) E. (From USGS-1996 Seismic Hazard Maps. [web page] Jun 1996; <http://geohazards.cr.usgs.gov/eq/html/ceusmap.shtml>. [Accessed 15 Jan 2000].)




(c)



(d)

FIGURE 8-2. Locations (areas inside dark outlines) where adherence to the *AISC Seismic Provisions for Structural Steel Buildings* (1997), based on 1.0 sec. spectral accelerations, is required for Site Classes (a) A, (b) B, (c) C, (d) D, and (e) E. (From USGS-1996 Seismic Hazard Maps. [web page] Jun 1996; <http://geohazards.cr.usgs.gov/eq/html/ceusmap.shtml>. [Accessed 15 Jan 2000].)

*Continued*



(e)

FIGURE 8-2. Locations (areas inside dark outlines) where adherence to the *AISC Seismic Provisions for Structural Steel Buildings* (1997), based on 1.0 sec. spectral accelerations, is required for Site Classes (a) A, (b) B, (c) C, (d) D, and (e) E. (From USGS-1996 Seismic Hazard Maps. [web page] Jun 1996; <http://geohazards.cr.usgs.gov/eq/html/ceusmap.shtml>. [Accessed 15 Jan 2000].)

*Continued*