

APPENDIX B: Human Static Rupture Test Data



Figure B.1 Pre- and post-test pictures of human static rupture test H009




Figure B.2 Plot showing static loading of human test H009




Figure B.3 Pre- and post-test pictures of human static rupture test H010




Figure B.4 Plot showing static loading of human test H010




Figure B.5 Pre- and post-test pictures of human static rupture test H011




Figure B.6 Plot showing static loading of human test H011




Figure B.7 Pre- and post-test pictures of human static rupture test H012




Figure B.8 Plot showing static loading of human test H012



Figure B.9 Pre- and post-test pictures of human static rupture test H013




Figure B.10 Plot showing static loading of human test H013



Figure B.11 Pre- and post-test pictures of human static rupture test H020




Figure B.12 Plot showing static loading of human test H020




Figure B.13 Pre- and post-test pictures of human static rupture test H021




Figure B.14 Plot showing static loading of human test H021




Figure B.15 Pre- and post-test pictures of human static rupture test H023




Figure B.16 Plot showing static loading of human test H023




Figure B.17 Pre- and post-test pictures of human static rupture test H024




Figure B.18 Plot showing static loading of human test H024




Figure B.19 Pre- and post-test pictures of human static rupture test H026




Figure B.20 Plot showing static loading of human test H026