

REFERENCE

Adams, R. D., Cawley, P., Pye, C. J., and Stone, B. J., 1978 “A Vibration Technique for Non-Destructively Assessing the Integrity of Structures,” *Journal of Mechanical Engineering Science*, V. 20, pp. 93-100.

Airman, T., and Muleski, G.E., 1981. “A Review of the Response of Buried Pipelines Under Seismic Excitations,” *Earthquake Engineering and Structural Dynamics*, Vol. 9, pp. 133-151.

Ayres, J., Lalande, F., Chaudhry, Z., and Rogers, C.A. 1996. “Qualitative Health Monitoring of a Steel Bridge Structure via Piezoelectric Actuator/Sensor Patches,” *Proceedings, SPIE Nondestructive Evaluation Techniques for Aging Infrastructure & Manufacturing*, V. 2946, pp. 211-218.

Banks, H. T., Inman, D. J., Leo, D. J. and Wang, Y. 1996. “An experimentally validated damage detection theory in smart structures,” *Journal of Sound and Vibration*, V.191, pp.859-880.

Bargar, R. S., Friesel, M. A., and Melton ,R.B. 1990. “Classification of Acoustic Emission Waveforms for Nondestructive Evaluation using neural Networks,” *SPIE Applications of Artificial Neural Networks*, V. 1294, pp. 545-556.

Barai, S. V., and Pandey, P. C., 1995. “Vibration Signature Analysis Using Artificial Neural Networks,” *Journal of Computing in Civil Engineering*, V.9, pp. 259-265.

Berman, A. and Nagy, E. J., 1983. “Improvement of a Large Analytical Model Using Test Data,” *AIAA Journal*, V.21, pp.1168-1173.

Bianchi, F., and Ricci, S., 1999. “An Integrated Methodology for the Structural Damage Detection,” *1999 ASME Mechanics and Materials Conference, Vibration and Control symposium*, Blacksburg, VA.

Bray, D., and McBride, D. 1992. "Nondestructive Testing Techniques," John Wiley & Sons, Inc. New York.

Carneiro, S. H., 2000. "Model-based Vibration Diagnostic of Cracked Member in the Time Domain," Ph.D. Dissertation, Virginia Polytechnic Institute and State University, Blacksburg, VA.

Castanien, K. E., and Liang, C. 1996. "'Application of Active Structural Health Monitoring Technique to Aircraft Fuselage Structures," Proceeding of SPIE Smart Structure Conference, V. 2721, pp. 38-50.

Castellini, P., and Tomasini, E. P., 1998. "A Laser Technique for Defects Diagnostic in Composites Materials," *Proceedings of 16th International Modal Analysis Conference*, pp. 1745-1749.

Cattarius, J., and Inman, D. J., 1997. "Time domain analysis for damage detection in smart structures," *Mechanical Systems and Signal Processing*, V.11, pp. 409-423.

Cawley, P. and Adams, R. D., 1979 "The Location of Defects in Structures from Measurements of Natural Frequencies," *Journal of Strain Analysis*, vol. 14, pp. 49-57.

Chance, J., Tomlinson, G. R. and Worden, K., 1994. "A simplified approach to the numerical and experimental modeling of the dynamics of a cracked beam," Proceedings of 12th International Modal Analysis Conference, pp. 778-785.

Chang, F., editor, 1997. *Proceedings of 1st Structural Health Monitoring – Current Status and Perspectives*, Stanford University, Stanford, CA.

Chang, F., editor, 1999. *Proceedings of 2nd Structural Health Monitoring*, Stanford University, Stanford, CA.

Chaudhry, Z., Lalande, F., Ganino, F., Rogers, C.A., and Chung, J., 1995. "Monitoring the Integrity of Composite Patch Structural Repair Via Piezoelectric Actuators/Sensors," *Proceedings of AIAA/ASME/ASCE/AHS/ASC 36th Structures, Structural Dynamics and Materials Conference, Adaptive Structures Forum*, AIAA Publishing, pp. 2243-2248.

Chen, Y. and Swamidas, A. J., 1997. "Modal Updating for crack detection in plated t-joints," *Proceedings of the 15th International Modal Analysis Conference*, pp. 1332-1338.

Choudhury R. and He, J., 1996, "Structural Damage Location Using Expanded Measured Frequency Response Function Data," *Proceedings of 14th International Modal Analysis Conference*, pp. 934-942.

Cook, L. S., Wolfenden, A., and Ludtka, G. M., 1990. "Longitudinal and Flexural Resonance Methods for the Determination of the Variation with Temperature of Dynamic Young's Modulus in 4330V Steel," *Dynamic Elastic Modulus Measurements in Materials, ASTM STP 1045*, A. Wolfenden, Ed., American Society for Testing Materials, pp. 75-89,

Crawley, E. F., and Anderson, E. H., 1990. "Detailed Models of Piezoceramic Actuation of Beams," *Journal of Intelligent Material Systems and Structures*, V.1, pp. 4-25.

Dimarogonas, A.D., 1996. "Vibration of Cracked Structures: A State of The Art Review," *Engineering Fracture Mechanics*, V.55, 831-857

Doebbling, S. W., Farrar, C. R., and Goodman, R.S, 1997. "Effects of Measurement Statistics on the Detection of Damage in the Alamosa Canyon Bridge," *Proceedings of 15th International Modal Analysis Conference*, pp. 919-929.

Doebbling, S. W., Farrar, C. R., and Prime, M. B., 1998. "A Summary Review of Vibration-Based Damage Identification Methods," *The Shock and Vibration Digest Journal*, V.30, 91-105

Dosch, J.J., Inman, D.J., and Garcia, E. 1992. "A Self Sensing Piezoelectric Actuator for Collocated Control," *Journal of Intelligent Material Systems and Structures*, V.3, 166-185.

Doyle, J.F., 1997. *Wave Propagation in Structures: Spectral Analysis Using Fast Discrete Fourier Transforms*. 2nd edition, Springer-Verlag New York, Inc.

Eidinger, J.M., 1999. "Girth Joints in Steel Pipelines subjected to Wrinkling and Owalling," *Proceedings of the 5th U.S. Conference on Lifeline Earthquake Engineering*, pp.100-109.

Esteban, J., 1996. "Modeling of the Sensing Region of a Piezoelectric Actuator/Sensor", Ph.D. Dissertation, Virginia Polytechnic Institute and State University, Blacksburg, VA.

Farrar, C. R., Baker, W. E., Bell, T. M., Cone, K. M., Darling, T. W., Duffey, T. A., Eklund, A., and Migliori, A. 1994. "Dynamic Characterization and Damage Detection in the I-40 Bridge Over the Rio Grande," Los Alamos National Laboratory Report LA-12767-MS.

Farrar, C.R. and Doebling, S.W., 1998. "A Comparison Study of Modal Parameter Confidence Intervals Computed Using the Monte Carlo and Bootstrap Techniques," *Proceedings of 16th International Modal Analysis Conference*, pp. 936-944.

Friswell, M.I., and Penny, J.E., 1997. "The Practical Limits of Damage Detection and Location using Vibration Data," *Proceedings, 11th VPI&SU Symposium on Structural Dynamics and Control*, Blacksburg, VA, 1-10.

Hwang, H., Lin, J., and M. Shinozuka, 1998. "Seismic Performance Assessment of Water Delivery Systems," *Journal of Infrastructure Systems*, Vol. 4, pp. 118-125.

Inman, D. J., 1994. *Engineering Vibration*, Prentice-Hall, Inc., ISBN 0-13-951773-1.

Inman, D. J., 1998. "Smart Structures Solutions to Vibration Problems," *Proceedings of International Conference on Noise and Vibration Engineering*, Leuven, Belgium, 1-12.

Juneja, V. 1996. "Locating Structural Damage in Real Time Using Contrast maximization," Ph.D. Dissertation, Virginia Polytechnic Institute and State University, Blacksburg, VA.

Kabeya, K., 1998. "Structural Health Monitoring Using Multiple Piezoelectric Sensors and Actuators," Master's thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA.

Kirkegaard, P., and Rytter, A. 1994. "Use of Neural Networks for Damage Assessment in a Steel Mast," *Proceeding of the 12th International Modal Analysis Conference*, pp.1128-1134.

Kitaura, M., Miyajima, M., and Namatame, N., 1998. "Damage to Water Supply Pipelines During the 1995 Hyogoken Nambu Earthquake and Its Seismic Response Analysis,"

Proceedings of 3rd China-Japan-US Trilateral Symposium on Lifeline Earthquake Engineering. pp.81-88 .

Ko, J. M., Wong, C.W., and Lam, H. F., 1994. "Damage Detection in Steel Framed Structures by Vibration Measurement Approach," *Proceedings of 12th International Modal Analysis Conference*, pp. 280-286.

Koseki, J., Matsuo, O., and Tanaka, S., 1998 "Uplift of Sewer Pipes Caused by Earthquake-induced Liquefaction of Surrounding Soil," *Soils and Foundations*, Vol. 38, pp. 75-87 .

Krishnamurthy, K., Lalande, F., and Rogers, C.A., 1996. "Temperature Effects on Piezoelectric Elements Used as Collocated Actuator/Sensors," *Proceedings of SPIE North American Conference on Smart Structures and Materials*, Vol. 2717, pp. 302-310.

Kudva, J., Munir, N., and Tan, P., 1991. "Damage Detection in Smart Structures Using Neural Networks and Finite Element Analysis," *Proceedings of ADPA/AIAA/ASME/SPIE Conference on Active Materials and Adaptive Structures*, pp. 559-562.

Lalande, F., Childs, B., Chaudhry, Z., and Rogers, C.A. 1996 "High-Frequency Impedance Analysis for NDE of Complex Precision Parts," *Proceedings of SPIE Conference on Smart Structures and Materials*, SPIE Publishing, V. 2717, pp.237-245

Lalande, F., Chaudhry, Z., Sun, F. P., and Rogers, C. A., 1996. "Debond Detection Using Broad-Band High-Frequency Excitation and Non-Contacting Laser Vibrometer System," *Journal of Intelligent Material Systems and Structures*, V. 7, pp. 176-181.

Liang, C., Sun, F. P., and Rogers, C.A., 1994. "Coupled Electromechanical Analysis of Adaptive Material System – Determination of Actuator Power Consumption and System Energy Transfer," *Journal of Intelligent Material Systems and Structures*. V.5, pp. 21-20.

Lim, T. W., 1995. "Structural Damage Detection Using Constrained Eigenstructure Assignment," *Journal of Guidance, Control and Dynamics*, V.18, pp. 411-418.

Lin, C. S., 1994. "Unity Check Method for Structural Damage Detection," *Proceedings of 35th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics and Materials Conference*, Hilton Head SC, pp. 347-354.

Lindner, D. K., Twitty, G. B. and Osterman, S. 1993. "Damage Detection for Composite Materials using Dynamic Response Data," *ASME Adaptive Structures and Materials Systems*, V.35, pp.441-448.

Lippmann, R.P., 1987. "An Introduction to Computing with Neural Nets," *IEEE Acoustics, Speech and Signal Processing Magazine*, Vol.4, pp.4-22.

Liu, P.L., 1995. "Identification and Damage Detection of Trusses using Modal Data," *Journal of Structural Engineering*, V.121, pp. 599-608.

Lopes Jr., V., Pereira, J.A., and Weber, H.I., 1997 "Using a Model Updating Technique to Train Neural Networking for Fault Detection," *16th Biennial Conference on Mechanics Vib. and Noise-Symposium on System Health Monitoring*, in CD-ROM, ASME Conference.

Lovell, P.A. and Pinew, D.J., 1998. "Damage Assessment in a Bolted Lap Joint," *Proceedings of SPIE Conference on Smart Structures and Materials*, Vol. 3325, pp. 112-126.

Narendran, N., and Weiss, J., 1996 "Fiber-optic Strain and Temperature Sensors for Power Plant Applications" *Proceedings of 3rd SPIE Conference on Smart Structures and Materials* Vol. 2594, pp.149-158.

Nokes and Cloud, G. 1993. "The Application of Interferometer Techniques to the Nondestructive Inspection of Fiber-Reinforced Materials", *Experimental Mechanics*, V. 33, pp. 314-319.

Nyman, D.J., Nelson, E.L., and Roach, C.H., 1999. "New Trans-Alaska Pipeline Earthquake Monitoring System," *Proceedings of the 5th U.S. Conference on Lifeline Earthquake Engineering*, pp.897-906 .

O'Rourke, T.D., and Palmer, M.C., 1996. "Earthquake Performance of Gas Transmission Pipelines", *Earthquake Spectra*, Vol. 20, 493-527.

Osegueda, R. A., Dsouza, P. D., and Qiang, Y. 1992. "Damage Evaluation of Offshore Structures Using Resonant Frequency Shifts," *Serviceability of Petroleum, Process, and Power Equipment, ASME PVP 239/MPC V.33*, pp.31-37.

Pandey, A. K., Biswas, M., and Samman, M. M., 1991. "Damage Detection from Changes in Mode Shapes," *Journal of Sound and Vibration*, V.145, pp. 321-332.

Pandey, A. K., and Biswas, M. 1994. "Damage Detection in Structures Using Changes in Flexibility," *Journal of Sound and Vibration*, V.169, pp.3-17

Pabst, U., and Hagedorn, P., 1993. "On the Identification of Localized Losses of Stiffness in Structures," *Structural Dynamics of Large Scale and Complex Systems*, V.59, pp. 99-104.

Park, G., Kabeya, K., Cudney, H., Inman, D.J., 1999. "Impedance-based Structural Health Monitoring for Temperature Varying Applications," *JSME International Journal*, Vol.42, No.2, pp. 249-258.

Peterson, L. D., Doebling, S. W., and Alvin, K. F., 1995. "Experimental Determination of Local Structural Stiffness by Disassembly of Measured Flexibility Matrices," *Proceedings of 36th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference*, AIAA-95-1090-CP, pp.2756-2766.

Piezo Systems Inc., 1998, Piezoelectric Product Catalog.

Pines, D.J., 1997. "Damage Detection Using Wave Element by Element Sensitivity Analysis," *38th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference and Exhibit*, AIAA 97-1347

Povich, C. R., and Lim, T. W., 1994. "An Artificial Neural Network Approach to Structural Damage Detection using Frequency Response Functions," *38th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference*, pp. 151-159.

Raju, V., 1998. "Implementing Impedance-Based Health Monitoring Technique," Master's thesis, Virginia Polytechnic Institute and State University, Blacksburg, VA.

Raju, V., Park, G., and Cudney, H., 1998. "Impedance-based health monitoring technique of composite reinforced structure," *Proceedings, 9th International Conference on Adaptive Structures and Technologies*, pp. 448-457.

Rhim, J., and Lee, S. W., 1995. "A neural Network Approach for Damage Detection and Identification of Structures," *Computational Mechanics*, V. 16, pp. 437-443.

Rickles, J. M., and Kosmatka, J.B., 1992 "Damage Detection in Elastic Vibratory Structures Using Residual Forces and Weighted Sensitivity," *AIAA Journal*, V. 30, pp.2310-2316.

Rogers, C. A. and Lalande, F., 1996. "Solid-State Active Sensing for In-Situ Health Monitoring," *Proceedings of the Society for Machinery Failure Prevention Technology 50th Meeting Technical Showcase*, Mobile, AL, pp. 301-307

Salawu, O.S., 1997. "Detection of Structural Damage through Changes in Frequency: a Review," *Engineering Structures*, V.19, 718-723.

Schulz, M.J., Pai, P.F. and Abdelnaser, A.S., 1996. "Frequency Response Function Assignment Technique for Structural Damage Identification," *Proceedings of 14th International Modal Analysis Conference*, pp. 105-111.

Schulz, M.J., Pai, P.F., Naser, A.S. and Jaycee Chung, 1998. "Locating structural Damage using Frequency Response Reference Functions," *Journal of Intelligent Material Systems Structures*, Vol.9, pp.899-905.

Schwarz, B. J., Mchargue, P.L, and Richardson, M. H., 1996. "Using SDM to Train Neural Networks for Solving Modal Sensitivity Problems," *Proceedings of 14th International Modal Analysis Conference*, pp. 105-111.

Siebold, S. S., and Weinert, K. 1996. "A time domain method for localization of cracks in rotors," *Journal of Sound and Vibration*, V.195, pp57-73.

Simmons, W. C. 1986. "Bolt Failure Studies at Aberdeen Proving Ground, Analyzing Failures: Problems and Solutions," *Proceedings of International conference on Cracks and Fatigue, Fracture Mechanics and Failure Analysis*, Salt Lake City, UT.

Spillman, W, Huston, D., Fuhr, P., and Lord, J., 1993. "Neural Network Damage Detection in a Bridge Element," *SPIE Smart Sensing, Processing, and Instrumentation*, V. 1918, pp. 288-295.

Staszewski, W. J., 1999. "Structural and Mechanical Damage Detection Using Wavelets," *Shock and Vibration Digest*, pp. 12-27.

Stokes, J. P., and Cloud, G. L., 1993. "The Application of Interferometric Techniques to the Nondestructive Inspection of Fiber-reinforced Materials", *Experimental Mechanics*, V. 33, pp. 314-319.

Sun, F., Chaudhry, Z., Liang, C., and Rogers, C.A., 1995a. "Truss Structure Integrity Identification Using PZT Sensor-Actuator," *Journal of Intelligent Material Systems and Structure*, V.6, 134-139.

Sun, F., Roger, C. A., and Liang, C., 1995. "Structural Frequency Response Function Acquisition via Electric Impedance Measurement of Surface-Bonded Piezoelectric Sensor/Actuator." *Proceedings of the AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials Conference*, pp.3450-3461.

Sun, F., Chaudhry, Z., and Rogers, C.A., 1995. "Automated Real-Time Structure Health Monitoring via signature Pattern Recognition," *Proceedings of SPIE smart structures and materials*, Vol.2443, pp.236-247

Tsou, P., and Shen, M. H., 1993. "Structural Damage Detection and Identification using Neural Networks," *Proceedings of 34th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics and Materials Conference*, pp. 3551-3560.

West, W. M., 1984. "Illustration of the use of modal assurance criterion to detect structural changes in an orbiter test specimen," *Proceedings of the Air Force Conference on Aircraft Structural Integrity*, pp. 1-6.

Woon, C.E., and Mitchell, L.D., 1996a. "Variations in Structural dynamic Characteristics Caused by Changes in Ambient Temperature: Part I. Experimental," *Proceedings of 14th International Modal Analysis Conference*, SEM, pp.963-971.

Woon, C.E., and Mitchell, L.D., 1996b. "Variations in Structural dynamic Characteristics Caused by Changes in Ambient Temperature: Part II. Analytical," *Proceedings of 14th International Modal Analysis Conference*, SEM, pp.972-980.

Worden, K., and Tomlinson, G. R., 1992. "Classifying Linear and Non-linear Systems Using Neural Networks," *17th International Seminar on Modal Analysis*, Leuven, pp. 903-922,

Worden, K., Ball, A., and Tomlinson, G., 1993. "Neural Networks for Fault Location," *Proceedings of the 11th International Modal Analysis Conference*, pp. 47-54.

Zimmerman, D. C, and Kaouk, M. 1992. "Eigenstructure Assignment Approach for Structural Damage Detection," *AIAA Journal*, V.30, pp. 1848-1855.

Zimmerman, D. C., and Kaouk, M. 1994. "Structural Damage Detection using a Minimum Rank Update Theory," *Journal of Vibration and Acoustics*, V. 116, 222-230.

Zimmerman, D.C., Kaouk, M., and simmermacher, T., 1995, "Structural Damage Detection Using Frequency Response Functions," *Proceedings of 13th International Modal Analysis Conference*, pp. 414-420