

Bibliography

1. Adams, G. R., M. J. Fisher, and R. A. Meyer. Hypercapnic acidosis and increased H_2PO_4 do not decrease force in cat skeletal muscle. *Am. J. Physiol.* 260 (29): C805-C812, 1991.
2. Andrews, M.A., R.E. Godt, and T.M. Nosek. Influence of physiological L(+)-lactate concentrations on contractility of skinned striated muscle fibers of rabbit. *J. Appl. Physiol.* 80(6): 2060-2065, 1996.
3. Baker, A. J., R. Brandes, and M. W. Weiner. Effects of intracellular acidosis on Ca^{2+} activation, contraction, and relaxation of frog skeletal muscle. *Am. J. Physiol.* 268 (37): C55-C63, 1995.
4. Berzelius, J. *Jahres-Bericht uber die Fortschritte der physischen Wissenschaften*. Tr. from the Swedish by F. Wholer, 1836.
5. Chase, P. B., and M. J. Kushmerick. Effects of pH on contraction of rabbit fast and slow skeletal muscle fibers. *Biophys. J.* 53: 935-946, 1988.
6. Cooke, R., K. Franks, G. B. Luciani, and E. Pate. The inhibition of rabbit skeletal muscle contraction by hydrogen ions and phosphate. *J. Physiol.* 395: 77-97, 1988.
7. Durkot, M. J., L. DeGaravilla, and R. Francesconi. The effects of dichloroacetate on lactate accumulation and endurance in an exercising rat model. *Int. J. Sports Med.* 16 (3): 167-171, 1995.
8. Eberstein, A., and A. Sandow. Fatigue mechanisms in muscle fibers, in Guttman E, Hnik P (eds): *The Effect of Use and Disuse in Neuromuscular Function*. Amsterdam, Elsevier, 1976, pp. 515-526.
9. Edwards, R. H. T. Biochemical bases of fatigue in exercise performance: catastrophe theory of muscular fatigue. *Biochemistry of Exercise*. Champaign, IL. Human Kinetics, 1983, pp. 3-28.
10. Fabiato, A. and F. Fabiato. Effects of pH on the myofilaments and the sarcoplasmic reticulum of skinned cells from cardiac and skeletal muscle. *J. Physiol.* 276: 233-255, 1978.
11. Favero, T.G., A.C. Zable, M.B. Bowman, A. Thompson, and J. J. Abramson. Metabolic end products inhibit sarcoplasmic reticulum Ca^{2+} release and [^3H]ryanodine binding. *J. Appl. Physiol.* 78(5): 1665-1672, 1995.
12. Fitts, R. H. Cellular mechanisms of muscle fatigue. *Physiol. Rev.* 74(1): 49-92, 1994.

13. Fitts, R. H. and J. O. Holloszy. Lactate and contractile force in frog muscle during development of fatigue and recovery. *Am. J. Physiol.* 231(2): 430-433, 1976.
14. Fletcher, W. M. and G. Hopkins. Lactic acid in amphibian muscle. *J. Physiol.* 35: 247-309, 1907.
15. Gladden, L. B. Lactate uptake by skeletal muscle. *Exer. Sport Sci. Rev.* 17: 115-155, 1989.
16. Godt, R. E. and T. M. Nosek. Changes of intracellular milieu with fatigue or hypoxia depress contraction of skinned rabbit skeletal and cardiac muscle. *J. Physiol.* 412: 155-180, 1989.
17. Hogan, M. C., L. B. Gladden, S.S. Kurdak, and D. C. Poole. Increased [lactate] in working dog muscle reduces tension development independent of pH. *Med. Sci. Sports Exerc.* 27 (3): 371-377, 1995.
18. Hogan, M. C. and H. G. Welch. Effect of varied lactate levels on bicycle ergometer performance. *J. Appl. Physiol.* 57(2): 507-513, 1984.
19. Hood, D. A. and G. Parent. Metabolic and contractile responses of rat fast-twitch muscle to 10-Hz stimulation. *Am. J. Physiol.* 260(29): 832-840, 1991.
20. Lamb, G. D., E. Recupero, and D. G. Stephenson. Effect of myoplasmic pH on excitation-contraction coupling in skeletal muscle fibres of the toad. *J. Physiol.* 448: 211-224, 1992.
21. Lynch, G. S. and D. A. Williams. The effect of lowered pH on the Ca^{2+} -activated contractile characteristics of skeletal muscle fibres from endurance trained rats. *Exp. Physiol.* 79: 47-57, 1994.
22. Ma, J., M. Fill, C. M. Knudson, K. P. Campbell, and R. Coronado. Ryanodine receptor is a gap junction-type channel. *Science.* 424: 99-102: 1988.
23. Macintosh, B. R. Skeletal muscle staircase response with fatigue or dantrolene sodium. *Med. Sci. Sports Exerc.* 23(1): 56-63, 1991.
24. Mainwood, G. W., J. M. Renaud, and M. J. Mason. The pH dependence of the contractile response of fatigued skeletal muscle. *Can. J. Physiol. Pharmacol.* 65: 648-658, 1987.
25. Merton, P.A. Voluntary strength and fatigue. *J. Physiol.* 123: 553-564, 1954.

26. Metzger, J. M. and R. L. Moss. pH modulation of the kinetics of a Ca^{2+} -sensitive crossbridge state transition in mammalian single skeletal muscle fibres. *J. Physiol.* 428: 751-764, 1990.
27. Pate, E., M. Bhimani, K. Franks-Skiba, and R. Cooke. Reduced effect of pH on skinned rabbit psoas muscle mechanics at high temperatures: implications for fatigue. *J. Physiol.* 486: 689-694, 1995.
28. Potma, E. J., I. A. van Grass, and G. J. M. Stienen. Influence of inorganic phosphate and pH on ATP utilization in fast and slow skeletal muscle fibers. *Biophys. J.* 69: 2580-2589, 1995.
29. Potma, E. J., I. A. van Grass, and G. J. M. Stienen. Effects of pH on myofibrillar ATPase activity in fast and slow skeletal muscle fibers of the rabbit. *Biophys. J.* 67: 2404-2410, 1994.
30. Powers, S. K, and E. T. Howley. Muscular Contraction. *In Exercise Physiology: Theory and Application to Fitness and Performance.* Dubuque, Iowa. Brown and Benchmark, 1990, 146-156.
31. Ranatunga, K.W. Effects of acidosis on tension development in mammalian skeletal muscle. *Muscle & Nerve.* 10: 439-445, 1987.
32. Renaud, J. M., Y. Allard, and G. W. Mainwood. Is the change in intracellular pH during fatigue large enough to be the main cause of fatigue? *Can. J. Physiol. Pharmacol.* 64: 764-767, 1986.
33. Robertson, S. P. and W. G. Kerrick. The effects of pH on Ca^{2+} -activated force in frog skeletal muscle fibers. *Pflugers Arch.* 380: 41-45, 1979.
34. Rousseau, E. and J. Pinkos. pH modulates conducting and gating behaviour of single calcium release channels. *Pflugers Arch.* 415: 645-647, 1990.
35. Spriet, L., M. Lindinger, G. Heigenhauser, and N. Jones. Effects of alkalosis on skeletal muscle metabolism and performance during exercise. *Am. J. Physiol.* 251: R833-R839, 1986.
36. Wasserman K., and M. B. McIlroy. Detecting the threshold of anaerobic metabolism in cardiac patients during exercise. *Am. J. Cardiol.* 14: 844-852, 1964.
37. Westerblad, H., J. A. Lee, J. Lannergren, and D. G. Allen. Cellular mechanisms of fatigue in skeletal muscle. *Am. J. Physiol.* 261 (30): 195-209, 1991.
38. Williams J. H. and G. A. Klug. Calcium exchange hypothesis of skeletal muscle fatigue: a brief review. *Muscle & Nerve.* 18: 421-434, 1995.

39. Williams, J. H. and C. W. Ward. Reduced Ca^{2+} -induced Ca^{2+} -release from skeletal muscle sarcoplasmic reticulum at low pH. *Can. J. Physiol. Pharmacol.* 70: 926-930, 1991.
40. Wiseman R. W., T. W. Beck, and P. B. Chase. Effect of intracellular pH on force development depends on temperature in intact skeletal muscle from mouse. *Am. J. Physiol.* 271(40): C878-C886, 1996.