

REFERENCES

- [1] T. Hosono, T. Hinata, and H. Yoshikawa, "Polarization-maintaining optical fibers with hollow circular pits," *IEEE J. Lightwave Technology*, vol. LT-4, pp. 1609-1616, 1986.
- [2] S. B. Poole, and D. N. Payne, "Special optical fibers," *SPIE, Fiber Optics '87: Fifth International Conference on Fiber Optics and opto-Electronics*, pp. 92-103, 1987.
- [3] E. Sasaoka, M. Takagi, H. Suganuma, Y. Kubo, S. Tanaka, and H. Yokota, "Polarization maintaining optical fiber and components," *Sumitomo Electric Technical Review*, no. 35, pp. 29-33, 1993.
- [4] B. P. Pal, editor, *Fundamentals of Fiber Optics in Telecommunication and Sensor Systems*, Wiley, New York, 1992.
- [5] I. P. Kaminow, "Polarization in optical fibers," *IEEE J. Quantum Electronics*, vol. QE-17, pp. 15-22, 1981.
- [6] I. P. Kaminow, "Polarization in optical fibers," *IEEE J. Quantum Electronics*, vol. QE-17, pp. 15-22, 1981.
- [7] T. Okoshi, "Single-polarization single-mode optical fibers," *IEEE J. Quantum Electronics*, vol. QE-17, pp. 879-884, 1981.
- [8] T. Okoshi, "Heterodyne and coherent optical fiber communications: recent progress," *IEEE Transactions on Microwave Theory and Techniques*, vol. MTT-30, pp. 1138-1149, 1982.
- [9] T. Okoshi, "Polarization phenomena in optical fibers," *Optical Fiber Sensors Proceedings of The NATO Advanced Study Institute*, pp. 227-242, 1987.
- [10] T. Itoh, editor, *Planar Transmission Line Structures*, IEEE press, New York, 1987.
- [11] P. Bhartia, and I. J. Bahl, *Millimeter Wave Engineering and Applications*, John Wiley & Sons, New York, 1984.

- [12] Y. Tong, and W. Yizun, "Theoretical study of metal-clad optical waveguide polarizer," IEEE J. Quantum Electronics, vol. 25, pp. 1209-1213, 1989.
- [13] T. Takano, and J. Hanasaki, "Propagation modes of a metal-clad-dielectric-slab waveguide for integrated optics," IEEE J. Quantum Electronics, vol. QE-8, pp. 206-212, 1972.
- [14] I. P. Kaminow, W. L. Mammel, and H. P. Weber, "Metal-clad optical waveguides: analytical and experimental study," Applied Optics, vol. 13, pp. 396-405, 1974.
- [15] E. M. garmire, and H. Stoll, "Propagation losses in metal-film-substrate optical waveguides," IEEE J. Quantum Electronics, vol. QE-8, pp. 763-766, 1972.
- [16] D. D. King, S. P. Schlesinger, "Losses in Dielectric Image Lines," IRE Transactions on Microwave Theory and Techniques, vol. MTT-5, pp. 31-35, January 1957.
- [17] W. Eickhoff, "In-Line Fiber-Optic Polarizer," Electronics Letters, vol. 16, pp. 762-764, 1980.
- [18] R. B. Dyott, J. Bells, and V. A. Handerek, "Indium-Coated D-Shaped-Fiber Polarizer," Optics Letters, vol. 12, no. 4, pp. 287-289, 1987.
- [19] H. T. Hattori, "Low nonlinearity optical fibers for broadband and long-distance communications," Dissertation submitted to the ECE Dept. at Virginia Tech, 1998.
- [20] A. Reisinger, "Attenuation properties of optical waveguides with a metal boundary," Applied Physics Letters, vol. 23, pp. 237-239, 1973.
- [21] S. J. Al-Bader, "Ohmic loss in metal-clad graded-index optical waveguides," IEEE Transactions on Quantum Electronics, vol. QE-22, pp. 8-11, 1986.
- [22] J. N. Polky, and G. L. Mitchell, "Metal-clad planar waveguide for integrated optics," J. Optical Society of America, vol. 64, pp. 274-279, 1974.
- [23] W. K. Burns, editor, *Optical Fiber Rotation Sensing*, Academic Press, CA, 1994.
- [24] A. Papp, and H. Harms, "Polarization optics of index-gradient optical waveguide fibers," Applied Optics, vol. 14, pp. 2406-2411, 1975.
- [25] R. Ulrich, and A. Simon, "Polarization optics of twisted single-mode fibers," Applied Optics, vol. 18, pp. 2241-2251, 1979.

- [26] D. N. Payne, A. J. Barlow, and J. J. Ramskov Hansen, "Development of low- and high-birefringence optical fibers," *IEEE Journal of Quantum Electronics*, vol. QE-8, no. 4, April 1982.
- [27] J. N. Ross, "The rotation of polarization in low birefringence monomode fibers due to geometric effects," *Optical and Quantum Electronics*, vol. 16, pp. 455-461, 1984.
- [28] M. P. Varnham, R. D. Birch, and D. N. Payne, "Design of helical-core circularly birefringent fibers," *Proceedings of OFC 1986, Atlanta, USA*, p.68.
- [29] R. D. Birch, "Fabrication and characterisation of circularly birefringent helical fibers," *Electronics Letters*, vol. 23, pp. 50-52, 1987.
- [30] T. Okoshi, and K. Oyamada, "Single-polarization single-mode optical fiber with refractive-index pits on both sides of core," *Electronics Letters*, vol. 16, pp. 712-713, 1980.
- [31] T. Okoshi, K. Oyamada, M. Nishimura, and H. Yokota, "Side-tunnel fiber: an approach to polarization-maintaining optical waveguiding scheme," *Electronics Letters*, vol. 18, pp. 824-826, 1982.
- [32] T. Okoshi, T. Aihara, and K. Kikuchi, "Prediction of ultimate performance of side-tunnel single-polarization fiber," *Electronics Letters*, vol. 19, pp. 1980-1982, 1983.
- [33] K. Hayata, M. Eguchi, M. Kshiba, and M. Suzuki, "Vectorial wave-analysis of side-tunnel type polarization-maintaining optical fibers by variational finite elements," *IEEE J. Lightwave Technology*, vol. LT-4, pp. 1090-1096, 1986.
- [34] A. N. Kaul, A. Kumar, and K. Thyagarajan, "Polarization characteristics of side-pit and side-tunnel fibers using the effective index method," *IEEE J. Lightwave Technology*, vol. LT-5, pp. 1610-1612, 1987.
- [35] R. K. Varshney, and A. Kumar, "Birefringence calculations in side-tunnel optical fibers, a rectangular-core waveguide model," *Optics Letters*, vol. 11, pp. 45-47, 1986.
- [36] T. Hosaka, K. Okamoto, Y. Sasaki, and T. Edahiro, "Single mode fibers with asymmetrical refractive index pits on both sides of core," *Electronics Letters*, vol. 17, pp. 191-193, 1981.

- [37] K. Okamoto, T. Hosaka, and T. Eda Hiro, "Stress analysis of optical fibers by a finite element method," *IEEE J. Quantum Electronics*, QE-17, pp. 2123-2129, 1981.
- [38] T. Hosaka, K. Okamoto, T. Miya, Y. Sasaki, and T. Eda Hiro, "Low-loss single polarization fibers with asymmetrical strain birefringence," *Electronics Letters*, vol. 17, pp. 530-531, 1981.
- [39] R. D. Birch, D. N. Payne, and M. P. Varnham, "Fabrication of polarization-maintaining fibers using gas-phase etching," *Electronics Letters*, vol. 18, pp. 1036-1038, 1982.
- [40] Y. Sasaki, K. Okamoto, T. Hosaka, and N. Shibata, "polarization-maintaining and absorption reducing fibers," *Tech. Dig. Topical Meeting Opt. Fiber Commun.*, Phoenix AZ, 1982.
- [41] N. Shibata, Y. Sasaki, K. Okamoto, and T. Hosaka, "Fabrication of Polarisation-maintaining and absorption reducing fibers," *IEEE J. Lightwave Technology*, vol. LT-1, pp. 38-43, 1983.
- [42] M. P. Varnham, D. N. Payne, A. J. Barlow, and R. D. Birch, "Analytic solution for the birefringence produced by thermal stress in polarisation-maintaining optical fibers," *IEEE J. Lightwave Technology*, vol. LT-1, pp. 332-3329, 1983.
- [43] P. L. Chu, and R. A. Sammut, "Analytical method for calculation of stresses and material birefringence in polarisation maintaining optical fiber," *IEEE J. Lightwave Technology*, vol. LT-2, pp. 650-662, 1984.
- [44] Y. Sasaki, T. Hosaka, M. Horiguchi, and J. Noda, "Design and fabrication of low-loss and low-crosstalk polarization-maintaining optical fibers," *IEEE J. Lightwave Technology*, vol. LT-4, pp. 1097-1102, 1986.
- [45] Y. Sasaki, "Long-length low-loss polarization-maintaining fibers," *IEEE J. Lightwave Technology*, vol. LT-5, pp. 1139-1146, 1987.
- [46] K. Okamoto, T. Hosaka, and J. Noda, "High-birefringence polarizing fiber with flat cladding," *IEEE J. Lightwave Technology*, vol. LT-3, pp. 758-762, 1985.

- [47] T. Hinata, S. Furukawa, N. Namatame, and S. Nakajima, "A single optical fiber of hollow pit type with zero total dispersion at wavelength of 1.55 μm ," IEEE J. Lightwave Technology, vol. 12, pp. 1921-1923, 1994.
- [48] T. Miya, Y. Terunuma, T. Hosaka, and T. Miyashita, "Ultimate low-loss single mode fiber at 1.55 μm ," Electronics Letters, vol. 15, pp. 106-108, 1979.
- [49] K. Tajima, M. Ohashi, and Y. Sasaki, "A new single-polarization optical fiber," IEEE J. Lightwave Technology, vol. 7, pp. 1499-1503, 1989.
- [50] V. Ramaswamy, and W. G. French, "Influence of noncircular core on the polarization performance of single-mode fibers," Electronics Letters, vol. 14, pp. 143-144, 1978.
- [51] E. A. J. Marcatili, "Dielectric rectangular waveguide and directional coupler for integrated optics," Bell Sys. Tech. J., vol. 48, pp. 2071-2102, 1969.
- [52] C. Yeh, "Elliptical dielectric waveguides," J. Applied Physics, vol. 33, pp. 3235-3243, 1962.
- [53] M. J. Adams, D. N. Payne, and C. M. Ragdale, "Birefringence in optical fibers with elliptical cross section," Electronics Letters, vol. 15, pp. 298-299, 1979.
- [54] J. D. Love, R. A. Sammut, and A. W. Snyder, "Birefringence in elliptically deformed optical fibers," Electronics Letters, vol. 15, pp. 615-616, 1979.
- [55] W. O. Schlosser, "Delay distortion in weakly-guiding optical fibers due to elliptic deformation of the boundary," Bell Sys. Tech. J., vol. 51, pp. 487-492, 1972.
- [56] A. W. Snyder, and W. R. Young, "Modes of optical waveguides," J. Optical Society of America, vol. 68, pp. 297-309, 1978.
- [57] D. Marcuse, *Theory of Dielectric Optical Waveguides*, New York, Academic, 1974
- [58] R. B. Dyott, J. R. Cozens, and D. G. Morris, "Preservation of polarization in optical-fiber waveguides with elliptical cores," Electronics Letters, vol. 15, pp. 380-382, 1979.
- [59] T. Katuyama, H. Matsumura, and T. Suganuma, "Low-loss single-polarization fibers," Electronics letters, vol. 17, pp. 473-474, 1981.

- [60] S. Machida, J. Sakai, and T. Kimura, "Polarisation conservation in single-mode fibers," *Electronics Letters*, vol. 17, pp. 494-495, 1981.
- [61] T. Katsuyama, H. Matsumura, and T. Suganuma, "Propagation characteristics of single polarization fibers," *Applied Optics*, vol. 22, pp. 1748-1753, 1983.
- [62] T. Katsuyama, H. Matsumura, and T. Suganuma, "Low-loss single polarization fibers," *Applied Optics*, vol. 22, pp. 1741-1747, 1983.
- [63] T. Wakabayashi, and Y. Mihara, "Analysis of polarization maintaining fibers with a flat elliptical core," *The 1989 URSI International Symposium on Electromagnetic Theory*, Stockholm Sweden, pp. 300-302, 1989.
- [64] R. H. Stolen, W. Pleibel, and J. R. Simpson, "High birefringence optical fibers by preform deformation," *IEEE J. Lightwave Technology*, vol. LT-2, pp. 639-641, 1984.
- [65] M. W. Shute, Sr., and C. S. Brown, "A study of the polarization properties of a rectangular polarization-maintaining fiber," *IEEE J. Lightwave Technology*, vol. 7, pp. 2013-2017, 1989.
- [66] M. W. Shute, Sr., C. S. Brown, and A. J. Ritger, "A study of the polarization properties of AT&T's rectangular polarization-maintaining fiber," *SPIE, Fiber optic Networks and Coherent Technology in Fiber Optic System II*, vol. 481, pp. 358-375, 1987.
- [67] M. J. Messerly, J. R. Onstott, and R. C. Mikkelsen, "A broad-band single polarization optical fiber," *IEEE J. Lightwave Technology*, vol. 9, pp. 817-819, 1991.
- [68] K. Kitayama, S. Seikai, and N. Uchida, "Polarization-maintaining single-mode fiber with azimuthally inhomogeneous index profile," *Electronics letters*, vol. 17, pp. 419-420, 1981.
- [69] G. J. Gabriel, and M. E. Brodwin, "The solution of guided waves in inhomogeneous anisotropic media by perturbation and variational methods," *IEEE Microwave Theory and Techniques*, vol. MTT-13, pp. 364-370, 1965.

- [70] G. Cancellieri, and M. Galeazzi, "Fiber monomodo W a birifrangenza geometrica," Proceedings of the 6th Conference on Applied Electromagnetism, Trieste, Italy, pp. 373-376, 1986.
- [71] A. Kumar, R. K. Varshney, and K. Thyagarajan, "Birefringence calculations in elliptical-core optical fibers," Electronics Letters, vol. 20, pp. 112-113, 1984.
- [72] A. Kumar, K. Thyagarajan, and A. K. Ghatak, "Analysis of rectangular-core dielectric waveguide: an accurate perturbation approach," Optics Letters, vol. 8, pp. 63-65, 1983.
- [73] G. Cancellieri, F. Chiaraluce, and A. Gianfagna, "Azimuthal refractive index modulation for enhancing birefringence of elliptical single-mode fibers," Optics Communications, vol. 78, pp. 230-236, 1990.
- [74] I. M. Skinner, and J. D. Love, "Butterfly model of single-polarization fibers," IEEE J. Lightwave Technology, vol. 6, pp. 419-427, 1988.
- [75] J. Ctyoky, J. Janta, and J. Schrofel, "Thin film polarizer for optical waveguide," Proceedings 10th European Conference in Optical Communications, pp. 44-45, 1984.
- [76] D. Gruchmann, K. Petermann, L. Satudigel, and E. Weidel, "Fiber-optic polarizers with high extinction ratio," Proceedings 9th European Conference in Optical Communications, pp. 305-308, 1983.
- [77] L. Li, G. Wylangowski, D. N. Payne, and R. D. Birch, "Broadband metal/glass single mode fiber polarizer," Electronics Letters, vol. 22, pp. 1020-1021, 1986.
- [78] J. E. Goell, "A circular-harmonic computer analysis of rectangular dielectric waveguide," Bell Sys. Tech. J., vol. 48, pp. 2133-2160, 1969.
- [79] A. Reisinger, "Characteristics of optical guided modes in lossy waveguides," Applied Optics, vol. 12, pp. 1015-1025, 1973.
- [80] W. Yizun, "Equivalent current theory of optical waveguide coupling," J. Optical Society of America, vol. 4, pp. 1902-1910, 1987.

- [81] M. Masuda, A. Tanji, Y. Ando, and J. Koyama, "Propagation losses of guided modes in an optical graded-index slab waveguide with metal cladding," *IEEE Transactions on microwave Theory and Techniques*, vol. MTT-25, pp. 773-776, 1977.
- [82] T. Findakly, and C. L. Chen, "Diffused optical waveguides with exponential profile: effects of metal-clad and dielectric overlay," *Applied Optics*, vol. 17, pp. 469- 474, 1978
- [83] S. X. She, "Propagation characteristics and loss of metal-clad graded index optical waveguides," *Optics Communications*, vol. 103, pp. 365-369, 1993.
- [84] R. V. Schmidt, and I. P. Kaminow, "Metal-diffused optical waveguides in LiNbO_3 ," *Applied Physics Letters*, vol. 25, pp. 458-460, 1974.
- [85] J. Noda, T. Saku, and N. Uchida, "Fabrication of optical waveguiding layer in LiTaO_3 by Cu diffusion," *Applied Physics Letters*, vol. 25, pp. 308-310, 1974.
- [86] I. P. Kaminow, and J. R. Carruthers, "Optical waveguiding layer in LiNbO_3 and LiTaO_3 ," *Applied Physics Letters*, vol. 25, pp. 326-328, 1973.
- [87] C. Ma, and S. Liu, "Effect of metal cladding thickness on guided-mode optical characteristics for metal-clad four-layer waveguides," *J. Optical Society of America*, vol. 7, pp. 1577-1581, 1990.
- [88] S. X. She, "Metal-clad multilayer dielectric waveguide: accurate perturbation analysis," *J. Optical Society of America*, vol. 7, pp. 1582-1590, 1990.
- [89] Y. Yamamoto, T. Kamiya, and H. Yanai, "Characteristics of optical guided modes in multilayer metal-clad planar optical guide with low-index dielectric buffer layer," *IEEE J. Quantum Electronics*, vol. QE-11, pp. 729-736, 1975.
- [90] B. Prade, J. Y. Vinet, and A. Mysyrowicz, "Guided optical waves in planar heterostructures with negative dielectric constant," *Physical Review B*, vol 44, pp. 13556-13572, 1991.
- [91] B. Parade, and J. Y. Vinet, "Guided optical waves in fibers with negative dielectric constant," *IEEE J. Lightwave Technology*, vol. 12, pp. 6-18, 1994.
- [92] R. A. Bergh, H. C. Lefevre, and H. J. Shaw, "Single-mode fiber-optic polarizer," *Optics Letters*, vol. 5, pp. 479-481, 1980.

- [93] A. Kumar, V. Gupta, and K. Thyagarajan, "Geometrical birefringence of polished and D-shaped fibers," *Optics Communications*, vol. 61, pp. 195-198, 1987.
- [94] M. A. Jensen, and R. H. Selfridge, "Analysis of etching-induced birefringence changes in elliptic core fibers," *Applied Optics*, vol. 31, pp. 2011-2016, 1992.
- [95] C. D. Poole, J. H. Winters, and J. A. Nagel, "Dynamical equation for polarization dispersion," *Optics Letters*, vol. 16, pp. 372-374, 1991.
- [96] N. Gisin, "Solutions of the dynamical equation for polarization dispersion," *Optics Communications*, vol. 86, pp. 371-373, 1991.
- [97] G. J. Foschini, and C. D. Poole, "Statistical theory of polarization dispersion in single mode fibers," *IEEE J. Lightwave Technology*, vol. LT-9, pp. 1439-1456, 1991.
- [98] G. J. Gisin, and J. P. Pellaux, "Polarization mode dispersion: time versus frequency domains," *Optics Communications*, vol. 89, pp. 316-323, 1992.
- [99] Y. Namahira, T. Kawazawa, and H. Wakabayashi, "Polarization mode dispersion measurements in 4564 km EDFA system," *Electronics Letters*, vol. 29, pp. 32-33, 1991.
- [100] N. Gisin, R. Passy, J. C. Bishoff, and B. Perny, "Experimental investigation of the statistical properties of polarization mode dispersion in single-mode fibers," *IEEE Photonics Technology Letters*, vol. 5, pp. 819-821, 1993.
- [101] B. W. Hakki, "Polarization mode dispersion in a single mode fibers," *IEEE J. Lightwave Technology*, vol. 14, pp. 2202-2208, 1996.
- [102] P. Oberson, K. Julliard, N. Gisin, R. Passy, and J. P. Von der Weid, "Interferometric polarization mode dispersion measurements with femtosecond sensitivity," *IEEE J. Lightwave Technology*, vol. 15, pp. 1852-1857, 1997.
- [103] C. D. Poole, and D. L. Favin, "Polarization-mode dispersion measurements based on transmission spectra through a polarizer," *IEEE J. Lightwave Technology*, vol. 12, pp. 917-929, 1994.
- [104] P. K. A. Wai, and C. R. Menyuk, "Polarization mode dispersion, decorrelation, and diffusion in optical fibers with randomly varying birefringence," *J. Lightwave Technology*, vol. 14, pp. 148-157, 1996.

- [105] D. Q. Chowdhury, and D. A. Nolan, "Perturbation model for computing optical fiber birefringence from a two-dimensional refractive-index profile," *Optics Letters*, vol. 20, pp. 1973-1975, 1995.
- [106] A. W. Snyder, and J. D. Love, *Optical Waveguide Theory*, Chappman and Hall, London, 1983.
- [107] A. M. Vengsarker, A. H. Moesle, L. G. Cohen, and W. L. Mammel, "Polarization mode dispersion in dispersion-shifted fibers: an exact analysis," *Optics Letters*, vol. 18, pp. 1412-1414, 1993.
- [108] D. Marcuse, *Optical Fiber Telecommunications II*, 2nd Edition, Academic Press, Inc., New York, 1988, Ch. 3.
- [109] I. P. Kaminow and V. Ramaswamy, "Single-Polarization Optical Fibers: Slab Model," *Appl. Phys. Lett.*, vol. 34, no. 4, pp. 268-270, Feb. 1979.
- [110] M. J. Adams, *An Introduction To Optical Waveguides*, John Wiley & Sons, Inc., New York, 1981.
- [111] A. Safaai-Jazi, and L. J. Lu, "Accuracy of approximate methods for the evaluation of chromatic dispersion in dispersion-flattened fibers," *J. Lightwave Technology*, vol. 8, pp. 1145-1150, 1990.
- [112] B. Simon, "The Bound State of Weakly Coupled Shrodinger Operators in One and Two Dimensions," *Ann. Phys.*, vol. 97, pp. 279-288, 1976.
- [113] G. P. Agrawal, *Nonlinear Fiber Optics*, Second edition, Academic Press, San Diego, CA, 1995.
- [114] K. Petrmann, "Constraints for fundamental-mode spot size for broadband dispersion-compensated single-mode fibers," *Electronics Letters*, vol. 19, pp. 712-714, 1983.
- [115] A. Safaai-Jazi, and G. L. Yip, "Classification of Hybrid Modes in Cylindrical Dielectric Waveguides," *Radio Sciences*, Special issue on fiber and integrated optics, vol. 12, no. 4, pp. 603-609, July-August 1977.

- [116] R. E. Collins, *Field Theory of guided Waves*, 2nd Edition, IEEE Press, New York, 1991.
- [117] J. A. Baghdadi, and A. Safaai-Jazi, "Design of single-polarization single-mode fibers with zero dispersion at 1.3 μm or 1.55 μm wavelength," Proceedings of the 30th IEEE Southeastern Symposium on System Theory (SSST), pp. 452-455, March 8-10, 1998.
- [118] J. A. Baghdadi, and A. Safaai-Jazi, "Propagation properties of a wedge-shape waveguide with conductor and dielectric boundaries," Proceedings of the 30th IEEE Southeastern Symposium on System Theory (SSST), pp. 447-451, March 8-10, 1998.

VITAE

Jihad Abdul-Hadi Baghdadi was born in Beirut, Lebanon, in 1964. He received the B.S. and M.S. degrees in Electrical Engineering from the University of North Carolina at Charlotte in 1991. His research was in the area of Microelectronics: Analog IC Design and Digital IC Testing Methods. He held positions as Teaching Assistant and Research Assistant, and was engaged in research projects funded by the Semiconductor Research Corporation (SRC).

While pursuing his Ph.D. degree at Virginia Tech, he has been teaching physics and fiber optics labs for the past several years in the Physics, and Electrical and Computer Engineering Departments.

In June 1998, he will be joining Alcatel Network Systems in Raleigh, North Carolina, where he will be working in telecommunications and networks transmission systems, broad band equipment, and interface products.

His research interests include optical communications and telecommunications systems, optical sensing, analog IC design, RF, and semiconductor devices.

He is a member of the IEEE, and Tau Beta Pi.