

References

Resonant Power Conversion and Soft-switching Technique

- A1. K. Liu and F. Lee, "Resonant Switches – A Unified Approach to Improved Performances of Switching Converters", International Telecommunications Energy Conference Proceedings 1984, pp. 334-341
- A2. R. Redl, B. Molnar, N. Sokal, "Class E Resonant Regulated DC/DC Power Converters: Analysis of Operation and Experimental Results at 1.5MHz", IEEE Transactions on Power Electronics, Apr 1986, Vol. 1, No. 2, pp. 111-120
- A3. K. Liu and F. Lee, "Zero-Voltage Switching Techniques in DC/DC Converter Circuits", IEEE PESC'86, pp. 58-70
- A4. O. Patterson and D. Divan, "Pseudo-Resonant Full-Bridge DC-DC Converter", IEEE PESC'87, pp. 424-430
- A5. D. Hopkins, M. Jovanovic, and F. Lee, "Two-Megahertz, Off-Line Hybridized Quasi-Line Hybridized Converter", IEEE APEC'87
- A6. W. Tabisz and F. Lee, "Zero-Voltage-Switching Multi-Resonant Technique – A Novel Approach to Improve Performance of High Frequency Quasi-Resonant Converters", IEEE PESC'88
- A7. W. Tabisz and F. Lee, "A Novel Zero-Voltage-Switched Multi-Resonant Forward Converter", HFPC'88
- A8. I. Barbi, J. Bolacell, D. Martins, and F. Libano, "Buck Quasi-Resonant Converter Operating at Constant Frequency: Analysis, Design and Experimentation", IEEE PESC'89, pp. 873-880
- A9. W. Tabisz and F. Lee, "Design of High-Density On-Board Single- and Multi-Output Multi-Resonant Converters", HFPC'90, pp. 45-57
- A10. R. Farrington, M. Jovanovic, and F. Lee, "A New Family of Isolated Zero-Voltage-Switched Converters", IEEE PESC'91

- A11. G. Hua, C. Leu, and F. Lee, "Novel Zero-Voltage-Transition PWM Converters", IEEE PESC'92, pp.55-61
- A12. G. Hua, X. Yang, Y. Jiang and F. Lee, "Novel Zero-Current-Transition PWM Converters", IEEE PESC'93, pp. 538-544

Integrated Magnetic Circuit

- B1. Slobodan Cuk, "A New Zero-Ripple Switching DC-to-DC Converter and Integrated Magnetics", IEEE PESC'80, pp.12-32
- B2. S. Cuk, "DC-to-DC switching converter with zero input and output current ripple and integrated manetics circuits", U.S. Patent 4257087, Mar 17, 1981
- B3. G. Bloom and A. Eris, "DC-to-DC Converter", U. S. Patent 4262328, April 14, 1981
- B4. G. Bloom and R. Severns, "The Generalized Use of Integrated Magnetics and Zero-Ripple Techniques in Switchmode Power Converters", IEEE PESC'84, pp.15-33
- B5. R. Severns and G. Bloom, "Modern dc-to-dc switchmode power converter circuits", Van Nostrand Reinhold Company, 1985
- B6. G. Bloom, "Core Selection For and Design Aspects of An Integrated-Magnetic Forward Converter", IEEE APEC'86, pp. 141-150
- B7. G. Bloom, "New Integrated Magnetic DC-DC Power Converter Circuits & Systems", IEEE APEC'87, pp.57-66
- B8. J. White, "Two-inductor Boost and Buck Converters:", IEEE PESC'87, pp. 387-392
- B9. J. Spreen, "Coupled Power Supply Inductors for Reduced Ripple Current", U. S. Patent 4703409, October 27, 1987
- B10. M. Archer, "Integrated Magnetic Resonant Power Converter", U. S. Patent 4774649, Sept 27, 1988
- B11. G. Bloom, "Integrated Magnetic Power Converter", U. S. Patent 4864478, Sept 5, 1989

- B12. C. Sturgeon, "Integrated Magnetic Power Converter", U. S. Patent 4858093, Sept 13, 1989
- B13. M. Rice, G. Bogue, J. Beutler, "Dual Transformer Device For Power Converters", U. S. Patent 4914561, Apr. 3, 1990
- B14. J. Bassett, "DC/DC Converters Switching at Zero Voltage", U. S. Patent 4959764, Sept 25, 1990
- B15. R. Martinelli, "Coupled Inductor Boost Converter with Input and Output Ripple Cancellation", IEEE APEC'91, pp.567-572
- B16. C. Peng, M. Hannigan, O. Seiersen, "A new efficient high-frequency rectifier circuit", High Frequency Power Conversion, pp. 236-243, June 1991
- B17. O. Seiersen, "Power supply circuit with integrated magnetic components", U. S. Patent 5335165, Aug 2, 1994
- B18. I. Jitaru, "Fixed frequency converter switching at zero voltage", U. S. patent 5434768, Jul. 18, 1995
- B19. G. Morris, "Magnetically Integrated Full Wave DC to DC Converter", U. S. Patent 5555494, Sep 10, 1996
- B20. W. Chen, "High Density Power Converters with Integrated Magnetics", U. S. Patent pending

High Efficiency Power Converter Topology and Design

- C1. A. Cook, "Elements of Electrical Engineering", John Wiley and Sons, 1924, pp. 476-478
- C2. P. Vinciarelli, "Optimal Resetting of the Transformer's Core in Single Ended Forward Converters", U. S. Patent 4441146, Apr 3, 1984
- C3. B. Carsten, "Design Techniques for Transformer Active Reset Circuits at High Frequencies and Power Levels", HFPC'90, pp. 235-246
- C4. O. Seiersen, "Power Supply Circuit", U. S. Patent 4899271, Feb 6, 1990
- C5. W. Tabisz, F. Lee, and D. Chen, "A MOSFET Resonant Synchronous Rectifier for High-Frequency DC/DC Converters", IEEE PESC'90 pp. 769-779

- C6. C. Leu, G. Hua and F. Lee, "Comparison of the Forward Circuit Topologies with Various Reset Schemes", HFPC'91
- C7. K. O'Meara, "A New Output Rectifier Configuration Optimized for High Frequency Operation", HFPC'91, pp. 219-226
- C8. I. Jitaru, "Constant frequency, forward converter with resonant transition", HFPC'91, pp. 282-292
- C9. T. Ninomiya, N. Matsumoto, M. Nakahara, K. Harada, "Static and dynamic analysis of zero-voltage-switched half-bridge converter with PWM control", IEEE PESC'91, pp.230-237, 1991
- C10. I. Jitaru, "Zero Voltage PWM Double Ended Converter", HFPC'92, pp. 394-405
- C11. J. Cobos, O. Garcia, J. Sebastian, J. Uceda, "Active clamp PWM forward converter with self driven synchronous rectification", *IEEE International Telecommunication Energy Conference Proceedings*, pp. 200-206, 1993
- C12. M. Jovanovic, J. Lin, C. Zhou, M. Zhang, F. Lee, "Design considerations for forward converter with self-driven synchronous rectifiers", VPEC'93 proceedings, pp. 105-112, Sept. 1993
- C13. G. Hua, W. Tabisz, C. Leu, N. Dai, R. Watson and F. Lee, "Development of a dc distributed power system", IEEE APEC'94, pp. 763-769, Feb. 1994
- C14. I. Jitaru and G. Cocina, "High Efficiency DC-DC Converter", IEEE APEC'94, pp.638-644, Feb 1994
- C15. C. Blake Jr., D. Kinzer, and P. Wood, "Synchronous Rectifiers Versus Schottky Diodes: A Comparison of the Losses of a Synchronous Rectifier vs the Losses of a Schottky Diode Rectifier", IEEE APEC'94, pp. 17-23, Feb 1994
- C16. N. Murakami, I. Yumoto, T. Yachi, and K. Maki, "A Highly Efficient, Low-Profile 300-W Power Pack for Telecommunication Systems" IEEE APEC'94, pp. 786-792, Feb 1994
- C17. B. Acker, C. Sullivan, and S. Sanders, "Current Controlled Synchronous Rectification", IEEE APEC'94, pp. 185-191, Feb 1994
- C18. A. Rozman, K. Felhoelter, "Circuit considerations for fast, sensitive, low-voltage loads in a distributed power system", IEEE APEC'95, pp. 34-42, Mar. 1995

- C19. O. Garcia, J. Cobos, J. Uceda, and J. Sebastian, "Zero-Voltage Switching in the PWM Half Bridge Topology with Complementary Control and Synchronous Rectification", IEEE PESC'95, pp. 286-291
- C20. K. Harada, Y. Ishihara, and T. Todaka, "Analysis and Design of ZVS-PWM Half-Bridge Converter with Secondary Switches", IEEE PESC'95, pp. 280-285
- C21. W. Chen, N. Dai, F. Lee, G. Hua and D. Sable, "Design of a high-efficiency, low-profile forward converter with 3.3-V output", VPEC'95 proceedings, pp. 105-112, Sept. 1995
- C22. I. Jitaru, "The Impact of Low Output Voltage Requirements on Power Converters", HFPC'95, pp. 1-10
- C23. L. Balogh, "The Performance of the Current Doubler Rectifier with Synchronous Rectification", HFPC'95, pp. 216-225
- C24. N. Kutkut, D. Divan, and R. Gascoigne, "An Improved Full-Bridge Zero-Voltage Switching PWM Converter using a Two-Inductor Rectifier", IEEE Trans. Ind. Appl., Vol. 31, No. 1, pp. 119-126
- C25. N. Frohleke, P. Wallmeier, and H. Grotstollen, "Investigation of Active-Clamped Topologies for Low Output Voltage dc/dc Modules", HFPC'96, pp. 322-332
- C26. L. Huber and M. Jovanovic, "Forward Converter with Current-Doubler Rectifier: Analysis, Design, and Evaluation Results", IEEE APEC'97 Proceedings, pp. 605-611, Feb 1997
- C27. W. Chen, G. Hua, D. Sable, and F. Lee, "Design of High Efficiency, Low Profile, Low Voltage Converter with Integrated Magnetics", IEEE APEC'97 Proceedings, pp. 911-917, Feb 1997
- C28. I. Cohen, "Pulse Width Modulated DC-DC Converter with Reduced Ripple Current Component Stress and Zero Voltage Switching Capability", U. S. Patent 5291382, Mar 1, 1994

General

- D1. N. Dai, A. Lofti, G. Skutt, W. Tabisz, and F. Lee, "A Comparative Study of High-Frequency, Low Profile Planar Transformer Technologies", IEEE APEC'94, pp. 226-232, Feb 1994
- D2. S. Korotkov, V. Meleshin, A. Nemchinov, and S. Fraidlin, "Small-signal Modeling of Soft-Switched Asymmetrical Half-Bridge DC/DC Converter", IEEE APEC'94, pp. 707-711, March 1995
- D3. D. Hopkins, F. Stephenson, and F. Lee, "Determination of Conductor Thickness and Width for Power Hybrid Circuits", VPEC Annual Seminar Proceedings, 1988
- D4. D. Plumbton, "10 MHz PWM Converters with GaAs VFETs", IEEE APEC'96, Feb 1996
- D5. W. Gu and R. Liu, "A Study of Volume and Weight vs. Frequency for High-Frequency Transformer", IEEE PESC'93, pp. 1123-1129
- D6. J. Vandelac and P. Ziogas, "A Novel Approach for Minimizing High Frequency Transformer Copper Loss", IEEE PESC'87, pp. 355-367
- D7. R. Ridley, "A New Continuous-Time Model for Current-Mode Control", Proceedings of Power Conversion and Intelligence Motion, Oct 1989, pp.455-464
- D8. Philips Components, "Soft Ferrite Materials Selection Guide", 1995