

8.0 REFERENCES

- Acar, Y. B., and El-Tahir, E. A. (1986). "Low strain dynamic properties of artificially cemented sand." *Journal of Geotechnical Engineering*, ASCE, 112(11), 1001-1015.
- Afifi, S. S., and Woods, R. D. (1971). "Long-term pressure effects on shear modulus of soils." *Journal of Soil Mechanics and Foundation Engineering*, ASCE, 97(SM10), 1445-1460.
- AGRA Earth & Environmental, Ltd. (1995). "Draft report on results of blast densification SM-3 site, Quebec." *Internal Report*.
- Archie, G. E. (1942). "The electrical resistivity log as an aid in determining reservoir characteristics." *Petroleum Technology*, 1, 55-62.
- Arulanandan, K., and Kutter, B. (1978). "A directional structural index related to sand liquefaction." *Proceedings of the ASCE Geotechnical Engineering Division, Specialty Conference on Earthquake Engineering and Soil Dynamics*, 1, 213-230.
- Arulnathan, R., Boulanger, R. W., and Riemer, M. F. (1998). "Analysis of bender element tests." *Geotechnical Testing Journal*, ASTM, 21(2), 120-131.
- Bishop, A. W., and Henkel, D. J. (1957). *The Measurement of Soil Properties in the Triaxial Test*, Edward Arnold, Ltd., London.
- Brignoli, E. G. M., Gotti, M., and Stokoe, K. H. (1996). "Measurement of shear waves in laboratory specimens by means of piezoelectric transducers." *Geotechnical Testing Journal*, ASTM, 19(4), 384-397.
- Cascante, G., and Santamarina, J. C. (1996). "Interparticle contact behavior and wave propagation." *Journal of Geotechnical Engineering*, ASCE, 122(10), 831-839.
- Charlie, W. A., Rwebyogo, M. F. J., and Doehring, D. O. (1992). "Time-dependent cone penetration resistance due to blasting." *Journal of Geotechnical Engineering*, ASCE, 118(8), 1200-1215.
- Clough, G. W., Sitar, N., and Bachus, R. C. (1981). "Cemented sands under static loading." *Journal of the Geotechnical Engineering Division*, ASCE, 107(GT6), 799-817.
- Daramola, O. (1980). "Effect of consolidation age on stiffness of sand." *Geotechnique*, 30(2), 213-216.

- Denisov, N. Y., and Reltov, B. F. (1961). "The influence of certain processes on the strength of soils." *Proceedings of the Fifth International Conference on Soil Mechanics and Foundation Engineering*, Paris, 75-78.
- Dove, P. M., and Rimstidt, J. D. (1994). "Silica-water interactions." *Silica, Reviews in Mineralogy*. Mineralogical Society of America.
- Dowding, C. H., and Hryciw, R. D. (1986). "A laboratory study of blast densification of saturated sand." *Journal of Geotechnical Engineering*, ASCE, 112(2), 187-199.
- Drescher, A., and De Josselin De Jong, G. (1972). "Photoelastic verification of a mechanical model for the flow of a granular material." *Journal of the Mechanics and Physics of Solids*, 20, 337-351.
- Dumas, J. C., and Beaton, N. F. (1988). Discussion of "Practical problems from surprising soil behavior" by J. K. Mitchell. *Journal of Geotechnical Engineering*, ASCE, 114(3), 367-368.
- Dyvik, R., and Madshus, C. (1985). "Lab measurements of G_{max} using bender elements." *Advances in the Art of Testing Soils Under Cyclic Conditions*, V. Khosla, ed., ASCE, Detroit, Michigan, 186-196.
- Ground Engineering (1995). "Explosive issue." July/August, 24-25.
- Filz, G. (1992). "Experimental and analytic study of earth loads on rigid retaining walls," Ph. D., Virginia Tech, Blacksburg.
- Ghionna, V. N., Jamiolkowski, M., Pedroni, S., and Salgado, R. (1994). "The tip displacement of drilled shafts in sands." *Vertical and Horizontal Deformations of Foundations and Embankments*, ASCE GSP 40, 1039-1057.
- Grebentshikov, I. V. (1937). "Chemical reaction on surface of silicates." *Proceedings Academie of Science U.S.S.R.*, Technical Division No. 3.
- Hardin, B. O., and Black, W. L. (1968). "Vibration modulus of normally consolidated clay." *Journal of the Soil Mechanics and Foundations Division*, ASCE, 94(SM2), 353-369.
- Hardin, B. O., and Richart, F. E. (1963). "Elastic wave velocities in granular soils." *Journal of the Soil Mechanics and Foundations Division*, ASCE, 89(SM1), 33-65.
- Henderson, J. H., Syers, J. K., and Jackson, M. L. (1970). "Quartz dissolution as influenced by pH and the presence of a disturbed surface layer." *Israel Journal of Chemistry*, 8, 357-372.

- Hryciw, R. D. (1986). "A study of the physical and chemical aspects of blast densification of sand," Ph.D., Northwestern University, Evanston.
- Human, C. A. (1992). "Time dependent property changes of freshly deposited or densified sands," Ph.D., University of California at Berkeley, Berkeley.
- Jamiolkowski, M. (1996). *Personal communication*.
- Jefferies, M. G., and Rogers, B. T. (1993). Discussion of "Time-dependent cone penetration resistance due to blasting" by W. A. Charlie, M. F. J. Rwebyogo, and D. O. Doehring. *Journal of Geotechnical Engineering*, ASCE, 119(12), 2008-2012.
- Joshi, R. C., Achari, G., Kaniraj, S. R., and Wijiweera, H. (1995). "Effect of aging on the penetration resistance of sands." *Canadian Geotechnical Journal*, 32(5), 767-782.
- Kavazanjian, E., and Mitchell, J. K. (1980). "Time-dependent deformation behavior of clays." *Journal of Geotechnical Engineering*, ASCE, 106(GT6), 611-631.
- Kuhn, M. R. (1987). "Micromechanical aspects of soil creep," Ph. D., University of California at Berkeley, Berkeley.
- Kulhawy, F. H., Trautmann, C. H., Beech, J. F., and O'Rourke, T. D. (1983). "Transmission line structure foundations for uplift-compression loading." *EPRI Report EL-2870*, Electric Power Research Institute.
- La Fosse, U. and von Rosenvinge, T. "Densification of loose sands by deep blasting." *Grouting, Soil Improvement and Geosynthetics, ASCE Geotechnical Special Publication No. 30*, 954-968.
- Langmuir, D. (1997). *Aqueous Environmental Geochemistry*, Prentice Hall.
- Lide, D. R. (1997). *CRC Handbook of Chemistry and Physics, 77th Edition*, CRC Press.
- Lunne, T., Robertson, P. K., and Powell, J. J. M. (1997). *Cone Penetration Testing in Geotechnical Practice*, Blackie Academic & Professional, London.
- Martin, G. R., Yen, T. F., and Karimi, S. (1996). "Application of biopolymer technology in silty soil matrices to form impervious barriers." *Proceedings of the 7th Australian-New Zealand Conference on Geomechanics*, Adelaide, Australia.
- Martins, I. S. A., and Lacerda, W. A. (1989). Discussion of " C_{α}/C_c concept and K_o during secondary compression," by G. Mesri and A. Castro. *Journal of Geotechnical Engineering*, ASCE, 115(2), 264-267.

- Mesri, G. (1977). "Time- and stress- compressibility inter-relationship." *Journal of Geotechnical Engineering, ASCE*, 103(5), 417-430.
- Mesri, G. (1983). Discussion of "Dynamic properties of soft clays for wide strain range" by T. Kokusho, Y. Yoshida, and Y. Esashi. *Soils and Foundations*, 23(1), 125-127.
- Mesri, G. (1987). " C_α/C_c concept and K_o during secondary compression." *Journal of Geotechnical Engineering, ASCE*, 113(3), 230-247.
- Mesri, G. (1990). "Postdensification penetration resistance of clean sands." *Journal of Geotechnical Engineering, ASCE*, 116(7), 1095-1115.
- Mitchell, J. K. (1993). *Fundamentals of Soil Behavior*, John Wiley & Sons.
- Mitchell, J. K., and Gardner, W. S. (1975). "In situ measurement of volume change characteristics." *Proceedings of the Conference on In Situ Measurement of Soil Properties*, ASCE, Raleigh, North Carolina, 279-345.
- Mitchell, J. K., and Solymar, Z. V. (1984). "Time-dependent strength gain in freshly deposited or densified sand." *Journal of Geotechnical Engineering, ASCE*, 110(11), 1559-1576.
- Morell, V. (1995). "Life on a grain of sand." *Discover*, April, 79-86.
- Ng, N., Berner, P., and Covil, C. (1996). "The ageing effects of sands." *Ground Engineering*, AAHK Chek Lap Kok Supplement, 21.
- Palmer, S. N., and Barton, M. E. (1987). "Diagenesis of sedimentary sequences." *Geological Society Special Publication No. 36*, Marshall, ed., 29-40.
- Pender, M. J., Peplow, R. J., and Duske, G. C. (1992). "Simple shear compaction of basecourse aggregates." *Geotechnical Risk-Identification, Evaluation, and Solutions, Proceedings of the Sixth Australia-New Zealand Conference on Geomechanics*, 370-374.
- Persson, P. A., Homberg, R., and Lee, J. (1993). *Rock Blasting and Explosives Engineering*, CRC Press.
- Post, D. (1989). "Chapter 6: Photoelasticity." *Manual on Experimental Stress Analysis*, J. F. Doyle and J. W. Phillips, eds., Society for Experimental Mechanics.
- Rad, N. S., and Tumay, M. T. (1988). "Effect of cementation on the cone penetration resistance of sand." *NGI Report No. 171*, Oslo.

- Renton, J. J., Heald, M. T., and Cecel, C. B. (1969). "Experimental investigation of pressure solution of quartz." *Journal of Sedimentary Petrology*, 39, 1107-1117.
- Rimstidt, D. J. (1997a). "Gangue mineral transport and deposition." *Geochemistry of Hydrothermal Ore Deposits*, H. L. Barnes, ed., John Wiley & Sons, Inc., 487-515.
- Rimstidt, J. D. (1997b). "Quartz solubility at low temperatures." *Geochimica et Cosmochimica Acta*, 61(13), 2553-2558.
- Rogers, B. T., Graham, C. A., and Jefferies, M. G. (1990). "Compaction of hydraulic fill sand in molikpaq core." *Prediction and Performance in Geotechnique*, 43rd Canadian Geotechnical Conference, Quebec, Canada, 567-575.
- Sadek, M. S. (1993). "A comparative study of the electrical and hydraulic conductivities of compacted clay," Ph. D., University of California at Berkeley, Berkeley.
- Salgado, R. (1993). "Analysis of penetration resistance in sands," Ph. D., University of California at Berkeley, Berkeley, CA.
- Salgado, R., and Mitchell, J. K. (1994). "Extra-terrestrial soil property determination by CPT." *Int. Conference on Computer Methods and Advances in Geomechanics*, 8(2), 1781-1788.
- Schmertmann, J. H. (1983). "A simple question about consolidation." *Journal of Geotechnical Engineering*, ASCE, 109(1), 119-122.
- Schmertmann, J. H., Baker, W., Gupta, R., and Kessler, K. (1986). "CPT/DMT QC of ground modification at a power plant." *Use of In Situ Tests in Geotechnical Engineering*, STP No. 6, 985-1001.
- Seed, H. B. (1979). "Soil liquefaction and cyclic mobility evaluation for level ground during earthquakes." *Journal of the Geotechnical Engineering Division*, ASCE, 105(GT2), 201-255.
- Seed, H. B., Tokimatsu, Harder, L. F., and Chung, R. M. (1984). "The influence of SPT procedures in soil liquefaction resistance evaluation." *Report No. UCB/EERC-84/15*, University of California at Berkeley.
- Stocks Fischer, S. (1997). "Bacterial cement." *Discover*, April, 21.
- Tissue, B. M. (1997). "Inductively-Coupled Plasma (ICP) Excitation Source." <http://www.scimedia.com/chem-ed/spec/atomic/emission/icp.htm>.
- Vesic, A. S. (1972). "Expansion of cavities in infinite soil mass." *Journal of the Soil Mechanics and Foundations Division*, ASCE, 98(SM3), 265-290.

Wilding, L. P., Smeck, N. E., and Drees, L. R. (1977). "Silica in soils: quartz, cristobalite, tridymite, and opal." *Minerals in Soil Environments*, Soil Science Society of America, Madison, WI, 471-552.

Wyllie, M. R. J., and Gregory, A. R. (1953). "Formation factors of unconsolidated porous media." *Petroleum Transactions*, AIME, 198, 103-109.

Yasuhara, K. (1989). Discussion of " C_v/C_c concept and K_o during secondary compression," by G. Mesri and A. Castro. *Journal of Geotechnical Engineering*, ASCE, 115(2), 270-273.