

## Table of Contents

### **Chapter 1: Polypseudorotaxanes and Polyrotaxanes**

1.1.	Introduction	1
1.2.	Main-chain polypseudorotaxanes and polyrotaxanes incorporating cyclodextrins	3
1.3.	Main-chain polypseudorotaxanes and polyrotaxanes incorporating crown ethers	17
1.4.	Side-chain polypseudorotaxanes and polyrotaxane	20
1.5.	Other polypseudorotaxanes, polyrotaxanes, and related structures	25
1.6.	Properties and potential applications	33
1.6.1.	Solubility	33
1.6.2.	Stability	34
1.6.3.	Photoelectronic properties	35
1.6.4.	Viscosity	35
1.6.5.	Phase behavior-glass transition temperatures and melting points	37
1.6.6.	Other properties and applications	38
1.7.	Conclusions and perspective	39

### **Chapter 2: Dissertation Statement**

62

### **Chapter 3: Host Folding in the Formation of a Taco Complex**

3.1.	Introduction	67
3.2.	Results and Discussions	71
3.3.	Conclusions	73
3.4.	Acknowledgements	73
3.5.	Supporting Information	74

### **Chapter 4: First Supramolecular Poly(taco complex)**

4.1.	Introduction	77
4.2.	Results and Discussions	77
4.3.	Conclusions	82

4.4.	Acknowledgements	82
4.5.	Supporting Information	82

**Chapter 5: Bis(*m*-phenylene)-32-Crown-10-Based Cryptands, Powerful Hosts for Paraquat Derivatives**

5.1.	Introduction	86
5.2.	Results and Discussions	87
5.3.	Conclusions	106
5.4.	Experimental Section	106
5.5.	Acknowledgements	114
5.6.	Supporting Information	114

**Chapter 6: A New Cryptand/Paraquat [2]Pseudorotaxane**

6.1.	Introduction	124
6.2.	Results and Discussions	125
6.3.	Conclusions	128
6.4.	Acknowledgements	129
6.5.	Supporting Information	129

**Chapter 7: First Pseudorotaxane-Like [3]Complexes Based on Cryptands and Paraquat: Self-Assembly and Crystal Structures**

7.1.	Introduction	134
7.2.	Results and Discussions	135
7.3.	Conclusions	143
7.4.	Acknowledgements	143
7.5.	Experimental Section	143

**Chapter 8: First Cryptand-Based [3]Pseudorotaxane: Cooperative Complexation between a Cryptand and a Bisparaquat Guest**

8.1.	Introduction	152
8.2.	Results and Discussions	152

8.3.	Conclusions	157
8.4.	Acknowledgements	157

**Chapter 9: Remarkably Improved Complexation of a Bisparaquat by Formation of a Pseudocryptand-Based [3]Pseudorotaxane**

9.1.	Introduction	161
9.2.	Results and Discussions	162
9.3.	Conclusions	167
9.4.	Acknowledgements	167

**Chapter 10: Water Assisted Formation of a Pseudorotaxane and Its Dimer Based on a Supramolecular Cryptand**

10.1.	Introduction	171
10.2.	Results and Discussions	171
10.3.	Conclusions	177
10.4.	Acknowledgements	177

**Chapter 11: Formation of Dimers of Inclusion Cryptand/Paraquat Complexes Driven by Dipole-Dipole and Face-to-Face  $\pi$ -Stacking Interactions**

11.1.	Introduction	182
11.2.	Results and Discussions	183
11.3.	Conclusions	188
11.4.	Acknowledgements	188
11.5.	Supporting Information	188

**Chapter 12: An Inclusion Complex of Diquat in the Concave Cavity Provided by Two Dibenzo-24-Crown-8 Hosts**

12.1.	Introduction	195
12.2.	Results and Discussions	196
12.3.	Conclusions	201
12.4.	Acknowledgements	201

**Chapter 13: Bis(*m*-phenylene)-32-crown-10/Monopyridinium [2]Pseudorotaxanes**

13.1.	Introduction	205
13.2.	Results and Discussions	206
13.3.	Conclusions	211
13.4.	Acknowledgements	211
13.5.	Supporting Information	212

**Chapter 14: [2]Pseudorotaxanes Based on the Cryptand/Monopyridinium Recognition Motif**

14.1.	Introduction	217
14.2.	Results and Discussions	219
14.3.	Conclusions	238
14.4.	Acknowledgements	238
14.5.	Experimental Section	238
14.6.	Supporting Information	245

**Chapter 15: [3]Pseudorotaxanes Based on the Cryptand/Monopyridinium Recognition Motif**

15.1.	Introduction	256
15.2.	Results and Discussions	257
15.3.	Conclusions	265
15.4.	Acknowledgements	265
15.5.	Supporting Information	265

**Chapter 16: Synthesis of a Symmetric Cylindrical Bis(crown ether) Host and Its Complexation with Paraquat**

16.1.	Introduction	273
16.2.	Results and Discussions	274
16.3.	Conclusions	282
16.4.	Acknowledgements	282
16.5.	Experimental Section	282

16.6. Supporting Information	284
------------------------------	-----

**Chapter 17: Slow-Exchange  $C_3$ -Symmetric Cryptand/Trispyridinium Inclusion Complexes: A New Type of Threaded Structure**

17.1. Introduction	292
17.2. Results and Discussions	292
17.3. Conclusions	297
17.4. Acknowledgements	297
17.5. Supporting Information	297

**Chapter 18: A Supramolecular Poly[3]pseudorotaxane from Self-Assembly of a Homoditopic Cylindrical Bis(crown ether) Host and a Bisparaquat Derivative**

18.1. Introduction	309
18.2. Results and Discussions	310
18.3. Conclusions	315
18.4. Acknowledgements	316
18.5. Supporting Information	316

**Chapter 19: A Supramolecular Triarm Star Polymer from a Homotritopic Tris(Crown Ether) Host and a Complementary Monotopic Paraquat-Terminated Polystyrene Guest by a Supramolecular Coupling Method**

19.1. Introduction	323
19.2. Results and Discussions	324
19.3. Conclusions	329
19.4. Acknowledgements	329
19.5. Supporting Information	329

**Chapter 20: Formation of a Supramolecular Hyperbranched Polymer from Self-Organization of an  $AB_2$  Monomer Containing a Crown Ether and Two Paraquat Moieties**

20.1. Introduction	340
--------------------	-----

20.2.	Results and Discussions	341
20.3.	Conclusions	345
20.4.	Acknowledgements	346
20.5.	Supporting Information	346
<b>Chapter 21: Conclusions and Future Work</b>		352
<b>Appendix</b>		358
<b>Publications Based on My Research in Gibson's Group</b>		364
<b>Vita</b>		367