

ACKNOWLEDGMENTS

First and foremost I would like to express my sincere appreciation to my advisors, Dr. Roe-Hoan Yoon and Dr. Richard Gandour for their guidance, inspiration, suggestions, criticism and financial support that they have provided throughout the course of my research and studies. Special thanks are also extended to Dr. Luttrell, Dr. Adel, Dr. Novak for taking the time to review this dissertation and serving on the committee.

I would also like to acknowledge Dr. Hyung-Joon Kim of POSCO, for his suggestions, criticisms, and cooperation throughout the courses of this investigation, as well as his hospitality while I was visiting POSCO during the summer of 2002. The financial support of this investigation from Pohang Iron & Steel Co. (POSCO), Korea, and the Department of Mining and Minerals Engineering is sincerely appreciated.

I also wish to thank Dr. Ismail Yildirim, Dr. Hugh Rimmer, Ms. Lynn Hayes, Mrs. Kathryn Dew, and Mrs. Christine Watkinson for their assistance. Thanks are also due to Mr. Frank Cromer of the Chemistry Department for XPS analysis, and Mr. Feiming Bai of the MSE for AFM analysis.

Additional gratitude is given to Christopher Barbee, Todd Burchette, Emilio Lobato, Hubert Schimann, Tim Sheehan, Ian Sherrell, Dong-cheol Shin, Jialin Wang, Liguang Wang, Baris Yazgan, Jinhong Zhang for their friendship and assistance.

Finally, I would like to express my special appreciation to my parents for their love and continued support. The deepest thanks are expressed to my wife Anping Wang and my son Yihan for their endless confidence, encouragement, and patience.