



Commonwealth of Virginia Locality Recycling Rate Report For Calendar Year 2014

Contact Information

Reporting Solid Waste Planning Unit: Virginia Tech

Person Completing This Form: Dennis C. Cochrane

Title: Sustainability Program Manager, Office of Energy & Sustainability

Address: Sterrett Center (MC 0160), Blacksburg, Virginia 24061

Phone #: (540) 231-5184 **Fax #:** (540) 231-4745 **Email Address:** dennisc@vt.edu

Background: The Montgomery Regional Solid Waste Authority (MRSWA) oversees the implementation of the Solid Waste Management Plan for our region of Southwest Virginia. MRSWA has four jurisdictional members to include: Virginia Tech, the Town of Blacksburg, the Town of Christiansburg, and Montgomery County. MRSWA collects data and information from its four members and others, prepares a consolidated report using this DEQ form, and calculates the regional recycling rate using the DEQ formula. Virginia Tech uses the same DEQ form to calculate our recycling rate. The data and information in this report pertains only to the Virginia Tech main campus in Blacksburg.

Note: MRSWA currently operates a “dual-stream” recycling system in which all recycling material is separated. On November 12, 2014, the governing board decided MRSWA will transition to a “single-stream” recycling system effective July 1, 2015.

Due to the complexity and difficulty in obtaining data, this report reflects the best efforts of the solid waste planning unit to represent its recycling efforts for **CY 2014**. I certify that I have personally examined and am familiar with the information submitted in this form and any attached documents, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. These records will be made available for auditing purposes, if requested.

A handwritten signature in blue ink that reads "Dennis C. Cochrane".

Authorized Signature

Sustainability Program Manager

Title

April 8, 2015

Date

Return completed form by April 30, 2015 to: Virginia DEQ, Attn: Recycling Rates, P.O. Box 1105, Richmond, VA 23218.

Locality Recycling Rate Report

For Calendar Year 2014

PART A: Recycling Rate Calculation - Using the formulae provided below and the information reported on Pages 3, 4 and 5 to calculate your recycling rates.

Step 1: [(PRMs) / (PRMs + MSW Disposed)] X 100 = Base Recycling Rate %

$$\boxed{2,036.78} / \boxed{2,036.78} + \boxed{3,704.83} \times 100 = \boxed{35.47} \%$$

Step 2: CREDITS calculation

a. Total Recycling Residue	<u>0.00</u> tons
b. Total Solid Waste Reused	<u>8.32</u> tons
c. Total Non-MSW Recycled	<u>2,118.16</u> tons

CREDITS 2,126.48 tons

Step 3: [(PRMs + CREDITS) / (PRMs + CREDITS + MSW Disposed)] X 100 = Adjusted Recycling Rate #1*

$$\boxed{2,037} + \boxed{2,126} / \boxed{2,037} + \boxed{2,126} + \boxed{3,705} \times 100 = \boxed{52.91} \%$$

Step 4: ☐ Source Reduction Credit does not apply; or

☒ Adjusted Recycling Rate #1 + 2% SRP Credit = Adjusted Recycling Rate #2*

$$\boxed{52.91} \% + 2\% = \boxed{54.91} \%$$

Step 5: Final Recycling Rate* for Solid Waste Planning Unit = 40.47 %

*** Total credits resulting from Steps 3 and 4 may not exceed 5 percentage points above the Base Recycling Rate achieved by the Solid Waste Planning Unit.**

Locality Recycling Rate Report

For Calendar Year 2014

PART B: DATA

Part I: Principal Recyclable Materials (PRMs): Report only PRM material generated within the reporting SWPU and recycled, NOT imported PRMs for recycling.

<u>PRM TYPE</u>	<u>RECYCLED AMOUNT (TONS)</u>
Paper	<u>813.21</u>
Metal	<u>40.13</u>
Plastic	<u>0.00</u>
Glass	<u>0.00</u>
Commingle (Bottles & Cans with & w/o Glass)	<u>118.90</u>
Yard Waste (composted or mulched)	<u>250.00</u>
Waste wood (chipped or mulched)	<u>150.00</u>
Textiles	<u>0.00</u>
Tires	<u>7.58</u>
Used Oil	<u>11.15</u>
Used Oil Filters	<u>1.69</u>
Used Antifreeze	<u>0.00</u>
Batteries	<u>22.70</u>
Electronic Waste	<u>15.10</u>
Inoperative Motor Vehicles (see guidance)	<u>0.00</u>
Food Waste Organic – Composting	<u>558.03</u>
Waste Cooking Oil	<u>36.49</u>
Fluorescent Bulb/Lights	<u>8.10</u>
Ballasts	<u>3.70</u>
TOTAL PRMs	<u>2,036.78</u> (PRMs)
	(Enter Total on Page 2, Step 1)

Part II: Credits by Category (see Credits Worksheet, Page 5)

A. Recycling Residue – “Recycling residue” means the (i) nonmetallic substances, including but not limited to plastic, rubber, and insulation, which remain after a shredder has separated for purposes of recycling the ferrous and nonferrous metal from a motor vehicle, appliance, or other discarded metallic item and (ii) organic waste remaining after removal of metals, glass, plastics and paper which are to be recycled as part of a resource recovery process for municipal solid waste resulting in the production of a refuse derived fuel. (§ 10.1-1400 of the *Code of Virginia*) (use only SWPU generation)

<u>MATERIAL DESCRIPTION</u>	<u>FACILITY/OPERATION</u>	<u>TONS OF MATERIAL</u>
_____ from _____	_____	_____
_____ from _____	_____	_____
_____ from _____	_____	_____

TOTAL RECYCLING RESIDUE

(Enter Total on Page 2, Step 2 a)

For Calendar Year 2014

MATERIAL DESCRIPTION	REUSE METHOD	TONS OF MATERIAL
Furniture/Appliances	Ytoss (YMCA at VT &VT Recycling Program)	8.32
	TOTAL SOLID WASTE REUSED	8.32

(Enter Total on Page 2, Step 2 b)

<u>MATERIAL DESCRIPTION</u>	<u>RECYCLING METHOD</u>	<u>TONS OF MATERIAL</u>
Construction Material	Concrete, Masonry (2 Buildings)	898.16
Asphalt Material	Asphalt Removal (New Classroom Bldg.)	1,200.00
EPDM Roofing	Membrane and Roofing Materials	20.00
	TOTAL NON-MSW RECYCLED	2,118.16

(Enter Total on Page 2, Step 2 c)

SRP description: Virginia Tech deployed 100 pairs of Big Belly Solar Trash Compactors with attached Recycling Containers. Represents the largest number of units in Higher Education nationally. Enhances usage and collection procedures.

SRP description: Dining Services introduced a “Reusable To-Go” Container and an OZZI Collection Station at the West End Market which reduces the amount of Styrofoam containers in use. Goal is to replace all Styrofoam containers with a compostable product in 2015 and thus significantly reduce MSW.

SRP description: Student Organizational Sustainability Initiatives (Green RFP) Program replaced paper towel dispensers with Electric Hand Dryers in a very large academic building & installed 18 Water Bottle Filling Stations on campus.

(Certify on Page 2, Step 4)

1. Biosolids – industrial sludge, animal manures; or, sewage sludge (unless composted)
2. Automobiles – unless part of the Inoperable Vehicle Program (DMV)
3. Leachate
4. Soils – contaminated soils, soil material from road maintenance
5. Household hazardous waste
6. Hazardous waste
7. Medical waste
8. Rocks or stone

Locality Recycling Rate Report

For Calendar Year 2014

Part III: Total Municipal Solid Waste (MSW) Disposed** - Report only MSW generated within the reporting jurisdiction(s), NOT imported wastes or industrial wastes.

<u>MSW TYPE</u>	<u>TOTAL AMOUNT DISPOSED (TONS)</u>
Household	_____
Commercial	_____
Institutional	<u>3,704.83</u>
Other (DO NOT INCLUDE INDUSTRIAL WASTES)	_____
TOTAL MSW DISPOSED	<u>3,704.83</u> (Enter Total on Page 2, Step 1 and Step 3)

****MSW DISPOSED** for the purpose of this report means delivered to a permitted sanitary landfill, transfer station, or waste incinerator for disposal.

Locality Recycling Rate Report

For Calendar Year 2014

Credits Worksheet

I. Reuse of any Solid Waste

☒		Material description	Tons
☐	PRM		
☐	PRM		
☐	PRM		
☐	Industrial		
☐	Construction		
☐	Demolition		
☐	Debris		
☒	<u>Ytoss Program</u>	<u>Used Furniture/Appliances</u>	<u>8.32</u>
☐	Other		
☐	Other		
TOTAL TONS			<u>8.32</u>

(enter data on Page 4,
Solid Waste ReUsed)

II. Recycling of any Non-Municipal Solid Waste

☒		Material description	Tons
☐	Industrial	<u>None</u>	
☒	Construction	Concrete/Masonry (Athletic Fac.)	<u>227.14</u>
☒	Construction	Concrete/Masonry (Rasche Hall)	<u>671.02</u>
☒	Roadwork	Asphalt Removal (New Classroom)	<u>1,200.00</u>
☒	Roofing	EPDM and Materials	<u>20.00</u>
☐	Other		
☐	Other		
TOTAL TONS			<u>2,118.16</u>

(enter data on Page 4,
Non-MSW Recycled)

III. Inoperable Vehicles Removed and Demolished – include number of vehicles that the localities received reimbursement from DMV under §46.2-1207 of the Code of Virginia.

of vehicles removed/reimbursement received 0
Average tonnage per vehicle X 1 Ton each

Total Tons 0 (enter data on Page 3,
PRMs, Inoperative
Motor Vehicle
Program)

NOTE: Check “Exclusions” on Page 4 to avoid listing of those materials on this worksheet and/or in the data fields of this report.

Locality Recycling Rate Report

For Calendar Year 2014

Part C: Recycling Rate Report Instructions

Amended Regulations for the Development of Solid Waste Management Plans (9 VAC 20-130-10 et seq.) require that Solid Waste Planning Units (SWPUs) in the Commonwealth develop complete, revised solid waste management plans. Section 9 VAC 20-130-120 B & C of the Regulations requires that a minimum recycling rate of the total municipal solid waste generated annually in each solid waste planning unit be maintained. It also requires that the plan describe how this rate shall be met or exceeded and requires that the calculation methodology be included in the plan. Section 9 VAC 20-130-165 D establishes that every solid waste management planning unit with populations over 100,000 shall submit to the department by April 30 of each year, the data and calculations required in 9 VAC 20-130-120 B & C for the preceding calendar year. SWPUs with populations of 100,000 or less are only required to report every 4 years (CY years 2016 and forward).

NOTE: ONLY RECYCLING RATE REPORTS FROM AN APPROVED SOLID WASTE PLANNING UNIT (SWPU) WILL BE ACCEPTED FOR PROCESSING. JURISDICTIONS WITHIN A SWPU MUST SUBMIT THEIR RECYCLING DATA TO THE SWPU FOR INCORPORATION INTO THE ANNUAL REPORT.

It is requested that all amounts included on the form be listed in **tons (2,000 pounds)**, rounded to the nearest whole ton. If actual weights are not known, volumes can be converted to weight estimates. To assist you with these estimates, a standardized volume-to-weight conversion table is attached.

Contact Information Section: Please provide information on the Reporting SWPU and information on the individual completing this form. Under Member Governments, please list the local governments identified in the applicable solid waste management plan.

Calculated Recycling Rate Section: Using the formulae provided, calculate your recycling rates for the reporting period from information identified in the Recycling Rate Calculations Section.

Signature Block Section: Please provide an authorized signature prior to submitting the completed form. Authorized signatories include Executive Officer, Administrator, or other legally designated representative of the SWPU reporting entity.

Recycling Rate Calculations Section: Please provide the requested information:

Part I: Principal Recyclable Material (PRM) - Report the amount in tons of each PRM collected for recycling in the named jurisdiction(s) during the reporting period. PRMs include paper, metal, plastic, container glass, commingled, yard waste, waste wood, textiles, tires, used oil, used oil filters, used antifreeze, batteries, electronics, and other materials approved by the Director taken from the Municipal Solid Waste (MSW) generation. A one ton credit may also be entered for each inoperable motor vehicle for which a locality receives reimbursement from the Virginia Department of Motor Vehicles under §46.2-1207 of the *Code of Virginia*. The total weight in **TONS** of all PRMs collected for recycling is represented as **PRMs** in the Recycling Rate Calculation.

Part II: Credits - Report the amount in **TONS** of each material for which recycling credit is authorized in §10.1-1411.C of the *Code of Virginia*: (i) one ton for each ton of recycling residue generated in Virginia and deposited in a landfill permitted under §10.1-1408.1 of the *Code of Virginia*; (ii) one ton for each ton of any solid waste material that is reused; and, (iii) one ton for each ton of any non-municipal solid waste that is recycled. The total weight in **TONS** of all material for which credits are authorized is represented as **CREDITS** in the Recycling Rate Calculation. A credit of two percentage points of the minimum recycling rate mandated for the Solid Waste Planning Unit (SWPU) may be taken for a source reduction program that is implemented and identified in its Solid Waste Management Plan. Total credits may not exceed five percentage points above the Base Recycling Rate achieved by the SWPU.

Part III: Total Municipal Solid Waste (MSW) Disposed: Report the total amount in **TONS** of MSW that was disposed of by the Solid Waste Planning Unit (SWPU) during the reporting period for each of the source categories (Household, Commercial, Institutional, and Other). For the purpose of this report, "disposed," means delivery to a permitted sanitary landfill or waste incinerator for disposal, and excludes industrial wastes. Industrial waste and by-products should not be included in the MSW or Recycling calculation. The total weight in tons of MSW disposed is represented as **MSW Disposed** in the Recycling Rate Calculation.

Locality Recycling Rate Report Volume to Weight Conversion Table

Material	Volume	Weight in Pounds
Metal		
Aluminum Cans, Whole	One cubic yard	50-74
Aluminum Cans, Flattened	One cubic yard	250
Aluminum Cans	One full grocery bag	1.5
Ferrous Cans, Whole	One cubic yard	150
Ferrous Cans, Flattened	One cubic yard	850
Automobile Bodies	One vehicle	2,000
Paper		
Newsprint, Loose	One cubic yard	360-800
Newsprint, Compacted	One cubic yard	720-1,000
Newsprint	12" stack	35
Corrugated Cardboard, Loose	One cubic yard	75-100
Corrugated Cardboard, Baled	One cubic yard	1,000-2,000
Plastic		
PETE, Whole, Loose	One cubic yard	30-40
PETE, Whole, Loose	Gaylord	40-53
PETE, Whole, Baled	30" x 62"	500
Film, Baled	30" x 42" x 48"	1,100
Film, Baled	Semi-Load	44,000
Film, Loose	Standard grocery bag	15
HDPE (Dairy Only), Whole, Loose	One cubic yard	24
HDPE (Dairy Only), Baled	32" x 60"	400-500
HDPE (Mixed), Baled	32" x 60"	900
Mixed PET & Dairy, Whole, Loose	One cubic yard	32
Mixed PET, Dairy & Other Rigid (Whole, Loose)	One cubic yard	38
Mixed Rigid, No Film	One cubic yard	49
Glass		
Glass, Whole Bottles	One cubic yard	600-1,000
Glass, Semi-Crushed	One cubic yard	1,000-1,800
Glass, Crushed (Mechanically)	One cubic yard	800-2,700
Glass, Whole Bottles	One full grocery bag	16
Glass, Uncrushed to Manually Broken	55 gallon drum	125-500
Arboreal		
Leaves, Uncompacted	One cubic yard	200-250
Leaves, Compacted	One cubic yard	300-450
Leaves, Vacuumed	One cubic yard	350
Wood Chips	One cubic yard	500
Grass Clippings	One cubic yard	400-1,500
Other		
Battery (Heavy Equipment)	One	60
Battery (Auto)	One	35.9
Used Motor Oil	One gallon	7.4
Used Oil Filters (Uncrushed)	55 gallon drum	66 Lbs./Used Oil + 110 Lbs./Ferrous Metal
Used Oil Filters (Crushed)	55 gallon drum	16.5 Lbs./Used Oil + 368 Lbs./Ferrous Metal
Tire - Passenger Car	One	20
Tire - Truck, Light	One	35
Tire - Semi	One	105
Antifreeze	One gallon	8.42
Food Waste, Solid & Liquid Fats	55 gallon drum	412
Electronics: CRT/CPU/LapTop/TV	Each (avg wt from NCER)	38/26/8/49 respectively
This Table For General Guidance Only.		