

REFERENCES

- AASHTO. (1996). "Standard specifications for highway bridges." American Association of State Highway and Transportation Officials, Washington, D.C., 16th Edition, 677 p.
- Adib, M.E. (1988). "Internal lateral earth pressure in earth walls," Ph.D. Dissertation, University of California, Berkeley 376 p.
- Andrews, D.C.A. and Martin, G.R. (2000). "Criteria for liquefaction of silty soils." *12th World Conference on Earthquake Engineering*, Paper No. 0312, Auckland, New Zealand.
- Andrus, R.D. and Chung, R.M. (1995). "Ground improvement techniques for liquefaction remediation near existing lifelines." Building and Fire Research Laboratory, National Institute of Standards and Technology, *Report No. NISTIR 5714*, October 1995.
- Bakeer, R.M., Bhatia, S.K. and Ishibashi, I. (1990). "Dynamic earth pressure with various gravity wall movements." *Design and Performance of Earth Retaining Structures*, ASCE Geotechnical Special Publication No. 25, ASCE, P.C. Lambe and L.A. Hansen eds., June 18-21, 1990, Ithaca, NY, pp. 887-899.
- Bathurst, R.J. and Cai, Z. (1995). "Pseudo-static seismic analysis of geosynthetic reinforced segmental retaining walls." *Geosynthetics International*, vol. 2, no. 5, pp. 787-830.
- Bathurst, R.J. and Hatami, K. (1998a). "Influence of reinforcement stiffness, length and base conditions on seismic response of geosynthetic reinforced retaining walls." *6th International Conference on Geosynthetics*, K.R. Rowe ed., Atlanta, GA, vol. 2, pp. 613-616.
- Bathurst, R.J. and Hatami, K. (1998b). "Seismic response analysis of a geosynthetic-reinforced soil retaining wall." *Geosynthetics International*, vol. 5, no. 1-2, pp. 127-166.
- Bathurst, R.J. and Hatami, K. (1999). "Numerical study of the influence of base shaking on reinforced soil retaining walls." *Geosynthetics '99*, April 28-30, 1999, Boston, MA, vol. 2, pp. 963-976.
- Belytschko, T. (1983). "An overview of semidiscretization and time integration procedures." *Computational Methods for Transient Analysis*, vol. 1 in *Computational Methods in Mechanics*, T. Belytschko and T.J.R. Hughes eds., Elsevier, pp. 1-65.
- Bonaparte, R., Schmertmann, G.R. and Williams, N.D. (1986). "Seismic design of slopes reinforced with geogrids and geotextiles." *Proceedings of the Third International Conference on Geotextiles*, Vienna, Austria, vol. 2, pp. 273-278.
- Boulanger, R.W., Mejia, L.H. and Idriss, I.M. (1997). "Liquefaction at Moss Landing during Loma Prieta Earthquake." *Journal of Geotechnical and Geoenvironmental Engineering*, ASCE, vol. 123, no. 5, pp. 453-467.

Boulanger, R.W., Meyers, M.W., Mejia, L.H. and Idriss, I.M. (1998). "Behavior of a fine-grained soil during the Loma Prieta Earthquake." *Canadian Geotechnical Journal*, vol. 35, pp. 146-158.

Bray, J.D. and Stewart, J.P. (2000). "Chapter 8 - Damage patterns and foundation performance in Adapazari." *Earthquake Spectra*, vol. 16, Supplement A to Volume 16, pp. 163-189.

Bray, J.D., Sancio, R.B., Durgunoglu, H.T., Onalp, A., Stewart, J.P., Youd, T.L., Baturay, M.B., Cetin, K.O., Christensen, C., Karadayilar, T. and Emrem, C. (2001). "Ground failure in Adapazari." *Lessons Learned from Recent Strong Earthquakes*, 15th International Conference on Soil Mechanics and Geotechnical Engineering, A. Ansal ed., August 24-25, 2001, Istanbul, Turkey.

Cai, Z. and Bathurst, R.J. (1995). "Seismic response analysis of geosynthetic reinforced soil segmental retaining walls by finite element method." *Computers and Geotechnics*, vol. 17, no. 4, pp. 523-546.

Cai, Z. and Bathurst, R.J. (1996). "Deterministic sliding block methods for estimating seismic displacements of earth structures." *Soil Dynamics and Earthquake Engineering*, vol. 15, no. 4, pp. 255-268.

Casey, J.A., Soon, D., Kutter, B.L. and Romstad, K.M. (1991). "Modeling of mechanically stabilized earth systems: a seismic centrifuge study." *Geotechnical Engineering Congress 1991*, ASCE Geotechnical Special Publication No. 27, ASCE, F.G. McLean, D.A. Campbell and D.W. Harris eds., June 10-12, 1991, Boulder, CO, vol. 2, pp. 839-850.

Chen, R., Liu, C., Chen, K. and Chen, T. (2000). "Analysis of a reinforced slope failure induced by the Chi-Chi (Taiwan) Earthquake." *Journal of the Chinese Institute of Engineers*, vol. 23, no. 4, pp. 429-437.

Chou, N.N.S., Hew, J.H.C. and Rimoldi, P. (1994). "35m-high geogrid-reinforced slope: new heights and innovative construction." *5th International Conference on Geotextiles, Geomembranes and Related Products*, G.P. Karunaratne, S.H. Chew and K.S. Wong eds., September 5-9, 1994, Singapore, vol. 1, pp. 473-478.

Christopher, B.R., Gill, S.A., Giroud, J.P., Juran, I., Mitchell, J.K., Schlosser, F. and Dunicliff, J. (1989). "Reinforced soil structures: Volume 1 - Design and construction guidelines." Federal Highway Administration, *Report No. FHWA-RD-89-043*, McLean, VA, 287 p.

Collin, J.G., Chouery-Curtis, V.E. and Berg, R.R. (1992). "Field observations of reinforced soil structures under seismic loading." *Earth Reinforcement Practice, International Symposium on Earth Reinforcement Practice*, IS Kyushu '92, A.A. Balkema, H. Ochiai, S. Hayashi and J. Otani eds., November 11-13, 1992, Fukuoka, Kyushu, Japan, vol. 1, pp. 223-228.

Cooke, H.G. and Mitchell, J.K. (1999). "Guide to remedial measures for liquefaction mitigation at existing highway bridge sites." Multidisciplinary Center for Earthquake Engineering Research, *Technical Report MCEER-99-0015*, Buffalo, NY.

Dobry, R., Ladd, R.S., Yokel, F.Y., Chung, R.M. and Powell, D.J. (1982). "Prediction of pore water pressure buildup and liquefaction of sands during earthquakes by the cyclic strain method." US Department of Commerce, National Bureau of Standards, *Building Science Series 138*.

Donovan, K., Pariseau, W.G. and Cepak, M. (1984). "Finite element approach to cable bolting in steeply dipping VCR slopes." *Geomechanics Application in Underground Hardrock Mining*, pp. 65-90.

Draper, N.R. and Smith, H. (1998). "Applied regression analysis." Wiley-Interscience, 736 p.

DSI. (1977). "Coastal plains between Istanbul and Izmit." Hydrogeological Investigation Report, DSI - General Directorate of State Water Works of Turkey, Ankara, Turkey, 1977.

Duncan, J.M. and Chang, C.-Y. (1970). "Nonlinear analysis of stress and strain in soils." *Journal of the Soil Mechanics and Foundations Division, ASCE*, vol. 96, no. 5, pp. 1629-1653.

Duncan, J.M., Byrne, P., Wong, K.S. and Mabry, P. (1980). "Strength, stress-strain and bulk modulus parameters for finite element analyses of stresses and movements in soil masses." Department of Civil Engineering, University of California, Berkeley, *Report No. UCB/GT/80-01*, 77 p.

Durgunoglu, H.T. and Mitchell, J.K. (1975a). "Static penetration resistance of soils. I Analysis." *Proceedings of the Specialty Conference on In-Situ Measurements of Soil Properties*, Raleigh, NC, vol. 1, pp. 151-171.

Durgunoglu, H.T. and Mitchell, J.K. (1975b). "Static penetration resistance of soils. II: Evaluation of theory and implications for practice." *Proceedings of the Specialty Conference on In-Situ Measurements of Soil Properties*, Raleigh, NC, vol. 1, pp. 172-189.

Eliahu, U. and Watt, S. (1991). "Geogrid-reinforced wall withstands earthquake." *Geotechnical Fabrics Report*, vol. 9, no. 2, pp. 8-13.

Elias, V. and Christopher, B.R. (1999). "Mechanically stabilized earth walls and reinforced soil slopes, design and construction guidelines." FHWA Demonstration Project No. 82, Federal Highway Administration, *FHWA-SA-96-071*, Washington, D.C., 371 p.

Emrem, C. (2000). "CPT as a tool in assessment of soil improvement against liquefaction," PhD. Dissertation, Bogazici University, Civil Engineering Department, Istanbul.

Fairless, G.J. and Elms, D.G. (1991). "Dynamic tests of reinforced earth walls." *Pacific Conference on Earthquake Engineering*, November 20-23, 1991, Auckland, New Zealand, vol. 1, pp. 277-287.

Felio, G.Y., Vucetic, M., Hudson, M., Barar, P. and Chapman, K.R. (1990). "Performance of soil-nailed excavations during the October 17, 1989 Loma Prieta Earthquake." *43rd Canadian Geotechnical Conference*, Quebec, Canada, vol. 1, pp. 165-173.

Felippa, C.A. and Park, K.C. (1979). "Direct time integration methods in nonlinear structural dynamics." *Computer Methods in Applied Mechanics and Engineering*, vol. 17/18, no. 2, pp. 277-313.

Frankenberger, P.C., Bloomfield, R.A. and Anderson, P.L. (1996). "Reinforced earth walls withstand Northridge Earthquake." *Earth Reinforcement, Third International Symposium on Earth Reinforcement*, IS Kyushu '96, A.A. Balkema, H. Ochiai, N. Yasufuku and K. Omine eds., November 12-14, 1996, Fukuoka, Kyushu, Japan, vol. 1, pp. 345-350.

Franklin, A.G. and Chang, F.K. (1977). "Permanent displacements of earth embankments by Newmark sliding block analysis." *Earthquake Resistance of Earth and Rock-Fill Dams - Report 5*, U.S. Army Engineer Waterways Experiment Station, *Miscellaneous Paper S-71-17*, Vicksburg, MS, November, 1977, 58 p.

Fukuda, N. and Tajiri, N. (1994). "Evaluation on seismic efficiency of geosynthetic-reinforced soil walls under actual earthquakes." *Developments in Deep Foundations and Ground Improvement Schemes, Proceedings of the Symposia on Geotextiles, Geomembranes and Other Geosynthetics in Ground Improvement / on Deep Foundations and Ground Improvement Schemes*, A.S. Balasubramaniam et al. eds., Bangkok, Thailand, pp. 89-98.

Goudreau, G.L. and Taylor, R.L. (1972). "Evaluation of numerical integration methods in elastodynamics." *Computer Methods in Applied Mechanics and Engineering*, vol. 2, no. 1, pp. 69-97.

Hansbo, S. (1979). "Consolidation of clay by band-shaped vertical drains." *Ground Engineering*, vol. 12, no. 5, pp. 16-25.

Holtz, R.D., Kramer, S.L., Hsieh, C.W., Huang, A.B. and Lee, W.F. (2001). "Failure analysis of an 80m high geogrid reinforced wall in Taiwan." *15th International Conference on Soil Mechanics and Geotechnical Engineering*, August 17-31, 2001, Istanbul, Turkey, vol. 2, pp. 1159-1162.

Huang, C. (2000). "Investigations of soil retaining structures damaged during the Chi-Chi (Taiwan) Earthquake." *Journal of the Chinese Institute of Engineers*, vol. 23, no. 4, pp. 417-428.

Hughes, T.J.R. and Liu, W.K. (1978a). "Implicit-explicit finite elements in transient analysis : Stability theory." *Journal of Applied Mechanics, ASME*, vol. 45, no. 2, pp. 371-374.

Hughes, T.J.R. and Liu, W.K. (1978b). "Implicit-explicit finite elements in transient analysis : Implementation and numerical examples." *Journal of Applied Mechanics, ASME*, vol. 45, no. 2, pp. 375-378.

Hughes, T.J.R., Pister, K.S. and Taylor, R.L. (1979). "Implicit-explicit finite elements in nonlinear transient analysis." *Computer Methods in Applied Mechanics and Engineering*, vol. 17/18, no. 1, pp. 159-182.

Hughes, T.J.R. (1983). "Analysis of transient algorithms with particular reference to stability behavior." *Computational Methods for Transient Analysis*, vol. 1 in *Computational Methods in Mechanics*, T. Belytschko and T.J.R. Hughes eds., Elsevier, pp. 68-155.

International Conference of Building Officials. (2000). "IBC 2000 International Building Code." International Conference of Building Officials, Whittier, CA.

Idriss, I.M. and Sun, J.I. (1992). "SHAKE91 : A computer program for conducting equivalent linear seismic response analyses of horizontally layered soil deposits." Center for Geotechnical Modeling, Department of Civil and Environmental Engineering, University of California Davis, Davis, CA.

Ishibashi, I. and Zhang, X. (1993). "Unified dynamic shear moduli and damping ratios of sand and clay." *Soils and Foundations*, vol. 33, no. 1, pp. 182-191.

Ishihara, K. (1985). "Stability of natural deposits during earthquakes." *Liquefaction, 11th International Conference on Soil Mechanics and Foundation Engineering*, Theme Lecture, San Francisco, vol. 1, pp. 321-376.

Ishihara, K. and Yoshimine, M. (1992). "Evaluation of settlements in sand deposits following liquefaction during earthquakes." *Soils and Foundations*, vol. 32, no. 1, pp. 173-188.

Itasca Consulting Group. (2000). "Fast Lagrangian Analysis of Continua, User Manual - Version 4.0." Itasca Consulting Group, Minneapolis, MN.

Kanazawa, Y., Ikeda, K., Murata, O., Tateyama, M. and Tatsuoka, F. (1992). "Geosynthetic-reinforced soil retaining walls for reconstructing railway embankment in Amagasaki." Recent Case Histories of Permanent Geosynthetic-Reinforced Soil Retaining Walls, *Proceedings of Seiken Symposium No. 11*, Recent Case Histories of Permanent Geosynthetic-Reinforced Soil Retaining Walls, A.A. Balkema, F. Tatsuoka and D. Leshchinsky eds., November 6-7, 1992, Tokyo, Japan, pp. 233-242.

Kobayashi, K., Tabata, H. and Boyd, M. (1996). "The performance of reinforced earth structures in the vicinity of Kobe during the Great Hanshin Earthquake." *Earth Reinforcement, Third International Symposium on Earth Reinforcement*, IS Kyushu '96, A.A. Balkema, H. Ochiai, N. Yasufuku and K. Omine eds., November 12-14, 1996, Fukuoka, Kyushu, Japan, vol. 1, pp. 395-400.

- Koester, J.P. (1992). "The influence of test procedure on correlation of Atterberg limits with liquefaction in fine-grained soils." *Geotechnical Testing Journal, ASTM*, vol. 15, no. 4, pp. 352-361.
- Kramer, S.L., Chang, S., Arduino, P., Booth, D. and Jones, A. (2001). "Chapter 3 - Geotechnical Considerations." The Nisqually, Washington Earthquake of February 28, 2001, Earthquake Engineering Research Institute, EERI Learning from Earthquakes Preliminary Reconnaissance Report, March 2001.
- Kuhlmeyer, R.L. and Lysmer, J. (1973). "Finite element method accuracy for wave propagation problems." *Journal of the Soil Mechanics and Foundations Division, ASCE*, vol. 99, no. 5, pp. 421-427.
- Kutter, B.L., Casey, J.A. and Romstad, K.M. (1990). "Centrifuge modeling and field observations of dynamic behavior of reinforced soil and concrete cantilever retaining walls." *Fourth U.S. National Conference on Earthquake Engineering*, EERI, May 20-24, 1990, Palm Springs, CA, vol. 3, pp. 663-672.
- Ling, H.I. (2001). "Recent applications of sliding block theory to geotechnical design." *Soil Dynamics and Earthquake Engineering*, vol. 21, no. 3, pp. 189-197.
- Ling, H.I., Leshchinsky, D. and Chou, N.N.S. (2001). "Post-earthquake investigation on several geosynthetic-reinforced soil retaining walls and slopes during the Ji-Ji Earthquake of Taiwan." *Soil Dynamics and Earthquake Engineering*, vol. 21, no. 4, pp. 297-313.
- Lunne, T., Robertson, P.K. and Powell, J.J.M. (1997). "Cone penetration testing in geotechnical practice." Blackie Academic and Professional, 312 p.
- Makdisi, F.I. and Seed, H.B. (1978). "Simplified procedure for estimating dam and embankment earthquake-induced deformations." *Journal of the Geotechnical Engineering Division, ASCE*, vol. 104, no. 7, pp. 849-867.
- Martin, J.R., Mitchell, J.K., Olgun, C.G., Durgunoglu, H.T. and Emrem, C. (2001). "Performance of improved ground during the 1999 Turkey Earthquakes." *2001 A Geo-Odyssey*, ASCE Geotechnical Special Publication No. 113, T.L. Brandon ed., June 2001, Blacksburg, VA, pp. 565-579.
- Matsuo, O., Tsutsumi, T., Yokoyama, K. and Saito, Y. (1998). "Shaking table tests and analyses of geosynthetic-reinforced soil retaining walls." *Geosynthetics International*, vol. 5, no. 1-2, pp. 97-126.
- Mesri, G. and Shahien, M.M. (2001). "Liquefaction resistance and earthquake-induced settlement of granular soils deposits stabilized by gravel drains." *15th International Conference on Soil Mechanics and Geotechnical Engineering*, Istanbul, Turkey, vol. 3, pp. 1811-1814.

- Mitchell, J.K. and Villet, W.C.B. (1987). "Reinforcement of slopes and embankments." National Cooperative Highway Research Program, Transportation Research Board, *NCHRP Report 290*, Washington, D.C., 323 p.
- Mitchell, J.K. and Wentz, F.J. (1991). "Performance of improved ground during Loma Prieta Earthquake." Earthquake Engineering Research Center, University of California Berkeley, *Report No. UCB/EERC-91/12*, 110 p.
- Mitchell, J.K. (1992). "Mitigation of ground failure risk - Some lessons from the Loma Prieta Earthquake." *Sixth Australia - New Zealand Conference on Geomechanics*, Keynote Lecture, February, 3-7, 1992, New Zealand.
- Mitchell, J.K., Baxter, C.D.P. and Munson, T.C. (1995). "Performance of improved ground during earthquakes." *Soil Improvement for Earthquake Hazard Mitigation*, ASCE Geotechnical Special Publication No. 49, ASCE, pp. 1-36.
- Mitchell, J.K., Cooke, H.G. and Schaeffer, J.A. (1998). "Design considerations in ground improvement for seismic risk mitigation." *Geotechnical Earthquake Engineering and Soil Dynamics III*, ASCE Geotechnical Special Publication No. 75, ASCE, P. Dakoulas and M. Yegian eds., vol. 1, pp. 580-613.
- Mitchell, J.K. and Wentz, F.J. (1998). "Improved-ground performance during the earthquake." *The Loma Prieta, California, Earthquake of October 17, 1989 - Liquefaction: Strong Ground Motion and Ground Failure*, United States Geological Survey Professional Paper 1551-B, pp. B241-B272.
- Mitchell, J.K., Martin, J.R., Olgun, C.G., Emrem, C., Durgunoglu, H.T., Cetin, K.O. and Karadayilar, T. (2000). "Chapter 9 - Performance of improved ground and earth structures." *Earthquake Spectra*, vol. 16, Supplement A to Volume 16, pp. 191-225.
- Mononobe, N. (1924). "Effects of vertical acceleration and theory of vibration." *Journal of the Japan Society of Civil Engineers*, vol. 10, no. 5, pp. 1063-1094.
- Mononobe, N. (1929). "Earthquake-proof construction of masonry dams." *World Engineering Congress*, October-November, 1929, Tokyo, Japan, vol. 9, pp. 275.
- Mononobe, N. and Matsuo, H. (1929). "On the determination of earth pressures during earthquakes." *World Engineering Congress*, October-November, 1929, Tokyo, Japan, vol. 9, pp. 177-189.
- Newmark, M.N. (1959). "A method for computation in structural dynamics." *Journal of the Engineering Mechanics Division, ASCE*, vol. 85, no. 3, pp. 67-94.
- Newmark, M.N. (1965). "Effects of earthquakes on dams and embankments." *Geotechnique*, vol. 15, no. 2, pp. 139-159.

- Nishimura, J., Hirai, T., Iwasaki, K., Saitoh, Y., Morishima, M., Shintani, H., Yoshikawa, S. and Yamamoto, H. (1996). "Earthquake resistance of geogrid-reinforced soil walls based on a study conducted following the southern Hyogo Earthquake." *Earth Reinforcement, Third International Symposium on Earth Reinforcement, IS Kyushu '96*, A.A. Balkema, H. Ochiai, N. Yasufuku and K. Omine eds., November 12-14, 1996, Fukuoka, Kyushu, Japan, vol. 1, pp. 439-444.
- Nova-Roessig, L. and Sitar, N. (1998). "Centrifuge studies of the seismic response of reinforced soil slopes." *Geotechnical Earthquake Engineering and Soil Dynamics III*, ASCE Geotechnical Special Publication No. 75, P. Dakoulas, M. Yegian and R.D. Holtz eds., August 3-6, 1998, Seattle, WA, vol. 1, pp. 458-468.
- Okabe, S. (1924). "General theory on earth pressure and seismic stability of retaining wall and dam." *Journal of the Japan Society of Civil Engineers*, vol. 10, no. 6, pp. 1277-1323.
- Olgun, C.G. and Martin, J.R. (2003). "Performance and analysis of Arifiye Overpass Reinforced Earth Walls during the 1999 Kocaeli (Turkey) Earthquake." *Reinforced Soil Engineering, Advances in Research and Practice*, H.I. Ling, D. Leshchinsky and F. Tatsuoka eds., pp. 443-463.
- O'Tourke, T.D. and Goh, S.H. (1997). "Reduction of liquefaction hazards by deep soil mixing." *Proceedings of the Workshop on Earthquake Engineering Frontiers in Transportation Facilities*, National Center for Earthquake Engineering Research, Buffalo, N.Y., Aug. 29, 1997, pp. 87-105.
- Polito, C. (2000). "Liquefaction of fine grained soils," PhD. Dissertation, Virginia Tech, Department of Civil and Environmental Engineering, Blacksburg, VA.
- Polito, C.P. (1999). "The effects of non-plastic and plastic fines on the liquefaction of sandy soils," PhD. Dissertation, Virginia Tech, Department of Civil and Environmental Engineering, Blacksburg, VA.
- Popescu, R. and Prevost, J.H. (1993). "Centrifuge validation of a numerical model for dynamic soil liquefaction." *Soil Dynamics and Earthquake Engineering*, vol. 12, no. 2, pp. 73-90.
- Prakash, S. and Basavanna, B.M. (1969). "Earth pressure distribution behind retaining wall during earthquake." *4th World Conference on Earthquake Engineering*, January 13-18, 1969, Santiago, Chile, vol. 3, pp. A5/133-A5/148.
- Prakash, S. and Nandakumaran, P. (1973). "Dynamic earth pressure distribution on rigid walls." *Symposium on Earth Structures under Earthquake and Dynamic Loads*, March 9-11, 1973, Roorke, India, pp. 11-16.
- Prevost, J.H. (1985). "Simple plasticity theory for frictional cohesionless soils." *Soil Dynamics and Earthquake Engineering*, vol. 4, no. 1, pp. 9-17.

Prevost, J.H. (2002). "DYNAFLOW: A nonlinear transient finite element analysis program. Version 02 Release 01.A." User's Manual, Department of Civil Engineering and Operations Research, Princeton University, Princeton, NJ, 506 p.

Rathje, E.M., Idriss, I.M. and Somerville, P. (2000). "Chapter 4 - Strong ground motions and site effects." *Earthquake Spectra*, vol. 16, Supplement A to Volume 16, pp. 65-96.

Rathje, E.M., Stokoe, K.H., Rosenblad, B. and Darendeli, M. (2002). "Shear wave velocity profiling by SASW method at selected strong-motion stations from the 1999 Turkey Earthquakes." *Proceedings of the NSF-TUBITAK Turkey-Taiwan Earthquakes Grantee Workshop*, March 24-26, 2002, Antalya, Turkey.

Reinforced Earth Co. (1998). "Reinforced Earth structures in seismic regions." Company Brochure, Reinforced Earth Co., 12 p.

Reinforced Earth Co. (2000). "Guidelines for design of Reinforced Earth walls." Company Brochure, Reinforced Earth Co., 70 p.

Richards, R. and Elms, D.G. (1979). "Seismic behavior of gravity retaining walls." *Journal of the Geotechnical Engineering Division, ASCE*, vol. 105, no. 4, pp. 449-464.

Richardson, G.N., Feger, D., Fong, A. and Lee, K.L. (1977). "Seismic testing of reinforced earth walls." *Journal of the Geotechnical Engineering Division, ASCE*, vol. 103, no. 1, pp. 1-17.

Riemer, M.F., Lok, T.M. and Mitchell, J.K. (1996). "Evaluating effectiveness of liquefaction remediation measures for bridges." *6th Japan-U.S. Workshop on Earthquake Resistant Design of Lifeline Facilities and Countermeasures against Soil Liquefaction*, NCEER-96-0012, June, 11-13, 1996, Tokyo, Japan, pp. 442-455.

Robertson, P.K. and Wride, C.E. (1997). "Cyclic liquefaction and its evaluation based on the SPT and CPT." *Proceedings of the NCEER Workshop on Evaluation of Liquefaction Resistance of Soils*, T.L. Youd and I.M. Idriss eds., January 5-6, 1996, Provo, UT, pp. 41-87.

Safak, E. and Erdik, M. (2000). "Chapter 5 - Recorded main shock and aftershock motions." *Earthquake Spectra*, vol. 16, Supplement A to Volume 16, pp. 97-112.

Sakaguchi, M. (1996). "A study of the seismic behavior of geosynthetic reinforced walls in Japan." *Geosynthetics International*, vol. 3, no. 1, pp. 13-30.

Salgado, R., Boulanger, R.W. and Mitchell, J.K. (1997). "Lateral stress effects on CPT liquefaction resistance correlations." *Journal of Geotechnical and Geoenvironmental Engineering, ASCE*, vol. 123, no. 8, pp. 726-735.

Sancio, R.B., Bray, J.D., Riemer, M.F. and Durgunoglu, H.T. (2003). "An assessment of the liquefaction susceptibility of Adapazari silt." *2003 Pacific Conference on Earthquake Engineering*, Paper Number 172.

- Sander, G., Geradin, M., Nyssen, C. and Hogge, M. (1979). "Accuracy versus computational efficiency in nonlinear dynamics." *Computer Methods in Applied Mechanics and Engineering*, vol. 17/18, no. 2, pp. 315-340.
- Sandri, D. (1994). "Retaining walls stand up to the Northridge Earthquake." *Geotechnical Fabrics Report*, vol. 12, no. 4, pp. 30-31.
- Sandri, D. (1997). "A performance summary of reinforced soil structures in the Greater Los Angeles Area after the Northridge Earthquake." *Geotextiles and Geomembranes*, vol. 15, no. 4-6, pp. 235-253.
- Sankey, J.E. and Segrestin, P. (2001). "Evaluation of seismic performance in Mechanically Stabilized Earth structures." *International Symposium on Earth Reinforcement Practice*, IS Kyushu 2001, A.A. Balkema, K. Omine ed., November 14-16, 2001, Fukuoka, Kyushu, Japan, vol. 1, pp. 449-452.
- Sarma, S.K. (1975). "Seismic stability of earth dams and embankments." *Geotechnique*, vol. 25, no. 4, pp. 743-761.
- Schmertmann, G.R., Chew, S.H. and Mitchell, J.K. (1989). "Finite element modeling of reinforced soil behavior." Department of Civil Engineering, University of California, Berkeley, *Report No. UCB/GT/89-01*, 220 p.
- Schnabel, P.B., Lysmer, J. and Seed, H.B. (1972). "SHAKE : A computer program for earthquake response analysis of horizontally layered sites." Earthquake Engineering Research Center, University of California, Berkeley, *Report No. EERC 72-12*, Berkeley, CA.
- Seed, H.B. (1966). "A method for earthquake resistant design of earth dams." *Journal of the Soil Mechanics and Foundations Division, ASCE*, vol. 92, no. 1, pp. 13-41.
- Seed, H.B. and Whitman, R.V. (1970). "Design of earth retaining structures for dynamic loads." *Lateral Stresses in the Ground and Design of Earth-retaining Structures*, ASCE Specialty Conference, ASCE, June 22-24, 1970, Ithaca, NY, pp. 103-147.
- Seed, H.B. and Booker, J.R. (1977). "Stabilization of Potentially Liquefiable Sand Deposits." *Journal of the Geotechnical Engineering Division, ASCE*, vol. 103, no. 7, pp. 757-768.
- Seed, H.B. and Idriss, I.M. (1982). "Ground motions and soil liquefaction during earthquakes." Monograph Series, Earthquake Engineering Research Institute, Berkeley, CA, 134 p.
- Seed, R.B., Cetin, K.O., Moss, R.E.S., Kammerer, A., Wu, J., Pestana, J. and Riemer, M. (2001). "Recent advances in soil liquefaction engineering and seismic site response evaluation." *Fourth International Conference and Symposium On Recent Advances In Geotechnical Earthquake Engineering And Soil Dynamics*, Paper SPL-2, March 26, 2001, San Diego, CA.

Segrestin, P. and Bastick, M.J. (1988). "Seismic design of reinforced earth walls - the contribution of finite element analysis." *Theory and Practice of Earth Reinforcement, International Geotechnical Symposium on Theory and Practice of Earth Reinforcement*, IS Kyushu '88, A.A. Balkema, T. Yamanouchi, N. Miura and H. Ochiai eds., October 5-7, 1988, Fukuoka, Kyushu, Japan, pp. 577-582.

Segrestin, P. and Bastick, M.J. (1989). "Finite element study of the dynamic behavior of reinforced earth structures." *12th International Conference on Soil Mechanics and Foundation Engineering*, Rio de Janeiro, Brazil, vol. 3, pp. 2013-2014, (in French).

Shewbridge, S.E. and Sitar, N. (1996). "Formation of shear zones in reinforced sand." *Journal of Geotechnical and Geoenvironmental Engineering, ASCE*, vol. 122, no. 11, pp. 873-885.

Sitar, N., Ashford, S.A., Stewart, J.P. and Nova-Roessig, L. (1997). "Seismic response of steep natural slopes, structural fills and reinforced soil slopes and walls." *Seismic Behavior of Ground and Geotechnical Structures, Proceedings of the Discussion Special Technical Session on Earthquake Geotechnical Engineering during 14th International Conference on Soil Mechanics and Foundation Engineering*, Balkema, P. Seco e Pinto ed., September 6-12, 1997, Hamburg, Germany, pp. 341-350.

Skempton, A.W. (1986). "Standard penetration test procedures and the effect in sands of overburden pressure, relative density, particle size, ageing and overconsolidation." *Geotechnique*, vol. 36, no. 3, pp. 425-447.

Stark, T.D. and Olson, S.M. (1995). "Liquefaction resistance using CPT and field case histories." *Journal of Geotechnical Engineering, ASCE*, vol. 121, no. 12, pp. 856-869.

Stewart, J.P., Bray, J.D., Seed, R.B. and Sitar, N. (1994a). "Preliminary report on the principal geotechnical aspects of the January 17, 1994 Northridge Earthquake." *Earthquake Engineering Research Center, University of California, UCB/EERC-94/08*, Berkeley, CA, June 1994, 245 p.

Stewart, J.P., Seed, R.B., Riemer, M.F. and Zornberg, J.G. (1994b). "Northridge Earthquake : Geotechnical structures." *Geotechnical News*, vol. 12, no. 2, pp. 59-62.

Suzuki, Y., Tokimatsu, K., Koyamada, K., Taya, Y. and Kubota, Y. (1995). "Field correlation of soil liquefaction based on CPT data." *CPT'95, International Symposium on Cone Penetration Testing*, October 4-5, 1995, Linkoping, Sweden, vol. 2, pp. 583-588.

Tamura, Y., Nakamura, K., Tateyama, M., Murata, O., Tatsuoka, F. and Nakaya, T. (1992). "Full-scale lateral loading tests on column foundations in geosynthetic-reinforced soil retaining walls." *Recent Case Histories of Permanent Geosynthetic-Reinforced Soil Retaining Walls, Proceedings of Seiken Symposium No. 11*, A.A. Balkema, F. Tatsuoka and D. Leshchinsky eds., November 6-7, 1992, Tokyo, Japan, pp. 277-285.

Tatsuoka, F., Koseki, J. and Tateyama, M. (1995). "Performance of geogrid-reinforced soil retaining walls during the Great Hanshin-Awaji Earthquake, January 17, 1995." *First International Conference on Earthquake Geotechnical Engineering*, IS Tokyo '95, A.A. Balkema, K. Ishihara ed., November 14-16, 1995, Tokyo, Japan, vol. 1, pp. 55-62.

Tatsuoka, F., Koseki, J. and Tateyama, M. (1996a). "Performance of reinforced soil structures during the 1995 Hyogo-ken Nanbu Earthquake." *Earth Reinforcement, Third International Symposium on Earth Reinforcement*, IS Kyushu '96, A.A. Balkema, H. Ochiai, N. Yasufuku and K. Omine eds., November 12-14, 1996, Fukuoka, Kyushu, Japan, vol. 2, pp. 973-1008.

Tatsuoka, F., Tateyama, M. and Koseki, J. (1996b). "Performance of soil retaining walls for railway embankments." *Soils and Foundations*, pp. 311-324.

Tatsuoka, F., Koseki, J., Tateyama, M., Munaf, Y. and Horii, K. (1998). "Seismic stability against high seismic loads of geosynthetic-reinforced soil retaining structures." *6th International Conference on Geosynthetics*, Keynote Lecture, K.R. Rowe ed., Atlanta, GA, vol. 1, pp. 103-142.

Vucetic, M., Tufenkjian, M.R., Felio, G.Y., Barar, P. and Chapman, K.R. (1998). "Analysis of soil-nailed excavations stability during the 1989 Loma Prieta Earthquake." *The Loma Prieta, California, Earthquake of October 17, 1989 - Earth Structures and Engineering Characterization of Ground Motion*, United States Geological Survey Professional Paper 1552-D, T.L. Holzer ed., pp. D27-D45.

Wang, W. (1979). "Some findings in soil liquefaction." Water Conservancy and Hydroelectric Power Scientific Research Institute, Beijing, China.

Welsh, J.P. and Burke, G.K. (1991). "Jet Grouting - Uses for soil improvement." *Geotechnical Engineering Congress*, ASCE Geotechnical Special Publication No. 27, June 1991, vol. 1, pp. 334-345.

White, D.M. and Holtz, R.D. (1996). "Performance of geosynthetic-reinforced slopes and walls during the Northridge, California Earthquake of January 17, 1994." *Earth Reinforcement, Third International Symposium on Earth Reinforcement*, IS Kyushu '96, A.A. Balkema, H. Ochiai, N. Yasufuku and K. Omine eds., November 12-14, 1996, Fukuoka, Kyushu, Japan, vol. 2, pp. 965-972.

Whitman, R.V. and Liao, S. (1984). "Seismic design of gravity retaining walls." *8th World Conference on Earthquake Engineering*, July 21-28, 1984, San Francisco, CA, vol. 3, pp. 533-540.

Whitman, R.V. and Liao, S. (1985). "Seismic design of gravity retaining walls." U.S. Army Engineer Waterways Experiment Station, *Miscellaneous Paper GL-85-1*, Vicksburg, MS, January, 1985, 156 p p.

Whitman, R.V. (1990). "Seismic design and behavior of gravity retaining walls." *Design and Performance of Earth Retaining Structures*, ASCE Geotechnical Special Publication No. 25, ASCE, P.C. Lambe and L.A. Hansen eds., June 18-21, 1990, Ithaca, NY, pp. 817-842.

Whitman, R.V. (1991). "Seismic design of earth retaining structures - State of the art paper." *2nd International Conference on Recent Advances in Geotechnical Earthquake Engineering and Soil Dynamics*, March 11-15, 1991, St. Louis, MO, vol. 2, pp. 1767-1778.

Yasuda, S., Ishihara, K., Harada, K. and Shinkawa, N. (1996). "Effectiveness of the ground improvement on liquefaction observed during the Hyogoken-Nambu earthquake." *Proceedings of the 11th World Conference on Earthquake Engineering*, Paper No. 1032.

Yogendrakumar, M. and Bathurst, R.J. (1990). "Numerical simulation of reinforced soil structures during blast loads." *Transportation Research Record*, no. 1336, pp. 1-8.

Yogendrakumar, M., Bathurst, R.J. and Finn, W.D.L. (1990). "Dynamic response analysis of reinforced-soil retaining wall." *Journal of Geotechnical Engineering*, vol. 118, no. 8, pp. 1158-1167.

Youd, T.L. (1998). "Screening guide for rapid assessment of liquefaction hazard at highway bridge sites." Multidisciplinary Center for Earthquake Engineering Research, *Technical Report MCEER-98-0005*, June 1998.

Youd, T.L., Idriss, I.M., Andrus, R.D., Arango, I., Christian, J.T., Dobry, R., Finn, W.D.L., Harder, L.F., Hynes, M.E., Ishihara, K., Koester, J.P., Liao, S.S.C., Marcuson, W.F., Martin, G.R., Mitchell, J.K., Moriwaki, Y., Power, M.S., Robertson, P.K., Seed, R.B. and Stokoe, K.H. (2001). "Liquefaction resistance of soils: Summary report from the 1996 NCEER and 1998 NCEER/NSF workshops on evaluation of liquefaction resistance of soils." *Journal of Geotechnical and Geoenvironmental Engineering, ASCE*, vol. 127, no. 10, pp. 817-833.

Zetas Earth Technology Corporation. (1998). "Izmit Carrefour Commercial Center, Factual Report." Zetas Earth Technology Corporation, Istanbul, Turkey, March 24, 1998.

Zetas Earth Technology Corporation. (1999). "Izmit Carrefour Commercial Center, Damage Assessment Report Following the August 17, 1999 Kocaeli Earthquake." Zetas Earth Technology Corporation, Istanbul, Turkey, August 26, 1999.