

Acknowledgements

This thesis is the result of many years' work and the contributions of many people. I could not have finished my work without them. I am very grateful to Professor David G. I. Kingston for the opportunity to work in his group in both natural product isolation and organic synthesis area. Dr. Kingston guided me the direction of my research and encouraged me to pursue the science that I am deeply interested. He also has taught me a lot of the non-laboratory aspects of scientific research, such as writing articles and presenting proposals. I believe that these skills that I have learned from him will serve me well in my future career.

I also would like to thank the people who have served on my committee: Dr. Paul Carlier, Dr. Richard Gandour, Dr. Felicia Etzkorn and Dr. Harry Dorn.

The faculty and staff of Virginia Polytechnic Institute and State University helped me a lot in my endeavors. In particular I give my thanks to Mr. Tom Glass, Mr. William Bebout, and Ms. Ann Campbell.

Additional thanks to Mr. Andrew Norris, Ms. Jennifer Schilling and Ms. Rebecca Guza, biologists who helped me with bioassay data. I also want to thank Dr. Bingnan Zhou, Dr. Thota Ganesh and Dr. Shugeng Cao. I learned a lot of experimental skills from them.

TABLE OF CONTENTS

	Page
LIST OF FIGURES	ix
LIST OF SCHEMES	xi
LIST OF TABLES	xiii
I. ISOLATION OF NATURAL PRODUCTS AS ANTICANCER DRUGS.	
I.1 Introduction	1
I.2 Natural Products as Anticancer Drugs	2
I.3 The ICBG and NCDDG Programs	3
I.4 The Bioassay Guided Isolation of Natural Products	4
I.5 Mechanism Based Bioassays Employed in the NCDDG Program	6
II. ISOLATION OF BIOACTIVE COMPOUNDS FROM <i>CRYPTOCARYA CRASSIFOLIA</i>.	
II.1 Introduction	9
II.2 Chemical and Biological Investigation of <i>Cryptocarya crassifolia</i>	9
II.3 Structure and Bioactivities of Cryptocaryalactones	10
II.4 Introduction to the Structure and Bioactivities of Flavonoids	12
II.5 UV Spectral Analysis of Flavonoids	14
II.6 Results and Discussion	16
II.7 Experimental Section	22
III. PURIFICATION AND CHARACTERIZATION OF ISOFLAVONES FROM A LOTUS PLANT	
III.1 Introduction to Isoflavones	26

III.2 Results and Discussion	27
III.3 Experimental Section	34
IV. ISOLATION OF CYTOTOXIC CARDENOLIDES FROM A <i>BREXIELLA</i> SP.	
IV.1 Introduction	36
IV.2 Structure and Basic Properties of Cardenolides	36
IV.3 Isolation of Cardenolides from <i>Brexiella</i> sp. (Celestraceae)	39
IV.4 Structure Elucidation of Compounds A and B	43
IV.5 Experimental Section	51
V. ISOLATION OF PYRIDOACRIDINE ALKALOIDS AS AKT KINASE INHIBITORS.	
V.1 Introduction	54
V.2 Chemical and Biological Investigation of Pyridoacridine Alkaloids	55
V.3 Results and Discussion	58
V.4 Experimental Section	65
VI. ISOLATION OF BROMOTYROSINE ALKALOIDS FROM THE SPONGE <i>PORPHYRIA FLINTAE</i>.	
VI.1 Introduction	69
VI.2 Results and Discussion	71
VI.3 Experimental Section	77
VII. SUMMARY OF DROPPED EXTRACTS	80
VII.1 Fractionation of the Suriname Plant <i>Caryocar glabrum</i>	81
VII.2 Fractionation of the Madagascar Plant <i>Tapura guianensis</i>	85
VII.3 Fractionation of the Plant <i>Tetracoccus halii</i>	86

VII.4 Fractionation of <i>Pedilanthus tithymaloides</i>	87
VII.5 Fractionation of the Plant <i>Brachychiton chillagoensis</i>	88
VII.6 Fractionation of the Plant <i>Parkia sumatrana</i>	89
VII.7 Fractionation of the Algal Species <i>Polyides rotundus</i>	90
VIII. ISOLATION AND SYNTHESIS OF 6-AMINOGLYCOLIPIDS	
VIII.1 Introduction to Glycolipids	91
VIII.2 Isolation of Natural 6'-Amino-6'-desoxy-glycolipids	94
VIII.3 Previously Reported Syntheses of Glycolipid Derivatives	95
VIII.4 Synthesis of 6-Aminoglycoglycerolipids Bearing Saturated Fatty Acids	100
VIII.5 Synthesis of 6'-Aminoglycoglycerolipids Bearing Linolenic acids	105
VIII.6 Experimental Section	109
IX. SYNTHESIS OF ISOTOPICALLY LABELED PACLITAXEL ANALOGS FOR REDOR NMR STUDIES	
IX.1 Introduction	138
IX.2 Design of Isotopically Labeled Paclitaxel Analogs for REDOR NMR	150
IX.3 Synthesis of the Labeled Paclitaxel Analogs 9.1 and 9.2	152
IX.4 Experimental Results	158
X. STUDY OF THE CHEMISTRY OF A-NOR-PACLITAXEL ANALOGS.	
X.1 Introduction to A-nor-Paclitaxel Analogs	173
X.2 Conformation Study of Bridged-nor-Paclitaxel	175
X.3 Chemical Investigations of the Rearranged A-nor-Baccatin	177
X.4 Synthesis of the Bridged A-nor-Paclitaxel	182
X.5 Bioactivities of The Bridged A-nor-Paclitaxel	183

X.6 Experimental Section	184
XI. SUMMARY AND CONCLUSION	196

LIST OF FIGURES

	page
Figure 2-1 Caryalactones from <i>Cryptocarya</i> species	10
Figure 2-2 Optical rotations of natural and synthetic diastereomers of caryalactones	12
Figure 2-3 Five major types of flavonoids	13
Figure 2-4 Stable complex of Al ³⁺ chelated flavonoids	15
Figure 2-5 Structure of the flavonoids isolated from the fruit extract.	18
Figure 3-1 General structure of isoflavones	27
Figure 3-2 Structures of MSA-02X and scandenol	28
Figure 3-3 Structure of MSA-08X and kraussianone-6	30
Figure 3-4 Structure of erythrinin-C and MSA-07X	33
Figure 4-1 Structure of cardenoglycosides	37
Figure 4-2 Important HMBC and NOESY correlations observed for compound A	44
Figure 4-3 Structure of glucodigifucoside	44
Figure 4-4 Structures of two saccharides from TOCSY experiment	46
Figure 4-5 Determination of sugar linkage by HMBC	47
Figure 4-6 Complete structure of Compound A (Glucodigigulomethylsiose)	48
Figure 4-7 Important HMBC correlations of Compound B	49
Figure 4-8 β -Glucopyranose unit from TOCSY and COSY experiment	50
Figure 4-9 Structure of compound B (xysmalogenin- β -glucoside)	50
Figure 5-1 Structure of amphimedine, deoxyamphimedine and neoamphimedine	54
Figure 5-2 Basic skeleton of pyridoacridine rings	56
Figure 5-3 Structure of kuanoniamine alkaloids	57
Figure 5-4 Synthesis of amphimedine	58
Figure 5-5 COSY HMQC and NOESY correlations of neoamphimedine	60
Figure 5-6 HMBC correlations of neoamphimedine	61
Figure 5-7 Major HMBC correlations of amphimedine	62

Figure 5-8 (8, 13)-Dihydro-neoamphimedine	64
Figure 6-1 Biosynthesis of bromotyrosine derivatives	70
Figure 6-2 Secondary bromo-tyrosine metabolites	71
Figure 6-3 Rearrangement of the spiro-isoxazole rings of bromo-tyrosine alkaloids	71
Figure 6-4 Structure of fistularin analogs	73
Figure 7-1 Structure of aureol and its analogs	83
Figure 8-1 Lewis antigen determinant glycosphingolipid	92
Figure 8-2 6'-amino-6'-desoxyglycolipids isolated from an algae species	93
Figure 8-3 Natural and unnatural 6'-sulfoquinovosyldiacylglycolipids	98
Figure 9-1 Structure of paclitaxel	139
Figure 9-2 Microtubule stabilizing agents from natural products	140
Figure 9-3 The equilibrium of tubulins and microtubules	141
Figure 9-4 Paclitaxel affected equilibrium between tubulin and microtubules	143
Figure 9-5 Conventions used for paclitaxel	144
Figure 9-6 Holton's paclitaxel semisynthesis scheme	147
Figure 9-7 Two conformations of paclitaxel	149
Figure 9-8 "T-Taxol" conformation	149
Figure 9-9 Previously prepared labeled paclitaxel by our group	151
Figure 9-10 New isotopically labeled paclitaxels 9.11 and 9.12	152
Figure 10-1 Structure of A-nor-paclitaxel and paclitaxel	174
Figure 10-2 Structure of bridged nor-paclitaxel	175
Figure 10-3 Computer model of bridged-A-nor-paclitaxel and bridged-paclitaxel	176

LIST OF SCHEMES

	Page
Scheme 2-1. Isolation tree of the fruit extract of <i>Cryptocarya crassifolia</i>	17
Scheme 2-2. Isolation tree of the bark extract of <i>Cryptocarya crassifolia</i>	22
Scheme 4-1. Isolation of cardenolides from the bark extract of <i>Brexiella</i> sp.	41
Scheme 4-2. Isolation of cardenolides from the leaf extract of <i>Brexiella</i> sp.	42
Scheme 5-1. Isolation tree of the marine sponge <i>Petrosia</i> sp.	59
Scheme 6-1. Isolation tree of the marine sponge <i>Porphyria</i> sp.	72
Scheme 7-1. Fractionation of <i>Caryocar glabrum</i>	81
Scheme 7-2. Fractionation of <i>Tapura guianensis</i>	85
Scheme 7-3. Fractionation of <i>Tetracoccus halii</i>	86
Scheme 7-4. Fractionation of <i>Pedilanthus tithymaloides</i>	87
Scheme 7-5. Fractionation of <i>Brachychiton chillagoensis</i>	88
Scheme 7-6. Fractionation of <i>Parkia sumatrana</i>	89
Scheme 7-7. Fractionation of <i>Polyides rotundus</i>	90
Scheme 8-1. Isolation of 6'-amino-6'-desoxy-glycolipids	95
Scheme 8-2. Synthesis of glycolipids via Koenig-Knorr coupling	96
Scheme 8-3. Synthesis of glycolipid via trichloroacetimidate coupling	97
Scheme 8-4. Synthesis of glycolipids via thio-glycoside coupling	98
Scheme 8-5. Synthesis of glycolipids via Sharpless dihydroxylation	99
Scheme 8-6. Synthesis of the glycosyl acceptor	100
Scheme 8-7. Synthesis of the glucosyl donor (Part 1)	101
Scheme 8-8. Synthesis of the glucosyl donor (Part 2)	102

Scheme 8-9. Synthesis of saturated glucosylglycolipids	103
Scheme 8-10. Enzymatic resolution of glycolipids	105
Scheme 8-11. Synthesis of the unsaturated glucosylglycolipid (Part 1)	106
Scheme 8-12. Enzymatic resolution of glucosylglycolipid	108
Scheme 8-13. Synthesis of the unsaturated glucosylglycolipid (Part 2)	108
Scheme 9-1. Retrosynthesis of labeled paclitaxel	153
Scheme 9-2. Synthesis of Labeled β -lactam	154
Scheme 9-3. Synthesis of the 7,10,13- tri- <i>O</i> -triethylsilyl baccatin III	156
Scheme 9-4. Synthesis of fluorine labeled baccatin III	157
Scheme 9-5. Synthesis of isotopically labeled paclitaxel analogs	158
Scheme 10-1. Proposed synthesis of bridged-nor-Paclitaxel	177
Scheme 10-2. Synthesis of rearranged nor-baccatin III	178
Scheme 10-3. Preparation of 4-acryloyl-A-nor-baccatin analog (Part 1)	179
Scheme 10-4. Preparation of 4-acryloyl-A-nor-baccatin analog (Part 2)	180
Scheme 10-5. Preparation of 4-acryloyl-A-nor-baccatin analog (Part 3)	180
Scheme 10-6. Preparation of 4-acryloyl-A-nor-baccatin analog (Part 4)	181
Scheme 10-7. Preparation of bridged A-nor-paclitaxel	182
Scheme 10-8. Preparation of A-nor-paclitaxel	183

LIST OF TABLES

	page
Table 2-1 Comparison of the ^{13}C NMR data of ST-172-038-M02X with literature data	19
Table 2-2 Comparison of ^{13}C NMR data of ST-172038-M07X with literature.	20
Table 2-3 Comparison of the ^{13}C -NMR data of two caryalactones with literature data	21
Table 3-1 NMR data of A, B and D rings of MSA-02X and alpinumisoflavone	29
Table 3-2 NMR data of MSA-08X and Kraussianone-6	31
Table 3-3 ^1H , ^{13}C -NMR data of MSA-07X and ulexin-D	33
Table 4-1 Comparison of ^{13}C , ^1H NMR data of compound A and glucodigifucoside	45
Table 4-2 Comparison of ^{13}C data of compound B and xysmalorin	51
Table 5-1 NMR data of ST-172-032-03X and neoamphimedine	61
Table 5-2 NMR data of ST-172-032-02X and amphimedine	63
Table 6-1 Comparison of ^{13}C NMR data for 237-061 with literature data for 6.9	74
Table 6-2 Comparison of ^{13}C NMR data of ST-172-237-041 with literature for 6.8	75
Table 6-3 Comparison of ^{13}C NMR data of 237-043 with 237-041 and 237-061	76
Table 7-1 Index of dropped extracts	80
Table 7-2 Comparison ^{13}C NMR data of isotrifoliol with ST-172-106-04	83
Table 8-1 Comparison of the NMR data of synthetic and natural glycolipids 8.1	104
Table 10-1 Comparison of the modeling distance data between 10.3 and 10.5	176
Table 10-2 Bioassay results of <i>A-nor</i> -paclitaxel and paclitaxel analogs	183